

20-BUTTON, PUSHBUTTON DIAL, DESK TELEPHONES WITH BUILT-IN CALL ANNOUNCER CIRCUIT LABELS

1. GENERAL

1.01 This document covers the 20-button, pushbutton dial, desk telephones with built-in call announcer. (See Figure 1.) Circuit labels for 20-button, pushbutton dial, desk telephones with built-in call announcer, are included. (See Table A.)



AW 86-343

Figure 1: 20-Button, Pushbutton Dial, Desk Telephone With Built-In Call Announcer

1.02 This section is reissued to provide the latest issue of circuit labels for the following 20-button, pushbutton dial, desk telephones with built-in call announcer:

- (a) Model 2871, Types 42 and 46
- (b) Model 2871, Type 76

1.03 For additional information on description and installation of the telephones, refer to Section 50-871-103. A replacement parts list and an exploded-view drawing for the telephones are contained in Section 50-871-104. Related documents of the ITT Telephone Apparatus Practices Manual provide information on components.

1.04 The Model 2871 desk telephones are identified by a code number stamped in ink on the bottom of the base plate. Refer to Section 50-871-103 of the ITT Telephone Apparatus Practices Manual for ordering information and for an explanation of each code number.

1.05 The Model 2871 desk telephones are 20-button, pushbutton dial, anti-sidetone type units that operate efficiently over a wide range of loop resistances and line impedances. These telephones are designed for use with key telephone systems, such as the ITT 1A2 System, where several telephones have access to the same lines, CO trunks, or intercom lines.

TABLE A
LIST OF CIRCUIT LABELS

MODEL NO	TYPE NO	FIGURE NO
2871	42, 46	2
2871	76	3

AW 86-400




Figure 2: Circuit Label, Model 2871 Types 42, 46 (Sheet 1 of 2)




Figure 2: Circuit Label, Model 2871 Types 42, 46 (Sheet 2 of 2)

184159-101

2871CL (BA/LR) 76M TYPE TELEPHONE CIRCUIT




Figure 3: Circuit Label, Model 2871 Type 76 (Sheet 1 of 2)

8
ISS

