

HANDSET CORDS IDENTIFICATION

1. GENERAL

1.01 Table A lists cords, ordering guide, design features, cords replaced, and intended use.

1.02 The reasons for reissuing this section are listed below. Revision arrows are used to emphasize the more significant changes.

- Show the H3T, H3U, H4DB, H4EA, H5AA, H5AC, and H5W cords manufacture discontinued (MD), Table A

- Add the H4CYFR, H4EJ, H4EK, H4EM, H4EN, H5P-61, H5AF, and H5AG cord, Table A.

1.03 When ordering cords, specify desired cord, color code, and length. When the LENGTH column of Table A specifies a cord as STD and/or LONG, the standard cord is approximately 6 feet in length and the long cord is approximately 12 feet in length.

1.04 The second character of coded cords designates the number of conductors in the cord.

NOTICE

This document is either
AT&T - Proprietary, or WESTERN
ELECTRIC - Proprietary

Pursuant to Judge Greene's Order of August 5, 1983, beginning on January 1, 1984, AT&T will cease to use "Bell" and the Bell symbol, with the exceptions as set forth in that Order. Pursuant thereto, any reference to "BELL" and/or the BELL symbol in this document is hereby deleted and "expunged".

♦TABLE A♦
HANDSET CORDS

ORDERING GUIDE				DESIGN FEATURES			REPLACES	INTENDED USE (HANDSETS EXCEPT WHERE SPECIFIED)
CORD	COLOR CODE	LENGTH (NOTE)	JACKET	SPG.	STRT.	SPECIAL FEATURES		
H2A	-3	10"	Textile		•			1011G (MD)
H2B		4'	Nylon		•	Test end equipped with 6A clips		1013A (MD), 1013B
H2C		10"				•		1014A (MD), 1014B
H3K	-54	STD	Textile		•		422 (MD)	278-type subset with No. 1C handset handle
H3N	-9	1'6"			•		H3N-10 (MD)	F1E
H3T (MD)	-54	5'6"			•			F3CW (MD)
H3U (MD)		STD			•			F3DW (MD)
H3AR	-3	4', 9', 13'	Vinyl	•			H3AF (MD) H3AJ (MD)	F1GR (MD)
H4A	-54	3'	Textile		•			1D (MD)
H4BM	-3	4'	Vinyl	•		One end equipped with connector		G5FR
H4BU		STD			•			H4T (MD) H4W (MD)
H4CJ	-3, -50, -51, -52, -53, -54, -56, -58, -59, -60, -61, -62	STD and LONG		•			H4BH (MD) H4BR (MD)	G3Y (MD), G3A6, G3BR, G4B, G5GR, G5RR
H4CL (MD)*					•			
H4CP	-3, -51, -60	3'	Vinyl	•			H4BS (MD)	G3FR

See note and footnote at end of table.

♦TABLE A♦ (Contd)

HANDSET CORDS

ORDERING GUIDE				DESIGN FEATURES			REPLACES	INTENDED USE (HANDSETS EXCEPT WHERE SPECIFIED)
CORD	COLOR CODE	LENGTH (NOTE)	JACKET	SPG.	STRT.	SPECIAL FEATURES		
H4CS	-3	1'2"	Vinyl		•			G3AA
H4CT	-3, -50, -51, -53, -54, -56, -58, -59, -60, -61, -62	STD and LONG		•				G6B (MD), G7B (MD), G8B (MD), G10B, G36A (MD)
H4CY	-3	2'8"	PVC		•	Armored stainless, flexible hose covering		G3AD (MD), G3AE, G3AH, G3AF (MD), G3AG (MD), G3AK
H4DA		4'6"			•		H4CG (MD)	
H4CYFR		2'8"						G3AHF-52, G3AKF-52
H4DB (MD)	-3, -50, -51, -53, -54, -56, -58, -60, -61, -62	STD and LONG	Vinyl	•		Each end equipped with early version TRIM- LINE® telephone-type plug		220A (MD) and 2220B (MD) hand telephone sets G12A (A&M Only)
H4DD	-3, -51, -53, -56, -58, -60, -61, -62	STD and LONG	Vinyl	•		One end equipped with 464A-type plug		G10D
H4DE	-61	STD	Nylon		•	One end equipped with modular plug		No. 2C (MD) and No. 3C cord reel
H4DG		2'8" 4'6"	PVC		•	Armored-stainless steel, flexible hose covering		G13A (MD)
H4DH				•			G13B (MD)	
H4DJ (MD)	-3, -50, -51, -53, -54, -56, -58, -60, -62	5'6"	Vinyl	•		Handset end equipped with line switch, both ends equipped with push-in-lock plug		H1A (MD), G12A

See note at end of table.

TABLE A (Contd)

HANDSET CORDS

ORDERING GUIDE				DESIGN FEATURES			REPLACES	INTENDED USE (HANDSETS EXCEPT WHERE SPECIFIED)	
CORD	COLOR CODE	LENGTH (NOTE)	JACKET	SPG.	STRT.	SPECIAL FEATURES			
H4DK	-3, -50, -51, -52, -56, -58, -60, -62	STD and LONG	Vinyl	•		One end equipped with 464A-type plug	H4BL (MD)	G1DR (MD), G2CR (MD), G3CR, G3DR (MD), G3L (MD)	
H4DL	-3				•			H4BY (MD)	F3B (MD), F3F (MD)
H4DM					•			H4CM (MD)	G2CR (MD)
H4DS	-61	STD	Nylon		•	One end equipped with modular plug		KS-20658L1 cord reel in 50A conference set	
H4DU	-3,, -50, -51, -53, -56, -58, -59, -60, -61, -62, -93, -104, -105, -106, -112, -115, -123, -124	STD and LONG	PVC	•		Each end equipped with modular plug		220C, 220AL, 220AM, 226A, 2220C, 2220BM, 2226A hand telephone sets, G14A, G15A, G15Y, G36AM, K1A, L1-, or L2-type, residential sets, modular G-type handsets, 921B telephone sets 950A- and 2950A-type telephone sets	
H4DY	-61	STD	Nylon		•	One end equipped with modular plug		5A cord reel	
H4EA (MD)					•			5B cord reel (MD)	
H4EB	-3, -50	STD	Vinyl	•		For conductor spring cord having a vinyl jacket and tinsel conductors		881A102 (MD), 881A103 (MD), and 881A104 (MD) telephone set	

See note at end of table.

♦TABLE A♦ (Contd)

HANDSET CORDS

ORDERING GUIDE				DESIGN FEATURES			REPLACES	INTENDED USE (HANDSETS EXCEPT WHERE SPECIFIED)
CORD	COLOR CODE	LENGTH (NOTE)	JACKET	SPG.	STRT.	SPECIAL FEATURES		
H4ED	-58	STD	PVC	•		Flat cord having one end equipped with push-in-lock plug and other end equipped with 464A or 478A plug	G15A, K1A, A-type consoles	
H4EE	-50	STD	PVC	•		Flat cord having one end equipped with push-in-lock plug and other end equipped with 464A plug less 100 ohm resistor	128A4- and 138A4-type consoles	
H4EF	-61	STD	Nylon		•	One end equipped with modular plug and molded strain relief grommet other end with ring tips and stayband	5C cord reel	
H4EG	-3	2'8"	PVC		•	Flexible stainless steel hose covering	G13D, multislotted coin collectors	
H4EH		4'6" STD					G13D, single-slot coin collectors	
H4EJ		2'8"					G3AL-03 handset coinless telephone set	
H4EK	Brown	2'8"	Cotton Braid		•	Modular 4 conductor	G3AL-03 handset coinless telephone set	
H4EM	-3	2'8" 4'6"	PVC		•	Flexible stainless steel hose covering	Amplifier handsets for No. 20 coinless telephone sets	
H4EN	Brown	STD 14"	Cotton Braid	•		Modular 4 conductor	940D24-100 telephone set	
H5P	-3, -50, -51, -52, -53, -54 -56, -58, -60, -61, -62	STD	Vinyl	•			G5ER, G5HR	
H5U	-3	4'	Textile		•	One shielded conductor	No. 8 announcement system	

See note at end of table.

♦TABLE A♦ (Contd)

HANDSET CORDS

ORDERING GUIDE				DESIGN FEATURES			REPLACES	INTENDED USE (HANDSETS EXCEPT WHERE SPECIFIED)
CORD	COLOR CODE	LENGTH (NOTE)	JACKET	SPG.	STRT.	SPECIAL FEATURES		
H5W (MD)	-3	4'	Textile		•	One shielded conductor, one end equipped with plug		No. 9 announcement system
H5Y	-3	3'6"	Vinyl	•		One end equipped with plug		G5NR
H5AA (MD)	-3, -50, -51 -53, -54, -56, -58, -60, -62	STD and LONG		•		Each end equipped with early version TRIM- LINE telephone-type plug		220A (MD and 2220B (MD) hand telephone hand telephone sets G12A (A&M Only)
H5AB	-3	STD		•			H5G (MD)	G5AR
H5AC (MD)	-3, -51, -56, -58, -60, -62	LONG		•		Handset end equipped with early version TRIMLINE telephone- type plug		220A (MD) and 2220B (MD) hand telephone sets G12A (A&M Only)
H5AD	-3, -50, -51, -53, -54, -56, -58, -60, -62	STD		•		Each end equipped with early version TRIMLINE telephone- type plug. Handset end has neon glow lamp in plug grommet (message waiting)		
H5AE				•		Handset end equipped with early version TRIMLINE telephone- type plug, and neon glow lamp in plug grommet (message waiting)		
H5AF	-3	4'			•	Four conductor cord with shielded 402379259 con- nector on one end spade tips on other end	H5W (MD)	9A announcement set KS-16536 control unit
H5AG	-3	4'			•	Same as H5AF cord plus mating 402378921 receptacle	H5W (MD)	9A announcement set KS-16536 control unit

See note at end of table.

◆TABLE A◆ (Contd)

HANDSET CORDS

ORDERING GUIDE				DESIGN FEATURES			REPLACES	INTENDED USE (HANDSETS EXCEPT WHERE SPECIFIED)
CORD	COLOR CODE	LENGTH (NOTE)	JACKET	SPG.	STRT.	SPECIAL FEATURES		
H6C	-3	STD and LONG	Vinyl	•				G5BR
H6E	-3, -50, -51 -53, -55, -56, -58, -60, -61, -62			•				
H6F	-3, -51, -53, -56, -58, -60, -61, -62	4', 9', 13'		•				G5JR, G5LR, G10C
KS- 21681L1	-3	4'	Neoprene	•		Set end equipped with bushing over flexible collar	H4DT (4') (MD)	G11A4, G11C4
KS- 21681L2		9'					H4DT (9') (MD)	G11A9, G11C9
KS- 21681L3		4'					H4EC (4') (MD)	G11B4
KS- 21681L4		9'					H4EC (4') (MD)	G11B9

Note: STD (standard) length is approximately 6 feet, LONG length is approximately 12 feet.

* Not furnished in -51 color.