

SERVICE
637EA13 AND 637EAM13 TELEPHONE SETS
CONNECTIONS

1. GENERAL

1.01 This section contains information for the 637EA13 (MD) and 637EAM13 telephone sets. These sets are CALL DIRECTOR® type sets intended for use in a Common Systems Recorded Announcement Frame (CSRAF), J-1C012A or J-1C012B used with No. 1 ESS or No. 5 Crossbar System, respectively.

1.02 This section is reissued to:

- Add 637EAM13 telephone sets

- Show 637EA13 telephone sets MD.

1.03 The 637EAM13 telephone set is similar to the 637EA13 except the modular G15A handset with its associated H4DU handset cord and 616E jack assembly is used in place of hard-wired G3A6 handset and cord.

NOTICE

Not for use or disclosure outside the
Bell System except under written agreement




Fig. 1—637EA13 (MD) and 637EAM13 Telephone Set, Connections (Sheet 1 of 6)




Fig. 1—637EA13 (MD) and 637EAM13 Telephone Set, Connections (Sheet 2 of 6)

SECTION 502-610-413




Fig. 1—637EA13 (MD) and 637EAM13 Telephone Set, Connections (Sheet 3 of 6)

4TH MODULE

111B
APPARATUS
BLANK
(SEE NOTE)




Fig. 1—637EA13 (MD) and 637EAM13 Telephone Set, Connections (Sheet 5 of 6)

5TH MODULE




Fig. 1—637EA13 (MD) and 637EAM13 Telephone Set, Connectors (Sheet 6 of 6)