

DRIVE-UP, WALK-UP PUBLIC TELEPHONES  
GP-2200 BOOTHETTE and GP-2500 OUTDOOR TELEPHONE CANOPY  
IDENTIFICATION

1.00 INTRODUCTION

This addendum is reissued to include various miscellaneous changes. Marginal arrows have been omitted.

2.00 GENERAL

2.01 The Boothette or Outdoor Telephone Canopy may be mounted on a pedestal, pole or wall to provide for outdoor drive-up and walk-up public telephone installations.

2.02 A KS-16708, List 1, spring cord, 9 feet long is required for drive-up installations. It must be ordered separately.

3.00 GP-2200 BOOTHETTE

3.01 The Boothette consists of a clear plastic housing 33 inches high, 20 inches wide, and 15 1/2 inches

deep. It has a plastic dome with the letters "TELEPHONE" in red. Illumination is provided by a 32-watt fluorescent lamp mounted in the dome. It is illustrated in Fig. 1.

3.02 The coin collector is supported by a mounting plate attached to a hollow shaft welded to the base of the Boothette. Two conduits are provided within the shaft for the telephone and electrical service facilities.

3.03 Framework of the Boothette may be of steel or aluminum. New units received from the factory will be aluminum. Aluminum parts are protected with a coat of Acrylic lacquer.

3.04 A door hinges downward to permit access to the equipment cabinet in the base which contains the local wiring, protector, subscriber set, light switch, and automatic light control when used.

3.05 GP-2200 Boothette - Components and Accessories Ordering Information

<u>ORDER NO.</u>	<u>ITEM</u>	<u>DESCRIPTION</u>
GP-2200 List 1A-22 (Red)	BOOTHETTE	Plastic housing, complete with fluorescent light; white dome with red letters.

Mounting Devices - Order as required



GP-2200 List 12	Pedestal Pole	3" dia., 5'-6" long.
GP-2200 List 13	Pedestal Pole	3" dia., 3'-4" long, 12" sq. base.
GP-2200 List 43	Mounting Pole	3" dia., 13'-6" long.

<u>ORDER NO.</u>	<u>ITEM</u>	<u>DESCRIPTION</u>
<u>Mounting Devices - Order as required</u>		
GP-2200 List 16	Pole Mounting Adapters	Set of 4. For mounting Boothette on existing pole. <u>SPECIFY POLE DIAMETER.</u>
GP-2200 List 84	Carriage Bolts (One set per installation)	For mounting back-to-back on 3" dia. poles. Set of 4 ea. 3/8" x 8" hex head bolts and 3/8" nuts, and 8-3/8" flat washers.
GP-2200 List 81*	Lag Screws	For wall mounting, set of 4, 3/8" x 5"; With expansion shields.
GP-2200 List 82*	Thru-Bolts	For wall mounting, set of 4. Specify length, including 2" for Boothette.
GP-2200 List 83*	Toggle Bolts	For wall mounting, set of 4, 3/8" x 5".

\* 1 Set Required per Boothette

Accessories (Optional)


GP-2200 List 18	Light Control	Photo-electric, automatic
GP-2200 List 48	Guard Rail	2" dia. steel pipe for curb guard.



Dimensions:  
 15 1/2" deep, 20" wide  
 35" high

Weight  
 Gross - 70 lb.  
 Net - 55 lb.

FIGURE 1  
 ALUMINUM BOOTHETTE



Dimensions:  
 15 1/2" deep, 20" wide,  
 33" high

Weight  
 Gross - 85 lb.  
 Net - 71 lb.

FIGURE 1A  
 STEEL FRAME BOOTHETTE  
 (MFR DISC)

4.00 GP-2500 OUTDOOR TELEPHONE CANOPY

4.01 The outdoor telephone canopy consists of green translucent plastic side and back assemblies fastened to a steel shaft at the back, a steel cantilevered roof structure and a shelf equipped with a directory hanger. It is illustrated in Figure 2.

4.02 The coin collector is to be mounted directly on the steel shaft, which is part of the frame work and serves as conduit for the wiring.

4.03 The sub-set and protector are housed in a cabinet mounted on the shaft under the shelf.

4.04 GP-2500 Outdoor Telephone Canopy - Components and Accessories Ordering Information

<u>ORDER NO.</u>	<u>ITEM</u>	<u>DESCRIPTION</u>
GP-2500 List 1 - GRD	CANOPY - Pedestal Mounted	Green translucent plastic housing on List 12 pedestal; steel directory shelf; white dome with red letters (bug-proofed if specified). Ready to install.
GP-2500 List 3 - GRD	CANOPY - Wall or Pole Mounted - Order Mounting Brackets & Bolts separately.	Same as List 1-GRD, less pedestal. Includes List 7-GRD, Canopy, B-4134 Safety Closure and B-92 Bracket.
GP-2500 List 7 - GRD	CANOPY only - upper assembly.	Green plastic housing with steel directory shelf. White dome with red letters.
GP-2500 List 9	Shelf Assembly	Plated steel, with directory storage; includes B-90D Shelf, B-40D Equipment Box, B-4341 Equipment Box Cover and miscellaneous hardware required for converting canopy to style with directory storage in shelf.


Mounting Devices - Order as Required

GP-2500 List 12	Pedestal	2-3" dia. pipes 5'-3" long
GP-2500 List 16	Pole Mounting Adapters	Set of 3. <u>Specify Pole Diameter.</u>
GP-2500 List 81	Lag Screws	For wall mounting. Set of 6, 3/8" x 3".
GP-2500 List 82	Thru Bolts	For wall mounting. Set of 6; specify length.
GP-2500 List 85	Hex Head Bolts	For mounting back-to-back on 4" OD poles. Set of 6, 1/2" x 4" bolts; 4 ea. 1/2" nuts & washers.
GP-2500 B-92	Pole-Wall Bracket	For pole or wall mounting.

Accessories (Optional)

GP-2500 List 18	Light Control	Photo-electric, automatic.
GP-2500 B-4134	Safety Closure	For use with List 3-GRD, to close bottom of shaft.

THE OUTDOOR CANOPY IS SHIPPED ASSEMBLED AND READY FOR MOUNTING



Note: List 9 Shelf Includes:  
 B-90D Directory Shelf  
 B-40D Equipment Box  
 B-4341 Equipment Box Cover  
 and miscellaneous hardware  
 required for converting canopy  
 to new style.

Dimensions  
 39" deep, 30 1/4" wide,  
 56 1/4" high

Weight  
 Gross - 170 lb.  
 Net - 116 lb.

FIGURE 2  
 OUTDOOR TELEPHONE CANOPY  
 PEDESTAL MOUNTED