

**NUMERICAL INDEX — DIVISION 554**

**"DIMENSION®" PBX**

**1. GENERAL**

- 1.01** This section provides an index of sections in Division 554.
- 1.02** A bullet (●) indicates an item that has been added or changed since the previous issue of the index.
- 1.03** A square (□) indicates a canceled item. Information relating to the cancellation, if necessary, will be shown in a note following the item. Canceled items and related notes will be deleted upon reissue of the index.
- 1.04** A star (★) indicates an item rated AT&T SPCS which contains trade secret information and which is available to authorized addressees only.
- 1.05** A solid triangle (▲) indicates a Task Oriented Practice (TOP). These practices, because of their limited need, will not be distributed on standing order except through coded distribution. Additional copies may be obtained by placing regular (one-time) orders.
- 1.06** A heart (♥) indicates a new or reissued item which, because of its limited need, will not be distributed on standing order except through coded distribution. Additional copies may be obtained by placing regular (one-time) orders.
- 1.07** A spade (♠) indicates an item not on microfiche. This index indicates the latest issue for hard-copy practices. In some cases, the microfiche will reflect the next higher issue as a result of the reduced distribution interval.
- 1.08** "Add" is the abbreviation for Addendum.

**Section  
Number      Issue      Subject**

554-010-112	1	Electronic Custom Telephone Service — Maintenance Support Information
554-010-122	8	Station Message Detail Recording — System Description
554-010-123	2	Station Message Detail Recording — Maintenance Support
Add ♥ 554-010-130	1	
♥ 554-010-130	5	Remote Maintenance, Administration and Traffic System (RMATS-11) — Description, Operation, Maintenance and Installation
♥ 554-010-135	3	DIMENSION® 400, 600 (Formerly 400E), and 2000/Custom PBXs — Automatic Voice Network (AUTOVON) Service
554-010-140	5	Customer Administration Center System — Description for DIMENSION® PBX and No. 1/1A ESS
554-010-141	4	DIMENSION® 600 (Formerly 400E)/2000 and Custom PBX — Customer Administration Panel — General Description
554-010-142	3	Customer Administration Panel (CAP) — General Description— DIMENSION® 100/400 PBX

**2. LAYERS**

- 2.01** This division is arranged in layers as follows: (see subdivisions).

**3. INDEX**

**Section  
Number      Issue      Subject**

**554-000 Index and General**

- ♠ 554-000-000 73 Numerical Index — Division 554 — DIMENSION® PBX
- 554-000-010 2 Labor Time Reporting for DIMENSION® PBX (100, 400, 600, 2000, and Custom) to Track Costs
- 554-000-100 7 Documents Not Listed in 554 Division Index

**554-010 Systems Common to DIMENSION PBX**

- 554-010-100 9 Attendant Console — General Description
- 554-010-101 4 Input/Output, Interface and Auxiliary Circuits — Maintenance Support Information
- 554-010-102 4 Peripheral Interface Circuit
- 554-010-103 2 Energy Communication Signaling Unit — Description
- 554-010-104 1 Attendant Console — Maintenance Support Information
- 554-010-110 5 Electronic Custom Telephone Service — System Description, Preinstallation, and Planning Information

554-010-143	1	Performance Reporting Option (PRO) 500 — Descriptive Information — Call Management System (CMS)
554-010-144	1	Performance Reporting Option (PRO) 500 — Identification Information — Call Management System (CMS)
554-010-145	1	Performance Reporting Option (PRO) 500 — Preinstallation Information — Call Management System (CMS)
▲ ♠ 554-010-146	1	Performance Reporting Option (PRO) 500 Call Management System (CMS)—Installation, Test, and Maintenance
554-010-147	1	Performance Reporting Options (PRO) 150 — Descriptive Information — Call Management System (CMS)
554-010-148	1	Performance Reporting Options (PRO) 150 — Identification Information — Call Management System (CMS)
554-010-149	1	Performance Reporting Options (PRO) 150 — Preinstallation Information — Call Management System (CMS)
▲ ♠ 554-010-150	1	Performance Reporting Option (PRO) 150 — Call Management System (CMS) — Installation, Test, and Maintenance
● ▲ ♠ 554-010-400	2	Customer Administration Center System (CAC) DIMENSION® PBX
● ▲ ♠ 554-010-405	5	DIMENSION® PBX Electronic Telephone Service DIMENSION® 100 and 400 PBX

Section Number	Issue	Subject
▲ ♣ 554-010-406	5	DIMENSION® PBX Electronic Custom Telephone Service (ECTS) and Automatic Call Distribution (ACD) for Use With DIMENSION® 400E, 600/600SN, 2000 and Custom PBX
● ▲ ♣ 554-010-410	3	Station Message Detail Recording for Use With DIMENSION® PBX

**554-101 DIMENSION 100/400 PBX**

554-101-005	3	DIMENSION® 100/400 PBX — Business Services Design Engineering — Traffic Measurements
554-101-006	2	Business Services Traffic Engineering — Dial PBX Systems — Electronic
Add 554-101-100	2	
554-101-100	11	DIMENSION® 400 PBX — System Description
Add 554-101-101	1	
554-101-101	7	DIMENSION® 400 PBX — Preinstallation and Planning Information
554-101-102	9	DIMENSION® 100 PBX — System Description
Add 554-101-103	1	
554-101-103	4	DIMENSION® 100 PBX — Preinstallation and Planning Information
★ 554-101-105	2	General Software Description and Call Processing — Maintenance Support Information
554-101-106	3	DIMENSION® 100 and 400 PBXs — Scanner/Distributor and Network Control — Maintenance Support Information
554-101-107	3	PAM Network and Port Circuits — Maintenance Support Information
554-101-108	4	DIMENSION® 100 and 400 PBXs — Central Processor — Maintenance Support Information
554-101-115	9	X-Ray Program Package Operating Procedure for Remote Maintenance, Administration, and Traffic System 1 (RMATS-1), Customer Administration Center System (CACSS)

**Task Oriented Practices — DIMENSION 100 PBX**

● ▲ ♣ 554-101-310	4	Installation and Test
● ▲ ♣ 554-101-312	4	Feature Translations
● ▲ ♣ 554-101-314	4	Trouble Analysis
● ▲ ♣ 554-101-316	4	Special Orders

**Task Oriented Practices — DIMENSION 400 PBX**

▲ ♣ 554-101-350	7	Installation and Test
▲ ♣ 554-101-352	7	Feature Translations
▲ ♣ 554-101-354	7	Trouble Analysis
▲ ♣ 554-101-356	7	Special Orders

Section Number	Issue	Subject
<b>554-102 DIMENSION Prelude® PBX</b>		
554-102-100	3	System Description and Planning Information
554-102-101	2	Preinstallation and Planning Information
554-102-108	1	Central Processor — Maintenance Support Information
554-102-109	1	Input, Output and Auxiliary Interface Circuits — Maintenance Support Information
554-102-115	1	X-Ray Program Package — Operating Procedure
▲ ♣ 554-102-330	4	Installation and Test
▲ ♣ 554-102-332	4	Feature Translations
▲ ♣ 554-102-334	4	Trouble Analysis

**554-105 DIMENSION 600 PBX (Formerly DIMENSION 400E PBX)**

Add 554-105-100	1	
554-105-100	7	System Description
554-105-101	5	DIMENSION® 400E/600/600SN PBX — Preinstallation and Planning Information
554-105-106	2	DIMENSION® 600 PBX (Formerly DIMENSION 400E PBX) Scanner/Distributor and Network Control — Maintenance Support Information
554-105-107	2	DIMENSION® 600 PBX (Formerly DIMENSION 400E PBX) — PAM Network and Port Circuits — Maintenance Support Information
554-105-108	2	DIMENSION® 600 PBX (Formerly DIMENSION 400E PBX) Central Processor — Maintenance Support Information
▲ ♣ 554-105-320	5	DIMENSION® 400E/600 PBX — Installation and Test
▲ ♣ 554-105-322	5	DIMENSION® 400E/600 PBX Feature Translations (1 of 2)
▲ ♣ 554-105-324	5	DIMENSION® 400E/600/600SN PBX — Trouble Analysis — Alarm
▲ ♣ 554-105-325	5	DIMENSION® 400E/600/600SN PBX — Trouble Analysis — Basic Call Types and Features
▲ ♣ 554-105-326	5	DIMENSION® 400E/600/600SN PBX — Tests
Add 554-106-100	1	
554-106-100	2	Energy Communications Service Adjunct — Preinstallation and Planning Information and System Description
554-106-101	2	Energy Communications Service Adjunct — Preinstallation and Planning Information and System Description
554-106-115	1	X-Ray Program Package — Operating Procedure — Energy Communications Service Adjunct (ECSA)
● ▲ ♣ 554-106-300	3	Energy Communications Service Adjunct (ECSA) — *Trademark of AT&T

Section Number	Issue	Subject	Section Number	Issue	Subject
● ▲ ◆ 554-106-301	1	Master Remote Unit (MRU) for Energy Communications Service Adjunct (ECSA)	554-111-625	1	DIMENSION® 600/2000/Custom PBX — Electronic Custom Telephone Service Engineering
<b>554-111 DIMENSION 200 0 and Custom PBX</b>			Add 554-111-630	1	
★ 554-111-001	1	Business Services Engineering — General Description and Service Features	554-111-630	2	Processor Community Engineering — DIMENSION® 600/2000/Custom PBX
★ 554-111-002	1	Business Services Engineering — Basic Equipment	554-111-635	1	DIMENSION® 600/2000/Custom PBX — Centralized Attendant Service, Direct Department Calling, Uniform Call Distribution, and Attendant Position Engineering Requirements
★ 554-111-003	1	Business Services Engineering — Attendant Facilities	554-111-636	1	DIMENSION® 200/Custom PBX — Automated Call Distribution and Enhanced Uniform Call Distribution Engineering
★ 554-111-004	1	Business Services Engineering — System Operation	554-111-645	2	DIMENSION® 600/2000/Custom PBX — Business Services Design Engineering — Distributed Communications System Engineering
★ 554-111-005	2	Traffic Measurements — Feature Package-7 — Business Services Traffic Engineering — Dial PBX Systems — Electronic	554-111-650	4	DIMENSION® 600/2000/Custom PBX — Design Engineering Worksheets
★ 554-111-006	1	Business Services Engineering	554-111-660	2	DIMENSION® 600/2000/Custom PBX — Traffic Measurements
Add 554-111-100	1		554-111-670	1	DIMENSION® 600/2000/Custom PBX — Average Characteristic Evaluation (ACE) Method
554-111-100	9	System Description	<b>554-191 DIMENSION PBX Feature Documents</b>		
554-111-101	7	Preinstallation and Planning Information	554-191-100	9	Feature Document — Reference Guide
★ 554-111-105	1	General Software Description and Call Processing Maintenance — Support Information	554-191-105	2	Interaction Cross Reference
554-111-106	2	Scanner/Distributor and Network Control — Maintenance Support Information	554-191-110	3	Alphanumeric Display for Attendant Position, Incoming Call Identification, Calling Number Display to Attendant, and Class-of-Service Display to Attendant
554-111-107	2	Pam Network and Port Circuits — Maintenance Support Information	554-191-111	3	Attendant Conference, Meet-Me Conference, and Six-Way Station Conference — Features
554-111-108	2	Central Processor — Maintenance Support Information	● Add 554-191-112	1	
Add 554-111-115	1		554-191-112	6	Attendant Console and Switched Loop Operation — Features
554-111-115	3	X-Ray Program Package — Operating Procedure	Add 554-191-113	1	
<b>Task Oriented Practices — DIMENSION 2000 and Custom PBX</b>			554-191-113	3	Interposition Calling and Transfer — Feature
▲ ◆ 554-111-300	9	Installation	554-191-114	3	Attendant Control of Trunk Group Access (ACTGA) — Feature
▲ ◆ 554-111-302	9	Feature Translations	554-191-115	3	Attendant Direct Station Selection With Busy Lamp Field and Busy Lamp Field Features
▲ ◆ 554-111-304	9	Trouble Analysis — Alarms	554-191-116	1	Attendant Lockout and Privacy Lockout Features
▲ ◆ 554-111-305	9	Trouble Analysis — Features	554-191-117	1	Attendant Transfer — All Calls
▲ ◆ 554-111-306	9	Tests	554-191-118	5	PBX Line Access and Personal Central Office Line Features
<b>Business Services Design Engineering</b>			554-191-119	4	Automatic Callback — Calling and Automatic Callback — Busy and Don't Answer — Feature
554-111-605	1	DIMENSION® 600/2000 Custom PBX — Basic Traffic Data and Trunk Summary	554-191-120	2	Controlled Restriction — Features for Feature Package No. 9
554-111-610	1	DIMENSION® 600/2000/Custom PBX — Originating Register Record/TOUCH-TONE™ Dialing Receiver, TOUCH-TONE™ Dialing Sender Engineering	554-191-121	1	Enhanced Uniform Call Distribution (EUCD)
554-111-615	1	DIMENSION® 600/2000/Custom PBX — Time Division Network Engineering			
554-111-620	1	DIMENSION® 600/2000/Custom PBX — Station Message Detail Recording Engineering			

Section Number	Issue	Subject	Section Number	Issue	Subject
554-191-122	4	Automatic Identified Outward Dialing (AIOD) Feature	554-191-150	2	Direct Trunk Group Selection Feature
Add 554-191-123	1		554-191-151	3	Distinctive Ringing Feature
554-191-123	3	Centralized Attendant Service With Combined PBX/Attendant Concentration Feature	554-191-152	3	Foreign Exchange (FX) — Central Office (CO) — Access Feature
554-191-124	2	Busy Verification of Station Lines Feature	554-191-153	2	Listed Directory Number (LDN) Service and Multiple Listed Directory Numbers Features
554-191-125	3	Automatic Route Selection — Feature	554-191-154	3	Custom Intercom Feature
554-191-126	5	Call Forwarding — All Calls, Call Forwarding — All Calls — Remote — Call Forwarding — Busy and Don't Answer, and Call Forwarding — Don't Answer — Features	554-191-155	3	Executive Override Feature
554-191-127	3	Hold, I-Hold, Priority Hold, and Exclusive Hold Feature	554-191-156	2	Flexible Numbering of Stations Feature
554-191-128	3	Call Hold Feature	554-191-157	5	Flexible Numbering of Stations — Mixed Numbering and Single-Digit Dialing
Add 554-191-129	3		Add 554-191-158	1	
554-191-129	1	Energy Communications Service	554-191-158	1	Fully Restricted Station Feature
554-191-130	3	Call Pickup — Feature	554-191-159	5	Facilities Administration and Control, Facilities Assurance Reports, Traffic Data to Customer, and Station Rearrangement and Change Features
Add 554-191-131	1		Add 554-191-160	1	
554-191-131	2	I-Use Indication, Line Status Indication, and Station Busy Indication Features	554-191-160	2	Hot Line Service Feature
Add 554-191-132	1		Add 554-191-161	1	
554-191-132	4	Attendant Call Waiting, Originating Call Waiting, and Terminating Call Waiting Features	554-191-161	2	Idle Line Preference, Prime Line Preference, Last Line Preference, No Line Preference, Preselection, Incoming Call Preference, and Ringing Line Preference Features
554-191-133	2	Calling Number Display to Station Feature	Add 554-191-162	1	
554-191-135	3	Code Calling Access Feature	554-191-162	2	Manual Exclusion Feature
554-191-136	6	Centralized Attendant Service With Separate Attendant Concentrator	554-191-163	2	Intercept Treatment Feature
Add 554-191-137	2		554-191-164	3	Deluxe Queuing — (Outgoing Trunk Queuing)
554-191-137	3	Code Restriction and Toll Restriction	Add 554-191-166	2	
Add 554-191-138	1		554-191-166	2	Call Park Feature
554-191-138	3	Controlled Restriction Features (Except for Feature Package 9)	Add 554-191-167	1	
554-191-139	1	Data Verification By Station (DVS) — Feature	554-191-167	3	Trunk Verification By Station Feature
Add 554-191-140	1		Add 554-191-168	1	
554-191-140	2	Line Ringing, Common Audible Ringing, Abbreviated and Delayed Ringing, Ringing Transfer, and Station Ringer Cutoff	554-191-168	2	Station Message Waiting Feature
554-191-141	2	Bridged Call Feature	554-191-169	5	Customer Administration Center System Feature
554-191-142	2	Reserve Power Feature	Add 554-191-170	1	
554-191-143	1	Voice Store and Forward Interface	554-191-170	1	Visually Impaired Attendant Service Feature
554-191-145	2	Dial Access to Attendant Feature	554-191-171	1	Inward Restriction Feature
554-191-146	3	Automatic Intercom, Dial Intercom, Manual Intercom, and Manual Signaling Features	554-191-172	5	Customer Administration Panel (CAP) for DIMENSION 400E, 600, 2000, and Custom PBX — Feature
554-191-147	2	Direct Inward Dialing (DID)	554-191-173	1	Line Lookout With Warning Feature
554-191-149	3	Direct Outward Dialing Feature	554-191-174	3	Message Waiting
			554-191-175	3	Manual Originating Line Service Feature
			554-191-176	1	Manual Terminating Line Service Feature

	Section Number	Issue	Subject	Section Number	Issue	Subject
Add	554-191-177	1		554-191-206	4	Station Message Register Service Feature
	554-191-177	2	Radio Paging Access Feature	554-191-207	4	Hotel/Motel Console/Terminal Feature
	554-191-178	2	Miscellaneous Trunk Restriction	554-191-208	7	Station Message Detail Recording Feature
	554-191-179	3	Music-on-Hold and Music-on-Hold Access Features	554-191-209	2	Station-to-Station Calling Feature
	554-191-180	1	Night Console Position Feature	554-191-210	1	Straightforward Outward Completion Feature
	554-191-181	3	Night Station Service — Fixed Service — Night Station Service — Full-Service, and Night Station Service — Automatic—Features	554-191-212	1	Tie Trunk Access and Tandem Tie Trunk Switching Features
• Add	554-191-182	1		Add 554-191-213	1	
	554-191-182	6	Uniform Call Distribution (UCD) and Direct Department Calling (DDC)	554-191-213	2	Termination Restriction — Feature
	554-191-183	2	Origination Restriction	Add 554-191-214	1	
	554-191-184	2	Off-Premises Stations	554-191-214	2	Through Dialing Feature
	554-191-185	3	3A Code Call Access — Feature	Add 554-191-215	1	
	554-191-186	4	Outgoing Trunk Queuing	554-191-215	2	Timed Reminder Feature
	554-191-187	1	Outward Restriction Feature	Add 554-191-216	1	
Add	554-191-188	1		554-191-216	2	Threeway Conference Transfer Feature
	554-191-188	3	Data Privacy and Data Restriction Features	554-191-217	3	Local Call Billing Feature
	554-191-189	4	Automatic Wakeup Service Feature	554-191-218	2	Room Status and Selection Feature
	554-191-190	3	Loudspeaker Paging — Basic and Loudspeaker Paging — Deluxe — Features	554-191-219	2	Toll Terminal Access and Toll Terminal Access With Ringing From Toll—Feature
	554-191-191	3	Power Failure Transfer Feature	554-191-220	3	TOUCH-TONE® Calling and TOUCH-TONE to Dial Pulse Conversion Features
	554-191-192	3	Split Access to Outgoing Trunks Feature	554-191-221	2	Interface for Long Distance Billing Feature
	554-191-193	2	Recall Dial Tone and Recall Button Features	554-191-222	3	Journal Printers Feature
	554-191-194	2	Recorded Telephone Dictation — Access Feature	Add 554-191-223	1	
Add	554-191-195	1		554-191-223	1	Trunk Answer From Any Station Feature
	554-191-195	3	Remote Access to PBX Services — Feature for Feature Package 2	554-191-225	2	Trunk Group Busy Indicators on Attendant Position and Trunk Group Warning Indicators on Attendant Position Features
Add	554-191-196	1		554-191-226	4	Automatic Route Selection — Deluxe and 10-Digit Conversion Feature
	554-191-196	2	Main/Satellite Indialing Thru Main Inter-PBX Call Transfer — Inter-PBX Coordinated Station Numbering Features	554-191-227	3	Trunk-to-Trunk Connections
	554-191-197	2	Rotary Dial Calling Feature	554-191-228	4	Trunk Verification by Customer Feature
	554-191-198	2	Route Advance Feature	554-191-229	3	Authorization Code Feature
	554-191-200	2	Two-Party Hold on Console and Serial Call Features	554-191-230	1	Local Call Billing
	554-191-201	4	Speed Calling Feature	554-191-231	2	Timed Recall on Outgoing Calls
	554-191-202	3	Automatic Station Restriction	554-191-232	3	Wide Area Telecommunications Service (WATS) Access — Feature
	554-191-203	1	One-Way Auto/Manual Splitting	554-191-233	2	Wide Frequency Tolerant Power Plant
	554-191-204	5	Remote Access to PBX Services Feature for Feature Package 8	554-191-234	1	Hotel/Motel Console/Terminal DIMENSION* PRELUDE* PBX
	554-191-205	3	Station Hunting — Circular Hunting — Station Hunting — Terminal Hunting — Features	554-191-235	1	Automatic Wakeup Service
				554-191-236	1	Room Status and Selection — DIMENSION* PRELUDE* PBX

Section Number	Issue	Subject	Section Number	Issue	Subject
554-191-237	4	Off-Premises Station With Call Control Feature	554-191-259	1	Attendant Release Loop Feature
Add 554-191-238	1		554-191-260	1	Trunk Identification by Attendant
554-191-238	3	Communication Interface for Property Management Systems — Feature	Add 554-191-261	1	
554-191-239	2	Interface to Network Control Office Support System and Centralized Station Message Detail Recording — Local Storage Unit Feature	554-191-261	1	Station Number Steering Feature
554-191-240	3	Facilities Restriction Level and Traveling Class Mark — Features	Add 554-191-262	1	
554-191-241	3	TOUCH-TONE® Senderized Operation Feature	554-191-262	2	Energy Communications Service Adjunct (ECSA)
554-191-242	6	Uniform Numbering Plan, Automatic Alternate Routing and Automatic Overflow to Direct Distance Dialing Features	554-191-263	1	Energy Communications Service—Feature—Feature Package II
554-191-243	4	Automatic Circuit Assurance — Feature	554-191-264	1	Automatic Call Distribution (ACD) — Feature
554-191-244	2	Last Extension Called Feature	554-191-265	1	Malicious Call Tracing — Feature
554-191-245	2	Station Direct Station Selection (DSS) Feature	554-191-266	1	Attendant Flash Over Trunks — Feature
Add 554-191-246	1		554-191-267	1	Memory Holdover — Feature
554-191-246	3	Data Communications Access Feature	554-191-268	1	Automatic Attendant Access — Feature
554-191-247	2	Advanced Private Line Termination (APLT)	554-191-269	1	Off-Hook Trunk Queuing
Add 554-191-249	1		554-191-270	1	Priority Queuing
554-191-249	1	Extended Memory Holdover	554-191-271	1	Splitting — Two-Way Manual — Feature
554-191-250	1	Time of-Day Synchronization Feature	554-191-272	1	Message Center—Feature
554-191-251	4	Uninterruptible Power Service Feature	554-191-273	1	Directory—Feature
554-191-252	1	Bed Status and Selection Feature	554-191-274	1	Call Coverage — Feature
Add 554-191-253	2		554-191-275	1	Leave Word Calling — Feature
554-191-253	1	Hospital Console/Terminal — Feature	554-191-276	1	Automatic Message Waiting—Feature
554-191-254	2	Emergency Access to Attendant Feature	554-191-278	1	Data Switching — Level I
554-191-257	3	Customer Administration Panel (CAP) — Feature — 100/400 prelude PBX	554-191-279	1	Data Switching — Level II
554-191-258	2	Force Administration Data System (FADS) — Feature	554-191-286	1	Distributed Communication System — Feature