

FEATURE DOCUMENT
REFERENCE GUIDE
"DIMENSION®" PBX

1. GENERAL

1.01 This document provides an alphabetical (Table A) and numerical (Table B) listing of DIMENSION PBX Feature Documents (FDs), feature availability for Feature Package program issues, and a general overview of FD purposes.

1.02 This section is reissued for the following reasons:

- (a) To add Deluxe Voice and Electronic Tandem Switching to Feature Package 8, Issue 3
- (b) To add the Message Center/Directory Service to Feature Package 8, Issue 3
- (c) To add Data Switching to Feature Package 8, Issue 3
- (d) To add the Distributed Communications System to Feature Package 8, Issue 3.

Revision arrows are used to denote the more significant changes. Shaded areas in Tables A and B indicate changes and additions.

1.03 To use Table A, simply find the desired feature, note the section number, and find the column corresponding to the Feature Package desired. Listed in the column is the program issue that introduced that feature in the Feature Package (standard features are always introduced by program issue 1). The top of the page provides the type DIMENSION PBX with which the Feature Package can be associated. For example, if information on the Timed Reminder feature, associated with Feature Package 2, is desired, find the alphabetical listing for the feature. Next, note that it is listed as a standard feature, which means it was introduced into Feature Package 2 by program issue 1. Note that a separate entry "W/Audible Signal" is included under Timed

Reminder. This means that the feature was enhanced to include an audible signal to the attendant when Timed Reminder was activated. Note that under Feature Package 2 the program issue is 3. This means that program issue 3 introduced the enhancement into Feature Package 2. Therefore, any program, Issue 3 or later, of Feature Package 2 contains the Timed Reminder feature W/Audible Signal. Also note that Feature Package 2 can be associated with a 100- or 400-type DIMENSION PBX.

1.04 With the advent of Feature Package 8, Issue 3, two columns are added to Table A to distinguish the features available with Deluxe Voice (DV) from those available with Electronic Tandem Switching (ETS). As previously stated, when a feature (or feature enhancement) is introduced by an issue number into a feature package all subsequent issues for that feature package will contain this feature (or feature enhancement). In Table A this is true except for Feature Package 8. In Feature Package 8 all features in Issue 1 are in Issue 2 with the exception of those shown in Table A. However, with Issues 2 and 3 it should not be assumed that subsequent issues will contain the same features. For example, the Automatic Call Distribution feature is in Issue 2 but not in Issue 3.

1.05 To determine if a particular FD is available, refer to the Numerical Index—Section 554-000-000.

1.06 Only Feature Package 1 is rated manufacture discontinued (MD).

1.07 DIMENSION PBX Electronic Custom Telephone Service (ECTS) is provided in Feature Packages 5, 7, 8, 11, 12, and 15. Features which are strictly ECTS features are designated as such in Table A.

2. PURPOSE

2.01 DIMENSION PBX Feature Documents are provided for Operating Telephone Company

NOTICE

Not for use or disclosure outside the
Bell System except under written agreement

(OTC) Marketing, Engineering, Installation and Repair, and Business Services personnel to assist in project planning work where complex feature operations must be studied. Feature Documents are also references which allow all system users to answer questions from customers or from other OTC personnel regarding feature operations and interactions with other features.

A. Marketing Representative

2.02 Feature Documents are especially designed for marketing representatives' needs when addressing a customer's specific service requirements. For example, the User Operation part contains the following:

- (a) Application Information—Describes why this feature would be useful and enhance the customer's telephone service
- (b) Sequence of actions required by the user to activate this feature
- (c) Description of the audible and visual responses that may be encountered during feature operation.

2.03 In addition to the User Operation part, these other parts may be useful.

- (a) **Limitation Part:** Gives the minimum and maximum quantities as they apply to the feature.
- (b) **Interaction Part:** Contains information relating to operation of this feature in conjunction with other features and whether or not other features have precedence over this feature during system operation.
- (c) **Hardware Requirements:** Provides a detailed list of hardware required to implement the feature which can be used as an aid in estimating customer cost.

B. Engineering

2.04 Customer Equipment Engineering personnel may use Feature Documents to obtain information on feature capabilities, limitations, interactions with other features, and hardware considerations so that new services can be planned to

meet specific customer needs. The engineer should also be familiar with the information in the System Operation part so that complex questions on feature operation referred to Engineering can be answered. Feature Documents may also serve as an aid in completing the ordering questionnaires.

C. Craft Personnel

2.05 Craft personnel may have need for the User and System Operation parts. The User Operation part helps to answer questions on feature operation directed to them by the customer, and the System Operation part aids in understanding the operational sequence of the system when the feature is activated.

D. Business Service Representatives

2.06 The Business Service Representative may use Feature Documents for background information. The User Operation part could be used for developing user training for telephone company and customer personnel. The System Operation, Feature Interactions, and the Hardware Requirements parts may be used to determine acceptable alternatives for satisfying customer service requirements.

3. STANDARDIZED CONTENT

3.01 The following standardized numbering and content is used in each FD.

1. GENERAL INFORMATION
2. DEFINITION
3. USER OPERATION
4. SYSTEM OPERATION
5. FEATURE ASSIGNMENT
6. LIMITATIONS
7. INTERACTIONS
8. RESTRICTION CAPABILITY
9. INSTALLATION/ADDITION/DELETION
10. HARDWARE REQUIREMENTS.

TABLE A
ALPHABETICAL LISTING OF FEATURES OF "DIMENSION®" PBXs PLUS "DIMENSION" "PRELUDE*" PBX

FEATURE NAME	SECTION NUMBER	TYPE "DIMENSION" PBX													P R E L U D E	
		FEATURE PACKAGE														
		1	2	3	4	5	7	8		9	10	11	12	15		
							ISS. 182	ISS. 3 DV ETS								
PROGRAM ISSUE																
Abbreviated and Delayed Ringing†	554-191-140	-	-	-	-	1	1	1	3	3	-	-	1	1	1	-
Advanced Private Line Termination (APLT)	554-191-247	-	3‡	-	2	2	1	1	3	3	-	1	1	1	1	1
Alphanumeric Display for Attendant Position	554-191-110	1	1	1	1	1	1	1	3	3	1	1	1	1	1	1
Attendant Conference	554-191-111	-	-	-	1	-	1	1	3	3	1	1	1	1	1	1
Attendant Console	554-191-112	← Standard →														
W/Digital Clock	554-191-112	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Attendant Control of Trunk Group Access	554-191-114	1	1	1	1	1	1	1	3	3	1	1	1	1	1	1
Attendant DSS With Busy Lamp Field	554-191-115	1	1	1	1	1	1	1	3	3	1	1	1	1	1	1
W/Extended DSS	554-191-115	-	-	-	-	-	1	1	3	3	1	-	1	1	-	-
Attendant Flash Over Trunks	554-191-266	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Attendant Lockout	554-191-116	-	1	-	1	1	1	1	3	3	1	1	1	1	1	1
Attendant Release Loop	554-191-259	-	-	-	-	-	-	1	3	3	-	-	1	1	1	-
Attendant Transfer - All Calls	554-191-117	← Standard →														
Authorization Code	554-191-229	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-
Automatic Alternate Routing	554-191-242	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-
Automatic Attendant Access	554-191-268	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Automatic Call Distribution	554-191-264	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
Automatic Callback - Calling	554-191-119	-	1	-	-	1	1	1	3	3	-	1	1	1	1	1
- Busy and Don't Answer	554-191-119	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Automatic Circuit Assurance	554-191-243	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-
Automatic Identified Outward Dialing (AIOD)	554-191-122	-	1§	-	1	1	1	1	3	3	1	1	1	1	1	-

*Trademark of AT&T

†ECTS Feature

‡Introduced into FP2 with a B change

§Not Available in DIMENSION 100 PBX

TABLE A (Contd)
ALPHABETICAL LISTING OF FEATURES OF "DIMENSION" PBXs PLUS "DIMENSION" "PRELUDE" PBX

FEATURE NAME	SECTION NUMBER	TYPE "DIMENSION" PBX															P R E L U D E
		FEATURE PACKAGE															
		1	2	3	4	5	7	8		9	10	11	12	15			
							ISS. 182	ISS. 3 DV ETS									
PROGRAM ISSUE																	
A (Contd)																	
Automatic Intercom*	554-191-146	-	-	-	-	1	1	1	3	3	-	-	1	1	1	-	
Automatic Message Waiting	554-191-276	-	-	-	-	-	-	-	3†	3†	-	-	-	-	-	-	
Automatic Overflow to DDD	554-191-242	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	
Automatic Route Selection (ARS)	554-191-125	-	-	-	1	-	1	-	3	-	-	1	1	1	1	1	
Automatic Route Selection (ARS) Deluxe	554-191-226	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	
Automatic Station Restriction	554-191-202	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	
Automatic Wakeup Service	554-191-189	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	
B																	
Bed Status and Selection	554-191-252	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	
Bridged Call*	554-191-141	-	-	-	-	1	1	1	3	3	-	-	1	1	1	-	
Busy Lamp Field	554-191-115	1	1	1	1	1	1	1	3	3	1	1	1	1	1	1	
Busy Verification of Station Lines	554-191-124	-	1	1	1	1	1	1	3	3	1	1	1	1	1	1	
C																	
Call Coverage	554-191-274	-	-	-	-	-	-	-	3†	3†	-	-	-	-	-	-	
Call Forwarding																	
All Calls	554-191-126	1	1	1	1	1	1	1	3	3	1	1	1	1	1	1	
All Calls - Remote	554-191-126	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	
Busy and Don't Answer	554-191-126	-	1	-	1	1	1	1	3	3	-	1	1	1	1	1	
Don't Answer	554-191-126	-	3	2	2	2	1	1	3	3	-	1	1	1	1	1	
Call Hold	554-191-128	1	1	1	1	1	1	1	3	3	1	1	1	1	1	1	
Call Park	554-191-166	-	1	1	1	1	1	1	3	3	1	1	1	1	1	1	
Call Pickup	554-191-130	1	1	-	1	1	1	1	3	3	1	1	1	1	1	1	
- Directed Call Pickup	554-191-130	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	

*ECTS Feature

†An incremental "right to use" is required to add this feature.

TABLE A (Contd)
ALPHABETICAL LISTING OF FEATURES OF "DIMENSION" PBXs PLUS "DIMENSION" "PRELUDE" PBX

FEATURE NAME	SECTION NUMBER	TYPE "DIMENSION" PBX														PRELUDE
		FEATURE PACKAGE														
		1	2	3	4	5	7	8		9	10	11	12	15		
							ISS. 182	ISS. 3 DV	ETS							
PROGRAM ISSUE																
Call Waiting C (Contd)																
Attendant	554-191-132	1	1	1	1	1	1	3	3	1	1	1	1	1	1	
Originating	554-191-132	1	1	1	1	1	1	3	3	1	1	1	1	1	1	
Terminating	554-191-132	1	1	1	1	1	1	3	3	1	1	1	1	1	1	
Calling Number Display to Attendant	554-191-110	1	1	1	1	1	1	3	3	1	1	1	1	1	1	
Calling Number Display to Station	554-191-133	-	-	1	1	-	1	3	3	1	1	1	1	1	1	
Centralized Attendant Service																
W/Combined PBX/Attendant Concentration	554-191-123	-	-	-	-	-	1	3	3	-	-	1	1	-	-	
W/Separate Attendant Concentrator	554-191-136	-	-	-	-	-	1	3	3	-	1	1	1	1	-	
Centralized Station Message Detail Recording	554-191-239	-	-	-	1	-	1	3	3	-	1	1	1	1	1	
Class-of-Service Display to Attendant	554-191-110	1	1	1	1	1	1	3	3	1	1	1	1	1	1	
Code Calling Access																
3A†	554-191-185	← Standard →														
Chime Paging	554-191-135	-	-	-	-	-	1	3	3	-	1	1	1	1	1	
Code Restriction	554-191-137	-	1	1	1	1	1	3	3	1	1	1	1	1	1	
Common Audible Ringing*	554-191-140	-	-	-	-	1	1	3	3	-	-	1	1	1	-	
Communication Interface for Property Management Systems	554-191-238	-	-	-	-	-	-	-	-	1	-	1	-	-	-	
W/Data Entry Via Telephone	554-191-238	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
Conferencing																
Attendant Conference	554-191-111	-	-	-	1	-	1	3	3	1	1	1	1	1	1	
Six-Way Meet-Me Conference	554-191-111	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
Six-Way Station Conference	554-191-111	-	-	-	-	-	-	-	-	-	-	-	-	-	1	

*ECTS Feature

†This Feature is standard feature but requires additional hardware.

TABLE A (Contd)
ALPHABETICAL LISTING OF FEATURES OF "DIMENSION" PBXs PLUS "DIMENSION" "PRELUDE" PBX

FEATURE NAME	SECTION NUMBER	TYPE "DIMENSION" PBX														PRELUDE
		FEATURE PACKAGE														
		1	2	3	4	5	7	8		9	10	11	12	15		
							ISS.	ISS. 3								
							182	DV	ETS							
PROGRAM ISSUE																
C (Contd)																
Controlled Restriction (Except FP9)																
Outward Restriction	554-191-138	-	-	1	1	-	1	1	3	3	-	1	-	1	1	
Station-to-Station Restriction	554-191-138	-	-	1	1	-	1	1	3	3	-	1	-	1	1	
Termination Restriction	554-191-138	-	-	1	1	-	1	1	3	3	-	1	-	1	1	
Total Restriction	554-191-138	-	-	1	1	-	1	1	3	3	-	1	-	1	1	
Controlled Restriction FP9																
Outward Restriction	554-191-120	-	-	-	-	-	-	-	-	-	1	-	1	-	-	
Station-to-Station Restriction	554-191-120	-	-	-	-	-	-	-	-	-	1	-	1	-	-	
Termination Restriction	554-191-120	-	-	-	-	-	-	-	-	-	1	-	1	-	-	
Total Restriction	554-191-120	-	-	-	-	-	-	-	-	-	1	-	1	-	-	
Custom Intercom	554-191-154	-	-	-	1	-	1	1	3	3	-	1	1	1	1	
Customer Administration Center System	554-191-169	-	-	-	-	-	-	1	3	3	-	-	-	1	-	
Customer Administration Panel (CAP) for DIMENSION 400E, 600, 2000, and Custom PBXs	554-191-172	-	-	-	-	-	1	1	3	3	1	-	1	1	-	
Customer Administration Panel for DIMENSION 100, 400, and PRELUDE PBXs	554-191-257	-	-	-	-	-	-	-	-	-	-	-	-	1	1	
D																
Data Communication Access	554-191-246	-	1	1	1	1	1	1	3	3	1	1	1	1	1	
W/DID Capability	554-191-246	-	-	-	-	-	-	1	3	3	-	-	1	1	-	
Data Privacy	554-191-188	-	3	2	1	2	1	1	3	3	1	1	1	1	1	
Data Restriction	554-191-188	-	3	2	1	2	1	1	3	3	1	1	1	1	1	
Data Switching - Level I	554-191-278	1	1	1	1	1	1	1	3	3	1	1	1	1	1	
Data Switching - Level II	554-191-279	-	-	-	-	-	-	-	3†	3†	-	-	-	-	-	
Data Verification by Station	554-191-139	-	-	-	-	-	-	-	3†	3†	-	-	-	-	-	

*ECTS Feature

† An incremental "right to use" is required to add this feature.

TABLE A (Contd)
ALPHABETICAL LISTING OF FEATURES OF "DIMENSION" PBXs PLUS "DIMENSION" "PRELUDE" PBX

FEATURE NAME	SECTION NUMBER	TYPE "DIMENSION" PBX															P R E L U D E
		FEATURE PACKAGE															
		1	2	3	4	5	7	8		9	10	11	12	15			
							ISS. 182	ISS. 3 DV ETS									
D (Contd)		PROGRAM ISSUE															
Deluxe Queuing	554-191-164	-	-	-	-	-	-	1	3	3	-	-	1	1	-	-	
Dial Access to Attendant	554-191-145	Standard															
Dial Intercom*	554-191-146	-	-	-	-	1	1	1	3	3	-	-	1	1	1	-	
Direct Department Calling (DDC)	554-191-182	-	-	-	-	-	-	1†	-	-	-	1	1	1	1	1	
Direct Department Calling (DDC) Emulated by Enhanced Uniform Call Distribution (EUCD)	554-191-121	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	
Direct Inward Dialing (DID)	554-191-147	-	1	-	1	1	1	1	3	3	1	1	1	1	1	1	
Direct Outward Dialing (DOD)	554-191-149	Standard															
Direct Trunk Group Selection	554-191-150	-	1	-	1	1	1	1	3	3	1	1	1	1	1	1	
Directory	554-191-273	-	-	-	-	-	-	-	3§	3§	-	-	-	-	-	-	
Distinctive Ringing	554-191-151	Standard															
Distributed Communications Service (DCS)	554-191-286	-	-	-	-	-	-	-	-	3§	-	-	-	-	-	-	
E																	
Emergency Access to Attendant	554-191-254	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
Energy Communications Service (ECS)-FP9	554-191-129	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
Energy Communications Service (ECS)-FP11	554-191-263	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
Energy Communications Service Adjunct	554-191-262	1	1	1	1	1	1	1	3	3	1	1	1	1	1	1	
Enhanced Uniform Call Distribution (EUCD)	554-191-121	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	
Exclusive Hold*	554-191-127	-	-	-	-	1	1	1	3	3	-	-	1	1	1	-	
Executive Override	554-191-155	-	1	-	1	1	1	1	3	3	-	1	1	1	1	1	
Extended Memory Holdover	554-191-249	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	
F																	
Facilities Administration and Control†	554-191-159	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	

*ECTS Feature

†Feature used with CACS or CAP

‡Feature used with CACS

§An incremental "right to use" is required to add this feature.

TABLE A (Contd)
ALPHABETICAL LISTING OF FEATURES OF "DIMENSION" PBXs PLUS "DIMENSION" "PRELUDE" PBX

FEATURE NAME	SECTION NUMBER	TYPE "DIMENSION" PBX													P R E L U D E
		FEATURE PACKAGE													
		1	2	3	4	5	7	8		9	10	11	12	15	
						ISS.	ISS. 3								
						182	DV ETS								
PROGRAM ISSUE															
I (Contd)															
Intercept Treatment															
Recorded Announcement	554-191-163	-	3	-	1	2	1	1	3	3	-	1	1	1	1
Tone and Attendant	554-191-163	← Standard →													
Interface for LD Billing	554-191-221	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Interface to NCOSS and CSMR Local Storage Unit	554-191-239	-	-	-	-	-	-	1	-	3	-	-	-	-	-
Inter-PBX Call Transfer	554-191-196	-	-	-	-	-	-	1	-	3	-	-	-	-	-
Inter-PBX Coordinated Station Numbering	554-191-196	-	-	-	-	-	-	1	-	3	-	-	-	-	-
Interposition Calling and Transfer	554-191-113	-	-	-	-	-	1	1	3	3	1	-	1	1	-
Attendant Only	554-191-113	-	-	-	-	-	-	-	-	-	-	-	-	-	1†
Inward Restriction	554-191-171	1	1	1	1	1	1	1	3	3	1	1	1	1	1
J															
Journal Printers	554-191-222	-	-	-	-	-	-	-	-	-	1	-	1	-	-
L															
Last Extension Called*	554-191-244	-	-	-	-	1	1	1	3	3	-	-	1	1	1
Last Line Preference*	554-191-161	-	-	-	-	1	1	1	3	3	-	-	1	1	1
Leave Word Calling	554-191-275	-	-	-	-	-	-	-	3†	3†	-	-	-	-	-
Line Lockout With Warning	554-191-173	← Standard →													
Line Ringing*	554-191-140	-	-	-	-	1	1	1	3	3	-	-	1	1	1
Line Status Indication*	554-191-131	-	-	-	-	1	1	1	3	3	-	-	1	1	1
Listed Directory Number (LDN) Service	554-191-153	← Standard →													
W/Voice Switched Gain	554-191-153	-	-	-	-	-	-	1	3	3	-	-	1	1	-
Local Call Billing	554-191-217	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Loudspeaker Paging															
Basic	554-191-190	1	1	1	1	1	1	1	3	3	1	1	1	1	1

*ECTS Feature

†Interposition calling and transfer is only in models D-J (multicabinet models)

‡An incremental "right to use" is required to add this feature.

TABLE A (Contd)
ALPHABETICAL LISTING OF FEATURES OF "DIMENSION" PBXs PLUS "DIMENSION" "PRELUDE" PBX

FEATURE NAME	SECTION NUMBER	TYPE "DIMENSION" PBX													PRELUDE
		FEATURE PACKAGE													
		1	2	3	4	5	7	8		9	10	11	12	15	
							ISS. 182	ISS. 3 DV	ETS						
PROGRAM ISSUE															
L (Contd)															
Loudspeaker Paging (Contd)	554-191-190	-	1	1	1	1	1	1	3	3	1	1	1	1	1
Deluxe	554-191-190	-	3	2	2	2	-	1	3	3	-	1	1	1	1
W/Tie Trunk Access Allowed															
M															
Main/Satellite	554-191-196	-	-	-	-	-	-	1	-	3	-	-	-	-	-
Malicious Call Tracing	554-191-265	-	-	-	-	-	-	2	3	3	-	-	-	-	-
Manual Exclusion*	554-191-162	-	-	-	-	1	1	1	3	3	-	-	1	1	1
Manual Intercom*	554-191-146	-	-	-	-	1	1	1	3	3	-	-	1	1	1
Manual Originating Line Service	554-191-175	-	-	1	-	-	-	-	-	-	1	-	1	-	1
Manual Signaling*	554-191-146	-	-	-	-	1	1	1	3	3	-	-	1	1	1
Manual Terminating Line Service	554-191-176	1	1	1	1	1	1	1	3	3	1	1	1	1	1
Message Center	554-191-272	-	-	-	-	-	-	-	3†	3†	-	-	-	-	-
Message Waiting Service	554-191-174	-	-	1	-	-	-	-	-	-	1	-	1	-	1
Memory Holdover	554-191-267	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Miscellaneous Trunk Restriction	554-191-178	1	1	1	1	1	1	1	3	3	1	1	1	1	1
Multiple LDN															
DID	554-191-153	-	1	-	1	1	1	1	3	3	1	1	1	1	1
Non-DID	554-191-153	1	1	1	1	1	1	1	3	3	1	1	1	1	1
Music-on-Hold Access	554-191-179	-	3	2	1	2	1	1	3	3	1	1	1	1	1
Music-on Hold Access (ECTS)*	554-191-179	-	-	-	-	1	1	1	3	3	-	-	1	1	1
N															
Night Console Position	554-191-180	Standard													
Night Station Service															
Fixed Service	554-191-181	Standard													
Full Service	554-191-181	1	1	-	1	1	1	1	3	3	-	1	1	1	1
Automatic	554-191-181	-	-	-	-	-	-	-	-	-	-	-	-	-	1

*ECTS Feature

†An incremental "right to use" is required to add this feature.

TABLE A (Contd)
ALPHABETICAL LISTING OF FEATURES OF "DIMENSION" PBXs PLUS "DIMENSION" "PRELUDE" PBX

FEATURE NAME	SECTION NUMBER	TYPE "DIMENSION" PBX													PRELUDE	
		FEATURE PACKAGE														
		1	2	3	4	5	7	ISS. 3		9	10	11	12	15		
							182	DV	ETS							
N (Contd)		PROGRAM ISSUE														
No-Line Preference*	554-191-161	-	-	-	-	1	1	1	3	3	-	-	1	1	1	-
0																
Off-Hook Trunk Queuing	554-191-269	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Off-Premises Stations	554-191-184	← Standard →														
W/Call Control	554-191-237	-	1	1	1	1	1	1	3	3	1	1	1	1	1	1
Origination Restriction	554-191-183	1	1	1	1	1	1	1	3	3	1	1	1	1	1	1
Outgoing Trunk Queuing	554-191-186	1	1	-	1	1	1	-	-	-	-	1	-	-	1	1
Outward Restriction	554-191-187	← Standard →														
P																
Personal Central Office Line*	554-191-118	-	-	-	-	1	1	1	3	3	-	-	1	1	1	-
Power Failure Transfer†	554-191-191	← Standard →														
Preselection*	554-191-161	-	-	-	-	1	1	1	3	3	-	-	1	1	1	-
Prime Line Preference*	554-191-161	-	-	-	-	1	1	1	3	3	-	-	1	1	1	-
Priority Hold*	554-191-127	-	-	-	-	1	1	1	3	3	-	-	1	1	1	-
Priority Queuing	554-191-270	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Privacy and Lockout	554-191-116	-	1	-	1	1	1	1	3	3	1	1	1	1	1	1
PBX Line Access*	554-191-118	-	-	-	-	1	1	1	3	3	-	-	1	1	1	-
Property Management Systems, Communication Interface for	554-191-238	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
R																
Radio Paging Access†	554-191-177	← Standard →														
Recall Button*	554-191-193	-	-	-	-	1	1	1	3	3	-	-	1	1	1	-
Recall Dial Tone	554-191-193	← Standard →														
Recorded Telephone Dictation Access	554-191-194	-	1	-	1	1	1	1	3	3	1	1	1	1	1	1
Remote Access to PBX Services - FP2	554-191-195	-	1	-	1	1	1	-	-	-	-	1	-	-	1	1

*ECTS Feature

†This feature is a standard feature but requires additional hardware.

TABLE A (Contd)
 ALPHABETICAL LISTING OF FEATURES OF "DIMENSION" PBXs PLUS "DIMENSION" "PRELUDE" PBX

FEATURE NAME	SECTION NUMBER	TYPE "DIMENSION" PBX													PRELUDE
		FEATURE PACKAGE													
		1	2	3	4	5	7	ISS. 182	ISS. 3 DV	ISS. 3 ETS	9	10	11	12	
R (Contd)		PROGRAM ISSUE													
Remote Access to PBX Services - FP8	554-191-204	-	-	-	-	-	-	1	-	3	-	-	-	-	-
Via Authorization Codes	554-191-204	-	-	-	-	-	-	1	3	3	-	-	1	1	-
W/Voice Switched Gain	554-191-204	-	-	-	-	-	-	1	3	3	-	-	1	1	-
Reserve Power	554-191-142	Standard													
Ringing Line Preference*	554-191-161	-	-	-	-	1	1	1	3	3	-	-	1	1	1
Ringing Transfer*	554-191-140	-	-	-	-	1	1	1	3	3	-	-	1	1	1
Room Status and Selection	554-191-218	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Rotary Dial Calling	554-191-197	Standard													
Route Advance	554-191-198	Standard													
S															
Serial Call	554-191-200	-	1	1	1	1	1	1	3	3	1	1	1	1	1
Single-Digit Dialing	554-191-157	-	-	1	-	-	-	-	-	-	1	-	1	-	-
Six-Way Meet-Me Conference	554-191-111	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Six-Way Station Conference	554-191-111	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Speed Calling	554-191-201	-	-	-	1	-	1	1	3	3	-	1	1	1	1
Split Access to Outgoing Trunks	554-191-192	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Splitting - One-Way Auto/Manual	554-191-203	Standard													
Splitting-Two-Way Manual	554-191-271	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Station Busy Indication*	554-191-131	-	-	-	-	1	1	1	3	3	-	-	1	1	1
Station DSS*	554-191-245	-	-	-	-	1	1	1	3	3	-	-	1	1	1
Station Hunting	554-191-205	Standard													
Circular	554-191-205	Standard													
Terminal	554-191-205	Standard													
Station Message Detail Recording (SMDR)	554-191-208	-	-	-	1	-	1	1	3	3	-	1	1	1	1
Station Message Register Service	554-191-206	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Station Message Waiting (ECTS)*	554-191-168	-	-	-	-	1	1	1	3	3	-	-	1	1	1

*ECTS Feature

TABLE A (Contd)
ALPHABETICAL LISTING OF FEATURES OF "DIMENSION" PBXs PLUS "DIMENSION" "PRELUDE" PBX

FEATURE NAME	SECTION NUMBER	TYPE "DIMENSION" PBX													P R E L U D E	
		FEATURE PACKAGE														
		1	2	3	4	5	7	8			9	10	11	12		15
							ISS. 182	ISS. DV	ISS. 3 ETS							
														PROGRAM ISSUE		
S (Contd)																
Station Number Steering	554-191-261	-	-	-	-	-	-	1	3	3	-	-	1	1	-	-
Station Rearrangement and Change†	554-191-159	-	-	-	-	-	1	1	3	3	1	-	1	1	1	1
Station Ringer Cutoff*	554-191-140	-	-	-	-	1	1	1	3	3	-	-	1	1	1	-
Station-to-Station Calling	554-191-209	Standard														
Straightforward Outward Completion	554-191-210	Standard														
Switched Loop Operation	554-191-112	Standard														
T																
Tandem Tie Trunk Switching	554-191-212	-	1	1	1	1	1	1	3	3	-	1	1	1	1	1
Termination Restriction	554-191-213	1	1	1	1	1	1	1	3	3	1	1	1	1	1	1
Threeway Conference Transfer	554-191-216	1	1	1	1	1	1	1	3	3	1	1	1	1	1	1
W/Trunk-to-Trunk Transfer	554-191-216	-	3	2	2	2	1	1	3	3	1	1	1	1	1	1
Through Dialing	554-191-214	Standard														
Tie Trunk Access	554-191-212	-	1	1	1	1	1	1	3	3	1	1	1	1	1	1
Time-of-Day Synchronization	554-191-250	-	-	-	-	-	-	1	3	3	1	-	1	1	-	-
Timed Recall on Outgoing Calls	554-191-231	-	-	-	1	-	1	1	3	3	-	1	1	1	1	1
Timed Reminder	554-191-215	Standard														
W/Audible Signal	554-191-215	-	3	2	2	2	1	1	3	3	1	1	1	1	1	1
Toll Restriction																
Battery Reversal	554-191-137	Standard														
O/I	554-191-137	1	1	1	1	1	1	1	3	3	1	1	1	1	1	1
W/Toll Restriction for Tie Trunk	554-191-137	-	3	2	2	2	1	1	3	3	1	1	1	1	1	1
Toll Terminal Access	554-191-219	-	-	1	-	-	-	-	-	-	1	-	1	-	-	1
Toll Terminal Access With Rering From Toll	554-191-219	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
TOUCH-TONE® Calling	554-191-220	Standard														
TOUCH-TONE Calling Senderized Operation	554-191-241	-	-	-	2	-	1	1	3	3	-	1	1	1	1	1

*ECTS Feature

†Feature used with CACS or CAP

TABLE A (Contd)
ALPHABETICAL LISTING OF FEATURES OF "DIMENSION" PBXs PLUS "DIMENSION" "PRELUDE" PBX

FEATURE NAME	SECTION NUMBER	TYPE "DIMENSION" PBX													PRELUDE	
		FEATURE PACKAGE														
		1	2	3	4	5	7	8		9	10	11	12	15		
							ISS. 182	ISS. 3 DV	ISS. 3 ETS							
T (Contd)		PROGRAM ISSUE														
TOUCH-TONE Calling to Dial Pulse Conversion	554-191-220	Standard														
Traffic Data to Customer *	554-191-159	-	-	-	-	-	-	1	3	3	-	-	1	1	-	-
Traveling Class Mark	554-191-240	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-
Trunk Answer From Any Station	554-191-223	1	1	1	1	1	1	1	3	3	1	1	1	1	1	1
Trunk Group Busy Indicators on Attendant Position	554-191-225	1	1	1	1	1	1	1	3	3	1	1	1	1	1	1
Trunk Group Warning Indicators on Attendant Position	554-191-225	1	1	1	1	1	1	1	3	3	1	1	1	1	1	1
Trunk Identification by Attendant	554-191-260	-	-	-	-	-	-	1	3	3	-	-	1	1	-	-
Trunk-to-Trunk Connections	554-191-227	-	1	1	1	1	1	1	3	3	1	1	1	1	1	1
Trunk Verification by Customer	554-191-228	-	1	-	1	1	1	1	3	3	-	1	1	1	1	1
Trunk Verification by Station	554-191-167	-	3	-	2	2	-	1	3	3	-	1	1	1	1	1
Two-Party Hold on Console	554-191-200	-	1	1	1	1	1	1	3	3	1	1	1	1	1	1
U																
Uniform Call Distribution (UCD)	554-191-182	-	-	-	-	-	-	1†	-	-	-	1	1	1	1	1
Uniform Numbering Plan	554-191-242	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-
Uninterruptable Power Service †	554-191-251	Standard														
V																
Visually Impaired Attendant Service	554-191-170	-	3	2	2	2	1	1	3	3	-	1	-	1	1	1
W																
WATS Access	554-191-232	Standard														
Wide Frequency Tolerant Power Plant	554-191-233	Standard														

*Feature used with CACS or CAP

†This feature is a standard feature but requires additional hardware.

‡This feature is not in Feature Package 8, Issue 2.

TABLE B
NUMERICAL LISTING

FD NUMBER	FEATURE NAME
554-191-110	Alphanumeric Display for Attendant Position Incoming Call Identification Calling Number Displayed to Attendant, and Class-of-Service Display to Attendant
554-191-111	Attendant Conference Six-Way Meet-Me Conference and Six-Way Station Conference
554-191-112	Attendant Console and Switched Loop Operation
554-191-113	Interposition Calling and Transfer
554-191-114	Attendant Control of Trunk Group Access
554-191-115	Attendant Direct Station Selection with Busy Lamp Field Busy Lamp Field
554-191-116	Attendant Lockout and Privacy and Lockout
554-191-117	Attendant Transfer — All Calls
554-191-118	PBX Line Access and Personal Central Office Line
554-191-119	Automatic Callback — Calling Automatic Callback — Busy and Don't Answer
554-191-120	Controlled Restriction Features For Feature Package No. 9
554-191-121	Enhanced Uniform Call Distribution (EUCD)
554-191-122	Automatic Identified Outward Dialing (AIOD)
554-191-123	Centralized Attendant Service With Combined PBX/Attendant Concentration
554-191-124	Busy Verification of Station Lines
554-191-125	Automatic Route Selection (ARS)

TABLE B (Contd)
NUMERICAL LISTING

FD NUMBER	FEATURE NAME
554-191-126	Call Forwarding — All Calls Call Forwarding — Don't Answer Call Forwarding — Busy and Don't Answer Call Forwarding — All Calls-Remote
554-191-127	Hold I-Hold, Priority Hold, and Exclusive Hold
554-191-128	Call Hold
554-191-129	Energy Communications Service (ECS) Feature for Feature Package 9
554-191-130	Call Pickup
554-191-131	I-Use Indication, Line Status Indication, and Station Busy Indication
554-191-132	Attendant Call Waiting, Originating Call Waiting, and Terminating Call Waiting
554-191-133	Calling Number Display to Station
554-191-135	Code Calling Access
554-191-136	Centralized Attendant Service With Separate Attendant Concentrator
554-191-137	Code Restriction and Toll Restriction
554-191-138	Controlled Restrictions (except FP9)
554-191-139	Data Verification by Station
554-191-140	Line Ringing, Common Audible Ringing, Abbreviated and Delayed Ringing, Ringing Transfer, and Station Ringer Cutoff
554-191-141	Bridged Call
554-191-142	Reserve Power

TABLE B (Contd)
NUMERICAL LISTING

FD NUMBER	FEATURE NAME
554-191-145	Dial Access to Attendant
554-191-146	Automatic Intercom, Dial Intercom, Manual Intercom, and Manual Signaling
554-191-147	Direct Inward Dialing (DID)
554-191-149	Direct Outward Dialing (DOD)
554-191-150	Direct Trunk Group Selection
554-191-151	Distinctive Ringing
554-191-152	Foreign Exchange (FX) — Central Office (CO) — Access
554-191-153	Listed Directory Number (LDN) Service and Multiple Listed Directory Numbers
554-191-154	Custom Intercom
554-191-155	Executive Override
554-191-156	Flexible Numbering of Stations
554-191-157	Flexible Numbering of Stations — Mixed Numbering Single Digit Dialing
554-191-158	Fully Restricted Stations
554-191-159	Facilities Administration and Control Facilities Assurance Reports, Traffic Data to Customer, and Station Rearrangement and Change
554-191-160	Hot Line Service
554-191-161	Idle Line Preference, Prince Line Preference, Last Line Preference, No-Line Preference, Preselection, Incoming Call Preference, and Ringing Line Preference
554-191-162	Manual Exclusion

TABLE B (Contd)
NUMERICAL LISTING

FD NUMBER	FEATURE NAME
554-191-163	Intercept Treatment
554-191-164	Deluxe Queuing (Outgoing Trunk Queuing)
554-191-166	Call Park
554-191-167	Trunk Verification by Station
554-191-168	Station Message Waiting
554-191-169	Customer Administration Center System
554-191-170	Visually Impaired Attendant Service
554-191-171	Inward Restriction
554-191-172	Customer Administration Panel (CAP) for DIMENSION 400E, 600, 2000, and Custom PBXs
554-191-173	Line Lockout With Warning
554-191-174	Message Waiting and Station Message Waiting
554-191-175	Manual Originating Line Service
554-191-176	Manual Terminating Line Service
554-191-177	Radio Paging Access
554-191-178	Miscellaneous Trunk Restriction
554-191-179	Music-on-Hold and Music-on-Hold Access
554-191-180	Night Console Position
554-191-181	Night Station Service — Fixed Service Night Station Service — Full Service Night Station Service — Automatic
554-191-182	Direct Department Calling (DDC) and Uniform Call Distribution (UCD)
554-191-183	Origination Restriction
554-191-184	Off-Premises Stations
554-191-185	3A Code Calling Access
554-191-186	Outgoing Trunk Queuing

TABLE B (Contd)
NUMERICAL LISTING

FD NUMBER	FEATURE NAME
554-191-187	Outward Restriction
554-191-188	Data Privacy and Data Restriction
554-191-189	Automatic Wakeup Service
554-191-190	Loudspeaker Paging — Basic and Loudspeaker Paging — Deluxe
554-191-191	Power Failure Transfer
554-191-192	Split Access to Outgoing Trunks
554-191-193	Recall Dial Tone and Recall Button
554-191-194	Recorded Telephone Dictation Access
554-191-195	Remote Access to PBX Services — FP2
554-191-196	Main/Satellite Indialing Through Main Inter-PBX Call Transfer Inter-PBX Coordinated Station Numbering
554-191-197	Rotary Dial Calling
554-191-198	Route Advance
554-191-200	Two-Party Hold on Console and Serial Call
554-191-201	Speed Calling
554-191-202	Automatic Station Restriction
554-191-203	One-Way Auto/Manual Splitting
554-191-204	Remote Access to PBX Services — FP8
554-191-205	Station Hunting — Circular Hunting Station Hunting — Terminal Hunting
554-191-206	Station Message Register Service

TABLE B (Contd)
NUMERICAL LISTING

FD NUMBER	FEATURE NAME
554-191-207	Hotel/Motel Console/Terminal
554-191-208	Station Message Detail Recording
554-191-209	Station-to-Station Calling
554-191-210	Straightforward Outward Completion
554-191-212	Tie Trunk Access and Tandem Tie Trunk Switching
554-191-213	Termination Restriction
554-191-214	Through Dialing
554-191-215	Timed Reminder
554-191-216	Threeway Conference Transfer
554-191-217	Local Call Billing
554-191-218	Room Status and Selection
554-191-219	Toll Terminal Access and Toll Terminal Access With Rering From Toll
554-191-220	TOUCH-TONE [®] Calling and TOUCH-TONE [®] Calling to Dial Pulse Conversion
554-191-221	Interface for Long Distance Billing
554-191-222	Journal Printers
554-191-223	Trunk Answer From Any Station
554-191-225	Trunk Group Busy Indicators on Attendant Position and Trunk Group Warning Indicators on Attendant Position
554-191-226	Automatic Route Selection — Deluxe
554-191-227	Trunk-to-Trunk Connections
554-191-228	Trunk Verification by Customer
554-191-229	Authorization Code
554-191-231	Timed Recall on Outgoing Calls
554-191-232	WATS Access

TABLE B (Contd)
NUMERICAL LISING

FD NUMBER	FEATURE NAME
554-191-233	Wide Frequency Tolerant Power Plant
554-191-237	Off-Premises Station With Call Control
554-191-238	Communication Interface for Property Management Systems
554-191-239	Interface to Network Control Office Support System and Centralized Station Message Detail Recording Local Storage Unit
554-191-240	Facility Restriction Level and Traveling Class Mark
554-191-241	TOUCH-TONE [®] Calling Senderized Operation
554-191-242	Uniform Numbering Plan Automatic Alternate Routing Automatic Overflow to DDD
554-191-243	Automatic Circuit Assurance
554-191-244	Last Extension Called
554-191-245	Station Direct Station Selection (DSS)
554-191-246	Data Communications Access
554-191-247	Advanced Private Line Termination (APLT)
554-191-249	Extended Memory Holdover
554-191-250	Time-of-Day Synchronization
554-191-251	Uninterruptable Power Service
554-191-252	Bed Status and Selection
554-191-253	Hospital Console/Terminal
554-191-254	Emergency Access to Attendant
554-191-257	Customer Administration Panel for DIMENSION 100, 400, and PRELUDE PBXs
554-191-258	Force Administration Data System
554-191-259	Attendant Release Loop
554-191-260	Trunk Identification by Attendant
554-191-261	Station Number Steering

TABLE B (Contd)
NUMERICAL LISING

FD NUMBER	FEATURE NAME
554-191-262	Energy Communication Service Adjunct
554-191-263	Energy Communication Service Feature for Feature Package 11
554-191-264	Automatic Call Distribution
554-191-265	Malicious Call Tracing
554-191-266	Attendant Flash Over Trunks
554-191-267	Memory Holdover
554-191-268	Automatic Attendant Access
554-191-269	Off-Hook Trunk Queuing
554-191-270	Priority Queuing
554-191-271	Splitting — Two-Way Manual
554-191-272	Message Center
554-191-273	Directory
554-191-274	Call Coverage
554-191-275	Leave Word Calling
554-191-276	Automatic Message Waiting
554-191-278	Data Switching — Level I
554-191-279	Data Switching — Level II
554-191-286	Distributed Communications System (DCS)