

555-7101-505

CallPilot

Desktop Messaging Software Installation and Maintenance Guide

Product release 1.07

Standard 1.0

May 2000



How the world shares ideas.

P0905810

CallPilot

Desktop Messaging Software Installation and Maintenance Guide

Publication number:	555-7101-505
Product release:	1.07
Document release:	Standard 1.0
Date:	May 2000

Copyright © 2000 Nortel Networks, All Rights Reserved

Printed in the United States of America

Information is subject to change without notice. Nortel Networks reserves the right to make changes in design or components as progress in engineering and manufacturing may warrant.

The process of transmitting data and call messaging between the Meridian 1 and CallPilot is proprietary to Nortel Networks. Any other use of the data and the transmission process is a violation of the user license unless specifically authorized in writing by Nortel Networks prior to such use. Violations of the license by alternative usage of any portion of this process or the related hardware constitutes grounds for an immediate termination of the license and Nortel Networks reserves the right to seek all allowable remedies for such breach.

*Nortel Networks, the Nortel Networks logo, the Globemark, How the World Shares Ideas, and Unified Networks, BNR, CallPilot, DMS, DMS-100, DMS-250, DMS-MTX, DMS-SCP, DPN, Dualmode, Helmsman, IVR, MAP, Meridian, Meridian 1, Meridian Link, Meridian Mail, Norstar, SL-1, SL-100, Supernode, Symposium, Telesis, and Unity are trademarks of Nortel Networks.

EUDORA PRO is a trademark of QUALCOMM Inc.

MICROSOFT, MS-DOS, POWERPOINT, WINDOWS, and WINDOWS NT are trademarks of Microsoft Corporation.

NOVELL is a trademark of Novell, Inc.

PCANYWHERE is a trademark of Symantec Corporation.

3COM is a trademark of 3Com Corporation.

UNIX is a trademark of X/Open Company Limited.

Publication history

May 2000

This is the Standard 1.0 issue of the *Desktop Messaging Software Installation and Maintenance Guide* for CallPilot 1.07.

Contents

1	Desktop Messaging: Requirements and enhancements	9
	What's new in this guide	10
	About this guide	11
	Related information products	12
	About CallPilot Desktop Messaging.	16
	Hardware requirements.	24
	Associated software	25
	CallPilot 1.07 feature enhancements	27
	Using the simple addressing feature (Exchange/Outlook and GroupWise) . .	29
2	Configuring the server for Desktop Messaging	37
	Before using Desktop Messaging.	38
	Configuring IMAP/LDAP/SMTP servers for Desktop Messaging	40
	Configuring IMAP/LDAP settings	43
	Configuring SMTP settings	49
	Configuring environments without a DNS	54
	Configuring CallPilot Desktop using HOSTS files	55
	Configuring CallPilot Desktop with IP address only	58
3	Installing Desktop Messaging	61
	About Desktop Messaging installation.	62
	Running the setup initialization procedure	63
	Configuring the setup initialization file	64
4	Installing and configuring Desktop Messaging on the user's PC	69
	Section A: Installing Desktop Messaging on the user's PC	71
	Preinstallation information	72
	Starting the installation	74
	Section B: Configuring Microsoft Exchange/Outlook	83
	Choosing configuration options	84
	Section C: Configuring Novell GroupWise	87
	Overview.	88

	To configure GroupWise for CallPilot Messaging	92
	Section D: Configuring Lotus Notes	97
	Overview	98
	Updating the Mail database design manually	99
	Section E: Configuring the Internet Mail clients	101
	Overview	102
	Configuring Outlook Express or Outlook (in Internet Mail mode)	103
	Configuring Netscape Messenger	115
	Configuring Eudora Pro	122
5	CallPilot Web Messaging	131
	Overview	132
	Hardware and software requirements	134
	Security	136
	Recommended configuration for external Internet access	138
	Installing CallPilot Web Messaging	140
6	Troubleshooting	147
	Overview	148
	Troubleshooting during installation	149
	Troubleshooting logon failures	152
	Troubleshooting logon problems (for Lotus Notes clients)	155
	Troubleshooting after the user has logged on successfully	158
	Troubleshooting installation problems for Web Messaging	166
	Accessing Desktop Messaging online Help	172
	Using the CallPilot Desktop Support Tools	173
	Index	177

Chapter 1

Desktop Messaging: Requirements and enhancements

In this chapter

What's new in this guide	10
About this guide	11
Related information products	12
About CallPilot Desktop Messaging	16
Hardware requirements	24
Associated software	25
CallPilot 1.07 feature enhancements	27
Using the simple addressing feature (Exchange/Outlook and GroupWise)	29

What's new in this guide

Introduction

The *Desktop Messaging Software Installation and Maintenance Guide* for CallPilot 1.07 now includes

- information on how to install, configure, and maintain Novell Groupwise
- a list of new features for CallPilot 1.07 including descriptions
- one guide for all integrated and Internet mail client information
- expanded troubleshooting information and added information about new support tools

About this guide

Introduction

This guide provides system requirements, enhancements, and detailed instructions on how to install and configure Desktop Messaging software on the CallPilot server and on the desktop user's PC. A Web Messaging chapter provides installation and configuration procedures. A troubleshooting chapter gives solutions to various problems that users might encounter while installing or running CallPilot.

This guide is intended for the CallPilot system administrator, but the end-user can run some of the procedures for configuration and troubleshooting, under the guidance of the administrator.

Refer to the *Desktop Messaging Quick Reference Guide* and the online Help for information and procedures on how users compose, address, save, and use voice, fax, and text messages with Desktop Messaging.

Related information products

Introduction

The following CallPilot technical documents are stored on the CD-ROM that you receive with your system. You can search the entire suite of documentation online, or you can print part or all of a guide.

Planning and engineering guides

Use these guides before you install CallPilot to help plan your system, and to plan a migration of data from Meridian Mail to CallPilot.

Document Title

Planning and Engineering Guide

Meridian Mail to CallPilot Migration Utility Guide

Installation and configuration guides

These guides describe how to install hardware and software for the CallPilot server, client, and desktop messaging. They also provide instructions for configuring the switch.

Document Title

200i Installation and Configuration Guide

702t Installation and Configuration Guide

1001rp Installation and Configuration Guide

Desktop Messaging Software Installation and Maintenance Guide

Administration guides

These guides provide specialized information to help you configure CallPilot, administer and maintain it, and use its features.

Document Title

Getting Started Quick Reference Card

Administrator's Guide

Reporter Guide

Application Builder Guide

Monitoring and Security for the Administrator

Networking guides

These guides describe how to plan, install, set up, and troubleshoot networking services.

Document Title

Network Planning Guide

AMIS Implementation and Administration Guide

Integrated AMIS Implementation and Administration Guide

NMS Implementation and Administration Guide

Enterprise Implementation and Administration Guide

VPIM Implementation and Administration Guide

End-user guides

These guides are intended for end-users of CallPilot, such as phoneset users and desktop messaging users.

Document Title

Multimedia Messaging User Guide

Speech Activated Messaging User Guide

Desktop Messaging Quick Reference Guide

Troubleshooting reference

This reference provides step-by-step troubleshooting procedures for CallPilot.

Document Title

CallPilot Troubleshooting Reference

Using the online Help, guides, and tutorials

CallPilot contains three online sources for information:

- Online Help provides brief answers to the questions “What’s this?” and “How do I...?”
- Online guides provide detailed conceptual information, as well as information on how to perform detailed tasks.
- Online tutorials provide a complete product overview, as well as specific information on how to use Application Builder.

You can access all information using either the Help menu or Help buttons.

Contacting technical support

Contact your distributor’s technical support organization to get help with troubleshooting your system.

Contacting Nortel Networks

If you have comments or suggestions for improving CallPilot and its documentation, contact Nortel Networks at the following web site address:

http://www.nortelnetworks.com/callpilot_feedback

About CallPilot Desktop Messaging

Introduction

CallPilot Desktop Messaging is a multimedia messaging application that works with an e-mail client to provide a single graphical interface for the users' CallPilot voice, fax, and text messages, as well as their e-mail messages.

Refer to the *Desktop Messaging Quick Reference Guide* and the online Help for information and procedures on how users compose, address, save, and use voice, fax, and text messages with Desktop Messaging.

Open a message

A message is opened from the CallPilot inbox and uses the CallPilot custom form.

A CallPilot message can consist of text, voice, and fax. The most common message received from CallPilot is a voice message. Other common messages include fax and voice-annotated fax.

Access to phoneset interface

CallPilot users can access their CallPilot voice, fax, and text messages through the phoneset or from their e-mail client. Users must use the phoneset to change their greeting, to archive messages, and perform most personal administration.

Computer playback/record

CallPilot messages use the Nortel Networks Voice Block (VBK) format. If the user chooses the Computer Playback/Record button located on the player, voice messages play over the computer's speakers. Users record messages with the computer microphone.

At first, when a message plays over PC speakers, it downloads to the local PC. The message is stored there and is available for repeated playing without being downloaded again. In CallPilot 1.07, the message no longer needs to be downloaded to the CallPilot client before phoneset playback is possible. This reduces LAN traffic and improves phoneset playback response times.

If the user selects the Phoneset Playback/Record button, voice messages play and are recorded over the phoneset. This control is also located on the configuration dialog box. When the user opens a message, the configured telephone number rings. When the user answers the telephone, playback or recording begins.

View fax messages

CallPilot Fax Messages are encoded using the standard Tagged Image File Format-F (TIFF-F). Fax Messages appear within the CallPilot Custom Form. The CallPilot server does not accept images that are not stored in TIFF-F.

Windows Imaging displays fax components using an OCX Control. This control provides Windows Imaging capability within the custom form.

Faxes displayed in the custom form can be printed, deleted, saved to disk, forwarded, replied, annotated, rotated, shown in thumbnail form, and displayed in multiple zoom settings.

View text messages

Desktop messaging users can view the text portion of a message. Phoneset users must have fax capability enabled to view text since the text must be converted to fax to be printed.

Playing and viewing messages

If a user opens a message composed of a single component, the Nortel Networks custom form opens and begins to play or display the message. If there are multiple components, the user chooses which component to play or view first:

- If a message has a text component, it appears by default.
- If phoneset playback is selected, the message is not downloaded to the PC.

- If computer playback is selected and the Download file before playing check box is selected, the message is downloaded to the PC.
- If streaming mode is selected in the configuration dialog box (the Download file before playing check box is not selected), the messages are streamed to the PC.

With streaming turned on, playback occurs as soon as enough of the message has been received to begin playback (about two seconds). If the message has already been played or previously downloaded, playback begins immediately.

- The user can cancel from a streaming playback. If the user closes the player while the message is still being streamed to the PC, the streaming stops and the player closes immediately.
- For CallPilot systems connected to non-M1 switches, streaming is not automatic.

Manual playing/viewing

Users can navigate messages with multiple parts by selecting the component they want to view in the icon window. The message components appear in the custom form display window.

Only the header of a CallPilot message is transferred to the PC at logon time. The contents of the message (that is, its body parts) are not transferred until the message is opened for display or explicitly downloaded via the Download All Messages command. A message is considered read after the user opens the message header from the inbox.

Compose message

The CallPilot user can compose a CallPilot message choosing the New CallPilot Message option on the Tools menu. When a user composes a message, a new message is created and displayed using a CallPilot custom form.

When sending a voice message from either Exchange/Outlook or GroupWise to an external e-mail address, the VBK format is converted to the WAV format.

Reply/Reply All

The user can Reply or Reply All to a CallPilot message by selecting a message and choosing the Reply or Reply All toolbar button. If the message is open in a custom form, the user can use the Reply or Reply toolbar buttons on the custom form.

Changing the message subject line

In Outlook, the user can change the subject of CallPilot messages by typing a new subject in the subject field of the custom form. This subject is only saved on the client PC and is not uploaded to the server.

Forward message

A user can forward a CallPilot message by selecting a message and choosing the Forward toolbar button. If the message is open in a custom form, the user can use the Forward toolbar button on the custom form.

Print message

In the CallPilot custom form, you cannot print an entire message with all its components in a single operation. You must print each component of the message separately. You cannot print voice components.

Delivery Receipt

The user has the option to select Delivery Receipt from the custom form. In this case, the server generates a receipt message once the receiving server has received the original message.

Read Receipt

The end-user determines when a CallPilot message has been read by selecting the Read Receipt check box on the custom form. When the recipient reads the message, an Acknowledgment message is sent to the sender. If the message is sent to multiple recipients, a separate acknowledgment is sent for each recipient.

Next/Previous

The Next/Previous buttons, located along the top of the custom form, switch the view in the custom form from message to message.

Save As (Export)

An entire CallPilot message cannot be saved to disk in a single operation. The user saves a message component by selecting the component and choosing the File > Save As menu item. For messages with multiple components, the user has the option to right-click the component icon and choose Save As. A user must save each component of a message individually.

Voice components are saved as VBK or WAV files, fax components are saved as TIFF files, and text files are saved as TXT files.

However, for Microsoft Outlook or Exchange, users can drag and drop a message from the CallPilot inbox. In this case, a user can save the complete message to disk.

Address capabilities

All integrated clients have the ability to access the local address book on their client to address CallPilot messages. Clients also have the ability to address CallPilot messages to other e-mail addresses.

Clients can address messages by selecting the To, Cc or Bcc button from the custom form. An address book opens and displays a list of valid addresses. The user can either select an address from the list or create a new address. The new address is added to the address list of the message. It can be stored in the user personal address book for future use.

Note: Lotus Notes clients cannot send messages to external e-mail addresses.

CallPilot address dialog box

When creating a new CallPilot address, CallPilot presents the user with a dialog box that offers the user available address types. After selecting an address type, the user only needs to enter the number and a name. For example, to send to a fax machine, the user selects Fax and enters the number of the fax machine.

For more information on addressing, see [“Using the simple addressing feature \(Exchange/Outlook and GroupWise\)” on page 29](#), and [“Combination box for simple addressing \(Lotus Notes\)” on page 30](#). Also, see the *Desktop Messaging Quick Reference Guide* or the online Help.

Distribution lists

The integrated client offers users the ability to create Personal Distribution Lists (PDLs). You can use these distribution lists to send CallPilot messages to a predefined set of addresses. The client allows users to mix a CallPilot address with other e-mail addresses in these lists. You can only access CallPilot personal distribution lists from the desktop.

CallPilot also provides Shared Distribution Lists (SDLs), which users can use to send CallPilot messages to a list of CallPilot mailboxes. These lists are maintained on the CallPilot server and can be accessed from the phoneset interface or the desktop interface. The desktop interface, however, does not display the SDLs to the user. The user must know the number of the SDLs and create it as an entry in his or her Personal Address Book.

When you are determining the number of addresses in an address list, an SDL counts as a single address, but you must expand PDLs to determine the count.

Desktop PDLs are different from CallPilot distribution lists. You cannot access either one from the other's interface.

Notification of new messages

If the client is logged on when the message arrives, the client automatically updates the user's message list with new CallPilot messages. If the client is not logged on, the message is retrieved and displayed the next time the user logs on. For integrated clients, a message waiting indicator (MWI) displays on the Windows system tray on the taskbar.

If a user deletes message from the phoneset or a different client, the deleted message is removed automatically from the client. If the client is logged on when the message is deleted, the message is deleted immediately. If the client is not logged on and a message is deleted, the message is removed from the client the next time that the user logs on. For integrated clients, notification can be indicated by MWI.

Media incompatibility

If a message is sent to the CallPilot server with an attachment that is not supported by the server, it is returned as a Non-Delivery Notification (NDN). Each recipient is listed in the NDN.

If a mixed media message is sent to a user without the capability to receive that media type, the whole message is rejected in the NDN. If it is sent to a telephone or fax, the message is partially rejected.

However, if one part of the message is not accepted, the rest of the message can still be sent. As an example, if a message containing voice and text is sent to a phoneset, an NDN message can be generated stating the following: “The voice portion of the mixed media message was delivered. The recipient can only receive this portion of the message.”

Message header options

The user has the option to automatically include a text message header with a message when composing, forwarding, and replying. This message header allows the recipient to see when the message is sent and provides a history of where the message has been. Text with the From field, Send (time) field, and Subject fields appears.

By default, this option is not enabled. If there is text in a message, the server treats it as a fax message and notifies the phoneset user that there is a fax attached to the message. This can be tedious to the recipient since he or she must print the message to see that the fax is only the message header. However, if the message is in the CallPilot inbox on the PC, the message header is readily available for viewing.

Maximum message length

Desktop messages that exceed the maximum message length are not delivered. Maximum message length is configured in the user's mailbox class. However, the following rules also apply:

- Messages to an Audio Messaging Interchange Specification (AMIS) recipient are limited to eight minutes. Each part of a multi-part message to an Enterprise Networking recipient is limited to 99 minutes.
- For fax messages (up to approximately 400 pages of normal-resolution fax), each page must be no more than 1728 pixels (8.5 inches or 21.5 cm) wide.
- For text messages, no specific maximums are imposed, aside from the maximum message length in the user's mailbox class.

Default window sizes

The user can define the size of different messaging windows such as a voice-only message, a fax-only message, and a mixed-media message. This lets the user establish default sizes for various message types and can be useful when switching between fax and voice messages. For example, the user can make a fax message window size large, while a voice message window size can be small.

Help

Online Help is provided as a menu selection from the client under the Help menu.

Logging off CallPilot

The CallPilot user is automatically logged off the CallPilot server when he or she exits the client.

Hardware requirements

Required hardware

The following list contains both the minimum and recommended hardware that Desktop Messaging software needs for operation:

Required Hardware	Minimum	Recommended
IBM PC or compatible	Pentium/586 or faster system with 16 Mbytes of RAM	Pentium/586 or faster system with 32 Mbytes of RAM
monitor	16-color VGA 640 x 480 capability	256-color SVGA 800 x 600 capability
hard disk drive	15 Mbytes of free disk space to install software	15 Mbytes of free disk space to install software

CD-ROM drive

Windows-compatible mouse and keyboard

LAN connection to the CallPilot server (Ethernet or Token Ring). Users can access their CallPilot messages LAN via ISDN, ADSL, or even dial-up modem.

Optional hardware

- a sound card and a set of speakers for playing messages from the PC
- a microphone for recording messages from the PC

Note: Refer to the manufacturer's instructions for the required settings to use when you install speakers and microphones on your PC.

Associated software

Integrated clients

Integrated clients run with a corporate e-mail server.

You can use CallPilot Desktop Messaging with one or more of the following integrated clients:

- Microsoft Exchange/Outlook
- Novell GroupWise
- Lotus Notes

Internet Mail clients

You can also use CallPilot Desktop Messaging with the following IMAP Internet clients:

- Microsoft Outlook Express
- Microsoft Outlook (Internet mail mode)
- Netscape Messenger
- Qualcomm Eudora Pro

Web server software

If you use the CallPilot Web Messaging feature, the web server requires the following software:

- Microsoft Windows NT 4 server with Service Pack 3, 4, or 5
- an installed and operational version of Microsoft IIS 4

Web Client PC requirements

CallPilot Web Messaging requires one of the following operating systems on the client PC:

- Windows 95 retail, OSR 2.1

- Windows 98
- Windows 2000
- Windows NT 4 Workstation

The client PC also requires one of the following web browsers with JavaScript and Cookies enabled:

- Microsoft Internet Explorer
- Netscape Navigator

The CallPilot Player

Use the CallPilot Player or the Microsoft Media Player for voice message playback.

Imaging for Windows

You need Imaging for Windows for fax display and printing.

Refer to the CallPilot 1.07 General Release Bulletin for the most up-to-date list of supported clients and their versions.

CallPilot 1.07 feature enhancements

Introduction


CallPilot 1.07 includes the following feature enhancements:

- a modified CallPilot logon sequence
- an improved combination box interface for message addressing with seven options
- phoneset playback without downloading a message over the Local Area Network (LAN)
- speed control for slower or faster audio playback
- audio streaming for faster message playback
- CallPilot directory access from a Lotus Notes server, so multiple users can access a shared, centralized directory
- IMAP server-only feature improvement
 - a secure socket layer (SSL) for IMAP client/server connection (except for the Eudora Pro client)
- a message waiting indicator on the Windows system tray on the taskbar
- the ability to cancel a message download
- support for Novell GroupWise 5.5

Modified logon sequence

The modified CallPilot Logon Sequence provides better offline support and clearer error messages. The following flowchart illustrates the logon process.

Note: All components in the original CallPilot logon sequence are still present in the modified logon sequence.



Using the simple addressing feature (Exchange/Outlook and GroupWise)

A combination box has been added to simplify addressing messages. The supported address types include

- unformatted
- local mailbox
- network mailbox
- fax number
- telephone number
- Open VPIM
- Open AMIS

When the user selects an address type, the appropriate fields, and Help text display on the screen. Some fields are prefilled with default values. The following screen shows an address dialog box. The example given is for the local mailbox address type.

New CallPilot Address Properties

General

Display name:

Local CallPilot server:

CallPilot address type:

Address information

SMTP/VPIM prefix:

Local mailbox:

Enter the SMTP/VPIM prefix number and local mailbox number. Most local mailboxes are contained in the CallPilot Address Book.

Add to:

The fields containing text are pre-filled with default values.

For more information on addressing using the CallPilot address type, see the online Help.

Combination box for simple addressing (Lotus Notes)

With the new Add CallPilot Address dialog box, the Lotus Notes user can easily add an address not found in the address book. Addresses added using the Custom Form interface are automatically entered into the user's Local Address book.

The supported address types include

- unformatted
- local mailbox
- network mailbox
- fax number

- telephone number
- Open VPIM
- Open AMIS

When the user selects an address type, the appropriate fields and Help text display with the screen. Some fields are prefilled with default values. The following screen shows an address dialog box. The example given is for the local mailbox address type.

Add CallPilot Address

Display name:

Local CallPilot server:

CallPilot address type:

Address information

SMTP/VPIM prefix:

Local mailbox:

Enter the SMTP/VPIM prefix number and local mailbox number. Most local mailboxes are contained in the CallPilot Address Book.

Some address formats may not be supported by the CallPilot server.

Add to Personal Address Book - "Display name" field required.

The fields containing text are prefilled with default values. As well, Lotus Notes users can now add the new address directly to their local address book, using the Lotus Notes local address book interface. The Lotus Notes Administrator must occasionally download all addresses to keep the CallPilot database up-to-date.


For more information on addressing and the CallPilot address type, refer to the online Help.

Player changes

The player changes produce messages that start to play more quickly. For more information on the player, refer to the online Help.

Player speed control

The speed control allows the user to control the speed of the voice message playback when playing a message on a PC. Speed settings are temporary and are lost when the player is closed or when you select another message within a session.



Player Speed Control

Telephone playback without download

If the player is configured to play messages over the telephone, no download is required from the CallPilot server to the desktop user's PC over the LAN.

Audio streaming

You can play back a voice message on the computer through the speakers or a headset without first downloading the entire message to the hard drive. In audio streaming, the audio content of the message downloads to the client and plays once enough of the voice message is received. This allows the user to hear the contents of the message immediately before it is completely downloaded.

Configure this option by opening a CallPilot Custom Form, and then clicking Tools > Options on the menu bar. On the CallPilot Desktop Messaging dialog box, select the Audio tab. To enable the audio streaming for voice messages, make sure the Download file before playing option is not selected, then click OK.

CallPilot Directory on the Lotus Notes server

The CallPilot Directory on the Lotus Notes server allows users to access the CallPilot address book from the Lotus Notes server.

All users connected to this Lotus Notes server can use the address book to address messages. The Administrator can also create Groups (distribution lists), which can be used by all CallPilot users.

With the CallPilot Address Book installed on a Lotus Notes server, the user can choose to use the local CallPilot Address or the one on the server. The name of a CallPilot address book located on a Lotus Notes server is CallPilot Address Book. After selecting an address book, the user is presented with a list of names. The Administrator must update the address book by clicking OK to the Download all addresses message that appears.

By using the CallPilot address book on the server, users are no longer required to manage a copy of the CallPilot address book on their PCs. This saves disk space and also slightly reduces LAN traffic.


Secure socket layer for IMAP clients

Secure socket layer for IMAP clients is a security feature required for all non-integrated desktop clients that send clear text passwords across a network. Currently, Outlook Express and Netscape Messenger IMAP clients support Secure socket layer (SSL).

Note: Eudora Pro does not support SSL.

SSL is the security standard used to encrypt data communication between two end points on a network. The CallPilot server must be configured with a minimum of Windows NT service pack 5 for this feature to work.

There are four options from which to choose on the IMAP configuration tab that appears on the Administration Client. These options appear in the following screen:



IMAP service is disabled when you deselect the Enable IMAP field. Once IMAP service is turned off, no desktop clients can establish a connection or access their messages. Any existing connections end immediately if the service is disabled.

Security certificates (a requirement of SSL) are automatically generated and installed on the system when SSL is selected. Certificate regeneration is also automatically handled. Certificate import is not supported.

Certificates expire at midnight, one year after the day they were created. At the time of expiry, the active desktop clients that are using SSL have their session disconnected and then reconnected immediately upon making use of new certificates.

The CallPilot Player and integrated clients support both the Challenge-Response and Plain Password forms of authentication, but they always use Challenge-Response if it is enabled as it is more secure. IMAP and Web Messaging clients only support Plain Password Authentication.

Message waiting indicator

A message waiting indicator icon (a telephone handset) now appears on the Windows system tray on the taskbar. When the user has no unread messages, the icon is dark; when there are new messages or unread messages, the icon appears bright red. If users place their mouse over the icon, a pop up dialog box appears, which provides the mailbox number, the total number of CallPilot messages, the number of new messages, if any, and the number of unsent messages, if any.


The message waiting indicator is available on the integrated clients only and does not apply to the Web or IMAP clients.

Canceling message downloads

A new 1.07 client feature gives the user the ability to cancel a message download. These dialog boxes appear when the user selects download all CallPilot messages from one of the integrated clients.

Exchange/Outlook client

For Exchange/Outlook users, the dialog box to cancel the download appears only when it takes longer than four seconds to download a message for playing, viewing, or forwarding.



This feature is useful for users dialing over a modem. Messages downloaded over a LAN usually take less than four seconds to download, so these users do not normally see these dialog boxes.

Note: The Exchange/Outlook client downloads all message components before opening the message.

Lotus Notes and GroupWise clients

For Lotus Notes and GroupWise users, the custom form appears and the status bar displays the status of the message download. Only one component at a time is downloaded. The user can cancel the download by closing the custom form or, if the message has multiple components, by selecting another message component from the list displayed in the custom form.

Chapter 2

Configuring the server for Desktop Messaging

In this chapter

Before using Desktop Messaging	38
Configuring IMAP/LDAP/SMTP servers for Desktop Messaging	40
Configuring IMAP/LDAP settings	43
Configuring SMTP settings	49
Configuring environments without a DNS	54
Configuring CallPilot Desktop using HOSTS files	55
Configuring CallPilot Desktop with IP address only	58

Before using Desktop Messaging

Checklist of conditions

Before you can use Desktop Messaging, ensure that you meet the following conditions:

On the CallPilot server

- Ensure that Internet Message Access Protocol (IMAP) and Lightweight Directory Access Protocol (LDAP) are running.

From the Administration client

- Specify the Voice Profile for Internet Mail (VPIM) prefix for the Prime Location and all Satellite locations (for systems using the Network Message System [NMS] feature).

- Configure the CallPilot Server Fully Qualified Domain Name (FQDN) in Networking on the CallPilot server.

Note: If you do not have a Domain Name System (DNS), use the CallPilot Server CLAN IP address or configure on the host file.

- Configure the LDAP search base on the CallPilot server.
- Set up mailbox classes that have Desktop Messaging capability enabled. If users need the capability to transmit and receive faxes via the desktop, the mailbox classes must also have Fax Capability enabled.
- Create the individual mailbox users, and ensure that the ones who need Desktop Messaging are assigned to mailbox classes that have that capability enabled.

On the user's desktop

Set up the individual users' desktops. Either supply each user with the following information so that they can set up their own desktops, or preset this information in the inisetup file:

- a CallPilot Server FQDN
- a search base (see the description of directory tree root, which is the search base, under [“Configuring IMAP/LDAP settings” on page 43](#))

- a mailbox number
- a mailbox password
- a CallPilot mail address

Desktop Restriction/Permission List

CallPilot implements a Desktop Restriction/Permission List (RPL) to define the mailbox number used to play back and record messages using the phoneset. The Desktop RPL is configured as part of the mailbox class associated with each user.

CallPilot applies the Desktop RPL to all messages from the desktop. If the message uses a feature that has an RPL associated with it, then CallPilot applies both RPLs to the call.

The Delivery to fax (DTF) RPL restricts numbers to which you can send your fax, whether you send them through the phoneset or through Desktop Messaging.

The Outcalling and DTF RPLs limit the delivery of messages sent by desktop clients to addresses that require outcalling (telephone numbers, fax numbers, and Open AMIS addresses).

For more information on RPLs and mailbox classes, see “Configuring outcalling services” in the *Administrator’s Guide*.

Desktop Messaging and data network security

Due to the complexity and diversity of network configurations, this guide cannot adequately cover issues of data network security. Discuss security issues with a security specialist or data network administrator. For more information on security issues, refer to *Monitoring and Security for the Administrator*.

Configuring IMAP/LDAP/SMTP servers for Desktop Messaging

Introduction

CallPilot supports the IMAP/LDAP protocols, which allow Desktop Messaging users to access their CallPilot mailboxes using Microsoft Exchange, Microsoft Outlook, Lotus Notes, Novell GroupWise, and selected third-party Internet mail clients (Microsoft Outlook Express, Microsoft Outlook, Netscape Messenger, and Qualcomm Eudora Pro).

Each type of desktop client is configured and used slightly differently. To configure a specific desktop client, refer to [Chapter 4, “Installing and configuring Desktop Messaging on the user’s PC.”](#)

Although the Desktop Clients are configured within their own boundaries, the CallPilot server is configured in the same way for all the desktop clients it supports. Follow the instructions in this chapter to configure the IMAP/LDAP/SMTP servers.

IMAP

Internet Message Access Protocol (IMAP) allows a client to access and manipulate electronic mail messages on a server. These messages are always stored on the CallPilot server.

IMAP allows users to check for messages from any location with an Internet connection. IMAP also allows messages to be accessed from multiple locations. It is a method of accessing electronic mail or bulletin board messages that are kept on a shared mail server. It permits a client e-mail program to access remote message stores as if they were local. For example, e-mail stored on an IMAP server can be manipulated from a desktop computer at home, a workstation at the office, and a notebook computer while traveling, without the need to transfer messages or files back and forth between these computers.

LDAP

Lightweight Directory Access Protocol (LDAP) is a set of protocols for accessing information directories. LDAP supports TCP/IP, which is necessary for any type of Internet access. LDAP allows a client to search for and manipulate information entries on a directory server, such as the CallPilot server. For example, a typical entry in the CallPilot directory contains attributes of a user such as name, telephone number, and CallPilot mail address. Internet clients can use LDAP to query address book information from the CallPilot directory, perform address resolution, or search for specific users (if this functionality is implemented by the Internet client). For more information, see [“To configure the LDAP settings” on page 46.](#)

SMTP

Simple Mail Transfer Protocol (SMTP) is a protocol for sending e-mail messages between servers. Most e-mail systems that send mail over the Internet use SMTP to send messages from one server to another; the messages can then be retrieved with an e-mail client using IMAP. In addition, SMTP is generally used to send messages from a mail client to a mail server. This is why you must specify both the IMAP server and the SMTP server when you configure your e-mail application.

Voice Profile for Internet Mail (VPIM) Networking also uses SMTP. For this reason, much of the configuration required for IMAP is completed in the same boxes that are completed for VPIM Networking.

SMTP/VPIM prefix

You use the SMTP/VPIM prefix in CallPilot to create a unique SMTP address for every mailbox on the CallPilot system. This address is required for the CallPilot Desktop user to log on to the CallPilot server. Every user on a CallPilot system is identified by his or her own mailbox number. For an NMS, there are many switches but only one CallPilot system. Each mailbox on the CallPilot system is identified by its NMS location. This allows two different NMS sites to each have a mailbox with the same number. For example, both NMS site Toronto and NMS site Richardson can have the Mailbox number 5833. Both of these mailboxes reside on the CallPilot system; however, CallPilot internally is aware that one mailbox belongs to the Richardson site and one mailbox belongs to the Toronto site.

When an NMS user logs on to CallPilot via the telephone, the CallPilot system knows the location of the user because it is informed by the telephone switch. However, when a CallPilot Desktop user logs on to CallPilot, the CallPilot system does not have a way to know the location of the user. The CallPilot Desktop user logs on through IMAP using TCP/IP, so there is no telephone switch to provide any location information.

As a result, the CallPilot Desktop client must provide the location of the CallPilot user. The location is defined by the SMTP/VPIM prefix. For each CallPilot NMS location, a different SMTP/VPIM prefix is defined. For example, Richardson is assigned prefix 1314442, and Toronto is assigned prefix 1416338. When a user logs on via CallPilot Desktop, the user provides his or her mailbox number, password, and SMTP/VPIM prefix. The CallPilot server now knows the location of this CallPilot Desktop user, and the CallPilot system now knows the difference between user 1314442 5833 and user 1416338 5833.

SMTP addresses

SMTP uses the Internet mail addressing format:

SMTP user@<CallPilot Fully Qualified Domain Name>

Configuring IMAP/LDAP settings

Introduction

Configure the IMAP/LDAP settings on the Internet Mail Clients dialog box on the Administration client. You must configure IMAP settings to enable users to access and play messages. Configure LDAP settings so that users can access the CallPilot address book.


Notes:

- The term Internet Mail Clients refers to all the Desktop Messaging e-mail clients.
- Alteration of the settings can interrupt the service to desktop messaging users.

Getting there CallPilot Administration Client > CallPilot System > Messaging Administration > Internet Mail Clients

To configure the IMAP settings

- 1 Click the IMAP tab.



- 2 By default, the IMAP Session Security Options are checked.

IMAP provides desktop clients with access to their CallPilot messages. If this service is disabled, desktop clients cannot retrieve and play their messages, including phoneset playback.

If you disable this feature when users are connected, all desktop client sessions in progress are disconnected and other desktop clients cannot access this service.

- 3 To set encryption options for fully secure communications, ensure the Enable IMAP with SSL port check box is checked. SSL is normally used in environments that require additional security (for example, some users might be remotely accessing their mailbox over a modem using a public Internet service provider).

Note: After you enable this option, inform users requiring this level of security to configure their Internet mail client to use SSL, and to use the default port number of 993.

- 4 To enable authentication options, ensure that you select one or both of the following options.

Enable IMAP with Challenge-Response Authentication: Integrated mail clients use a challenge-response authentication (a standards-based encoding scheme) to send mailbox numbers and passwords over the network when a desktop session is initiated. If you disable this option, it prevents this type of desktop client, including the CallPilot player, from establishing additional connections. Any existing connections are left intact.

Enable IMAP with Plain Password Authentication: Select this option to use one of the supported Internet mail or Web messaging clients. It enables the "Clear Text" transmission of mailbox number and password over the network when a desktop session is initiated. If you disable this option, it prevents Internet mail and Web messaging clients from establishing additional connections. Any existing connections are left intact.

- 5 Click Save to save your changes and close the dialog box or go to the next procedure ["To configure the LDAP settings" on page 46.](#)

To configure the LDAP settings

- 1 Click the LDAP tab.



- 2 By default, the Session Security Options are checked. To enable LDAP, ensure the Enable LDAP check box is checked. LDAP provides desktop client address book functionality. If you disable this service, it prevents desktop clients from downloading the CallPilot address book or searching for specific addresses not in their address books.
- 3 To set encryption options for fully secure communications, ensure the Enable LDAP with SSL port check box is checked. SSL is normally used in environments that require additional security, such as when some users might be remotely accessing their mailbox over a modem using a public Internet service provider.

Note: After enabling this option, you must remember to inform users requiring this level of security to configure their Internet mail clients to use SSL, and to use the default port number of 636.

- 4 To enable authentication options, ensure that you select one or both of the following options:

Enable LDAP with Plain Password Authentication: If this is the only option selected, users must enter their mailbox passwords before they access the CallPilot address book.

Note: If you enable this option, you must inform all Internet mail client desktop users to configure their clients for LDAP logon with password access.

Enable LDAP with No authentication: If this option is selected, any LDAP clients on the network can access the CallPilot address book.

- 5 In the Enter the directory tree root hosted by this LDAP server box, type the directory tree root (also known as the search base) for the part of your company or organization served by this CallPilot server. If you do not know the search base, speak to your IS administrator.

Example: A company called Acme has the Internet domain acme.com. Within the company there are several organizations including marketing, accounting, and newyork. The root of the LDAP directory is acme.com. Below the root is marketing.acme.com, accounting.acme.com, and newyork.acme.com. The search base is dc=acme,dc=com. Nortel Networks strongly recommends that CallPilot Desktop Messaging use this format.

Note: Order is critical. The component closest to the root of the namespace must be written last. Since com is the first domain component and acme is the second domain component, com must be written last. Also, there must be no spaces between the two domain components, only a comma separating them.

Example: Another way to use the search base is to provide the organization name (o) of the tree. If acme.com is the organizational name because acme.com represents the entire tree, including any branches, then the search base is o=acme.com.

In this example, for acme.com the CallPilot server is located in the Accounting branch of the tree. To search the tree starting at the accounting branch in the tree, you provide the domain components of the Acme Accounting branch. The domain component (dc) must include accounting so that you start at the accounting branch. The search base is dc=com,dc=acme,dc=accounting. Nortel Networks strongly recommends that CallPilot Desktop Messaging use this format.

You can use the organization name (acme.com) and the organizational unit (ou), which is accounting. The search base is o=acme.com,ou=accounting.

Once the LDAP client has a search base, it can search the CallPilot directory. Many LDAP clients, such as Outlook Express, allow the user to search for a specific attribute in the directory, such as Lastname = Jones.

Note: Both the Administration Client and the Desktop client must have the same LDAP search base configured.

- 6 Click Save to save your changes and close the dialog box.

Configuring SMTP settings

Introduction

A desktop client uses SMTP to send messages. SMTP configuration involves these tasks:

1. enabling the system to exchange CallPilot messages
2. setting the CallPilot server fully qualified domain name (FQDN)
3. specifying an SMTP/VPIM network shortcut
4. for CallPilot servers using NMS, configuring a VPIM prefix for the prime location and all satellite locations. For more information, see the *NMS Networking Implementation and Administration Guide*.

Getting there CallPilot Administration Client > CallPilot System > Messaging Administration > Networking > Message Delivery Configuration

To enable the exchange of CallPilot messages

The settings in the following procedure might already be configured for your system, but you must check that they are correct.

- 1 Click the SMTP/VPIM tab.
- 2 To receive incoming messages to the CallPilot server (outgoing messages from the desktop client), enable the Incoming SMTP/VPIM messages check box.

Note: If this check box is not enabled, all incoming SMTP messages, whether from a local desktop client or from a remote SMTP/VPIM server, are refused. You can use this check box to shut out temporarily all incoming SMTP messages in the event of a security problem.

Note: The setting of the Outgoing SMTP/VPIM check box does not affect CallPilot messages. This setting controls VPIM Networking messages only.

Record the CallPilot server FQDN

A fully qualified domain name consists of a host and domain name, including top-level domain. For example, `www.example.com` is a fully qualified domain name: `www` is the host, `example` is the second-level domain, and `com` is the top level domain.

As part of desktop client configuration, you must enter the name of the CallPilot server. When configuring Internet mail clients, you usually enter the same server name separately in the boxes for each of the incoming mail (IMAP), outgoing mail (SMTP), and directory (LDAP) servers.

You can set this server name to the CallPilot server's Fully Qualified Domain Name (FQDN), or (when the desktop client machines are located on the same LAN as the CallPilot server) abbreviate it to just the hostname part of the FQDN, as discussed below. This depends on whether you have a Domain Name System (DNS). If you do not have a DNS, use the CallPilot server customer LAN (CLAN) IP address. For more information, see [“Configuring environments without a DNS” on page 54](#).

If you do not know your server FQDN, speak to your IS administrator, or if you have access to the CallPilot server, follow these steps on the CallPilot server.

Getting there CallPilot server > Windows Start Menu > Settings > Control Panel

To determine the server FQDN

- 1 On the Control Panel, double-click Network.

Result: The Network dialog box appears.

- 2 Click the Configuration tab.

- 3 Select the TCP/IP component, and click Properties.

Result: The Microsoft TCP/IP Properties page appears.

- 4 Click the DNS Configuration tab.

- 5 Write down the host name and the domain name.

Note: When combined, the host name and the domain name become the server FQDN. Insert a dot between the host name and the domain name.

Example: The hostname compass and the domain name acme.com combine to form the FQDN compass.acme.com.

- 6 Click Close until the Control Panel closes.

ATTENTION

Do not restart the CallPilot server, even if you are asked to do so.

Getting there CallPilot Administration Client > CallPilot System > Messaging Administration > Networking > Messaging Network Configuration

To set the SMTP/VPIM server FQDN

- 1 In the network tree view, select the local messaging server and click File > Properties.
- 2 On the General tab, enter the FQDN in the SMTP/VPIM server FQDN box.
- 3 Click Save.

Result: The information is validated and saved to the network database.

- 4 Publish the SMTP/VPIM server FQDN and the LDAP search base to all desktop users to enable the configuration of desktop clients, unless you have preset the setup.ini file.

Specify the SMTP/VPIM network shortcut

You must specify at least one SMTP/VPIM network shortcut. You use an SMTP/VPIM network shortcut to create the e-mail address of a CallPilot desktop user. A network shortcut also identifies local addresses for incoming SMTP messages to the CallPilot server, and messages sent by local CallPilot desktop users.

Note: Make the SMTP/VPIM network shortcut as long as possible to ensure that the mapping is correct and no conflict occurs. SMTP/VPIM network shortcuts are not true shortcuts since they must be more than a few digits long. A short SMTP/VPIM network shortcut can conflict with the left side of another SMTP address.

Example:

With the following SMTP/VPIM network shortcut defined as 1416777, the From: field of a message sent from mailbox xxxx is

From:1416777xxxx@serverFQDN

The SMTP/VPIM network shortcut can be any number. However, Nortel Networks strongly recommends that the SMTP/VPIM be set to the Public Switched Telephone Network (PSTN) for that location of the CallPilot users for the following reasons:

- The PSTN is a unique number and guarantees that you will not conflict with any neighboring voice mail systems when exchanging Open VPIM messages with other voice mail systems.
- The PSTN is a number that is easy for your voice mail users to remember because they are already familiar with it.

Example

Your organization owns the telephone numbers 14167776000 to 14167776999, and the mailboxes are 6000 to 6999. Do not define 1416777, overlap 0. Instead, define 14167776, overlap 1. Overlap 1 indicates that all valid mailboxes in your organization begin with 6. This avoids a potential mismatch with another address, such as 14167771234@neighbor.com.

If your local site is not an NMS site, Nortel Networks strongly recommends that you specify only one shortcut. If you use more than one shortcut, define each one using an overlap to ensure unique mapping of shortcuts to mailbox numbers.

If your local site is an NMS site, configure one SMTP/VPIM network shortcut for each switch location. For more information on NMS Networking, refer to the *NMS Implementation and Administration Guide*.

Getting there CallPilot Administration Client > CallPilot System > Messaging Administration > Networking > Messaging Network Configuration

To specify the SMTP/VPIM network shortcut

- 1 In the network tree view, select the local prime switch location and click File > Open.

Result: The Local Prime Switch Location Properties dialog box appears.

2 Click the SMTP/VPIM tab.

3 To add a network shortcut, click Add New... .

Result: The New network prefix dialog box appears.

4 Enter the prefix and the amount of overlap with the local mailbox numbers.

5 Click Save.

Result: The prefix and overlap appear in the SMTP/VPIM Network Shortcuts list box.

6 Click Save.

Result: The information is validated and saved to the network database.

Configuring environments without a DNS

Overview

The Domain Name System (DNS) is an Internet service that translates domain names into IP addresses. Because domain names are alphabetic, they are easier for users to remember. The Internet is based on IP addresses. Every time you use a domain name, therefore, a DNS must translate the name into the corresponding IP address. For example, the domain name `www.example.com` might translate to `198.105.232.4`.

The DNS is, in fact, its own network. If one DNS server does not know how to translate a particular domain name, it asks another one, and so on, until the correct IP address is returned.

CallPilot Desktop Messaging uses Domain Name resolution, which is provided by a DNS. If your environment does not have a DNS, then you must configure CallPilot Desktop messaging to support name resolution in a different way.

To do so, perform one of the following:

- Configure CallPilot Desktop Messaging using HOSTS files.
- Configure CallPilot Desktop Messaging with the IP address of the CallPilot server if you do not want to use a HOSTS file.

If you use a HOSTS file, you must configure the HOSTS file on each client PC on which Desktop Messaging is installed.

Configuring CallPilot Desktop using HOSTS files

Introduction

A HOSTS file is a text file that maps host names to IP addresses. This file is typically used to resolve host names for TCP/IP utilities. You can use a HOSTS file to resolve host names for CallPilot Desktop Messaging if you do not have a DNS.

To use the HOSTS file, you must

1. enter a host and domain name on the CallPilot server
2. update the HOSTS file with the name and IP address of the CallPilot server
3. configure the LDAP search base on the CallPilot Administration Client
4. configure the HOSTS file on all PCs running Desktop Messaging
5. configure the search base on PCs running Desktop Messaging

To enter a Host Name and Domain Name on the server

Perform the following actions on the CallPilot server.

- 1 On the CallPilot server, to configure the TCP/IP information for the CallPilot server, right-click the server icon, highlight TCP/IP Dialup Adapter, and click Properties.
- 2 On the DNS Configuration tab, type a Host Name in the Host box.
Example: A Host Name can be myServer.
- 3 Type a Domain Name in the Domain box.
Note: You must configure a mock domain since you do not have an authorized domain.
Example: A domain can be any name (for example, myCompany).
- 4 Make a note of the Host Name and Domain Name that you entered on the CallPilot server.

- 5 Click Save.

To update the HOSTS file on the server

Perform the following actions on the CallPilot server.

- 1 From the Windows Start menu, click Find > Files or Folders and type **hosts** in the Named box.

Result: The HOSTS file appears in the list of files found.

- 2 Double-click the HOSTS file and open it with a text editor such as Notepad.

Note: If the HOSTS file does not exist, copy the HOSTS.SAM file and rename it HOSTS.

- 3 In the HOSTS file, type the IP address of the CallPilot server at the bottom of the file. Press Tab and type the Hostname of the CallPilot server (for example, myServer).

Example: The bottom of the HOSTS file looks like the following:

```
127.0.0.5    localhost
58.345.6.12 myserver
```

- 4 Click File > Save to save the changes to the HOSTS file.

Getting there CallPilot Administration Client > CallPilot System > Messaging Administration > Internet Mail Clients

To configure the LDAP search base on the Administration Client

- 1 Click the LDAP tab.
- 2 In the Search Base box, enter your Search Base. The Search Base is composed of the domain name that you entered on the server.

Example: If myCompany is the domain, then the search base is dc=mycompany.

- 3 Click Save to save your changes and exit.
- 4 Click Networking > Message Configuration.
- 5 In the FQDN field, type the Host name that you previously entered on the server to configure the CallPilot Fully Qualified Domain Name (FQDN).

To configure the HOSTS file on the PC running Desktop Messaging

- 1 From the Start menu, click Find > Files and Folders, and type **host** in the Named box.

Result: The HOSTS file appears in the list.

Note: If the HOSTS file is not found, copy the HOSTS.SAM file and rename the copy HOSTS.

- 2 Double-click the HOSTS file and open it with a text editor such as Notepad.
- 3 In the HOSTS file, enter the IP address of the CallPilot server at the bottom of the file. Press Tab and type the Hostname of the CallPilot server.

Example: The bottom of the HOSTS file should look like the following:

```
127.0.0.5      localhost
56.345.6.12   myserver
```

Note: You must repeat steps 1 to 3 on every PC that will use CallPilot Desktop messaging.

- 4 Click File > Save to save the changes to the HOSTS file.
- 5 On the CallPilot Desktop clients, configure the Search Base to be the same as for the Administrative Client (that is, dc=mycompany).

Note: Ensure that the Search Base configured on the CallPilot Desktop client is exactly as it appears on the CallPilot Administration Client, Internet Mail Clients.

Configuring CallPilot Desktop with IP address only

Introduction

If you do not use a HOSTS file to resolve domain names, you can configure the CallPilot server and client PCs to use an IP address only.

To do so you must

1. enter the host and domain name on the CallPilot server
2. configure the LDAP search base on the CallPilot Administration Client
3. configure the IP address as the same search base on the PCs running Desktop Messaging

To enter a Host Name and Domain Name on the server

- 1 On the CallPilot server, to configure the TCP/IP information for the CallPilot server, right-click the server icon, highlight TCP/IP Dialup Adapter, and click Properties.
- 2 On the DNS Configuration tab, type a mock host name in the Host field.
Example: A mock host name can be any name (for example, myCompany).
- 3 Type a Domain Name in the Domain field.
Note: You must configure a mock domain, since you do not have an authorized domain.
Example: A domain can be any name (for example, myCompany).
Note: Make a note of the Host Name and Domain Name that are entered on the CallPilot server.
- 4 Click OK to save your changes.

Getting there CallPilot Administration Client > CallPilot System > Messaging Administration > Internet Mail Clients

To configure the LDAP search base on the Administration Client

- 1 Click the LDAP tab.
- 2 In the Search Base box, enter your Search Base. The Search Base is the mock domain name that you entered on the server.
Example: If myCompany is the domain, then the search base is dc=mycompany.
- 3 Click Save to save your changes and exit.
- 4 Double-click Networking > Message Configuration.
- 5 In the FQDN field, type the Host name that you previously entered on the server.
- 6 Click Save to save and exit.

To configure access to the server by the Desktop client PCs

- 1 When you first start the Desktop Messaging client PC, on the Desktop Messaging Logon, type the IP address in the Server box.
Note: You will also need to enter your password and mailbox.
Result: The e-mail client opens.
- 2 From the Tools menu, click Services.
- 3 Select CallPilot Desktop Messaging, and click Properties.
- 4 Click the Address Book tab.
- 5 Ensure that the Search Base box has the same value as the one on the Administrative Client (that is, dc=mycompany).
Note: Ensure that the Search Base configured on the CallPilot Desktop client is exactly as it appears on the CallPilot Administrative Client: Internet Mail Clients.
- 6 Click OK to save your changes.
- 7 Click OK to exit from the window.
- 8 Repeat this process on each Desktop client PC.

Chapter 3

Installing Desktop Messaging

In this chapter

About Desktop Messaging installation	62
Running the setup initialization procedure	63
Configuring the setup initialization file	64

About Desktop Messaging installation

Introduction

Desktop Messaging installation consists of the following procedures.

1. Run a setup initialization procedure on any PC attached to the network. This creates a set of site-specific default settings that are stored in a file (setup.ini), which the end-user uses when installing Desktop Messaging. See [“Running the setup initialization procedure” on page 63](#).
2. Copy the contents of the Desktop Messaging Client CD-ROM to the same directory in which the setup.ini file is stored. See [“Copy CD contents to the same directory” on page 67](#).
3. Install Desktop Messaging on the user’s PC from the network using the setup.ini file and the copied CD contents. Either you, as the administrator, or the user can install the software. See [Chapter 4, “Installing and configuring Desktop Messaging on the user’s PC.”](#)
4. If you are not using a Domain Name System (DNS), configure each user’s PC to resolve domain names. See [Chapter 2, “Configuring the server for Desktop Messaging.”](#)

Running the setup initialization procedure

Introduction

Run the setup initialization procedure from the appropriate CD-ROM. Perform the following procedure on any PC attached to the same network as CallPilot.

ATTENTION

The CallPilot Desktop Client must have the Windows Messaging system installed for GroupWise and Exchange/Outlook clients.

To run the setup initialization procedure from the CD-ROM


- 1 Insert the CD labeled Desktop Client into the CD-ROM drive.
Result: The Setup program starts and the Welcome window appears.
- 2 Click Cancel.
- 3 From the Windows Start menu, select Run.
- 4 Browse the CD to find the inisetup.exe file, and click OK.
Result: The Setup initialization program starts and the Welcome window appears.
- 5 Click Next to continue the setup initialization procedure.

Configuring the setup initialization file

To set up the initialization of CallPilot

- 1 Select the appropriate e-mail client(s).
- 2 Click Next.

Result: The Select Destination Folder screen appears.



- 3 If the default Destination folder is acceptable, click Next to continue the setup initialization procedure.

If you want to save the setup.ini file in a different folder, click Browse... to view other locations.

Result: The Select Destination Directory box appears.


- 4 Select the folder you want the setup.ini file to save to, and then click OK.

Result: The selected folder appears in the Select Destination Folder window.

Note: If there is an existing setup.ini file in the directory you have chosen, you are asked if you want to replace this file.

- 5 Click Next to continue the setup initialization procedure.

Result: The CallPilot Server Settings window appears.



You defined these settings in the previous chapter on configuring the server for Desktop Messaging.

- 6 Enter the fully qualified domain name (FQDN) or the CLAN IP address of the CallPilot server.

Note: See the FQDN definition in [“Configuring SMTP settings” on page 49](#).

- 7 Enter the SMTP/VPIM prefix of the CallPilot server.

Notes:


- The prefix is the string of digits that is concatenated with the mailbox number to form the address. Do not include any overlap digits that are configured on the server.
- See the SMTP/VPIM prefix definition in [“Configuring SMTP settings” on page 49](#).

- 8 Enter the search base used for address searches in the CallPilot directory.

Note: See the search base definition in [“Configuring IMAP/LDAP settings” on page 43](#).

- 9 Click Next.

Result: The Additional Options window appears.



- 10 If you want to install the fax printer driver, check the appropriate box.

Note: The options that appear dimmed are not supported by Desktop Messaging for the type of e-mail client you have chosen.

- 11 If you want to prevent end users from modifying the default settings created by the Setup Initialization program, check the Make default settings read-only check box. Nortel Networks recommends choosing this option.

- 12 Click Next to continue the setup initialization procedure.

Result: The setup.ini file is copied to the directory you specified.

- 13 Click Finish to complete the setup initialization.

Copy CD contents to the same directory

Nortel Networks recommends that you copy the entire contents of the Desktop Messaging CD to the same directory in which you saved the setup.ini file. When you do this, it also copies the setup.exe file from which users install.

When the setup.exe and setup.ini files are in the same directory, the setup.ini file is automatically used when the user runs setup.exe. If these files are in different directories, the setup.ini file with the predefined settings is not used during the user install procedure. Tell users to run the setup.exe from this directory.

Installing Desktop Messaging on users' PCs

After you set up the initialization file for Desktop Messaging, begin installation of Desktop Messaging on any user's PC. Go to [Chapter 4, "Installing and configuring Desktop Messaging on the user's PC."](#)

Chapter 4

Installing and configuring Desktop Messaging on the user's PC

In this chapter

Section A: Installing Desktop Messaging on the user's PC	71
Section B: Configuring Microsoft Exchange/Outlook	83
Section C: Configuring Novell GroupWise	87
Section D: Configuring Lotus Notes	97
Section E: Configuring the Internet Mail clients	101

Section A: Installing Desktop Messaging on the user's PC

In this section

Preinstallation information	72
Starting the installation	74

Preinstallation information

Introduction

Before you install Desktop Messaging software on the desktop user's PC, refer to

- [Chapter 1, "Desktop Messaging: Requirements and enhancements,"](#) for hardware and software information
- the README.RTF file, which is located in the root directory of the CallPilot product CD

Based on desktop users' expertise, you might also ask them to run this procedure on their PC.

Ensure that the microphones, speakers, and sound cards that are connected to the user's PC are configured. Refer to the manufacturer's documentation.

Other information you need

Have the following information available before installation:

- the location of the Desktop Messaging setup.exe file
or
- the Desktop Client CD-ROM if you, the system administrator, have not previously set up Desktop Messaging
or
- the Desktop client self-extracting setup executable file

Also have the following CallPilot server settings information available:

- the fully qualified domain name (FQDN) of the CallPilot server (or the CallPilot server CLAN IP address, if you do not have a DNS)
- the SMTP/VPIM prefix of the CallPilot server
- the search base (dc=) to be used for address searches in the CallPilot directory
- the mailbox number

Note: With the exception of the mailbox number, these are set and saved in the setup.ini file. Make default settings read-only.

ATTENTION

Novell GroupWise 5.5 requires that Windows Messaging 4.0 is installed on the user's PC. This is normally the case when Windows is installed on a PC. However, in the case where Windows Messaging 4.0 is not installed, the GroupWise installation provides you with the following options:

1. Install the complete Windows Messaging system.
2. Leave Windows Messaging as is.

Choose option 1.; otherwise, the GroupWise CallPilot Desktop Client is dimmed.

Fax requirements

Administration privileges for the Nortel Fax printer driver

To install the Nortel Fax printer driver on a PC running Windows NT, you must have administration privileges. The installation of Desktop Messaging requires the registration of several components in the Windows registry. If you log on as a user without administration privileges and attempt to install the Nortel Fax printer driver, the installation will fail.

Requirements to view and manipulate faxes

If users intend to send and receive faxes on their PC, they must install Imaging for Windows.

To verify whether Imaging for Windows is already installed, from the Windows Start menu click > Programs > Accessories > Graphics Tools > Imaging.

Note: If Imaging for Windows is not installed on the user's PC, you can install it from the Desktop Messaging CD.

Estimated installation time

Installation of Desktop Messaging software takes approximately 10 minutes.

Starting the installation

Introduction

You install Desktop Messaging from a CD-ROM. This can be the physical CD or from a version that has been copied to the network. See [Chapter 3, “Installing Desktop Messaging.”](#) for more information.

If you are asking the desktop users to run this procedure, you must provide them with information on the type of installation to perform and where to find the appropriate files. You can customize the README.RTF file, which is located in the root directory of the CallPilot product CD, for your specific desktop messaging client (such as GroupWise or Lotus Notes).

Before you begin

Close all Windows applications that are running. If certain applications are not closed, Desktop Messaging might not install successfully.

Types of installation

Previous setup by administrator with read-only settings

You can configure the setup.ini file associated with Desktop Messaging prior to the user installation procedure. During this configuration, you can set the default settings to read-only.

Nortel Networks recommends this type of installation. If this is done, the user does not see all of the installation screens, and some screens appear dimmed, requiring no input. This shortens the user installation procedure. Run the setup.exe file from a location on a network drive that you have defined.

Previous setup by administrator

If you (the administrator) did not set the default settings as read-only, the person installing sees all the screens and needs to enter information in all the relevant fields. The setup.exe file is run from a location on a network drive that you as the administrator have defined.

To install from a network drive

Use this type of installation if you, as administrator, have previously set up the setup.ini file for Desktop Messaging and copied the contents of the Desktop Messaging Client CD-ROM to the network.

There are many ways to run the setup.exe file from your computer.

- 1 From the Windows Start menu, select Run.
- 2 Type in or browse to the location of the setup.exe file. If you ask the desktop user to do this, you must supply the correct path.
- 3 Choose Network Neighborhood and go to the appropriate drive and folder over the network, where the setup.exe file is located.
- 4 Click OK.

Result: The setup program starts and the Welcome window appears.

- 5 Click Next to continue the installation.

Alternatively, you can map the network drive where the setup file is located.

- 1 From your PC desktop, select My Computer and click the right mouse button.

Result: The Map Network Drive dialog box appears.

- 2 Enter the path name to go to the file where the setup.exe file is located.
- 3 Click OK.

Result: The network drive where the setup.exe file is located appears in My Computer.

- 4 From My Computer, select the mapped Network drive where the setup.exe file is located.
- 5 Select the setup.exe file.
- 6 Click OK.

Result: The setup program starts and the Welcome window appears.

- 7 Click Next to continue the installation.

To install from the CD-ROM

Use this type of installation if you, the administrator, have not previously set up the Desktop Messaging setup.ini file and copied the contents of the Desktop Messaging Client CD-ROM to the network.

- 1 Insert the CD labeled Desktop Client into the CD-ROM drive.
Result: The setup program starts and the Welcome window appears.
- 2 Click Next to continue the installation.

To uninstall a previous version of CallPilot

Note: Use this procedure only if CallPilot 1.06 or earlier is installed.

- 1 Exit from all applications including the installation program.
Note: If you were running Microsoft Exchange or Microsoft Outlook, it can take an additional minute or two for the mail services to shut down.
- 2 From the Windows Start menu, select Programs > Nortel Networks CallPilot Desktop Messaging > Uninstall CallPilot Desktop Messaging for (specific e-mail client).

Result: The Uninstall window appears.

- 3 Click Uninstall NOW!

Notes:

- If the system prompts you to delete any files beginning with the letters nb, nm, or ns, click Yes.
- If you are uninstalling Desktop Messaging for Lotus Notes, the system asks you to enter your Lotus Notes password before the uninstall process continues.

Result: The system removes CallPilot Desktop Messaging from the PC. When the operation is complete, you return to your desktop.

To install the Desktop Messaging software

Note: If an e-mail client is already selected for you, then proceed to the Select Destination Folder screen in step [8](#).

- 1 Close all Windows applications.
- 2 If you are upgrading CallPilot, uninstall the current CallPilot Desktop Messaging on your system.
For more information, see ["To install the Desktop Messaging software" on page 76](#), before continuing.
- 3 Click Start on the Windows taskbar, and then click Run.
- 4 Type in the location or click Browse to find the setup.exe file, and then click Open.
- 5 Click OK.

Result: The setup program starts and the Welcome window appears.


- 6 Click Next to continue the installation.

Note: If other applications are open, the system prompts to close them before continuing.

- 7 When the Select Type of E-Mail Client screen appears, click the appropriate check boxes beside the e-mail clients that you are using.

The Internet Mail clients include Microsoft Outlook Express, Microsoft Outlook (in Internet mail mode), Netscape Messenger, and Qualcomm Eudora Pro.

Note: You can select more than one e-mail client.



- 8 Click Next.

Result: The Select Destination Folder screen appears.




- a. Accept the default directory by clicking Next.
- b. Click Browse... to view other destination folders, and select the folder in which you want to install Desktop Messaging.
- c. Click OK.

Note: Nortel Networks recommends that you install CallPilot in the default folder.


- 9 Click Next.

Result: The CallPilot Mailbox Number screen appears.



- 10 On the CallPilot Mailbox Number screen, enter your mailbox number (usually your telephone number).
- 11 Click Next.

Result: The CallPilot Server Settings screen appears.



If the screen appears with no information in the fields, enter the following information after the field names:

Server Name or IP Address: The fully qualified domain name (FQDN) of the CallPilot server.

SMTP/VPIM prefix: The SMTP/VPIM prefix of the CallPilot user's address. This is the string of digits that is concatenated with the mailbox to form the address. Do not include any overlap digits that are configured on the server. For more information, refer to ["SMTP" on page 41](#).

Search Base to be used for address searches: The search base is the directory tree root for the part of your company or organization served by the CallPilot server. It should match the directory tree root configured on the server. For example, for a CallPilot server used by Nortel Networks in Toronto with an FQDN of CallPilot@toronto.nortelnetworks.ca, the search base is dc=toronto,dc=nortelnetworks,dc=ca. For more information, refer to ["LDAP" on page 41](#).

Note: If you, as the administrator, have not preset Desktop Messaging in the setup.ini file, you must provide users with the information for these fields.

- 12 Click Next.

Result: The Ready to Install! screen appears.



If you want to install the fax printer driver, check the Nortel Fax Printer Driver box. This driver enables you to save any document in TIFF-F. You can then send the file as a fax to other CallPilot users.

To use the fax driver

- 1 To use the fax driver, you require one of the following programs installed on your system, in addition to your Internet mail client:
 - Microsoft Exchange or Outlook
 - Lotus Notes and CallPilot Desktop Messaging for Lotus Notes
 - Novell GroupWise

If options appear dimmed, they are not supported by Desktop Messaging for the type of e-mail client you have chosen, and the appropriate fax drivers are pre-selected. If all the selections are dimmed, then the administrator has predefined them.

Note: If you are installing Desktop Messaging for Lotus Notes, the system asks you to enter your Lotus Notes password before the installation process continues.

- 2 Click Next.

Result: The installation progress bar appears and indicates the files that are being copied.

- 3 Click Finish to complete the installation.

What's next?

The next few sections provide details on the specific configurations for a particular e-mail client. Refer to the appropriate section:

- [“Configuring Microsoft Exchange/Outlook” on page 83](#)
- [“Configuring Novell GroupWise” on page 87](#)
- [“Configuring Lotus Notes” on page 97](#)
- [“Configuring the Internet Mail clients” on page 101](#)

Section B: Configuring Microsoft Exchange/Outlook

In this section

[Choosing configuration options](#)

[84](#)

Choosing configuration options

Introduction

The information in this window might have been predefined by you, in which case all of the options appear dimmed and you do not have to select anything. Simply perform step [2](#).

If the options do not appear dimmed, you must select the options you want to install.

You must decide whether to install the Fax Printer driver. This driver enables you to save any document in TIFF-F. You can then send the file as a fax to other CallPilot users.

If you are installing Desktop Messaging for Microsoft Exchange/Outlook, Configure Exchange/Outlook Services is selected by default.

Starting point: The Ready to Install! window



- 1 If you want to install the fax printer driver, check the appropriate box.

Note: The options that appear dimmed are not supported by Desktop Messaging for the type of e-mail client you have chosen.

- 2 Click Next to continue the installation.

Result: The Installing progress bar appears and identifies the files that are being copied. When all of the files are copied, the configuration is complete for your Exchange or Outlook.

What's next?

Once installation of Desktop Messaging is completed, you can start your e-mail client and log on to Desktop Messaging to view your messages. For more information, refer to the online Help available from the Help menu within the client or to the *Desktop Messaging Quick Reference Guide*.

Section C: Configuring Novell GroupWise

In this section

Overview	88
To configure GroupWise for CallPilot Messaging	92

Overview

Introduction

Novell GroupWise is supported as a new desktop messaging client for CallPilot 1.07. The following section provides a brief overview of how the client is integrated with CallPilot. For more information, and for procedures on how to use GroupWise to address, compose, open, delete, and perform other CallPilot message operations, refer to the *Desktop Messaging Quick Reference Guide* or the online Help.

ATTENTION

Novell GroupWise 5.5 needs Windows Messaging 4.0 installed on the user's PC. This is normally the case when Windows is installed on a PC.


However, in the case where Windows Messaging 4.0 is not installed, the GroupWise installation provides you with the following options:

1. Install the complete Windows Messaging system.
2. Leave Windows Messaging as is.

Choose option 1.; otherwise, the GroupWise CallPilot Desktop Client is dimmed.

CallPilot custom form

GroupWise uses the same custom form as the Lotus Notes and Exchange/Outlook clients. The CallPilot custom form gives users a convenient interface to view and compose voice, fax, and text messages.



Fields created on the GroupWise Server

CallPilot uses two custom fields when displaying messages to the user—the From and the Date/Time field. The From and the Date/Time fields are created in the GroupWise server Post Office during installation of the desktop client and are used to display the From and Data/Time information to the user in each CallPilot message. The first user who installs GroupWise at a site causes these two fields to be created. Subsequent installs by other users do not cause these fields to be created again since they are already there.

Note: GroupWise does not provide a way to remove these fields. Once they are created, they remain until the GroupWise server is rebuilt. This should not cause a problem since GroupWise or other GroupWise applications are not affected by these fields.

Organizing messages

While you can move GroupWise CallPilot messages to other folders within the mailbox, this action is not recommended. The CallPilot Desktop Messaging folder is a special folder. The From column and the Date/Time column, mentioned in the previous section, get their data from CallPilot customized fields within the message. The From field displays the GroupWise stored name

for that user, and the Date/Time field displays the date and time the message was first added to the user's GroupWise database. This is always a later Date and Time than the actual Date and Time the message was received on the CallPilot server.

These Date/Time fields are hidden from the user and created during installation of the desktop client. If the user moves messages to other folders, these columns display inaccurate information.

Delivery and non-delivery notification

The GroupWise user receives a delivery notification if he or she selects the Delivery Receipt check box on the CallPilot custom form. This causes a text message to appear in the user's inbox when the message has been successfully delivered.

A Non-Delivery Notification (NDN) is received when a message fails to reach its destination. An NDN might contain the original message as an attachment, depending on where the problem is detected. If the problem is detected by CallPilot GroupWise client software, the original message is not attached because the send operation is canceled, and the original message remains in the Outbox.

The original message is returned as an attachment only if the IMAP service or Message Transfer Agent (MTA) component of CallPilot rejects the message.

Considerations for traveling users

CallPilot provides a phoneset interface for access to messages. In addition, the GroupWise integrated clients provide offline support so users can view, play, and create messages while not connected to the office LAN. Users must download all messages they want to have access to before working offline. The user accesses offline mode by selecting the Work Offline button from logon dialog boxes, or any of the logon error or warning dialog boxes that display the Work Offline button.

After installing the GroupWise client, you must configure it for CallPilot Desktop Messaging.

CallPilot Message Store

When the user installs CallPilot Desktop messaging for GroupWise, the CallPilot Desktop installation process adds a folder to the user's GroupWise mailbox on the GroupWise Server.

If the user does not use the following procedure to remove CallPilot from GroupWise, the CallPilot Message Store might remain visible. This can be confusing to the user.


To remove CallPilot from GroupWise, you must remove CallPilot explicitly by using the Add/Remove programs in Control Panel. Refer to [“To uninstall a previous version of CallPilot” on page 76](#).

To configure GroupWise for CallPilot Messaging

Getting there Tools > CallPilot > CallPilot Configuration

- 1 Select the CallPilot Configuration Menu option.

Result: The following screen appears:



The screenshot shows the 'CallPilot Desktop Messaging' dialog box with the 'General' tab selected. The fields are filled with the following information:

- Server: tomactria
- SMTP/VIM prefix: 1416597
- Mailbox: 7400
- Check for new messages: Automatically
- Use CallPilot form
- Include original message header when forwarding or replying
- Remember password

Buttons at the bottom include 'Change password...', 'Personal folders...', 'OK', 'Cancel', 'Apply', and 'Help'.

If the screen appears with no information in the fields, enter the following information after the field names:

Server: The server name or IP Address.

SMTP/VPIM prefix: Designates a group of users on the server. For more information, refer to [“Configuring SMTP settings” on page 49](#).

Mailbox: A user's mailbox number.

Check for new messages: (Automatically/Manually) ISDN and dialup users might want to choose Manually. This option saves on toll charges by not continuously checking for new messages on the server.

Include original message header when forwarding or replying: If checked, header information is added to each forward or reply. This allows CallPilot messages to be consistent with e-mail messages. Users can disable this feature, if required.

Note: The server treats the attached text header of a voice message as a fax when accessed from the phoneset.

Remember password: Users can check this box if they do not want to enter their password each time they log on.

Personal folders: This field is not used by the CallPilot GroupWise client.

- 2 Click the Address Book tab.

Result: The following screen appears:



If the screen appears with no information in the fields, enter the following information after the field names:

Path: The location of the local CallPilot address book.

Search base: Enter the directory tree root hosted by the LDAP server on the CallPilot system.

Order: Use the drop-down arrow to select the order in which you want the names to be displayed in the address book.

Remind me to download address book every 20 day(s): If users want to automatically download addresses from the CallPilot server, they can check the check box. They can change the number of days, if required. Users can leave the box unchecked if no address download is desired.

Download now: Users can select this button if they want to download the address book from the server on demand.

- 3 Click the Audio tab.

Result: The following screen appears:




Choose audio device before each audio session: Users can select this check box if they do not use either the telephone or the PC to listen to their messages on a regular basis.

Audio device: The user can choose either Computer or Telephone as a playback/record device. If Telephone is selected, the user must enter a telephone number and select Add.

Note: All telephone numbers are stored, which is useful if the user listens to or records messages from multiple locations.

- 4 Click the Volume Control tab.

Result: The following screen appears:



The user can choose the default speaker and microphone volumes from this tab. The microphone level can only be changed from this dialog box. The user can change the volume level as well as the volume control on the player from this dialog box. The selected volume level is used for future player sessions.

- 5 Click OK to save your changes and exit.

Section D: Configuring Lotus Notes

In this section

Overview	98
Updating the Mail database design manually	99

Overview

Introduction

A user must have Manager or Designer access control of his or her mail database to install the Lotus Notes CallPilot Desktop Messaging client. This control is set on the server by the Lotus Notes administrator for each user.

Updating the Mail database design

The Mail database design determines which messages appear in your Lotus Notes message list. When you update the design, it changes your database so that CallPilot messages also appear in your message list. If you have the Update Lotus Notes Databases check box selected during installation, then there is nothing else to do. However, if you want CallPilot messages and e-mail messages in the same folder, uncheck the Update Lotus Notes Databases check box during installation, then see [“Updating the Mail database design manually” on page 99](#).

See also

For more information on the Personal Address Book and CallPilot Address Book, refer to the online Help.

Updating the Mail database design manually

Introduction

If a user wants CallPilot messages to be displayed in the same Inbox as his or her Lotus Notes e-mail messages, then the user can update the Mail database design manually after first logging on. This is an alternative method.

When a user updates the Mail database design manually, it allows him or her to see CallPilot messages from the Lotus Notes Inbox.

Nortel Networks' recommended configuration is to select the Update Lotus Notes Databases checkbox during installation, which creates a separate view for CallPilot messages. No manual update is required for this method.

Note: Replace the Mail database design only if Lotus Notes has not been customized. When a user replaces the Mail database design, it removes any customization.

To update the Mail database design manually

- 1 Start and log on to Lotus Notes.
- 2 Make a note of the version of Lotus Notes. From the Help menu, select About Notes Desktop.
- 3 Click the Mail database (the database with your name and the envelope icon).
- 4 On the File menu, click Database, and then click Replace Design.
- 5 In the Replace Database Design dialog box, select Template Server.
- 6 In the Template Server window, select Local, then click OK.
- 7 Make sure that the Show advanced templates check box is checked.
- 8 Select CallPilot Mail (R4.5), CallPilot Mail (R4.6) or CallPilot Mail (R5.0) from the list. Your selection depends on which version of the Lotus Notes client you are running.
- 9 Click Replace.

- 10 The system asks you to confirm that you want to change a database's view. Click Yes.

To configure the optional Lotus Notes Server address book

An empty Lotus Notes database (callpilot.nsf) for the CallPilot address book must be installed in the Lotus Notes data directory during installation on the Lotus Notes server. To install the database, follow these steps.

- 1 Insert the CallPilot Desktop CD in the Lotus Notes server CD-ROM drive.
- 2 From the Server directory, run setup.exe.

Result: An empty callpilot.nsf file is created.

To add a database to the Lotus Notes workspace

To add this database to the Lotus Notes workspace, the Lotus Notes server administrator follows these steps.

- 1 From the Lotus Notes server, select File > Database > Open.
- 2 Open a Lotus Notes database from the Server Workspace.
- 3 Select Browse to locate the callpilot.nsf file in the notes/data directory.
- 4 Click Select.
- 5 Press Add Icon to add the icon to the Server Workspace.

Result: The new icon appears on the Lotus Notes server workspace.

- 6 Double-click the icon and open the address book.
- 7 Select CallPilot (People) and select Actions/Download CallPilot Address Book to populate the new database.

Note: To download the address book, you must have the Lotus Notes server administrative password. Contact your IS administrator, if you do not have the password.

Section E: Configuring the Internet Mail clients

In this section

Overview	102
Configuring Outlook Express or Outlook (in Internet Mail mode)	103
Configuring Netscape Messenger	115
Configuring Eudora Pro	122

Overview

Introduction

CallPilot Desktop Messaging supports the following Internet mail clients:

- Outlook Express
- Outlook (in Internet mail mode)
- Netscape Messenger
- Eudora Pro

Note: It is very important to use at least the minimum supported version of the Internet mail client as indicated above. In particular, Netscape Messenger versions earlier than 4.5 are incompatible with CallPilot Desktop Messaging. Your IS administrator can provide you with more information on upgrading your Internet mail client. For more information on the supported Internet mail clients and their versions, refer to the CallPilot 1.07 General Release Bulletin.

Before you begin

You need the following information to configure your Internet mail client:

- the fully qualified domain name or CLAN IP address of the CallPilot server
- your CallPilot mailbox number and password
- the SMTP/VPIM prefix of the CallPilot server
- the search base to use for address searches in the CallPilot directory

Provide this information to desktop users if you want them to configure the client. You can customize the README.RTF file, which is located in the root directory of the CallPilot product CD, for your specific desktop messaging client.

Configuring Outlook Express or Outlook (in Internet Mail mode)

Introduction


If your Internet mail client is Microsoft Outlook Express or Outlook, use the following procedures for configuration.

Note: For installation instructions, see [Chapter 3, “Installing Desktop Messaging.”](#)

To configure an IMAP account on Outlook Express or Outlook

- 1 From the menu bar on the main screen, select Tools > Accounts > Mail.

The following screen appears. The contents of your screen might differ:



- 2 Click Add, and then click the Mail option.
Result: The Internet Connection Wizard starts up.
- 3 Type your name in the Display name box, and then click Next.

Result: The Internet Connection Wizard - Internet E-mail Address screen appears.

- 4 Type your CallPilot mail address in the E-mail address box, and then click Next.

Your e-mail address should be in the form
<SMTP/VPIM prefix><mailbox number>@<local CallPilot server>.


Example: 14165556003@voiceserver.ca.result.com

where 1416555 is the SMTP/VPIM prefix

6003 is your CallPilot mailbox number


voiceserver.ca.result.com is the fully qualified domain name of the CallPilot server

Result: The following screen appears:



- 5 Choose IMAP as the incoming mail server type.

Result: If you entered the CallPilot server name, voiceserver.ca.result.com, your screen appears as follows:



- 6 Click Next.

Result: The Internet Mail Logon screen appears with your IMAP account name already entered.

- 7 Type your CallPilot mailbox password in the Password box.

Note: Do not check the Log on using Secure Password Authentication (SPA) box.

Example: The following screen is an example of the Internet Mail Logon screen after you enter the IMAP account name and password:



- 8 Click Next.

Result: The Internet Connection Wizard - Friendly Name screen appears.

- 9 Type an easily recognizable name for your CallPilot IMAP account in the Internet mail account name box.

Example: You can type in your first name or full name, or you can type a name that identifies the purpose of the account.

- 10 Click Next.

Result: The Internet Connection Wizard - Choose Connection Type screen appears.

- 11 Choose the connection type between your PC and your CallPilot server.

Example: The connection chosen in the example is for a local area network (LAN). Your connection type can differ.

- 12 Click Next.

Result: The Internet Connection Wizard - Congratulations screen appears.


- 13 Click Finish.

Result: The Outlook Express screen appears.

- 14 Select Yes to download the folder list for the IMAP account that you just created. Select No if you do not want to download the folder list at this time.

Result: In either case, the following screen appears.

Tip: To make changes to your new IMAP account, select the account name and click Properties to display the Properties page.




- 15 Click Close.

To configure an LDAP directory service for Outlook Express or Outlook


- 1 From the menu bar on the main screen, select Tools > Accounts > Directory Service.

Result: The following screen appears. The contents of your screen might differ:



- 2 Select Add and click the Directory Service option.

Result: The Internet Connection Wizard starts and the following screen appears:



- 3 Type the fully qualified domain name of the CallPilot server into the Internet directory (LDAP) server box.

Note: Do not check the My LDAP server requires me to log on box.

- 4 Click Next.

Result: The Internet Connection Wizard - Check E-mail Addresses screen appears.

- 5 If you want to check for addresses in the CallPilot LDAP directory when addressing messages, click Yes; otherwise, click No.

- 6 Click Next.

Result: The Internet Connection Wizard - Friendly Name screen appears.

- 7 Type an easily recognizable name for your CallPilot directory service in the Internet directory service name box.

Tip: Type in a name that helps you to recognize the type of information in the directory.

- 8 Click Next.


Result: The Internet Connection Wizard - Congratulations screen appears.

- 9 Click Finish.

Result: The Internet Accounts screen appears.

- 10 Click Properties, and then click the Advanced tab.

Result: The following screen appears:



- 11 If your CallPilot server has SSL enabled and you want to use this option for directory searches, place a check mark in the This server requires a secure connection (SSL) box.
- 12 If your network is slow, move the slide bar under Search timeout toward Long to increase the timeout.
- 13 If you expect to do directory searches that return more matches than the number shown, increase the number in the Maximum number of matches to return box.
- 14 Type the search base for the CallPilot directory in the Search base box.
Note: Your system administrator can provide you with the search base.
- 15 Click OK.

Result: The Directory Service screen appears again.

- 16 If you choose to check for addresses in the CallPilot LDAP directory, click Set Order.

Result: The Directory Services Order screen appears.

Tip: If necessary, use Move Up or Move Down to position the CallPilot LDAP directory in the search order.

- 17 Click OK.

Result: The Directory service screen appears.

- 18 Click Close.


To configure special settings for Outlook Express or Outlook (Internet Mail mode)

- 1 If you are using Outlook Express, check the following settings:
- From the menu bar on the main screen, select Tools, and then click Options from the pull-down menu.
 - Click the Send tab.

Result: The Options screen appears.

- Under Mail sending format, select Plain Text.
- Click Settings beside Plain Text.

Result: The following screen appears:



- Under Message format, select MIME.
- Under Encode text using, select None.

g. Click OK.

Result: The Options Send tab appears.


h. Click OK.

2 If you are using Outlook 98, check the following settings:

a. From the menu bar on the main screen, select Tools, and then click Options from the pull-down menu.

b. Click the Mail Format tab.

Result: The following screen appears:



c. Under Send in this message format, select Plain Text.

d. Click OK.

3 If you add addresses from the CallPilot LDAP directory to your Outlook Express or Outlook 98 personal address book, check the following setting:

- a. Select the recipient name in the personal address book, and click with the right mouse button. From the pop-up menu, select Properties, and then select the Personal tab.


Result: The Properties screen appears.

- b. Place a check mark in the box for Send E-Mail using plain text only.


To test the Outlook Express or Outlook (Internet Mail mode) IMAP account

- 1 Use your telephone to log on to your CallPilot mailbox.
- 2 Compose a test voice message and send it to yourself.

Example 1: If your Internet mail client is Outlook Express, the following screen appears when the message is delivered. Your screen can differ:



Example 2: If your Internet mail client is Outlook 98 or Outlook 2000, the following screen appears. Your screen can differ:



Configuring Netscape Messenger

Introduction

If your Internet mail client is Netscape Messenger, use the following procedures for configuration.

Notes:

1. If the desktop user is using Netscape with POP for e-mail, Netscape cannot be configured with IMAP at the same time. You must set up a different Netscape user profile.
2. If the desktop user is already using Netscape for his or her e-mail, Netscape cannot be configured to send mail to CallPilot, since only one SMTP server can be configured. You must set up a different Netscape user profile.
3. You need Netscape Messenger 4.5 or above. Netscape Messenger versions prior to 4.5 are incompatible with CallPilot Desktop Messaging.

For installation instructions, see [Chapter 3, "Installing Desktop Messaging."](#)

To configure an IMAP account on Netscape Messenger

- 1 From the menu bar on the main screen, select Edit, and then, from the pull-down menu, click Preferences.

- 2 In the Mail & Newsgroups category, select Identity.

Result: The Preferences screen appears.

- 3 Type your name and CallPilot mail address in the first two boxes.

Enter your e-mail address in the form
<SMTP/VPIM prefix><mailbox number>@<local CallPilot server>.


Example: 198887002@voiceuser.factor.com

where 19888 is the SMTP/VPIM prefix

7002 is your CallPilot mailbox number

voiceuser.factor.com is the fully qualified domain name of the CallPilot server

Result: When you fill in the appropriate boxes, the screen appears as follows. Your screen can differ:




- 4 In the Mail & Newsgroups category, select Mail Servers.

Result: The Preferences screen appears.

- 5 Click Add so that the Mail servers properties dialog box appears. Select the General tab if it is not already selected. Type the fully qualified domain name of the CallPilot server in the Server Name box.
- 6 Type the part of your CallPilot mail address to the left of the @ sign in the User Name box.
- 7 Set the frequency that you want Netscape Messenger to check for new messages in the Check for mail every ___ minutes box.

Example: The Mail Server Properties screen shows an example of a configuration. Your screen can differ:




- 8 Select the IMAP tab.
- 9 If your CallPilot server has SSL enabled and you want to use this option, check the Use secure connection (SSL) box.
- 10 Under When I delete a message, choose Mark it as deleted.
- 11 Check the Clean up (“Expunge”) Inbox on exit box.
- 12 Click OK.

Result: You return to the Mail Servers screen.

- 13 Type the fully qualified domain name of the CallPilot server in the Outgoing mail (SMTP) server box.
- 14 Type the part of your CallPilot mail address to the left of the @ sign in the Outgoing mail server user name box.

Example: The following screen shows an example of a configuration. Your screen can differ:



- 15 In the Mail & Newsgroups category, select Addressing.
- 16 Under Pinpoint Addressing, check both Address Books and Directory Server.
- 17 In the Mail & Newsgroups category, select Messages.
- 18 Under Forwarding and Replying to Messages, By default, forward messages:, select As Attachment.
- 19 Under Send messages that use 8-bit characters, choose Using the “quoted printable” MIME encoding.
- 20 In the Mail & Newsgroups category, select Copies and Folders.
- 21 Deselect Create a new folder on my IMAP server.
- 22 Clear all boxes.
- 23 In the Mail & Newsgroups category, select Formatting.

- 24 Under Message formatting, choose Use the plain text editor to compose messages.
- 25 In the Mail & Newsgroups category, select Return Receipts.
- 26 Under If I request a receipt when sending a message, I want, choose A delivery receipt from the receiving server (DSN).
- 27 Under When a receipt arrives, choose Leave it in my Inbox.
- 28 Click OK.

To configure an LDAP directory service for Netscape Messenger

- 1 From the menu bar on the main screen, select Communicator. Then, from the pull-down menu, click Address Book.

Result: The Address Book screen appears.

- 2 Select File, and then select New Directory from the pull-down menu.

Result: The Directory Server Property screen appears.

- 3 In the first three boxes, type

- a descriptive name for your CallPilot directory service
- the fully qualified domain name of the CallPilot server
- the search base into the first three boxes.

Note: If you are the desktop user, ask your CallPilot system administrator to provide you with the search base.

Example: The following shows a filled-in screen. Your screen can differ:




- 4 Click OK.

To test the Netscape Messenger IMAP account

- 1 Use your telephone to log on to your CallPilot mailbox.
- 2 Compose a test voice message and send it to yourself.

Example: When the message is delivered, the following screen appears.
Your display can differ:



Configuring Eudora Pro

Introduction

The following procedures and screens describe the configuration of Eudora Pro.

To change any part of this configuration after it is complete, select Tools from the menu bar on the main screen, and then click Options to display the configuration screens.

ATTENTION

Eudora Pro version 4.2 does not support the CallPilot 1.07 Secure Socket Layer (SSL).

Note: For installation instructions, see [Chapter 3, “Installing Desktop Messaging.”](#)

To configure an IMAP account on Eudora Pro

- 1 Double-click the Eudora Pro icon.

Result: The New Account Wizard - Welcome to Eudora Pro! screen appears.



- 2 Click Next.

Result: The New Account Wizard - Account Settings screen appears.

Note: If you have another IMAP account for your CallPilot mailbox, you can import the settings. This configuration assumes that the Eudora IMAP account is a new configuration.

- 3 Under Would you like to:, select Create a brand new e-mail account, and then click Next.

Result: The New Account Wizard - Personal Information screen appears.

- 4 Type your name in the Your Name box, and then click Next.

Result: The New Account Wizard - E-Mail Address screen appears.

- 5 Type your CallPilot mail address in the E-Mail Address box, and then click Next.

Your e-mail address should be in the form
<SMTP/VPIM prefix><mailbox number>@<local CallPilot server>.

Example: 14164067001@voiceuser.factor.com

where 1416406 is the SMTP/VPIM prefix

7001 is your CallPilot mailbox number

voiceuser.factor.com is the fully qualified domain name of the CallPilot server

Result: The New Account Wizard - Logon Name screen appears.

- 6 Check that the Logon Name box contains the part of your CallPilot mail address to the left of the @ sign, and then click Next.

Result: The New Account Wizard - Incoming E-Mail Server screen appears.

- 7 Check that the Incoming Server box contains the fully qualified domain name of the CallPilot server.

- 8 Under Please choose whether the server for your incoming mail uses POP or IMAP, choose IMAP, and then click Next.

Result: The New Account Wizard - IMAP Location Prefix screen appears.

- 9 Click Next without entering a location prefix.

Result: The New Account Wizard - Outgoing E-Mail Server screen appears.


- 10 Check that the Outgoing Server box contains the fully qualified domain name of the CallPilot server, and then click Next.

Result: The following screen appears:




- 11 Click Finish.

Result: The following screen might appear, based on the speed of the server connection:




Result: When the connection is made, the following screen appears:



- 12 On the menu bar, select Tools > Options.
- 13 Scroll to the Attachments icon under the Category heading.
Result: The Options screen appears.
- 14 Under Encoding method, select MIME.
- 15 Scroll to the Styled Text icon under the Category heading.

Result: The following screen appears:




- 16 Under When sending mail with styled text (HTML):, select the Send plain text only option.
- 17 Click OK to save the changes for both the Attachments and the Styled Text screens.

Result: The system returns you to the main screen.

To configure an LDAP directory service for Eudora Pro

- 1 On the menu bar on the main screen, click Tools > Directory Services.

Result: The following screen appears:




- 2 Select LDAP in the Protocols box, and then click New Database... .

Result: The Modify Database screen appears.

- 3 On the Network tab, type a descriptive name for the CallPilot directory service in the first box, and then type the fully qualified domain name of the CallPilot server in the Host Name box.
- 4 Select the Search Options tab.

Result: The following screen appears:




- 5 If your network is slow, move the slide bar under Search timeout toward Long to increase the timeout.
- 6 Type the search base for the CallPilot directory in the Search Base box.
Note: Your IS administrator can provide you with the search base.
- 7 Click OK.
Result: The system returns you to the Directory Services screen.
- 8 Click the X in the upper right corner of the Directory Services screen to return to the main screen.

To test the Eudora Pro IMAP account

- 1 Use your telephone to log on to your CallPilot mailbox.
- 2 Compose a test voice message and send it to yourself.

Result: When the message is delivered, the following screen appears.
Your display can differ:



Chapter 5

CallPilot Web Messaging

In this chapter

Overview	132
Hardware and software requirements	134
Security	136
Recommended configuration for external Internet access	138
Installing CallPilot Web Messaging	140

Overview

Introduction

CallPilot Web Messaging allows users to access, view, listen to, and delete CallPilot messages using a web browser. They cannot create or edit messages.

Architecture overview

CallPilot Web Messaging requires the installation of the CallPilot Web Messaging web site application, which runs within your Microsoft Internet Information Server (IIS, version 4).

Note: Nortel Networks recommends that you use this web server exclusively for the CallPilot Web Messaging web site application and no other mission-critical web applications.

The WinNT server hosting CallPilot Web Messaging must not be the same WinNT server that hosts CallPilot. Place the Web Messaging server on the customer LAN and not on CallPilot's ELAN.

Most client-server communications are implemented using HTTP and the intermediary web server. In this way, Web Messaging can be deployed across your company's firewall to the Internet, with the option of using third-party certificate authorities.

User overview

Users access the CallPilot Web Messaging system and display their CallPilot messages over a direct connection to the CallPilot Web Messaging URL. They can use any PC that has a supported browser and HTTP access to the CallPilot Web Messaging server. Users can access all message content through a data network. Dial-up users access all messages through the same single telephone line that is used for the dial-up modem connection.

The CallPilot Player enables users to play their CallPilot voice messages from a telephone or from a computer. The Microsoft Media Player (version 6.01 or later) enables users to play their messages from a computer.

Users can display faxes on any client PC that has Imaging for Windows installed.

Supported languages

CallPilot Web Messaging supports the following languages:

- English
- French
- German
- Chinese
- Japanese

Hardware and software requirements

Introduction

CallPilot Web Messaging requires the following hardware and software.

Web server hardware

The CallPilot Web Messaging server requires the following hardware:

- a minimum Pentium 166 MHz Pentium processor (450 MHz recommended)
- a minimum 64 Mbytes of RAM (128 Mbytes recommended)
- 20 Mbytes of free disk space

Note: If you require voice messages to be played over the Windows Media Player, the messages must be transcoded to WAV format. This can be processor-intensive. Nortel Networks recommends a 450 MHz processor on the web server if you expect a large amount of transcoding.

Web server software

The CallPilot Web Messaging server requires the following software:

- Microsoft WinNT 4 server with Service Pack 3, 4, or 5
- an installed and operational version of Microsoft IIS 4

PBX hardware

CallPilot Web Messaging is supported with any of the PBX options approved for connection to CallPilot.

CallPilot system hardware

CallPilot Web Messaging does not interact directly with any CallPilot hardware, as all interfaces use the CallPilot IMAP service.

CallPilot software

You must install CallPilot with a keycode that enables CallPilot Desktop Messaging features.

Client PC requirements

CallPilot Web Messaging requires one of the following operating systems on the client PC:

- Windows 95 retail, OSR 2.1
- Windows 98
- Windows 2000
- WinNT 4 Workstation

CallPilot Web Messaging requires Desktop Messaging capability on the CallPilot mailbox.

The client PC also requires one of the following web browsers with JavaScript and cookies enabled:

- Microsoft Internet Explorer
- Netscape Navigator 4.x

The CallPilot Player

You use the CallPilot Player or the Microsoft Media Player (version 6.01 or later) for voice message playback. You must install the player on the client PC before voice messages can download.

Note: After you install CallPilot Web Messaging, you can install the CallPilot Player or the Microsoft Media Player, or another supported player, using a link from the Downloads area of the window.

Imaging for Windows

You need Imaging for Windows for fax display and printing.

Note: After you install CallPilot Web Messaging, you can install Imaging for Windows, using a link from the Downloads area of the window. The Downloads Link is displayed on the browser window at all times, not only on the logon window.

Security

Introduction

CallPilot Web Messaging operates using Internet components and might have limitations imposed on it by companies' network security policies. It does not attempt to circumvent any firewall or other network security software installed by companies on top of TCP/IP.

The CallPilot Web Messaging client passes the user password in the clear over the network between the user's browser and the web server. The web server, in turn, passes the user password to the CallPilot IMAP server in the clear over your network.

Using an authentication certificate

For customers who require medium to high security, Nortel Networks recommends the installation of an authentication certificate in the Microsoft Internet Information Server (IIS) (the web server), which allows the browser to connect to the server using a strongly encrypted network channel.

Secure Socket Layer (SSL) is a security protocol that provides the following features:

- encryption of all information passed between the client and the server
- authentication of the server's identity
- authentication of the client's (browser's) identity

When SSL is enabled on the web server, the CallPilot web client automatically detects this, and it uses the HTTPS protocol to ensure that the user's mailbox and password are channeled through SSL.

Enabling SSL

To enable SSL security on your web server, ask your IS administrator to follow the instructions in the IIS documentation. Here is a high-level overview of this process:

1. Generate a server certificate request by using the Command menus in the IIS Manager application.
2. Present the certificate request to a certificate authority, and obtain a site certificate.
3. Select the certificate authority that you or the IS administrator feels most comfortable with.
4. Install the site certificate on the IIS web server using the Command menus in IIS Manager.

Note: After this has been done, you can publish the HTTPS URL to access CallPilot Web Messaging.

Once SSL is enabled for the CallPilot Web Messaging directory, the access URL is `http://<server address>/CallPilot`.

Port hiding

If you make CallPilot Web Messaging available over the Internet, you might want to change the TCP port used to connect to the web server.

Normally, all HTTP web connections arrive on port 80. However, you can configure the Microsoft IIS server to accept HTTP connections on any other specified port. If this is done, CallPilot Web Messaging automatically detects this configuration and uses the configured port when connecting to the server.

This can provide an additional level of security because it hides the service from malicious attempts to scan well-known TCP ports.

Speak to your IS administrator if you want to have this additional level of security.

Recommended configuration for external Internet access

Introduction


The following diagram shows the recommended configuration of the various servers used by CallPilot Web Messaging when installed in a network with an Internet firewall.



CAUTION

Risk of system corruption or data loss

Nortel Networks strongly recommends that you obtain an independent security audit before you provide external access to your system based on the recommended configuration.



Notes on the recommended configuration

1. This solution requires an additional web server to act as an external proxy server. Typically, many customers already have a PC outside the firewall (for DNS and SMTP). This server can double as the web server proxy.
2. Use SSL to secure all web browser to web server communications.
3. Use SSL to secure all traffic from the external web server proxy to the internal web server (the CallPilot web server).
4. All traffic to and from the CallPilot server remains behind the firewall. This is desired as there is no facility to encrypt it, and passwords are handled in the clear.
5. Configure the firewall to allow HTTP connections between the internal CallPilot web server and the external web server proxy.

Discuss the configuration requirements with the IS administrator.

Installing CallPilot Web Messaging

Introduction

CallPilot Web Messaging uses Microsoft Internet Information Server (IIS) to host a web site from which users can retrieve CallPilot messages. The following instructions show how to set up and configure the CallPilot components.

You execute the installation on the WinNT server. No installation is required on the user's desktop.

If you are unfamiliar with the operation and administration of Microsoft's Internet Information Server, contact your IS administrator to assist you in installing CallPilot Web Messaging.

Before you begin

1. Before you install CallPilot Web Messaging, you must have installed an operational version of Microsoft Internet Information Server (IIS) 4.
2. You require the following information for the installation:
 - the host name of the CallPilot server (Fully Qualified Domain Name)
 - the alias name of the virtual directory for the CallPilot web client. The default alias is CallPilot. Obtain the alias name from the IS administrator.
 - the name of the web site to which you want to add the CallPilot virtual directory (the default is Default web site)
3. On the desktop user's PC, the user needs the CallPilot Player or the Microsoft Media Player (or another supported player) for voice message playback. The user also needs Imaging for Windows for fax display and printing.

To uninstall previous versions of CallPilot Web Messaging

If you have installed an earlier version of CallPilot Web Messaging, you must uninstall this version before proceeding.

- 1 Shut down the IIS web server service.
- 2 From the Windows Start menu, select Control Panel > Add/Remove Programs, and then select CallPilot Web Messaging.
- 3 Click Add/Remove and confirm that you want to remove CallPilot Web Messaging.
- 4 Run the CallPilot Web Messaging uninstall program.
- 5 You might need to restart your machine, and then manually remove the old directory and files that were in use.

Result: In any case, the service starts up automatically and the CallPilot virtual directory is deleted automatically.

Note: The uninstall program does not remove the directory structure `c:\CallPilot\WebMessaging\bin`. You must remove this manually.

If the web client fails to stop the World Wide Web service or seems to hang while you stop the service, you might need to stop this service manually.

- a. From the Windows Start menu, select Control Panel > Services. Select World Wide Web Publishing service, and then click Stop.
- b. If this fails to stop the service, open a console window and type **net stop iisadmin /y**

This stops all IIS services, such as FTP and World Wide Web.
- c. You must restart these services after you finish uninstalling CallPilot Web Messaging.


From the Windows Start menu, select Control Panel > Services. Select World Wide Web Publishing service, and then click Start.

To install CallPilot Web Messaging

The setup is slightly different depending on whether you install from a CD-ROM or from a file downloaded from the web. This procedure can be done in conjunction with the IS administrator.

- 1 Log on to your Internet Information Server computer with administrator privileges.
- 2 If you are installing from a downloaded file, you need to unarchive the downloaded file into a temporary directory. In Windows Explorer, navigate to the downloaded file and double-click the executable file name. When prompted, choose a temporary directory in which to store the unarchived files.
- 3 Use Windows Explorer to navigate to the executable Setup file.
This file is in the root directory of the CD-ROM or in the temporary directory on your disk drive where you unarchived the downloaded file.
- 4 Double-click Setup (setup.exe).
- 5 In the Welcome window, click Next.
- 6 In the Choose Destination Location window, choose the location on your hard drive where you want to install the CallPilot Web Messaging files, and then click Next.

Note: The default is c:\CallPilot\WebMessaging.



- 7 In the IIS Virtual Directory window, enter the alias of the virtual directory for the CallPilot web application.

Note: The default alias is CallPilot.

- 8 In the IMAP Server Information window, type the IP address or the host name of the CallPilot server, and then click Next.
- 9 In the Select Components window, choose both English text strings and Program Files as the components to install, and then click Next.

Result: The World Wide Web Service is automatically stopped.



Note: If you are installing on a web server with IIS 4, you might see an error dialog box. This does not affect the installation. When you cancel, the installation resumes.

- 10 In the Choose Web Site window, select the web site to which you want to add the CallPilot virtual directory, and then click Next.

Note: The default is Default web site.

You might have to check whether this window appears behind the Setup window.

- 11 You can view the CallPilot Web Messaging site. Use your web browser to view the URL

`http://<servername>/<virtual_dir_name>`

where <virtual_dir_name> is the name of the virtual directory that you entered during the installation.

To test your installation

- 1 Go to a client PC that has access over the network to the CallPilot Web Messaging web server.

Note: The client PC must run on one of the following supported platforms:

- Windows 95 retail, OSR 2.1
- Windows 98
- Windows 2000 Professional
- WinNT 4 Workstation

- 2 Start up a supported browser on this client PC.

Note: The following are the supported browsers. You must enable JavaScript/Jscript and Cookies:

- Microsoft Internet Explorer
- Netscape Navigator version

- 3 Navigate to the CallPilot Web Messaging web site, which is the virtual directory you created during installation.

Note: This is normally CallPilot. In a typical installation, you navigate to <http://<your server address>/CallPilot>.

- 4 In a few seconds, the Logon window appears, and you can log on.

Note: If you see the following error messages when you browse to the CallPilot Web Messaging URL, and your web server is running IIS 4 with Service Pack 4, then ensure that the virtual directory is set up as an application:

Document contains no data

Session (...) object required

The browser times out

To verify that the virtual directory is set up as an application, right-click the virtual directory in the Microsoft Management Console, and then select Properties. Under Application Setting, ensure that an application has been created. (You should see a Remove button, not a Create button.)

To download supported plug-ins

CallPilot Web Messaging requires the CallPilot Player, the Windows Media Player, or another supported player for playback of voice messages, and Imaging for Windows for fax display.

For more information, refer to the online Help provided with CallPilot Web Messaging.



- 1 To install a required plug-in, on the web client PC, click Downloads.
- 2 Click the required plug-in, and then install it.

Note: Some of the links are to external sites.

Chapter 6

Troubleshooting

In this chapter

Overview	148
Troubleshooting during installation	149
Troubleshooting logon failures	152
Troubleshooting logon problems (for Lotus Notes clients)	155
Troubleshooting after the user has logged on successfully	158
Troubleshooting installation problems for Web Messaging	166
Accessing Desktop Messaging online Help	172
Using the CallPilot Desktop Support Tools	173

Overview

Introduction

This chapter identifies problems that users can experience with Desktop Messaging.

The troubleshooting information is divided into symptoms and solutions. A symptom defines the problem that the desktop user is facing. A solution describes the steps you follow to fix the problem. Based on the user's expertise, you might prefer to guide the user in running the steps.

If the suggested action does not correct the problem, contact your Nortel Networks representative.

Note: These problems apply to all clients unless otherwise noted. The solution is executed from the desktop PC. Where the solution requires action on the CallPilot server or administration client, the step listed notifies you that this is an administrator action only.

Troubleshooting during installation

Before you install

Before you begin to install Desktop Messaging for Microsoft Exchange, Microsoft Outlook, GroupWise, or Lotus Notes, you require the following information:

- your CallPilot mailbox number
- the fully qualified domain name of the CallPilot server
- the SMTP/VPIM prefix of the CallPilot server
- the search base to be used for LDAP address searches in the CallPilot server

Note: Before you install the CallPilot Desktop Client, make sure your Integrated Client (Microsoft Exchange, Microsoft Outlook, GroupWise, or Lotus Notes) is working properly.

To obtain the version number

- 1 If the user cannot log on, but you require the CallPilot version number, navigate to the following file:
windows\system\nmdcva.exe
- 2 Highlight the file, right-click, and then select Properties.
Result: The Properties page appears.
- 3 Select the Version tab.
Result: Version information for CallPilot Desktop Messaging appears.

Symptom - error message about default mail client (Microsoft Outlook only)

You receive an error message when you install the CallPilot desktop: “Either Outlook is not the default mail client or there is no default mail client to fulfill the current request.”

If Outlook is installed on your PC but you do not want Outlook to be your default mail client, you can change to another client after the CallPilot Desktop is installed.

Solution

- 1 To define Outlook as the default mail client, on the Windows Start menu, click Settings > Control Panel. Double-click Internet Options.
- 2 On the Internet Properties dialog box, click the Programs tab.
- 3 In the E-mail box, select Microsoft Outlook from the dropdown list.
- 4 Click OK to close the Internet Properties dialog box.
- 5 To close the Control Panel, click File > Close, or click X in the top right corner.

Symptom - error message about Image Viewer

Error message: "Image Viewer is not installed."

This means you need Imaging for Windows to view and compose faxes. During installation, CallPilot checks for Imaging for Windows. If it is not installed, CallPilot still installs successfully. You can install the imaging software later.

Solution

- 1 To install Imaging for Windows, from the Windows Start menu, select Settings > Control Panel > Add/Remove Programs.
- 2 Click the Windows Setup tab.
- 3 Highlight and double-click Accessories.
- 4 Scroll down the list, and ensure that Imaging is checked.
- 5 Click OK to return to the Control Panel.

Note: If Imaging for Windows is not installed on your PC, you can install it from the CallPilot Desktop Messaging CD.

Symptom - authorization error message (specific to Lotus Notes clients)

Error message: "No authorization to perform this operation."

Solution

A user must have Manager or Designer access control of the mail database to install the Lotus Notes CallPilot desktop client. The Lotus Notes administrator sets this control on the server for each user. The default is Manager access.

To determine the level of access control for a user

- 1 From the user's Lotus Notes Mail database, select File > Database > Access Control... .
- 2 Click the user's name in the displayed list.

Result: The user's access control level appears in the Access box. The choices are Manager, Designer, Editor, Author, Reader, Depositor, and No Access.

For a user to install the desktop client, Manager or Designer must be displayed. If neither Manager nor Designer is selected, then

- you must temporarily give the user Manager or Designer access
or
- the Lotus Notes administrator must manually update the Mail database from the server for each user needing CallPilot access

This update creates a new view, CallPilot Desktop Messaging, in Lotus Notes.

To update each CallPilot user Mail database from the server (when a user is unable to update his or her own database)

- 1 Install CallPilot Desktop Messaging on the Lotus Notes server computer by running Server > setup.exe.
- 2 Start Update database design.
Note: To locate the Update database design program, click Start > Programs > Nortel CallPilot Desktop > Update database design.
- 3 From Update CallPilot Mail databases, select Add CallPilot components or Remove CallPilot components.
- 4 Click OK.
- 5 From the Select database(s) dialog box, select one or a group of mail files to update.
- 6 Click OK.

Troubleshooting logon failures

Symptom - error message about invalid credentials

The user gets a message similar to “Invalid credentials. Please retry...” or “The server could not be located. Please Retry... .”

Solution (from the desktop user’s PC)

- 1 Check that Desktop Messaging is configured with the proper settings. Verify that the following information is correct:
 - mailbox number
 - fully qualified domain name (FQDN) of the CallPilot server
 - the SMTP/VPIM prefix of the CallPilot server
 - the search base for address searches in the CallPilot directory
- 2 Check that you can log on successfully from the telephone using the same mailbox number and password.
- 3 Verify that you have network connectivity to the CallPilot server.

For example, issue a network command to the CallPilot server exactly as it appears in your Desktop Messaging configuration—try to ping using the DOS prompt—and ensure that you receive a valid response from the CallPilot server. If you do not have network connectivity to the CallPilot server, then you are not able to access CallPilot Desktop Messaging.

Solution (from the Client PC)

- 1 On the Administration Client PC, check that IMAP is enabled on CallPilot, mailbox class has been desktop enabled, and there are no alarms referring to the IMAP service.
- 2 The CallPilot server name might not be in the DNS server.

To check if the name is in the server, on the Client PC, from the DOS prompt, issue a ping command to the CallPilot server IP address. Then issue a ping command to the fully qualified domain name of the CallPilot server. If you receive a ping response from the IP address but not the server name, then check the following:

- Ensure that DNS is configured on this PC. Under TCP/IP properties, select the DNS tab. Ensure that a DNS server is listed. Verify that it is the correct IP address for the DNS server.
- Check with the DNS administrator whether the server name is in the DNS server. Verify that the correct hostname has been configured in the DNS server.
- If you do not have a DNS server, then you must add the CallPilot server hostname to the Client PC's host file.

The following actions can be taken to resolve this situation:

- a. The CallPilot FQDN must be properly configured in the DNS server.
- b. If there is no DNS server available, then you must add an entry to the Client PC's Host file.

See [“Configuring environments without a DNS” on page 54](#) for instructions on configuring CallPilot Desktop messaging in an environment with no DNS server.

Note: Nortel Networks recommends that you set up DNS properly instead of asking the desktop users to update their host file. Optionally, you can ask users to configure their client with the IP address instead of host names.

To add an entry to the HOSTS file

- 1 If the user is running Windows 95 or 98, open the host file usually located in the Windows directory.

If the user is running Windows NT, open the host file usually located in the WinNT\system32\drivers\etc directory.

If the user does not have a host file, open the HOSTS.SAM file located in the directory specified above, and rename it host (no extension).

- 2 Add the following line to the host file:

<IP address>tab<fully qualified domain name of CallPilot server>

Example: 102.54.94.97 rhino.acme.com

- 3 Save and close the file.

Note: If the problem continues, try to stop and restart IMAP service on the CallPilot server.

ATTENTION

When you restart this service, it can cause the desktop user session to end. The system administrator must restart the desktop client.

Symptom - error message about no Desktop Capability

When the user attempts to log on, a message states that “You do not have Desktop Capability.”

Solution

As the CallPilot administrator, do the following:

- 1 Verify that Desktop Messaging is configured with the correct Mailbox number.
- 2 Verify that this mailbox is assigned to a mailbox class that is desktop-enabled. For more information on mailbox class, refer to the *Administrator's Guide*.

Troubleshooting logon problems (for Lotus Notes clients)

If CallPilot has been properly installed, then the user sees CallPilot Desktop Messaging under Folders and Views. In the Personal Name and Address Book on Local database, the user sees two new views:

- Groups (CallPilot)
- People (CallPilot)

Notes:

1. In Lotus Notes version 5.0, these views are accessible only from the View menu.
2. Lotus Notes 5.0 users must log on to CallPilot before they can download the address book.

Symptom - cannot see CallPilot Desktop Messaging

When the user logs on, he or she does not see CallPilot Desktop Messaging.

Solution

- 1 Verify that you are in Folders and Views > CallPilot Desktop Messaging.
- 2 If you do not see CallPilot Desktop Messaging and you are in Folders and Views, uninstall the current version of CallPilot, and then reinstall it. When you reinstall, ensure that Update Lotus Notes databases is checked in the Ready to Install! window.

Note: This is the default. Nortel Networks recommends that you leave this box checked.

Whether or not you select the check box, you have the option to update the Mail database design manually.

Note: Replace the Mail database design only if you have not customized Lotus Notes. When you replace the database design, it removes any customization.

You require Manager- or Designer-level access to update the Mail database design.

To replace the Mail database design

If you are a Lotus Notes user, to replace the Mail database design, see [“Updating the Mail database design manually” on page 99](#).

The Lotus Notes administrator can replace the Mail database design from the Lotus Notes server.

To update the Mail database design (Lotus Notes administrator)

- 1 Copy one of the files—cpmail45.ntf if you have Lotus Notes 4.5, cpmail46.ntf for Lotus Notes 4.6, or cpmail50.ntf if you have Lotus Notes 5.0—into the notes/data directory on the Lotus Notes server.
- 2 Use File > Database > Open to add the mail database icon that you are going to update.
- 3 Select this icon.
- 4 Select File > Database > Replace design.
- 5 In the Replace Database Design window, check the Show advanced templates check box.
- 6 Make sure that
 - the Inherit future design changes check box is checkedand
 - Hide formulas and LotusScript is not checked
- 7 Select CallPilot Mail (R4.5), CallPilot Mail (R4.6), or CallPilot Mail (R5.0).
- 8 Click Replace.
- 9 Repeat steps 3 to 8 for each database that you must update.
- 10 Press F9 to refresh the window and display the names.

Symptom - no entries in CallPilot Personal Name and Address Book

While in the Personal Name and Address Book window, the user selects People (CallPilot). There are no entries in the CallPilot Address Book.

Solution

You must download the CallPilot Address Book manually and update the Personal Address Book template.

To manually download the CallPilot Address Book

- 1 Make sure that your Address Book—People (CallPilot) window is the active window.
- 2 From the Actions menu, select Download CallPilot Address Book.

Symptom - DLL error message

Error message: “The dynamic link library nNOTES.dll could not be found in the specified path.”

Solution

- 1 On your desktop, right-click the Lotus Notes icon, select Properties, and then click the Shortcut tab.
- 2 Examine the properties of your Lotus Notes shortcut.
- 3 Verify the path in the Start in box.
Note: Usually, when Lotus Notes creates a shortcut, it puts a working directory in this box.
- 4 Add or update the path.

Symptom - no entries in CallPilot address book

The CallPilot address book has been downloaded and a dialog box appears stating that 0 entries are found.

Solution

As the administrator, do the following:

- 1 Check the CallPilot Address Book search base.
Note: Search base is configured under Actions > CallPilot Desktop Messaging > CallPilot Desktop Messaging. Select the Address Book tab.
- 2 Verify that the search base is exactly as it is configured on the CallPilot Administration Client.

Troubleshooting after the user has logged on successfully

Symptom - the CallPilot address book is empty

Solution (Lotus Notes client)

Note: Lotus Notes 5.0 users must log on to CallPilot before they can download the address book.

- 1 Make sure that your Address Book—People (CallPilot) window is the active window.
- 2 On the View menu, click Refresh.
- 3 Make sure the CallPilot Address Book has been downloaded.

Solution (Exchange/Outlook and GroupWise clients)

- 1 Click Download CP Address Book.
- 2 If it responds with 0 entries found, verify that the search base is correct.

Symptom - the user has message access problems

The user has modified the settings so that they are now correct, but the user still cannot access his or her messages.

Solution

If you modified the settings while your Desktop client was open, close and reopen the Desktop Client application so that the settings take effect.

- 1 Verify the mailbox class.
- 2 Check the alarm monitor to ensure that there are no alarms relating to the IMAP service.
- 3 Verify network connectivity to CallPilot.

Symptom - the user has problems sending messages

When the user sends a message, it arrives in the recipient's Exchange/Outlook mailbox, but it does not arrive in the CallPilot message mailbox.

Solution

- 1 Ensure that when you address the message, you locate the recipient's address in the CallPilot Address Book. If the recipient is defined in your Personal Address Book, then ensure that the Personal Address Book entry is a CallPilot address.
- 2 To ensure that the recipient is defined as a CallPilot Address type, highlight the name, click Properties, and verify that the Address Type=CallPilot.
- 3 Before you send the message, in the To field, highlight the Recipient, click Properties, and verify that the Address Type=CallPilot.

Symptom - the user cannot send messages

The user cannot send messages to telephone, fax, AMIS users, or networking users.

Solution

- 1 Make sure that the user is addressing the message correctly. See Address Formats in the online Help.
- 2 Ensure that the user has the capability to send messages to telephone, fax, AMIS users, and Networking users.

Security concerns can restrict users from composing messages to these types of users.
- 3 Verify that the RPL in the CallPilot system is configured to allow DTT and DTF network messages.
- 4 For DTT and DTF, ensure that you can dial the number you are trying from a phone connected to the same switch as CallPilot.
- 5 For Networking, verify that networking is currently configured in CallPilot administration. For more information on networking, refer to the appropriate *Networking Implementation and Administration Guide*.

Symptom - the user cannot send a CallPilot message

The user cannot send a CallPilot message. When the user clicks Send, an error dialog box appears: "Error. Failed to send message."

Solution checklist (User)

- 1 Verify that your mailbox is not full. If your mailbox is full, you cannot send messages until some messages are deleted.
- 2 Check the format of the message address.
Note: If the FQDN on the right side of the @ symbol does not match the FQDN of the CallPilot server configured to this mailbox, then the message is rejected.
- 3 Verify that no attachment is empty. An empty attachment causes the entire message to be rejected. Delete the empty attachment and try sending the message again.
- 4 Contact your CallPilot system administrator.

Solution checklist (Administrator only)

- 1 Verify that you can ping the CallPilot server. At the DOS prompt, type
ping <CallPilot FQDN>
- 2 If the response is "request timed out," then type
ping <CallPilot server IP address>
Note: If there is a reply, then the CallPilot server FQDN has not been properly configured to your Domain Name System (DNS). Contact your DNS administrator for assistance.
- 3 If you do not have a DNS server, then you might require a host file entry.
- 4 If there is No Reply, then verify that the CallPilot server is reachable on your LAN. Contact your IS administrator for help.
- 5 Verify that the CallPilot server is up and running.
- 6 If there is no response, verify that the Internet Message Agent (IMA), Message Transfer Agent (MTA), and IMAP services are running. You might need to restore them.

Symptom - non-delivery notification

The user receives non-delivery notifications for messages that her or she sends.

Solution

- 1 Verify that you have a valid attachment type.
- 2 Make sure that your mailbox is not full.
- 3 Make sure that you are addressing the message correctly. See Address Formats in the online Help.
- 4 Ensure that you are attaching only TIFF-F, VBK, WAV, or TXT files to your messages. Desktop Messaging does not accept any other file types.
- 5 If you are sending to a remote location, verify that the address is valid and that it still exists.
- 6 For fax machines, ensure that the fax number is valid and that the machine is accepting faxes.
- 7 Ensure that you have the capability to dial the number. You can confirm this in the Restriction/Permission list. See the *Administrator's Guide*.

Note: This is an administrator action only.

- 8 Verify that the remote server is responding by issuing a network command on the CallPilot server.

Note: This is an administrator action only.

Note: Internet Mail clients cannot send or receive WAV files.

Symptom - "Unknown" in Sender field

In some messages, the user sees a name or phone number in the Sender field. In other messages, the user sees "Unknown."

Meaning

If the caller's phone system provides a Calling Line ID, then it appears in the Sender field for messages that are created when people phone you and you are not available. However, if this information is not provided, then it appears as "Unknown."

For messages that are sent from people using Networking, if the sender's name is not provided to the CallPilot system, then the Sender field appears as "Unknown."

Symptom - the user has problems with faxing

Users cannot preview, view, or send faxes.

Meaning

Imaging for Windows is not installed.

You require Imaging for Window to view and compose faxes. During installation, CallPilot checks for Imaging for Windows. If it is not installed, CallPilot is still installed successfully. You can install the imaging software later.

Solution

- 1 To install Imaging for Windows, from the Windows Start menu, select Settings > Control Panel > Add/Remove Programs.
- 2 Click the Windows Setup tab.
- 3 Highlight and double-click Accessories.
- 4 Scroll down the list, and ensure that Imaging is checked.
- 5 Click OK to return to the Control Panel.

Note: If Imaging for Windows is not installed on your PC, you can install it from the CallPilot Desktop Messaging CD.

- 6 If the error message states that the message cannot be sent because part of the media cannot be converted, or because the media is not supported at the recipient's system, ensure that in messages sent using CallPilot Desktop Messaging, you only send attachments that are TIFF-F, WAV, VBK, or text files.
- 7 Ensure that you, as the sender, and the recipients have the capability to send and receive fax (TIFF-F) messages. Also, ensure that all TIFF files are TIFF-F files created using the Nortel Fax Printer. Not all TIFF files are class F.
- 8 Ensure that your mailbox is not full. When you log on to the Desktop Messaging session or when you log on using the telephone, if you receive the error message that your mailbox is full, then you cannot send any messages until you delete messages to create space in your mailbox.

- 9 If messages are not returned with an NDN, then check the CallPilot server processor usage. If it is at or near 100 percent for a long time, then contact your Nortel Networks Customer Technical Support.

Symptom - the user has problems with fax reception

People do not receive faxes sent by the user, or the user does not receive faxes that others are sending to him or her.

Solution

- Verify that the mailbox class to which the user is assigned has the capability to send and receive faxes.
- Make sure that those to whom you send faxes have the capability to receive faxes. For more information, refer to the *Desktop Messaging Quick Reference Guide*.

Symptom - the user has problems with receiving replies

Recipients can see the user's CallPilot messages and people receive the messages that the user sends, but the user does not get any of the replies to his or her messages.

Solution

- 1 From the Actions menu, select CallPilot Configuration.
- 2 Click Properties.
- 3 Ensure that the SMTP/VPIM prefix is specified correctly.

Ensure that if people are sending you faxes (TIFF files) in their replies, you have the capability to receive TIFF files.

Symptom - the user cannot print text messages

Users can see text messages in their Desktop mailbox, but when they access them from their mailbox using the telephone and try to print them to a fax machine, they see the message, "Your command cannot be completed at this time."

Solution

The current configuration of the user's CallPilot mailbox only allows him or her to access text messages from the desktop and does not allow him or her to use the telephone-based mailbox. If he or she wants to print these faxes to a fax machine through the mailbox, you must add Fax capability to the user's mailbox class. See the *Administrator's Guide*.

Symptom - deleting messages from CallPilot

When a user deletes messages using CallPilot Desktop Messaging, the messages are still in the user's mailbox when he or she accesses the mailbox using the telephone.

Solution

If the messages that you delete on the Desktop are still located in a Deleted Items Folder in your CallPilot Message Store, then they remain in your CallPilot mailbox. Therefore, you still have these messages when you access them from the telephone. To remove the messages from both mailboxes, you must permanently delete them from the Deleted Items folder.

Symptom - deleting messages from the Desktop client

The user cannot delete his or her messages. When the user selects to delete the messages permanently, nothing happens.

Solution

If the user is using CallPilot Desktop Messaging to delete these messages and he or she is also logged on to the mailbox with the telephone, then he or she cannot delete messages using CallPilot Desktop Messaging.

End the Telephone Mailbox session, and then attempt to delete the messages from Desktop again.

Symptom - messages no longer on server

Error message: "This message could not be found on the server. Messages must exist on the server in order to be played via the telephone. Use computer to play this file. Port failed."

Solution

Voice messages that have been saved to the user's computer hard drive are no longer in the user's CallPilot Inbox. As a result, the user cannot play these messages from the telephone.

To listen to these messages, the user must use the computer speakers or headphones.

Symptom - voice message does not play on telephone

The user plays a voice message from the telephone. The user answers the telephone when it rings but the message does not play.

Solution

- 1 When you answer the telephone, say something, such as "Hello," to initiate message playback.
- 2 Check the CallPilot player status bar. If it states Open Pending, then hang up the telephone. Click Computer on the player, and then click telset playback. The phone rings again.
- 3 If the Status bar still says Open Pending, then hang up again and wait three to five minutes and attempt to play again. If this problem persists, contact your Nortel Networks Customer Technical Support.

Symptom - message waiting indicator active but no new message

The user's telephone message waiting indicator is activated but there is no new message in the user's Desktop Inbox.

Solution

Messages are downloaded from the CallPilot server with the same frequency as e-mail messages (this applies only to Lotus Notes users).

- 1 To adjust the frequency, from the File menu, select Tools > User Preferences > Mail, and change the Check for mail every __ minutes setting.
- 2 To have an immediate download, from the Actions menu, select Refresh CallPilot Message List.

Troubleshooting installation problems for Web Messaging

Introduction

All IMAP errors and CallPilot Web Messaging errors are logged on the web server's Event Log and can be viewed using the Event Viewer. If you are unfamiliar with the Microsoft IIS server and its operation, contact your IS administrator to assist you in troubleshooting CallPilot Web Messaging.

Symptom - installation problems

The desktop user sees a blank screen if CallPilot Web Messaging's virtual directory is not set up as an application virtual directory.

Solution (Administrator action only)

- 1 Select the Properties section of the virtual directory, and click the Make Application button.
- 2 Ensure that the CallPilot server can be pinged from the web server by using either CallPilot's IP address or its fully qualified domain name (whichever is used as the IMAP server registry entry).
- 3 Ensure that the COM control is registered. Search the registry for CPWMCTRL.

During installation, setup attempts to register the file CPWMCTRL.DLL, which is found in the CallPilot Web Messaging directory specified during installation.

- a. Verify that Nortel.CPWMCtrl.001 has been inserted into the registry and is associated with the CPWMCTRL.DLL file in the correct directory. Use a registry search tool to verify this.

- b. If the file is not properly registered, you can register it manually using regsvr32.exe, which is found in the Windows system directory.

The host name of the CallPilot IMAP server is installed at the following location in the WinNT registry:

```
HKEY_LOCAL_MACHINE\SOFTWARE\Nortel\CallPilot\WebClient\
IMAPServer
```

- c. Ensure that this attribute is set correctly to the host name of the CallPilot IMAP server. The host name must be fully qualified if it is on another domain.

Symptom - Web server problems

The IIS server reports serious problems in the WinNT Error Log.

Solution (Administrator action only)

From the IIS server, do the following:

- 1 From the Windows menu, click Start > Administrative Tools > Error & Event Log.
- 2 Check both the System and Application logs.

Symptom - logon problems

Error message: "Error. Login failed." Failure to log on can result from either CallPilot Web Messaging problems or CallPilot problems.

Solution (Administrator action only)

- 1 Verify that IMAP is enabled on the CallPilot Administration Client.
- 2 Verify all items under Symptom: Installation problems.
- 3 Ensure that Desktop capability is enabled on the user's CallPilot mailbox.
- 4 Check the Event Log on the web server.
- 5 Check the registry values to ensure that the web server points to the correct CallPilot server.
- 6 Try logging on using another CallPilot client, such as the Microsoft Exchange, Microsoft Outlook, Lotus Notes, Outlook Express, or Netscape

Messenger client. If this other client fails, then the problem is with CallPilot. If it succeeds, the problem is with CallPilot Web Messaging.

- 7 You can further analyze the problem as follows: if you can log on from the telephone but not through any of the Desktop clients, the problem can be related to the CallPilot IMAP server on the CallPilot system.

In this case, follow CallPilot troubleshooting procedures for IMAP/Desktop messaging. For example, you might need to stop and restart the IMAP server on the CallPilot system using the Windows NT Service Control Panel.

- 8 Make sure that CallPilot Desktop Messaging is not in use by any CallPilot users. When you stop the IMAP service, it ends all Desktop sessions and require users to log on again.
- 9 If you identify the problem with CallPilot Web Messaging, check that this application is installed correctly. In particular, ensure that the IMAP server attribute is set correctly.
- 10 If the CallPilot IMAP service is down and users try to log on, they do not receive a message telling them that the server is down. Instead, they receive the following message:

```
Login failed, please try again.
```

Symptom - browser problems

The web browser does not work properly.

The CallPilot Web Messaging client checks to see whether the user's browser has JavaScript and Cookies enabled. The user can experience problems if an unsupported plug-in attempts to play the WAV voice files or view the TIFF-F fax messages. During run time, CallPilot Web Messaging checks for the existence of known unsupported plug-ins. You must disable unsupported plug-ins.

The Quicktime and LiveAudio plug-ins are supported only on versions of Netscape Navigator 4.7 and later.

Netscape Navigator is often installed with its own plug-ins. The CallPilot Web Messaging client might not be able to play voice messages or view fax messages if some of these plug-ins are installed.

Solution

If you encounter problems, verify which plug-ins are installed:

- See the Help menu > About Plug-ins.
or
- From the Start menu, click > Settings > Control Panel > Add/Remove Programs.

Remove the plug-in that is causing the problem.

Symptom - playing and viewing messages (MIME-type applications)

There are problems with playing or viewing messages.

Applications that are associated with a MIME type are those used to play or view data of the MIME type. Ensure that the applications that the user wants to use to play or view the data is the application that is associated with that data's MIME type.

Data	MIME type
CallPilot VBK	audio/x-nortel-vbk
CallPilot TIFF	image/tiff
WAV	audio/x-wav

Note: Internet Explorer uses the Windows file associations.

Solution

- 1 To view and edit these associations, select Windows Explorer > View > Folder Options... > File Types.
- 2 Netscape Navigator first checks its own associations. To view these associations, open Netscape, and then click Edit > Preferences... > Applications.

Note: Users require version 6.01 or later of the Microsoft Media Player if they want to play voice messages in WAV format.

Symptom - playing and viewing messages (Plug-ins)

There are problems with playing or viewing messages.

Some users can have plug-ins installed that attempt to play or view data of MIME type audio/x-wav and imaging/tiff. You might need to disable these plug-ins.

Note: Popular unsupported plug-ins are Quicktime and LiveAudio on versions of Netscape Navigator earlier than 4.5.

Fax messages read using the web client still appear as new fax messages when the user changes to the phoneset.

Solution

- 1 To view and edit these fax message, select Windows Explorer > View > Folder Options... > File Types.
- 2 Netscape Navigator first checks its own associations. To view these associations, open Netscape, and then select Edit > Preferences... > Applications.

Note: Users require version 6.01 or later of the Microsoft Media Player if they want to play voice messages in WAV format.

Symptom - access permissions

All browsers must be able to access the CallPilot Web Messaging files and directories on the web server. The web server runs each client connection as if it is a local user. The particular local user that the web server uses is configured in IIS admin.

Solution

You must ensure that all files and directories have the appropriate access privileges for this user.

To determine the IIS user for access control purposes, see the instructions for your version of IIS.

- 1 Start IIS admin.
- 2 Select the web site that contains the CallPilot Web Messaging virtual directory from the IIS tree view.
Note: The default is Default web site.
- 3 Right-click the site, and select Properties > Directory security tab.
- 4 Under Anonymous Access and Authentication Control, click Edit.
- 5 Ensure that the Allow Anonymous Access check box is selected.
- 6 Select Edit to view the UserID.

In addition to the files in the CallPilot Web Messaging directory, certain system files must be accessible from the application. A standard CallPilot Web Messaging install on a clean NT Server platform has all the necessary permissions set up properly.

If you suspect that there might be additional file permission problems, a procedure for checking this is described in the Microsoft Knowledge Base, article Q16133.

Symptom - reply to message is rejected on AMIS network (Eudora Pro only)

A reply to a message cannot be sent over an AMIS network. This is caused by autotext placed at the start of the message.

Solution (for the Administrator)

- 1 Open the Eudora.ini file using a text editor such as Notepad.
- 2 Under the [Settings] statement, add these lines:
ReplyAllAttribution=
ReplyAttribution=
- 3 Click File > Save to save the settings.

Accessing Desktop Messaging online Help

Introduction

Desktop Messaging for Microsoft Exchange/Outlook, Novell GroupWise, and Lotus Notes provides standard online Help.

Note: Internet Mail client online Help is accessed from the Administration online Help by going to Messaging Administration > Internet Mail Client Administration. Internet Mail client online Help is limited to help involving the CallPilot interface. Use the manufacturer's online Help for queries relating to the Internet Mail product.

To access online Help

Microsoft Exchange/Outlook

From your Inbox, on the Help menu, select CallPilot Desktop Messaging Help.

Novell GroupWise

From your Inbox, on the Help menu, select CallPilot Desktop Messaging Help.

Lotus Notes

From your Inbox, on the Actions menu, select CallPilot Help Topics.

Using the CallPilot Desktop Support Tools

Reset CallPilot message store (for Microsoft Exchange/Outlook clients only)

This feature is only available for users of the Microsoft Exchange and Microsoft Outlook client. It is useful to remove invalid or corrupt messages from the inbox.


The Lotus Notes and GroupWise clients can reset their mailboxes by choosing the Refresh CallPilot Message List option.

Outlook 97

- 1 Press Ctrl + Shift.
- 2 Select Tools > Check for New Mail.

Microsoft Outlook 98, 2000

- 1 Press Ctrl + Shift.
- 2 From the toolbar, select Send and Receive, or from the Tools menu, select Send and Receive > CallPilot Transport.
- 3 Continue to hold down Ctrl + Shift, until the following dialog box appears:



- 4 Select Reset Mailbox.

All CallPilot messages are purged from the user's mailbox, and the CallPilot message headers currently stored on the CallPilot server for that user are downloaded again. The user sees all messages disappear and then reappear one by one. All message caching is lost.

Note: The messages are not deleted from the CallPilot server; they are removed from the Client PC cache. Messages are downloaded again from the CallPilot server to the Client PC.

This feature is intended for system administrators and CallPilot product support.

CPTrace

The CPTrace utility has been available since CallPilot 1.0. CPTrace is installed with each desktop client in the \Program Files\Nortel\

Desktop client	Directory
Microsoft Exchange/Outlook	nmdc
Lotus Notes	nmln
GroupWise	nmgw


CPTrace allows users, developers, and support personnel to collect information about a problem occurring with one of the desktop clients. Problems include:

- trouble connecting to the CallPilot server
- player problems
- address book problems
- message compose, reply, forward, delete, notification

Save the data to disk and analyze it to determine the cause of the problem.

Note: Running CPTrace affects the dynamics of the CallPilot client. You might not be able to reproduce problems while CPTrace is running. This is an uncommon occurrence.

The CallPilot 1.07 version of CPTrace replaces the previous CPTrace tool, as well as the logging interface provided in the 1.0 and 1.06 versions of the Exchange/Outlook client.



All options are stored in the Windows registry; therefore, every time you run the utility, the existing settings are used.

Options

Buttons or box	Function
IMAP/SMTP	Log all IMAP/SMTP traffic.
Desktop client	Log internal Exchange/Outlook, Lotus Notes, and Groupwise traffic.
Audio player	Log Audio player traffic.
File	Write logs to a file. Note: Trace statements continue to be written to the log file even if the CPTrace utility is shut down.
Window	Write logs to the display window.
Erase	Empty the log file.
Clear	Clear the display Window.
Save	A Save As dialog appears allowing the user to save the trace to a file.
Always on top	Always keep the CPTrace tool on top of other windows.

To close CPTrace, click the close button (X) in the upper right corner of the tool.

When you close CPTrace with the File check box selected, the client continues to write debug information to the file selected. This slows down the client operation slightly. The file never gets larger than 1Mbyte. When the file size does grow to 1Mbyte, 10 percent of the file is purged. The oldest data is removed.

If you select Save to File and CPTrace is closed, you receive a dialog box warning that File tracing is still enabled and asking if you want to turn off tracing.

Index

A

- access
 - phoneset interface 16
 - to server 59
- address capabilities 20
- addressing, combo box 29
- Administration Client
 - configuring LDAP search base 56
- administrator setup
 - initialization procedure 63
- audio streaming 32
 - download file before playing 32
- authentication certificate
 - Web Messaging 136

C

- CallPilot
 - Address Book 33
 - address dialog box 21
 - custom form 18, 19, 20, 21, 88
 - install from network drive 75
 - Message Store 91
 - Player 26
 - Web Messaging 131
- CallPilot Desktop Messaging
 - access to phoneset interface 16
 - address capabilities 20
 - address dialog box 21
 - compose message 18
 - computer playback/record 16
 - default window sizes 23
 - delivery receipt 19
 - distribution lists 21
 - forward message 19
 - manual playing/viewing 18
 - maximum message length 23
 - media incompatibility 22
 - message header options 22
 - next/previous 20
 - notification of new messages 21
 - open a message 16
 - playing and viewing messages 17
 - print message 19
 - read receipt 19
 - reply/reply all 19
 - save as (export) 20
 - view fax messages 17
 - view text messages 17
- CallPilot server FQDN 70
- CLAN IP address 72, 102
- clean up (Expunge)
 - Netscape Messenger 117
- combo box for simple addressing
 - Exchange/Outlook 29
 - GroupWise 29
- compose message 18
- computer playback/record 16
- configuring
 - access to the server 59
 - CallPilot Desktop IP address only 58, 59
 - CallPilot Desktop With HOSTS files 55
 - CallPilot FQDN 56
 - environments without a DNS 54
 - Eudora Pro 122
 - GroupWise 87
 - HOSTS file 55
 - IMAP account on Outlook/Express 103
 - IMAP settings 44
 - Internet mail clients 101
 - LDAP directory service for Outlook/Express 108
 - LDAP settings 46
 - Lotus Notes 97
 - Microsoft Exchange/Outlook 84
 - mock domain 58
 - Netscape Messenger 115
 - Outlook Express or Outlook (Internet Mail

- mode) 103
- SMTP settings 49
- special settings for Outlook Express or Outlook (Internet Mail mode) 111

custom form 18, 19, 20, 21, 88

D

default window sizes 23

delivery receipt 19

Desktop Messaging

- data network security 39
- installing 62
- online Help 172
- reference guide 172
- restriction/permission list 39

desktop support tools 173

distribution lists 21

DNS 38, 50, 55, 160

domain components 47

Domain Name System. *See* DNS

download

- supported plug-ins Web Messaging 145

download file before playing 33

drag and drop a message 20

E

Enable LDAP

- with No authentication 47
- with plain password authentication 47

entering

- domain name (IP address only) 58
- domain name (with no DNS) 55
- host name (IP address only) 58
- host name (no DNS) 55

error message

- Image Viewer is not installed 150
- No authorization to perform this operation 150
- you do not have Desktop Capability 154

estimated installation time

- Desktop Messaging software 73

Eudora Pro

- configuring 122

- configuring IMAP account 122
- configuring LDAP directory service 127
- testing IMAP account 128

F

fax driver 81

forward message 19

FQDN 42, 49, 50, 56, 140, 152, 153

Fully Qualified Domain Name. *See* FQDN

G

GroupWise

- CallPilot Message Store 91
- combo box for simple addressing 29
- configuring 87

H

Help

- online 14, 145, 172

host name

- IP address only 58
- no DNS 55

HOSTS 55

HOSTS.SAM file 56, 153

I

Imaging for Windows 26, 73, 150

IMAP 38, 43, 136, 152

- configuration 115
- configure settings 43
- server 40
- server name 104
- testing Outlook Express or Outlook (Internet Mail mode) IMAP account 113

IMAP settings 44

- authentication options 45
- enable IMAP 44

installation

- preinstallation 72

- starting 74
- types setup by administrator 74
- user 71
- installing
 - Desktop Messaging client 62
 - Desktop Messaging software 76
 - estimated time 73
 - from CD-ROM 76
 - Imaging for Windows 150
 - Web Messaging 140
- integrated clients 25
- Internet mail
 - before you begin configuring 102
 - configuring clients 101
 - configuring Outlook Express or Outlook (Internet Mail mode) 103
 - configuring special settings for Outlook Express or Outlook (Internet Mail mode) 111
 - testing Outlook Express or Outlook (Internet Mail mode) IMAP account 113
- Internet Message Access Protocol. *See* IMAP
- IP addresses 54

L

- LDAP 38, 43
 - configure settings 43, 46
 - configuring directory services 108, 115
 - directory name 109
 - directory services 109
 - search base 47
 - server 41
- Lightweight Directory Access Protocol. *See* LDAP
- Lotus Notes
 - CallPilot Directory on the server 33
 - configuring 97
 - updating mail database design manually 99
 - workspace 100

M

- manual playing/viewing 18
- maximum message length 23

- media incompatibility 22
- message header options 22
- message waiting indicator 21, 27, 165
- messages
 - drag and drop 20
 - manual playing/viewing 18
 - multi-part 23
 - multiple types 23
 - with multiple components 17
- Microsoft
 - IIS 4 25
 - Media Player 26, 169
 - Outlook (Internet mail mode) 25
 - Outlook Express 25
 - WinNT 4 server 25
- Microsoft Exchange/Outlook
 - configuration options 84
- MIME type 169
- mock domain, configuring 58
- mock host name 58
- modified logon sequence 27
- multi-part message 23
- multiple messages 20, 23
- My LDAP server requires me to log on 109

N

- NDN 22, 90
- Netscape Communicator
 - configuring Netscape Messenger 115
- Netscape Messenger 25
 - clean up (Expunge) 117
 - configuring 115
 - configuring IMAP account 115
 - configuring LDAP directory service 119
 - Return Receipts 119
 - testing IMAP account 121
- Network Message System. *See* NMS
- network shortcut
 - SMTP/VPIM 51
- next/previous 20
- NMS 38, 41, 42, 52
- non-delivery notification. *See* NDN
- Nortel Fax printer driver 73
- notification of new messages 21

O

- online Help 14, 145, 172
 - Address Formats 159
- open a message 16
- organizational
 - name 47
 - unit 48
- Outcalling services 39
- Outlook Express or Outlook (Internet Mail mode)
 - configuring 103
- overlap mailbox numbers 52, 65
- overview
 - architecture 132
 - Web Messaging 132

P

- PDL 21
- personal address book 20, 21
- personal distribution lists. *See* PDL
- playback/record CallPilot messages 16
- player speed control
 - voice message playback
 - player speed control 32
- playing and viewing messages 17
 - manual 18
- print message 19
- printer driver
 - fax, administration privileges 73
- PSTN 52
- Public Switched Telephone Network. *See* PSTN

Q

- Qualcomm Eudora Pro 25

R

- read receipt 19
- record SMTP/VPIM server FQDN 50
- related information products 12
- reply/reply all 19

S

- save as (export) 20
- SDL 21
- search base 47, 56
 - domain components 47
 - ordering 47
 - organizational name 47
 - organizational unit 48
- Secure Socket Layer. *See* SSL
- security
 - Web Messaging 136
- servers
 - IMAP 40
 - LDAP 41
 - SMTP 41
 - SMTP/VPIM 50
- setup.exe 74
- shared distribution lists. *See* SDL
- Simple Mail Transfer Protocol. *See* SMTP
- SMTP
 - addresses 42
 - configure settings 49
 - server 41
 - server name 104
- SMTP/VPIM 152
 - network shortcut 51
 - specify 52
 - server FQDN 51
- SMTP/VPIM prefix 41, 72, 92, 102, 115, 149
 - NMS system 41
- SSL 27, 33, 34, 44, 122, 136
- streaming
 - and non-M1 switches 18
 - canceling playback 18
- streaming mode 18
- support tool
 - CPTrace 174
 - reset CallPilot message store
 - for Microsoft Outlook 98, 2000 173
 - for Outlook 97 173
- supported languages in Web Messaging 133

T

- Tagged Image File Format-F. *See* TIFF-F file
- TCP/IP 136
- telephone playback without download 32
- TIFF-F file 17, 20, 169
- timeout 110
 - Search timeout 128
- traveling users 90
- troubleshooting
 - add entry to HOSTS file 153
 - after successful logon 158
 - Exchange/Outlook and GroupWise clients 158
 - Lotus Notes client 158
 - desktop support tools 173
 - during installation 149
 - logon failures 152
 - from desktop user's PC 152
 - from the Administration Client PC 152
 - obtaining the version number 149
 - update CallPilot user Mail database (for administrator) 151
- Web Messaging
 - access permissions 170
 - browser problems 168
 - installation problems 166
 - logon problems 167
 - web server problems 167
- txt file 20

U

- uninstalling
 - CallPilot Desktop Messaging (previous version) 76
- Use secure connection (SSL) option 117
- user installation
 - before you begin 74
 - fax requirements 73
 - install from CD-ROM 76
 - install from network drive 75
 - pre-installation information 72
 - starting installation 74
 - types of installation 74

- what you need 72
- users, traveling 90
- using the fax driver 81

V

- VBK 16, 18
 - file 20
 - format 18
- VBK file 169
- versions
 - uninstall previous Web Messaging 141
- view
 - fax messages 17
 - text messages 17
- view and manipulate faxes
 - requirements 73
- Voice Profile for Internet Mail. *See* VPIM
- VPIM 38, 41
 - Networking 41

W

- WAV 18
 - file 20, 169
 - format 18
- Web Messaging
 - architecture overview 132
 - authentication certificate 136
 - client PC requirements 25, 135
 - download supported plug-ins 145
 - enabling SSL 137
 - hardware and software requirements 134
 - installing 140
 - overview 132
 - PBX hardware 134
 - port hiding 137
 - recommended configuration for external
 - Internet access 138
 - security 136
 - supported languages 133
 - testing installation 144
 - uninstall previous versions 141
 - user overview 132
 - web server software 25

Windows Imaging

Windows Messaging 4.0 73, 88

CallPilot

Desktop Messaging Software Installation and Maintenance Guide

Toronto Information Products
Nortel Networks
522 University Avenue, 14th Floor
Toronto, Ontario, Canada
M5G 1W7

Copyright © 2000 Nortel Networks, All Rights Reserved

Information is subject to change without notice. Nortel Networks reserves the right to make changes in design or components as progress in engineering and manufacturing may warrant.

The process of transmitting data and call messaging between the Meridian 1 and CallPilot is proprietary to Nortel Networks. Any other use of the data and the transmission process is a violation of the user license unless specifically authorized in writing by Nortel Networks prior to such use. Violations of the license by alternative usage of any portion of this process or the related hardware constitutes grounds for an immediate termination of the license and Nortel Networks reserves the right to seek all allowable remedies for such breach.

Publication number:	555-7101-505
Product release:	1.07
Document release:	Standard 1.0
Date:	May 2000

Printed in the United States of America

*Nortel Networks, the Nortel Networks logo, the Globemark, How the World Shares Ideas, and Unified Networks, BNR, CallPilot, DMS, DMS-100, DMS-250, DMS-MTX, DMS-SCP, DPN, Dualmode, Helmsman, IVR, MAP, Meridian, Meridian 1, Meridian Link, Meridian Mail, Norstar, SL-1, SL-100, Supernode, Symposium, Telesis, and Unity are trademarks of Nortel Networks.

EUDORA PRO is a trademark of QUALCOMM Inc.

MICROSOFT, MS-DOS, POWERPOINT, WINDOWS, and WINDOWS NT are trademarks of Microsoft Corporation.

NOVELL is a trademark of Novell, Inc.

PCANYWHERE is a trademark of Symantec Corporation.

3COM is a trademark of 3Com Corporation.

UNIX is a trademark of X/Open Company Limited.

NORTEL
NETWORKS™

How the world shares ideas.