

AT&T 585-350-911  
Issue 1  
Comcode 407298629

# SQL\*PLUS<sup>®</sup> USER'S GUIDE AND REFERENCE

VERSION 3.1  
Production

ORACLE<sup>®</sup>  

---

The Relational Database Management System

SQL\*Plus User's Guide and Reference

Version 3.1

Part No. 5142-31-1192

Contributing Author: Frank Rovitto

Contributors Larry Baer, Lisa Colston, Roland Kovacs, Karen  
Denchfield-Masterson, Nimish Mehta, Bud Osterberg, Farokh Shapoorjee,  
Larry Stevens, Andre Touma

Copyright © Oracle Corporation 1986,1992

All rights reserved. Printed in the U.S.A.

This software/documentation contains proprietary information of Oracle Corporation; it is provided under a license agreement containing restrictions on use and disclosure and is also protected by copyright law. Reverse engineering of the software is prohibited. If this software/documentation is delivered to a U.S. Government Agency of the Department of Defense, then it is delivered with Restricted Rights and the following legend is applicable:

#### Restricted Rights Legend

Use, duplication, or disclosure by the Government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of DFARS 252.227-7013, Rights in Technical Data and Computer Software (October 1988).

Oracle Corporation, 500 Oracle Parkway, Redwood City, CA 94065

If this software/documentation is delivered to a U.S. Government Agency not within the Department of Defense, then it is delivered with "Restricted Rights," as defined in FAR 52.227-14, Rights in Data - General, including Alternate III (June 1987).

The information in this document is subject to change without notice. If you find any problems in the documentation, please report them to us in writing. Oracle Corporation does not warrant that this document is error-free.

CASE\*Designer, CASE\*Dictionary, ORACLE, SQL\*Forms, SQL\*Plus, and SQL\*ReportWriter are registered trademarks, and CASE\*Generator, Oracle Graphics, Oracle\*Mail, and PL/SQL are trademarks of Oracle Corporation.

Lotus and 1-2-3 are trademarks of Lotus Development Corporation.



# PREFACE

**T**he *SQL\*Plus User's Guide and Reference* introduces the SQL\*Plus program and its uses. It also provides a detailed description of each SQL\*Plus command.

## **Audience**

This manual addresses business and technical professionals who have a basic understanding of the SQL database language. If you do not have any familiarity with this database tool, you should refer to the ORACLE7 Server *SQL Language Reference Manual*. If you plan to use the PL/SQL database language in conjunction with SQL\*Plus, refer to the *PL/SQL User's Guide and Reference* for information on using PL/SQL.

## How to Use this Manual

Refer to the following tables for a list of topics covered by this manual, a description of each topic, and the number of the chapter that covers the topic.

### PART I Understanding SQL\*Plus

<i>Topic</i>	<i>Description</i>	<i>Chapter Number</i>
Introduction	Gives an overview of SQL*Plus, instructions on using this Guide, and information on what you need to run SQL*Plus.	1
Learning SQL*Plus Basics	Explains how to start SQL*Plus and enter and execute commands. You learn by following step-by-step examples using sample tables.	2
Manipulating commands	Also through examples, helps you learn to edit commands, save them for later use, and write interactive commands.	3
Formatting Query Results	Explains how you can format columns, clarify your report with spacing and summary lines, define page dimensions and titles, and store and print query results. Also uses step-by-step examples.	4
Accessing Databases	Tells you how to connect to default and remote databases, and how to copy data between databases and between tables on the same database. Includes one example.	5

### PART II Reference

<i>Topic</i>	<i>Description</i>	<i>Chapter Number</i>
Command Reference	Gives you a SQL*Plus command summary and detailed descriptions of each SQL*Plus command in alphabetical order.	6
COPY command Error Messages	Lists copy command error messages, their causes, and appropriate actions for error recovery.	Appendix A

<i>Topic</i>	<i>Description</i>	<i>Chapter Number</i>
Version 3 Enhancements	Describes enhancements to SQL*Plus in Version 3.0 and 3.1.	Appendix B
SQL*Plus Limits	Lists the maximum values for elements of SQL*Plus.	Appendix C
SQL Command List	Provides a list of major SQL commands and clauses.	Appendix D
Restricting Users' Privileges in SQL*Plus	Explains how to restrict users' access to certain SQL*Plus and SQL commands.	Appendix E
SQL*Plus Commands from Earlier Versions	Provides information on SQL*Plus commands from earlier versions.	Appendix F
Definitions of Terms	Defines technical terms associated with ORACLE and SQL*Plus.	Glossary

## Related Publications

Related documentation includes:

- *SQL\*Plus Quick Reference*, Part No. 3703-31
- *PL/SQL User's Guide and Reference*, Part No. 800-20
- *ORACLE7 Server SQL Language Reference Manual*, Part No. 778-70
- *ORACLE7 Server SQL Language Quick Reference*, Part No. 5421-70
- *ORACLE7 Server Concepts Manual*, Part No. 6693-70
- *ORACLE7 Server Administrator's Guide*, Part No. 669470
- *ORACLE7 Server Application Developer's Guide*, Part No. 6695-70
- *ORACLE7 Server Utilities User's Guide*, Part No. 3602-70
- *ORACLE7 Server Messages and Codes Manual*, Part No. 3605-70
- *Trusted ORACLE Administrator's Guide*, Part No. 6610-10
- Oracle installation and user's manual(s) provided for your operating system (part numbers vary)

**Your Comments Are  
Welcome**

Oracle Corporation values and appreciates your comments as an ORACLE user and reader of the manuals. As we write, revise, and evaluate, your opinions are the most important input we receive. At the back of this manual is a Reader's Comment Form that we encourage you to use to tell us both what you like and what you dislike about this (or other) ORACLE manuals. If the form is gone, or if you would like to contact us, please use the following addresses and phone numbers.

For documentation questions/comments, contact:

SQL\*Plus Documentation Manager  
Oracle Corporation  
500 Oracle Parkway  
Box 659412  
Redwood Shores, California 94065-5028  
(415) 506-7000  
(415) 506-7200 (fax)

For product questions/comments, contact

SQL\*Plus Product Manager  
Oracle Corporation  
500 Oracle Parkway  
Box 659412  
Redwood Shores, California 94065-5028  
(415) 506-7000  
(415) 506-7200 (fax)



# CONTENTS

<b>PART I</b>	<b>UNDERSTANDING SQL*PLUS</b>	
<b>CHAPTER 1</b>	<b>INTRODUCTION</b>	<b>1-1</b>
	Overview of SQL*Plus	1-2
	Basic Concepts	1-2
	Who Can Use SQL*Plus	1-3
	Other Ways of Working with ORACLE	1-3
	Using this Guide	1-4
	Conventions for Command Syntax	1-4
	Sample Tables	1-5
	What You Need to Run SQL*Plus	1-6
	Hardware and Software	1-6
	Information Specific to Your Operating System	1-7
	Username and Password	1-7
	Access to Sample Tables	1-7
<b>CHAPTER 2</b>	<b>LEARNING SQL*PLUS BASICS</b>	<b>2-1</b>
	Getting Started	2-2
	Using the Keyboard	2-2
	Starting SQL*Plus	2-3
	Leaving SQL*Plus	2-4

Entering and Executing Commands	2-5
Running SQL Commands	2-6
Running PL/SQL Blocks	2-9
Running SQL*Plus Commands	2-10
Variables that Affect Running Commands	2-12
Saving Changes to the Database Automatically	2-12
Stopping a Command while It Is Running	2-13
Collecting Timing Statistics on Commands You Run	2-13
Running Host Operating System Commands	2-13
Running SQL*Forms Forms	2-14
Getting Help	2-14
Listing a Table Definition	2-14
Listing PL/SQL Definitions	2-15
Controlling the Display	2-15
Interpreting Error Messages	2-15

## CHAPTER 3

## MANIPULATING COMMANDS 3 - 1

Editing Commands	3-2
Listing the Buffer Contents	3-3
Editing the Current Line	3-3
Adding a New Line	3-5
Appending Text to a Line	3-5
Deleting a line	3-6
Editing Commands with a System Editor	3-6
Saving Commands for Later Use	3-7
Storing Commands in Command Files	3-7
Placing Comments in Command Files	3-10
Retrieving Command Files	3-11
Running Command Files	3-12
Nesting Command Files	3-13
Modifying Command Files	3-14
Exiting from a Command File with a Return Code	3-14
Setting Up Your SQL*Plus Environment	3-15

Writing Interactive Commands	3-16
Defining User Variables	3-16
Using Substitution Variables	3-17
Passing Parameters through the START Command	3-22
Communicating with the User	3-23
Using Bind Variables	3-26
Creating Bind Variables	3-27
Referencing Bind Variables	3-27
Displaying Bind Variables	3-27
<b>CHAPTER 4</b>	
<b>    FORMATTING QUERY RESULTS</b>	<b>4 - 1</b>
Formatting Columns	4 - 2
Changing Column Headings	4 - 2
Formatting NUMBER Columns	4-4
Formatting CHAR, VARCHAR2 (VARCHAR), LONG, DATE, and Trusted ORACLE Columns	4-5
Copying Column Display Attributes	4-7
Listing and Resetting Column Display Attributes	4-7
Suppressing and Restoring Column Display Attributes	4-8
Printing a Line of Characters after Wrapped Column Values	4-8
Clarifying Your Report with Spacing and Summary Lines	4 - 9
Suppressing Duplicate Values in Break Columns	4-10
Inserting Space when a Break Column's Value Changes	4-11
Inserting Space after Every Row	4-12
Using Multiple Spacing Techniques	4-12
Listing and Removing Break Definitions	4-13
Computing Summary Lines when a Break Column's Value Changes	4-14
Computing Summary Lines at the End of the Report	4-16
Computing Multiple Summary Values and Lines	4-17
Listing and Removing COMPUTE Definitions	4-18

	Defining Page Titles and Dimensions	4-19
	Setting the Top and Bottom Titles	4-19
	Displaying the Page Number and other System-Maintained Values in Titles	4-22
	Listing, Suppressing, and Restoring Page Title Definitions	4-24
	Displaying Column Values in Titles	4-24
	Displaying the Current Date in Titles	4-25
	setting Page Dimensions	4-26
	Storing and Printing Query Results	4-29
	Sending Results to a File	4-29
	Sending Results to a Printer	4-30
<b>CHAPTER 5</b>	<b>ACCESSING DATABASES</b>	<b>5 - 1</b>
	Connecting to the Default Database	5-2
	Connecting to a Remote Database	5-2
	Connecting to a Remote Database from within SQL*Plus	5-3
	Connecting to a Remote Database as You Start SQL*Plus	5-3
	Copying Data from One Database to another	5-4
	Understanding COPY Command Syntax	5-4
	Controlling Treatment of the Destination Table	5-5
	Interpreting the Messages that COPY Displays	5-7
	Specifying another User's Table	5-7
	Copying Data between Tables on One Database	5-8
<b>PART II</b>	<b>REFERENCE</b>	<b>II-1</b>
<b>CHAPTER 6</b>	<b>COMMAND REFERENCE</b>	<b>6 - 1</b>
	SQL*Plus Command Summary	6 - 2
	'@ ("at" sign)	6 - 5
	'@@ (double "at" sign)	6 - 7
	/ (slide)	6 - 8
	ACCEPT	6 - 9

APPEND	6-10
BREAK	6-11
BTITLE	6-16
CHANGE	6-17
CLEAR	6-19
COLUMN	6-20
COMPUTE	6-29
CONNECT	6-33
COPY	6-35
DEFINE	6-38
DEL	6-40
DESCRIBE	6-41
DISCONNECT	6-43
EDIT	6-44
EXECUTE	6-45
EXIT	6-46
GET	6-47
HELP	6-48
HOST	6-49
INPUT	6-50
LIST	6-52
PAUSE	6-54
PRINT	6-55
PROMPT	6-56
REMARK	6-57

	R U N	6-58
	R U N F O R M	6-59
	SAVE	6-60
	SET	6-61
	SHOW	6-73
	SPOOL	6-76
	SQLPLUS	6-77
	START	6-80
	TIMING	6-82
	TTITLE	6-83
	UNDEFINE	6-86
	VARIABLE	6-87
	WHENEVER OSERROR	6-89
	WHENEVER SQLERROR	6-90
<b>APPENDIX A</b>	<b>COPY COMMAND MESSAGES AND CODES</b>	<b>A - 1</b>
<b>APPENDIX B</b>	<b>VERSION 3 ENHANCEMENTS</b>	<b>B-1</b>
<b>APPENDIX C</b>	<b>SQL*PLUS LIMITS</b>	<b>C-1</b>
<b>APPENDIX D</b>	<b>SQL COMMAND LIST</b>	<b>D-1</b>
<b>APPENDIX E</b>	<b>SECURITY</b>	<b>E-1</b>
<b>APPENDIX F</b>	<b>SQL*PLUS COMMANDS FROM EARLIER VERSIONS</b>	<b>F - 1</b>
<b>Glossary</b>		
<b>Index</b>		

PART

*I*



UNDERSTANDING  
SQL\*PLUS

# INTRODUCTION

This chapter introduces you to SQL\*Plus, covering the following topics:

- overview of the SQL\*Plus program
- definition of basic concepts
- explanation of who can use SQL\*Plus
- description of other programs you can use with ORACLE
- command syntax conventions used in this Guide
- sample tables you will use
- equipment, software, and information you need to run SQL\*Plus

---

## Overview of SQL\*Plus

You can use the SQL\*Plus (pronounced "sequel plus") program in conjunction with the SQL database language and its procedural language extension, PL/SQL. The SQL database language allows you to store and retrieve data in ORACLE. PL/SQL allows you to link several SQL commands through procedural logic.

SQL\*Plus enables you to manipulate SQL commands and PL/SQL blocks, and to perform many additional tasks as well. Through SQL\*Plus, you can:

- enter, edit, store, retrieve, and run SQL commands and PL/SQL blocks
- format, perform calculations on, store, and print query results in the form of reports
- list column definitions for any table
- access and copy data between SQL databases
- send messages to and accept responses from an end user

## Basic Concepts

The following definitions explain concepts central to SQL\*Plus

command	An instruction you give SQL*Plus or ORACLE.
block	A group of SQL and PL/SQL commands related to one another through procedural logic.
table	The basic unit of storage in ORACLE.
query	A SQL command (specifically a SQL SELECT command) that retrieves information from one or more tables.
query results	The data retrieved by a query.
report	Query results formatted by you through SQL*Plus commands.

## Who Can Use SQL\*Plus

The SQL\*Plus, SQL, and PL/SQL command languages are powerful enough to serve the needs of users with some database experience, yet straightforward enough for new users who are just learning to work with ORACLE.

The design of the SQL\*Plus command language makes it easy to use. For example, to give a column labelled ENAME in the database the clearer heading "Employee", you might enter the following command:

```
COLUMN ENAME HEADING EMPLOYEE
```

Similarly, to list the column definitions for a table called EMP, you might enter this command:

```
DESCRIBE EMP
```

## Other Ways of Working with ORACLE

ORACLE serves as the foundation for a complete set of CASE, application development and office automation tools. These tools support every phase of a system's development and life cycle, from analysis and design through implementation and maintenance.

### CASE

CASE\*Designer     a systems analysis and design tool  
CASE\*Dictionary   a repository of data rules  
CASE\*Generators   a suite of application generators

### Application Development

SQL\*Forms         a screen builder  
SQL\*Menu          a menu builder  
SQL\*ReortWriter   a report builder  
Oracle Graphics   a chart builder  
Oracle Card        a multimedia development environment  
SQL\*TextRetrieval a text search system  
PL/SQL            a client-server procedural language  
ORACLE  
Precompilers      programming language interfaces

### Office Automation

Oracle\*Mail       an electronic messaging system  
Oracle Data  
Browser            a graphical query tool

## Using this Guide

This Guide gives you information on SQL\*Plus that applies to all operating systems. Some aspects of SQL\*Plus, however, differ on each operating system. Such operating-system-specific details are covered in the Oracle installation and user's manual(s) provided for your system. Use these operating-system-specific manuals in conjunction with the *SQL\*Plus User's Guide and Reference*.

Throughout this Guide, examples showing how to enter commands use a common command syntax and a common set of sample tables. Both are described below. You will find the conventions for command syntax particularly useful when referring to the reference portion of this Guide.

### Conventions for Command Syntax

The following two tables describe the notation and conventions for command syntax used in this manual.

**TABLE 1-1**  
Commands, Terms, and Clauses

<i>Feature</i>	<i>Example</i>	<i>Explanation</i>
uppercase	BTITLE	Enter text exactly as spelled; it need not be in uppercase.
lowercase, italics	<i>column</i>	A clause value; substitute an appropriate value.
words with specific meanings	<i>c</i>	A single character.
	<i>char</i>	A CHAR value—a literal in single quotes—or an expression with a CHAR value.
	<i>d or e</i>	A date or an expression with a DATE value.
	<i>expr</i>	An unspecified expression.
	<i>m or n</i>	A number or an expression with a NUMBER value.
	<i>text</i>	A CHAR constant with or without single quotes.
	<i>variable</i>	A user variable (unless the text specifies another variable type).

Other words are explained where used if their meaning is not explained by context.

**TABLE 1-2  
Punctuation**

<i>Feature</i>	<i>Example</i>	<i>Explanation</i>
vertical bar		Separates alternative syntax elements that may be optional or mandatory.
brackets	[OFF   ON]	One or more optional items. If two items appear separated by 1, enter one of the items separated by 1. Do not enter the brackets or 1.
braces	{OFF   ON}	A choice of mandatory items; enter one of the items separated by 1. Do not enter the braces or 1.
underlining	<u>OFF</u>   ON)	A default value; if you enter nothing, SQL*Plus assumes this value.
three periods	n,n, . . .	Preceding item(s) may be repeated any number of times.

Enter other punctuation marks (such as parentheses) where shown in the command syntax.

### Sample Tables

Many of the concepts and operations in this Guide are illustrated by a set of sample tables. These tables contain personnel records for a fictitious company. As you complete the exercises in this Guide, imagine that you are personnel director for this company.

The exercises make use of the information in two sample tables:

EMP	Contains information about the employees of the sample company.
DEPT	Contains information about the departments in the company.

Figures 1-1 and 1-2, on the following page, show the information in these tables.

**FIGURE 1-1**  
**EMP Table**

EMPNO	ENAME	JOB	MGR	HIREDATE	SAL	COMM	DEPTNO
7369	SMITH	CLERK	7902	17-DEC-80	800		20
7499	ALLEN	SALESMAN	7698	20-FEB-81	1600	300	30
7521	WARD	SALESMAN	7698	22-FEB-81	1250	500	30
7566	JONES	MANAGER	7839	02-APR-81	2975		20
7654	MARTIN	SALESMAN	7698	28-SEP-81	1250	1400	30
7698	BLAKE	MANAGER	7839	01-MAY-81	2850		30
7782	CLARK	MANAGER	7839	09-JUN-81	2450		10
7788	SCOTT	ANALYST	7566	09-DEC-82	3000		20
7839	KING	PRESIDENT		17-NOV-81	5000		10
7844	TURNER	SALESMAN	7698	08-SEP-81	1500	0	30
7876	ADAMS	CLERK	7788	12-JAN-83	1100		20
7900	JAMES	CLERK	7698	03-DEC-81	950		30
7902	FORD	ANALYST	7566	03-DEC-81	3000		20
7934	MILLER	CLERK	7782	23-JAN-82	1300		10

**FIGURE 1-2**  
**DEPT Table**

DEPTNO	DNAME	LOC
10	ACCOUNTING	NEW YORK
20	RESEARCH	DALLAS
30	SALES	CHICAGO
40	OPERATIONS	BOSTON

## What You Need to Run SQL\*Plus

To run SQL\*Plus, you need hardware, software, operating-system-specific information, a username and password, and access to one or more tables.

**Hardware and Software** ORACLE and SQL\*Plus can run on many different kinds of computers. Your computer's operating system manages the computer's resources and mediates between the computer hardware and programs such as SQL\*Plus. Different computers use different operating systems. For information about your computer's operating system, see the documentation provided with the computer.

Before you can begin using SQL\*Plus, both ORACLE and SQL\*Plus must be installed on your computer. Note that in order to take advantage of the enhancements in SQL\*Plus Version 3.1, you must have ORACLE7. See Appendix B for a list of SQL\*Plus Version 3.1 enhancements.

If you have multiple users on your computer, your organization should have a Database Administrator (called a DBA) who supervises the use of ORACLE.

The DBA is responsible for installing ORACLE and SQL\*Plus on your system. If you are acting as DBA, see the instructions for installing ORACLE and SQL\*Plus in the Oracle installation and user's manual(s) provided for your operating system.

### **Information Specific to Your Operating System**

A few aspects of ORACLE and SQL\*Plus differ from one type of host computer and operating system to another. These topics are discussed in the Oracle installation and user's manual(s), published in a separate version for each host computer and operating system that SQL\*Plus supports.

Keep a copy of your Oracle installation and user's manual(s) available for reference as you work through this Guide. When necessary, this Guide will refer you to your installation and user's manual(s).

### **Username and Password**

When you start SQL\*Plus, you will need a *username* that identifies you as an authorized ORACLE user, and a *password* that proves you are the legitimate owner of your username.

### **Multi-User Systems**

If several people share your computer's operating system, your DBA can set up your SQL\*Plus username and password. You will also need a system username and password to gain admittance to the operating system. These may or may not be the same ones you use with SQL\*Plus.

### **Single-User Systems**

If only one person at a time uses your computer, you may be expected to perform the DBA's functions for yourself. In that case, you can use the ORACLE username SCOTT and password TIGER. Or, if you want to define your own username and password, see the ORACLE7 *Server SQL Language Reference Manual*.

### **Access to Sample Tables**

Each table in the data base is "owned" by a particular user. You may wish to have your own copies of the sample tables to use as you try the examples in this Guide. To get your own copies of the tables, see your DBA or run the ORACLE-supplied command file named DEMOBLD (you run this file from your operating system, not from SQL\*Plus).

Note: DEMOBLD creates a new SQL\*Plus LOGIN file. See the subsection "Setting Up Your SQL\*Plus Environment" under "Saving Commands for Later Use" in Chapter 3 if you already have a LOGIN file in your directory and wish to save it. Note that the SQL\*Plus LOGIN file is not the same as the operating system login file.

When you have no more use for the sample tables, remove them by running another ORACLE-supplied command file named DEMODROP. For instructions on how to run DEMOBLD and DEMODROP, see the Oracle installation and user's manual(s) provided for your operating system.

# 2

## LEARNING SQL\*PLUS BASICS

**T**his chapter helps you learn the basics of using SQL\*Plus, including the following topics:

- Ž using the keyboard
- Ž starting and leaving SQL\*Plus
- Ž running SQL commands, PL/SQL blocks, and SQL\*Plus commands
  - understanding variables that affect running commands
  - saving changes to the database automatically
  - stopping a command while it is running
- Ž collecting timing statistics on commands you run
- Ž running host operating system commands and SQL\*Forms forms
- Ž listing a table definition
  - listing a PL/SQL definition
  - controlling the display
- Ž interpreting error messages

Read this chapter while sitting at your computer, and try out the examples shown. Before beginning, make sure you have access to the sample tables described in Chapter 1.

---

## Getting Started

To begin using SQL\*Plus, you must first become familiar with the functions of several keys on your keyboard, and understand how to start and leave SQL\*Plus.

## Using the Keyboard

Several keys on your keyboard have special meaning in SQL\*Plus. Table 2-1 lists these keys.

See your Oracle installation and user's manual(s) for your operating system to learn which physical key performs each function on the keyboard commonly used with your host computer. Note that a SQL\*Plus key may perform different functions when pressed in other products or the operating system.

Fill in each blank in Table 2-1 with the name of the corresponding keyboard key. Then locate each key on your keyboard.

**TABLE 2-1**  
SQL\*Plus Special Keys  
and their Functions

<i>SQL*Plus</i> Key Name	<i>Keyboard</i> Key Name	<i>Fund-on</i>
[Return]	_____	End a line of input.
[Backspace]	_____	Move cursor left one character to correct an error.
[Pause]	_____	Suspend program operation and display of output.
[Resume]	_____	Resume program operation and output [Pause].
[Cancel]	_____	Halt program operation; return to the SQL*Plus command prompt.
[Interrupt]	_____	Exit SQL*Plus and return to the host operating system.

## Starting SQL\*Plus

Now that you have identified important keys on your keyboard, you are ready to start SQL\*Plus.

### Example 2-1 Starting SQL\*Plus

This example shows you how to start SQL\*Plus. Follow the steps shown

1. Make sure that ORACLE has been installed on your computer.
2. Turn on your computer (if it is off) and log on to the host operating system (if required). If you are already using your computer, you need not log off or reset it. Simply exit from the program you are using (if any).

You should see one or more characters at the left side of the screen—the operating system's command prompt, which signals that the operating system is ready to accept a command. In this Guide the operating system's prompt will be represented by a dollar sign (\$). Your computer's operating system prompt may be different.

3. Enter the command SQLPLUS and press (Return). This is an operating system command that starts SQL\*Plus.

**Note:** Some operating systems expect you to enter commands in lowercase letters. If your system expects lowercase, enter the SQLPLUS command in lowercase.

```
$ SQLPLUS
```

SQL\*Plus displays its version number, the date, and copyright information, and prompts you for your username (the text displayed on your system may differ slightly):

```
SQL*Plus: Version 3.1.3 - Production on Fri April 10 09:39:26  
1992
```

```
Copyright (c) Oracle Corporation 1979, 1992. All rights  
reserved.
```

```
Enter user-name:
```

4. Enter your username and press [Return]. SQL\*Plus displays the prompt "Enter password:".
5. Enter your password and press [Return] again. For your protection, your password does not appear on the screen.

The process of entering your username and password is called *logging on*. SQL\*Plus displays the version of ORACLE to which you connected and the versions of available tools such as PL/SQL.

Next, SQL\*Plus displays the SQL\*Plus command prompt

```
SQL>
```

The command prompt indicates that SQL\*Plus is ready to accept your commands.

If SQL\*Plus does not start, you should see a message meant to help you correct the problem. For further information, refer to the *ORACLE7 Server Messages and Codes* manual for ORACLE messages, or to your operating system manual for system messages.

### Shortcuts to Starting SQL\*Plus

When you start SQL\*Plus you can enter your username and password, separated by a slash (/), following the command SQLPLUS. For example, if your username is SCOTT and your password is TIGER, you can enter

```
$ SQLPLUS SCOTT/TIGER
```

and press [Return]. You can also arrange to log onto SQL\*Plus automatically when you log onto your host operating system. See the Oracle installation and user's manual(s) provided for your operating system for details.

### Leaving SQL\*Plus

When you are done working with SQL\*Plus and wish to return to the operating system, enter the EXIT command at the SQL\*Plus command prompt.

#### Example 2-2 Exiting SQL\*Plus

To leave SQL\*Plus, enter the EXIT command at the SQL\*Plus command prompt:

```
SQL> EXIT
```

SQL\*Plus displays the version of ORACLE you disconnected from and the versions of tools available through SQL\*Plus. After a moment you see the operating system prompt.

Before continuing with this chapter, follow steps 3,4, and 5 of Example 2-1 to start SQL\*Plus again. Or, log on using the shortcut shown under "Shortcuts to Starting SQL\*Plus," above.

---

## Entering and Executing Commands

### Entering commands

Your computer's cursor, or pointer (typically an underline, a rectangular block, or a slash) appears after the command prompt. The cursor indicates the place where the next character you type will appear on your screen.

To tell SQL\*Plus what to do, simply type the command you wish to enter. Usually, you separate the words in a command from each other by a space or tab. You can use additional spaces or tabs between words, if you wish, to make your commands more readable.

**NOTE:** You will see examples of spacing and indentation throughout this Guide. When you enter the commands in the exercises, you do not have to space them as shown, but you may find them clearer to read if you do.

You can enter commands in capitals or lowercase. For the sake of clarity, all table names, column names, and commands in this Guide appear in capital letters.

You can enter three kinds of commands at the command prompt:

- SQL commands, for working with information in the database
- PL/SQL blocks, also for working with information in the database
- SQL\*Plus commands, for formatting query results, setting options, and editing and storing SQL commands and PL/SQL blocks

The manner in which you continue a command on additional lines, end a command, or execute a command differs depending on the type of command you wish to enter and run. Examples of how to run and execute these types of commands are found on the following pages.

### Getting Help

To get online help for SQL\*PLUS commands, type HELP at the command prompt followed by the name of the command. For example:

```
SQL>HELP ACCEPT
```

If you get a response indicating that help is not available, consult your database administrator. For more details about the help system, see the HELP command later in this book.

### Executing Commands

After you enter the command and direct SQL\*Plus to execute it, SQL\*Plus processes the command and redisplay the command prompt, indicating that you can enter another command.

## Running SQL Commands

The SQL command language enables you to manipulate data in the database. See your *ORACLE7 Server SQL Language Reference Manual* for information on individual SQL commands.

### Example 2-3 Entering a SQL Command

In this example, you will enter and execute a SQL command to display the employee number, name, job, and salary of each employee in the sample table EMP.

1. At the command prompt, enter the first line of the command:

```
SQL> SELECT EMPNO , ENAME , JOB , SAL
```

If you make a mistake, use [Backspace] to erase it and re-enter. When you are done, press [Return] to move to the next line.

2. SQL\*Plus will display a "2", the prompt for the second line. Enter the second line of the command:

```
2 FROM EMP WHERE SAL < 2500;
```

The semicolon(;) means that this is the end of the command. Press [Return]. SQL\*Plus processes the command and displays the results on the screen:

EMPNO	ENAME	JOB	SAL
7369	SMITH	CLERK	800
7499	ALLEN	SALESMAN	1600
7521	WARD	SALESMAN	1250
7654	MARTIN	SALESMAN	1250
7782	CLARK	MANAGER	2450
7844	TURNER	SALESMAN	1500
7876	ADAMS	CLERK	1100
7900	JAMES	CLERK	950
7934	MILLER	CLERK	1300

```
9 rows selected
```

```
SQL>
```

After displaying the results and the number of rows retrieved, SQL\*Plus displays the command prompt again. If you made a mistake and therefore did not get the results shown above, simply re-enter the command.

The headings may be repeated in your output, depending on the setting of a system variable called PAGESIZE. Whether you see the message concerning the number of records retrieved depends on the setting of a system variable called FEEDBACK. You will learn more about system variables later in this chapter, in the section "Variables that Affect Running Commands." To save space, the number of records selected will not be shown in the rest of the examples in this manual.

## Understanding SQL Command Syntax

Just as spoken language has syntax rules that govern the way we assemble words into sentences, SQL\*Plus has syntax rules that govern how you assemble words into commands. You must follow these rules if you want SQL\*Plus to accept and execute your commands.

**Dividing a SQL Command into Separate Lines** You can divide your SQL command into separate lines at any points you wish, as long as individual words are not split between lines. Thus, you can enter the query you entered in Example 2-3 on one line:

```
SQL> SELECT EMPNO , ENAME, JOB, SAL FROM EMP WHERE SAL < 2500 ;
```

Or, you can enter the query on several lines

```
SQL> SELECT
  2 EMPNO , ENAME , JOB , SAL
  3 FROM EMP
  4 WHERE SAL < 2500;
```

In this Guide, you will find most SQL commands divided into clauses, one clause on each line. In Example 2-3, for instance, the SELECT and FROM clauses were placed on separate lines. Many users find this most convenient. But you may choose whatever line division makes your command most readable to you.

**Ending a SQL Command** You can end a SQL command in one of three ways:

- with a semicolon (;)
- with a slash (/) on a line by itself
- with a blank line

A semicolon (;) tells SQL\*Plus that you want to run the command. Type the semicolon at the end of the last line of the command, as shown in Example 2-3, and press [Return]. SQL\*Plus will process the command and store it in the SQL buffer (see "The SQL Buffer" below for details). If you mistakenly press [Return] before typing the semicolon, SQL\*Plus will prompt you with a line number for the next line of your command. Type the semicolon and press [Return] again to run the command.  
**Note:** You cannot enter a comment (/\*\*/) on the same line that you enter a semicolon.

A slash (/) on a line by itself also tells SQL\*Plus that you wish to run the command. Press [Return] at the end of the last line of the command. SQL\*Plus prompts you with another line number. Type a slash and press [Return] again. SQL\*Plus will execute the command and store in the buffer (see "The SQL Buffer" below for details).

A *blank line* tells SQL\*Plus that you have finished entering the command, but do not want to run it yet. Press [Return] at the end of the last line of the command. SQL\*Plus prompts you with another line number.

Press [Return] again; SQL\*Plus now prompts you with the SQL\*Plus command prompt. SQL\*Plus does not execute the command, but stores it in the SQL buffer (see "The SQL Buffer" below for details). If you subsequently enter another SQL command and execute it using a semicolon (;) or a slash (/), SQL\*Plus overwrites the unexecuted command in the buffer.

**Creating Stored Procedures** Stored procedures are PL/SQL functions, packages, or procedures. To create stored procedures, you use SQL CREATE commands. The following SQL CREATE commands are used to create stored procedures:

- CREATE FUNCTION
- CREATE PACKAGE
- CREATE PACKAGE BODY
- CREATE PROCEDURE
- CREATE TRIGGER

Entering any of these commands places you in PL/SQLmode, where you can enter your PL/SQL subprogram (see also "Running PL/SQL Blocks" in this chapter). When you are done typing your PL/SQL subprogram, enter a period (.) on a line by itself to terminate PL/SQL mode. To run the SQL command and create the stored procedure, you must enter RUN or slash (/). A semicolon (;) will not execute these CREATE commands.

When you use CREATE to create a stored procedure, a message appears if there are compilation errors. To view these errors, you use SHOW ERRORS. For example

```
SQL> SHOW ERRORS PROCEDURE ASSIGNVL
```

See Chapter 6 for a description of the SHOW command.

To execute a PL/SQL statement that references a stored procedure, you can use the EXECUTE command. EXECUTE runs the PL/SQL statement that you enter immediately after the command. For example:

```
SQL> EXECUTE -  
: ID := EMP_MANAGEMENT . GET_ID ( ' BLAKE ' )
```

See Chapter 6 for a description of the EXECUTE command.

## The SQL Buffer

The area where SQL\*Plus stores your most recently entered SQL command is called the SQL *buffer*. The command remains there until you enter a new SQL command. Thus, if you want to edit or re-run the current SQL command, you may do so without re-entering it. See Chapter 3 for details about editing or re-running a command stored in the buffer.

SQL\*Plus does not store the semicolon or the slash you type to execute a command in the SQL buffer.

The SQL buffer is the default buffer. You can define other buffers, but SQL\*Plus does not require the use of multiple buffers. Throughout this Guide, "buffer" and "SQL buffer" are synonymous unless the text explicitly states otherwise. See SET BUFFER in Appendix F for information on defining additional buffers.

## Executing the Current SQL Command from the Command Prompt

You can run (or re-run) the current SQL command by entering the RUN command or the / (slash) command at the command prompt. The RUN command lists the SQL command in the buffer before executing the command; the / command simply runs the SQL command.

## Running PL/SQL Blocks

You can also use PL/SQL subprograms (called *blocks*) to manipulate data in the database. See your *PL/SQL User's Guide and Reference* for information on individual PL/SQL statements.

To enter a PL/SQL subprogram in SQL\*Plus, you need to be in PL/SQL mode. You are placed in PL/SQL mode when:

- You type DECLARE or BEGIN at the SQL\*Plus command prompt. After you enter PL/SQL mode in this way, you type the remainder of your PL/SQL subprogram.
- You type a SQL command (such as CREATE FUNCTION) that creates a stored procedure. After you enter PL/SQL mode in this way, you type the stored procedure you want to create.

SQL\*Plus treats PL/SQL subprograms in the same manner as SQL commands, except that a semicolon (;) or a blank line does not terminate and execute a block. Terminate PL/SQL subprograms by entering a period (.) by itself on a new line.

SQL\*Plus stores the subprograms you enter at the SQL\*Plus command prompt in the SQL buffer. Execute the current subprogram by issuing a RUN or / (slash) command. Likewise, to execute a SQL CREATE command that creates a stored procedure, you must also enter RUN or slash (/). A semicolon (;) will not execute these SQL commands as it does other SQL commands.

SQL\*Plus sends the complete PL/SQL subprogram to ORACLE for processing (as it does SQL commands). See your *PL/SQL User's Guide and Reference* for more information.

You might enter and execute a PL/SQL subprogram as follows:

```
SQL> DECLARE
  2     x   NUMBER := 100;
  3 BEGIN
  4     FOR i IN 1..10 LOOP
  5         IF TRUNC(i / 2) = i / 2 THEN      --i is even
  6             INSERT INTO temp VALUES (i, x, 'i is even' ) ;
  7         ELSE
  8             INSERT INTO temp VALUES (i, x, 'i is odd' ) ;
  9         END IF;
 10         x := x + 100;
 11     END LOOP ;
 12 END;
 13 .
SQL> /
```

PL/SQL procedure successfully completed.

When you run a subprogram, the SQL commands within the subprogram may behave somewhat differently than they would outside of the subprogram. See your *PL/SQL User's Guide and Reference* for detailed information on the PL/SQL language.

## Running SQL\*Plus Commands

You can use SQL\*Plus commands to manipulate SQL commands and PL/SQL blocks, and to format and print query results. SQL\*Plus treats SQL\*Plus commands differently than SQL commands or PL/SQL blocks. For information on individual SQL\*Plus commands, refer to the following chapters of this Guide.

To speed up command entry, you can abbreviate many SQL\*Plus commands to one or a few letters. Abbreviations for some SQL\*Plus commands are described along with the commands in Chapters 3, 4, and 5. For abbreviations of all SQL\*Plus commands, refer to the command descriptions in Chapter 6.

**Example 2-4** This example shows how you might enter a SQL\*Plus command to change the format used to display the column SAL of the sample table EMP.  
**Entering a SQL\*Plus Command**

1. On the command line, enter this SQL\*Plus command:

```
SQL> COLUMN SAL FORMAT $99, 999 HEADING SALARY
```

If you make a mistake, use [Backspace] to erase it and re-enter. When you have entered the line, press [Return]. SQL\*Plus notes the new format and displays the SQL\*Plus command prompt again, ready for a new command.

2. Enter the RUN command to re-run the most recent query (from Example 2-3). SQL\*Plus reprocesses the query and displays the results:

```
SQL> RUN
 1 SELECT EMPNO , ENAME , JOB , SAL
 2* FROM EMP WERE SAL < 2500
```

EMPNO	ENAME	JOB	SALARY
7369	SMITH	CLERK	\$800
7499	ALLEN	SALESMAN	\$1,600
7521	WARD	SALESMAN	\$1,250
7654	MARTIN	SALESMAN	\$1,250
7782	CLARK	MANAGER	\$2,450
7844	TURNER	SALESMAN	\$1,500
7876	ADAMS	CLERK	\$1,100
7900	JAMES	CLERK	\$950
7934	MILLER	CLERK	\$1,300

The COLUMN command formatted the column SAL with a dollar sign (\$) and a coma (,), and gave it a new heading. The RUN command then re-ran the query of Example 2-3, which was stored in the buffer. SQL\*Plus does not store SQL\*Plus commands in the buffer.

## Understanding SQL\*Plus Command Syntax

SQL\*Plus commands have a different syntax from SQL commands or PL/SQL blocks.

**Continuing a Long SQL\*Plus Command on Additional Lines** You can continue along SQL\*Plus command by typing a hyphen at the end of the line and pressing [Return]. If you wish, you can type a space before typing the hyphen. SQL\*Plus displays a right angle-bracket (>) as a prompt for each additional line.

**Ending a SQL\*Plus Command** You do not need to end a SQL\*Plus command with a semicolon. When you finish entering the command, you can just press [Return]. However, if you wish, you can enter a semicolon at the end of a SQL\*Plus command.

## Variables that Affect Running Commands

The SQL\*Plus command SET controls many variables --called *system variables* --the settings of which affect the way SQL\*Plus runs your commands. System variables control a variety of conditions within SQL\*Plus, including default column widths for your output, whether SQL\*Plus displays the number of records selected by a command, and your page size. System variables are also called *SET command variables*.

The examples in this Guide are based on running SQL\*Plus with the system variables at their default settings. Depending on the settings of your system variables, your out put may appear slightly different than the output shown in the examples. (Your settings might differ from the default settings if you have a SQL\*Plus LOGIN file on your computer.)

For more information on system variables and their default settings, see the SET command in Chapter 6. For details on the SQL\*Plus LOGIN file, refer to the subsection, "Setting Up Your SQL\*Plus Environment" under "Saving Commands for Later Use" in Chapter 3 and to the SQLPLUS command in Chapter 6.

To list the current setting of a SET command variable, enter SHOW followed by the variable name at the command prompt. See the SHOW command in Chapter 6 for information on other items you can list with SHOW.

## Saving Changes to the Database Automatically

Through the SQL DML commands UPDATE, INSERT, and DELETE-which can be used within PL/SQL blocks-you specify changes you wish to make to the information stored in the database. SQL does not, however, make the changes permanent until you enter a SQL COMMIT command or a SQL DCL or DDL command such as CREATE TABLE.

You need not defer committing these changes to the database until you enter a SQL COMMIT, DCL, or DDL command. The SQL\*Plus autocommit feature can cause pending changes to be committed after each SQL command—including INSERT, UPDATE, and DELETE-and after each PL/SQL block you execute.

You control the autocommit feature with the SQL\*Plus SET command's AUTOCOMMIT variable. It has these forms:

SET AUTOCOMMIT ON Turns autocommit on.

SET AUTOCOMMIT OFF Turns autocommit off (the default).

### Example 2-5 Turning Autocommit On

To turn the autocommit feature on, enter

```
SQL> SET AUTOCOMMIT ON
```

Until you change the setting of AUTOCOMMIT, SQL\*Plus will automatically commit changes from each SQL command or PL/SQL block that specifies changes to the database. After each autocommit, SQL\*Plus displays the following message

```
commit complete
```

When the autocommit feature is turned on, you cannot roll back changes to the database.

To turn the autocommit feature off again, enter the following command:

```
SQL> SET AUTOCOMMIT OFF
```

To confirm that AUTOCOMMIT is now set to OFF, enter the following SHOW command:

```
SQL> SHOW AUTOCOMMIT  
autocommit OFF
```

### **Stopping a Command while It Is Running**

Suppose you have displayed the first page of a fifty-page report, and decide you do not need to see the rest of it. Press [Cancel]. (Refer to Table 2-1 at the beginning of this chapter to see how [Cancel] is labelled on your keyboard). SQL\*Plus will stop the display and return to the command prompt.

**Note:** Pressing [Cancel] will not stop the printing of a file that you have sent to a printer with the OUT clause of the SQL\*PIW SPOOL command. (You will learn about printing query results in Chapter 4.) You can stop the printing of a file through your operating system; see your operating system manuals for information.

### **Collecting Timing Statistics on Commands You Run**

Use the SQL\*Plus command TIMING to collect and display data on the amount of computer resources used to run one or more commands or blocks. TIMING collects data for an elapsed period of time, saving the data on commands run during the period in a timing area. See TIMING in Chapter 6 and the Oracle installation and user's manuals provided for your operating system for more information.

To delete all timing areas, enter CLEAR TIMING at the command prompt.

### **Running Host Operating System Commands**

You can execute a host operating system command from the SQL\*Plus command prompt. This is useful when you want to perform a task such as listing existing host operating system files.

To run a host operating system command, enter the SQL\*Plus command `HOST` followed by the host operating system command. For example, this SQL\*Plus command runs a host command, `DIRECTORY *.SQL`:

```
SQL> HOST DIRECTORY * . SQL
```

When the host command finishes running, the SQL\*Plus command prompt appears again.

## Running SQL\*Forms Forms

If the `RUNFORM` option was enabled during SQL\*Plus installation, you can also run a SQL\*Forms form from the SQL\*Plus command prompt. To run a form, enter the SQL\*Plus command `RUNFORM` followed by the form name

```
SQL> RUNFORM myform
```

---

## Getting Help

While you use SQL\*Plus, you may find that you need to list column definitions for a table, describe a PL/SQL package, or start and stop the display that scrolls by. You may also need to interpret error messages you receive when you enter a command incorrectly or when there is a problem with ORACLE or SQL\*Plus. The following sections describe how to get help for those situations.

### Listing a Table Definition

To see the definitions of each column in a given table, use the SQL\*Plus `DESCRIBE` command.

#### Example 2-6 Using the DESCRIBE command

To list the column definitions of the three columns in the sample table `DEPT`, enter:

```
SQL> DESCRIBE DEPT
```

The following output results:

Name	Null?	Type
-----	-----	----
DEPTNO	NOT NULL	NUMBER ( 2 )
DNAME		CHAR(14)
LOC		CHAR(13)

**Note:** `DESCRIBE` accesses information in the ORACLE data dictionary. You can also use SQL `SELECT` commands to access this and other information in the database. See your *ORACLE7 Server SQL Language Reference Manual* for details.

## Listing PL/SQL Definitions

To see the definition of a function, procedure, package, or package contents, use the SQL\*Plus DESCRIBE command.

### Example 2-7 Using the DESCRIBE Command

To list the definition of a function called AFUNC, enter:

```
SQL> describe afunc
```

The following output results:

FUNCTION	afunc	RETURNS	NUMBER		
Argument	Name		Type	In/Out	Default?
-----					
F1			CHAR	IN	
F2			NUMBER	IN	

## Controlling the Display

Suppose that you wish to stop and examine the contents of the screen while displaying a long report or the definition of a table with many columns. Press [Pause]. (Refer to Table 2-1 to see how [Pause] is labelled on your keyboard.) The display will pause while you examine it. To continue, press [Resume].

If you wish, you can use the PAUSE variable of the SQL\*Plus SET command to have SQL\*Plus pause after displaying each screen of a query or report. Refer to SET in Chapter 6 for details.

## Interpreting Error Messages

If SQL\*Plus detects an error in a command, it will try to help you out by displaying an error message.

### Example 2-8 Interpreting an Error Message

For example, if you misspell the name of a table while entering a command, an error message will tell you that the table or view does not exist

```
SQL> DESCRIBE DPT
ERROR :
ORA-0942 : table or view does not exist
```

You will often be able to figure out how to correct the problem from the message alone. If you need further explanation, take one of the following steps to determine the cause of the problem and how to correct it:

- If the error is a numbered error for the SQL\*Plus COPY command, look up the message in Appendix A of this Guide.

- If the error is a numbered error beginning with the letters "ORA", look up the message in the *ORACLE7 Server Messages and Codes* manual or in the Oracle installation and user's manual(s) provided for your operating system to determine the cause of the problem and how to correct it.
- If the error is unnumbered, lookup correct syntax for the command that generated the error in Chapter 6 of this Guide for a SQL\*Plus command, in the *ORACLE7 Server SQL Language Reference Manual* for a SQL command, or in the *PL/SQL User's Guide and Reference* for a PL/SQL block. Or, contact your DBA.

# MANIPULATING COMMANDS

**T**his chapter helps you learn to manipulate SQL\*Plus commands, SQL commands, and PL/SQL blocks, and covers the following topics:

- editing a SQL\*Plus command
- using SQL\*Plus commands to list and modify the command currently stored in the buffer
- editing commands with a system editor
- creating and modifying command files to hold commands for later use
- retrieving and running command files
- saving SQL\*Plus environment settings
- writing interactive commands that include user variables and substitution variables
- passing parameters to a command file
- bind variables

Read this chapter while sitting at your computer, and try out the examples shown. Before beginning, make sure you have access to the sample tables described in Chapter 1.

## Editing Commands

Because SQL\*Plus does not store SQL\*Plus commands in the buffer you edit a SQL\*Plus command entered directly to the command prompt by using [Backspace] or by recentering the command.

You can use a number of SQL\*Plus commands to edit the SQL command or PL/SQL block currently stored in the buffer. Or, you can use a host operating system editor to edit the buffer contents.

Table 3-1 shows several SQL\*Plus commands that allow you to examine or change the command in the buffer without re-entering the command.

**TABLE 3-1**  
**SQL\*Plus Editing Commands**

<b>Command</b>	<b>Abbreviation</b>	<b>Purpose</b>
APPEND <i>text</i>	A <i>text</i>	add <i>text</i> at the end of a line
CHANGE / <i>old/new</i>	C / <i>old/new</i>	change <i>old</i> to <i>new</i> in a line
CHANGE / <i>text</i>	C / <i>text</i>	delete <i>text</i> from a line
CLEAR BUFFER	CL BUFF	delete all lines
DEL	(none )	delete a line
INPUT	I	add one or more lines
INPUT <i>text</i>	I <i>text</i>	add a line consisting of <i>text</i>
LIST	L	list all lines in the SQL buffer
LIST <i>n</i>	<i>Ln</i> or <i>n</i>	list one line
LIST *	L *	list the current line
LIST LAST	L LAST	list the last line
LIST <i>m n</i>	L <i>m n</i>	list a range of lines ( <i>m</i> to <i>n</i> )

You will find these commands useful if you mistype a command or wish to modify a command you have entered.

## Listing the Buffer Contents

Any editing command other than LIST affects only a single line in the buffer. This line is called the current *line*. It is marked with an asterisk when you list the current command or block.

### Example 3-1 Listing the Buffer Contents

Suppose you want to list the current command. Use the LIST command as shown below. (If you have EXITed SQL\*Plus or entered another SQL command or PL/SQL block since following the steps in Example 2-3, perform the steps in that example again before continuing.)

```
SQL> LIST
 1  SELECT EMPNO , ENAME , JOB , SAL
 2* FROM EMP WHERE SAL < 2500
```

Notice that the semicolon you entered at the end of the SELECT command is not listed. This semicolon is necessary to mark the end of the command when you enter it, but SQL\*Plus does not store it in the SQL buffer. This makes editing more convenient, since it means you can add a new line to the end of the buffer without removing a semicolon from the line that was previously the last.

## Editing the Current Line

The SQL\*Plus CHANGE command allows you to edit the current line. Various actions determine which line is the current line:

- LIST a given line to make it the current line.
- When you LIST or RUN the command in the buffer, the last line of the command becomes the current line. (Using the slash (/) command to run the command in the buffer does not affect the current line, however.)
- If you get an error message, the line containing the error automatically becomes the current line.

### Example 3-2 Making an Error in Command Entry

Suppose you try to select the DEPTNO column but mistakenly enter it as DPTNO. Enter the following command, purposely misspelling DEPTNO in the first line:

```
SQL> SELECT DPTNO , ENAME , SAL
 2 FROM EMP
 3 WHERE DEPTNO = 10;
```

You see this message on your screen

```
SELECT DPTNO , ENAME , SAL
      *
ERROR at line 1:
ORA-0904 :  invalid column name
```

Examine the error message; it indicates an invalid column name in line 1 of the query. The asterisk shows the point of error---the mistyped column DPTNO.

Instead of re-entering the entire command, you can correct the mistake by editing the command in the buffer. The line containing the error is now the current line. Use the CHANGE command to correct the mistake. This command has three parts, separated by slashes or any other non-alphanumeric character:

- the word CHANGE or the letter C
- the sequence of characters you want to change
- the sequence of characters to which you want to change it

The change command finds the first occurrence in the current line of the character sequence to be changed, and changes it to the new sequence. If you wish to re-enter an entire line, you do not need to use the CHANGE command: re-enter the line by typing the line number followed by a space and the new text and pressing [Return].

**Example 3-3**  
**Correcting the Error**

To change DPTNO to DEPTNO, change the line with the CHANGE command:

```
SQL> CHANGE /DPTNO/DEPTNO
```

The corrected line appears on your screen

```
1* SELECT /DPTNO/DEPTNO
```

Now that you have corrected the error, you can use the RUN command to run the command again:

```
SQL> RUN
```

SQL\*Plus lists the command, and then runs it:

```
1 SELECT DEPTNO, ENAME, SAL
2 FROM EMP
3* WHERE DEPTNO = 10
```

DEPTNO	ENAME	SALARY
10	CLARK	\$2,450
10	KING	\$5,000
10	MILLER	\$1,300

Note that the column SAL retains the format you gave it in Example 2-4. (If you have left SQL\*Plus and started again since performing Example 2-4, the column has reverted to its original format.)

For information about the significance of case in a CHANGE command and on using wildcards to specify blocks of text in a CHANGE command, refer to CHANGE in Chapter 6.

### Adding a New Line

To insert a new line after the current line, use the INPUT command.

#### Example 3-4 Adding a Line

Suppose you want to add a fourth line to the SQL command you modified in Example 3-3. Since line 3 is already the current line, enter INPUT (which may be abbreviated to I) and press [Return]. SQL\*Plus prompts you for the new line:

```
SQL> INPUT
4
```

Enter the new line. Then press [Return]. SQL\*Plus prompts you again for a new line:

```
4 ORDER BY SAL
5
```

Press [Return] again to indicate that you will not enter anymore lines, and then use RUN to verify and rerun the query.

### Appending Text to a Line

To add text to the end of a line in the buffer, use the APPEND command:

1. Use the LIST command (or just the line number) to list the line you want to change.
2. Enter APPEND followed by the text you want to add. If the text you want to add begins with a blank, separate the word APPEND from the first character of the text by two blanks: one to separate APPEND from the text, and one to go into the buffer with the text.

#### Example 3-5 Appending Text to a Line

To append a space and the clause DESC to line 4 of the current query, first list line 4:

```
SQL> LIST 4
4 * ORDER By SAL
```

Next, enter the following command (be sure to type two spaces between APPEND and DESC):

```
SQL> APPEND DESC
4 * ORDER By SAL DESC
```

Use RUN to verify and rerun the query.

## Deleting a Line

To delete a line in the buffer, use the DEL command:

1. Use the LIST command (or just the line number) to list the line you want to delete.
2. Enter DEL.

DEL makes the following line of the buffer (if any) the current line. Thus, you can delete several consecutive lines by making the first of them the current line, then entering DEL several times.

## Editing Commands with a System Editor

Your host computer's operating system has one or more text editors that you can use to create and edit host system files. Text editors perform the same general functions as the SQL\*Plus editing commands, but you may find them more familiar.

You can run your host operating system's default text editor without leaving SQL\*Plus by entering the EDIT command:

```
SQL> EDIT
```

EDIT loads the contents of the buffer into your system's default text editor. You can then edit the text with the text editor's commands. When you tell the text editor to save edited text and then exit, the text is saved back into the current buffer.

To load the buffer contents into a text editor other than the default, use the SQL\*Plus DEFINE command to define a variable, \_EDITOR, to hold the name of the editor. For example, to define the editor to be used by EDIT as EDT, enter the following command:

```
SQL> DEFINE _EDITOR = EDT
```

---

## Saving Commands for Later Use

Through SQL\*Plus, you can store one or more commands in a file, called a *command file*. After you create a command file, you can retrieve, edit, and run it. Use command files to save commands for use over time, especially complex commands or PL/SQL blocks.

### Storing Commands in Command Files

You can store one or more SQL commands, PL/SQL blocks, and SQL\*Plus commands in command files. You create a command file within SQL\*Plus in one of three ways:

- enter a command and save the contents of the buffer
- use INPUT to enter commands and then save the buffer contents
- use EDIT to create the file from scratch using a host system text editor

Use SQL\*Plus commands are not stored in the buffer, you must use one of the latter two methods to save SQL\*Plus commands.

### Creating a Command File by Saving the Buffer Contents

To save the current SQL command or PL/SQL block for later use, enter the SAVE command. Follow the command with a filename:

```
SQL> SAVE file_name
```

SQL\*Plus adds the extension SQL to the filename to identify it as a SQL query file. If you wish to save the command or block under a name with a different file extension, type a period at the end of the file name, followed by the extension you wish to use.

Note that within SQL\*Plus, you separate the extension from the file name with a period. Your operating system may use a different character or a space to separate the filename and the extension.

### Example 3-5 Saving the Current Command

First, LIST the buffer contents to see your current command:

```
SQL> LIST
1 SELECT DEPTNO , ENAME , SAL
2 FROM EMP
3 WHERE DEPTNO = 10
4* ORDER By SAL DESC
```

If the query shown is not in your buffer, re-enter the query now. Next, enter the SAVE command followed by the filename DEPTINFO:

```
SQL> SAVE DEPTINFO
Created file DEPTINFO
```

You can verify that the command file DEPTINFO exists by entering the SQL\*Plus HOST command followed by your host operating system's file listing command:

```
SQL> HOST your_host's_file_listing_command
```

You can use the same method to save a PL/SQL block currently stored in the buffer.

Creating a Command File  
by Using INPUT and  
SAVE

If you use INPUT to enter your commands, you can enter SQL\*Plus commands (as well as one or more SQL commands or PL/SQL blocks) into the buffer. You must enter the SQL\*Plus commands first, and the SQL command(s) or PL/SQL block(s) last—just as you would if you were entering the commands directly to the core command prompt.

You can also store a set of SQL\*Plus commands you plan to use with many different queries by themselves in a command file.

### **Example 3-6** **Saving Commands** **Using INPUT and SAVE**

Suppose you have composed a query to display a list of salespeople and their commissions. You plan to run it once a month to keep track of how well each employee is doing. To compose and save the query using INPUT, you must first clear the buffer:

```
SQL> CLEAR BUFFER
```

Next, use INPUT to enter the command (be sure not to type a semicolon at the end of the command):

```
SQL> INPUT
 1  COLUMN ENAME HEADING SALESMEN
 2  COLUMN SAL HEADING SALARY FORMAT $99,999
 3  COLUMN COMM HEADING COMMISSION FORMAT $99,990
 4  SELECT EMPNO, ENAME, SAL, COMM
 5  FROM EMP
 6  WHERE JOB = 'SALESMAN '
 7
```

The zero at the end of the format model for the column COMM tells SQL\*Plus to display a zero instead of a blank when the value of COMM is zero for a given row. The zero is only necessary when you use other format models on the given column. Format models and the COLUMN command are described in more detail in Chapter 4.

Now use the SAVE command to store your query in a file called SALES with the extension SQL:

```
SQL> SAVE SALES
Created file SALES
```

Note that you do not type a semicolon at the end of the query; if you did include a semicolon, SQL\*Plus would attempt to run the buffer contents. The SQL\*Plus commands in the buffer would produce an error because SQL\*Plus expects to find only SQL commands in the buffer. You will learn how to run a command file later in this chapter.

To input more than one SQL command, leave out the semicolons on all the SQL commands. Then, use APPEND to add a semicolon to all but the last command (SAVE appends a slash to the end of the file automatically; this slash tells SQL\*Plus to run the last command when you run the command file.)

To input more than one PL/SQL block, enter the blocks one after another without including a period or a slash on a line between blocks. Then, for each block except the last, list the last line of the block to make it current and use INPUT in the following form to insert a slash on a line by itself:

```
INPUT /
```

### Creating Command Files with a System Editor

You can also create a command file with a host operating system text editor by entering EDIT followed by the name of the file, for example:

```
SQL> EDIT SALES
```

Like the SAVE command, EDIT adds the file name extension SQL to the name unless you type a period and a different extension at the end of the filename. When you save the command file with the text editor it is saved back into the same file.

You must include a semicolon at the end of each SQL command and a period on a line by itself after each PL/SQL block in the file. (You can include multiple SQL commands and PL/SQL blocks.)

When you create a command file using EDIT, you can also include SQL\*Plus commands at the end of the file. You cannot do this when you create a command file using the SAVE command because SAVE appends a slash to the end of the file. This slash would cause SQL\*Plus to run the command file twice, once upon reaching the semicolon at the end of the last SQL command (or the slash after the last PL/SQL block), and once upon reaching the slash at the end of the file.

## Placing Comments in Command Files

You can enter comments in a command file in one of three ways:

- using the SQL\*Plus REMARK command
- using the SQL comment delimiters, /\*...\*/
- using ANSI/ISO (American National Standards Institute/International Standards Organization) comments, –

Anything that is identified in one of these ways as a comment is not parsed or executed by SQL\*Plus.

## Using the REMARK Command

Use the REMARK command on a line by itself in the command file, followed by comments on the same line. To continue the comments on additional lines, enter additional REMARK commands. Do not place a REMARK command between different lines of a single SQL command.

```
REMARK Commissions report
REMARK to be run monthly.
COLUMN ENAME HEADING SALESMAN
COLUMN SAL HEADING SALARY FORMAT $99,999
COLUMN COMM HEADING COMMISSION FORMAT $99,990
REMARK Includes only salesmen.
SELECT EMPNO , ENAME , SAL , COMM
FROM EMP
WHERE JOB = 'SALESMAN'
```

## Using /\*...\*/

Enter the SQL comment delimiters, /\*...\*/ , on separate lines in your command file, on the same line as a SQL command, or on a line in a PL/SQL block. The comments can span multiple lines:

```
/* Commissions report
to be run monthly. * /
COLUMN ENAME HEADING SALESMAN
COLUMN SAL HEADING SALARY FORMAT $99,999
COLUMN COMM HEADING COMMISSION FORMAT $99, 990
SELECT EMPNO , ENAME , SAL , COMM
FROM EMP
WHERE JOB = 'SALESMAN'/* Includes only salesmen. */
```

If you enter a SQL comment directly at the command prompt SQL\*Plus does not store the comment in the buffer.

Using -

You can use ANSI/ISO "-" style comments within SQL statements PL/SQL blocks, or SQL\*Plus commands. Since there is no ending delimiter, the comment cannot span multiple lines. For PL/SQL and SQL, enter the comment after a command on a line or on a line by itself:

```
-- Commissions report to be run monthly  
DECLARE --block for reporting monthly sales
```

For SQL\*Plus commands, you can only include "-" style comments if they are on a line by themselves. For example, these comments are legal:

```
--set maximum width for LONG to 777  
SET LONG 777  
-- set the heading for ENAME to be SALESMAN  
COLUMN ENAME HEADING SALESMAN
```

**These comments are illegal**

```
SET LONG 777 -- set maximum width for LONG to 777  
SET -- set maximum width for LONG to 777 LONG 777
```

If you entered the following, the SQL\*Plus command would be treated as a comment and not be executed:

```
-- SET LONG 777
```

## Retrieving Command Files

If you want to place the contents of a command file in the buffer, you must retrieve the command from the file in which it is stored. You can retrieve a command file using the SQL\*Plus command GET.

Just as you can save a query from the buffer to a file with the SAVE command, you can retrieve a query from a file to the buffer with the GET command:

```
SQL> GET f i I e_name
```

When appropriate to the operating system, SQL\*Plus adds a period and the extension SQL to the filename unless you type a period at the end of the file name followed by a different extension.

**Example 3-7**  
**Retrieving a Command**  
**File**

Suppose you need to retrieve the SALES file in a later session. You can retrieve the file by entering the GET command. To retrieve the file SALES, enter:

```
SQL> GET SALES
 1 COLUMN ENAME HEADING SALESMAN
 2 COLUMN SAL HEADING SALARY FORMAT $99,999
 3 COLUMN COMM HEADING COMMISSION FORMAT $99,990
 4 SELECT EMPNO , ENAME , SAL , COMM
 5 FROM EMP
 6* WHERE JOB . 'SALESMAN'
```

SQL\*Plus retrieves the contents of the file SALES with the extension SQL into the SQL buffer and lists it on the screen. Then you can edit the command further. If the file did not contain SQL\*Plus commands, you could also execute it with the RUN command.

**Running Command**  
**Files**

The START command retrieves a command file and runs the command(s) it contains. Use START to run a command file containing SQL commands, PL/SQL blocks, and/or SQL\*Plus commands. Follow the word START with the name of the file

```
START file_name
```

If the file has an extension SQL, you need not add the period and the extension SQL to the filename.

**Example 3-8**  
**Running a Command**  
**File**

To retrieve and run the command stored in SALES>SQL, enter

```
SQL> START SALES
```

SQL\*Plus runs the commands in the file SALES and displays the results of the coremands on your screen, formatting the query results according to the SQL\*Plus commands in the file:

EMPNO	SALESMAN	SALARY	COMMISSION
7499	ALLEN	\$1,600	\$300
7521	WARD	\$1,250	\$500
7654	MARTIN	\$1,250	\$1,400
7844	TURNER	\$1,500	\$0

To see the commands as SQL\*Plus "enters" them, you can set the ECHO variable of the SET coremand to ON. The ECHO variable controls the listing of the commands in command files run with the START command and the @ command. Setting the ECHO variable to OFF suppresses the listing.

You can also use the @ ("at" sign) command to run a command file:

```
SQL> @SALES
```

The @ command lists and runs the commands in the specified command file in the same manner as START. SET ECHO affects the @ command as it affects the START command.

START and @ leave the last SQL command or PL/SQL block in the command file in the buffer.

### Running a Command File as You Start SQL\*Plus

To run a command file as you start SQL\*Plus, use one of the following four options

- Follow the SQLPLUS command with your username, a slash, your password, a space,@, and the name of the file:

```
SQLPLUS SCOTT/TIGER @SALES
```

SQL\*Plus starts and runs the command file.

- Follow the SQLPLUS command and your username with a space, @, and the name of the file:

```
SQLPLUS SCOTT @SALES
```

SQL\*Plus prompts you for your password, starts, and runs the command file.

- Include your username as the first line of the file. Follow the SQLPLUS command with @ and the filename. SQL\*Plus prompts for your password, starts, and runs the file.
- Include your username, a slash (/), and your password as the first line of the file. Follow the SQLPLUS command with @ and the file name. SQL\*Plus starts and runs the file.

### Nesting Command Files

To run a series of command files in sequence, first create a command file containing several START commands, each followed by the name of a command file in the sequence. Then run the command file containing the START commands. For example, you could include the following START commands in a command file named SALESRPT:

```
START Q1SALES
START Q2SALES
START Q3SALES
START Q4SALES
START YRENDSLS
```

## Modifying Command Files

You can modify an existing command file in two ways:

- using the EDIT command
- using GET, the SQL\*Plus editing commands, and SAVE

To edit an existing command file with the EDIT command, follow the word EDIT with the name of the file. For example, to edit an existing file named PROFIT that has the extension SQL, enter the following command:

```
SQL> EDIT PROFIT
```

Remember that EDIT assumes the file extension SQL if you do not specify one.

To edit an existing file using GET, the SQL\*Plus editing commands, and SAVE, first retrieve the file with GET, then edit the file with the file with the commands, and finally save the file with the SAVE command.

Note that if you want to replace the contents of an existing command file with the command or block in the buffer, you must use the SAVE command and follow the file name with the word REPLACE. For example:

```
SQL> GET MYREPORT
1* SELECT * FROM EMP

SQL> C/* /ENAME, JOB
1* SELECT ENAME, JOB FROM EMP

SQL> SAVE MYREPORT REPLACE
Wrote file MYREPORT
```

If you want to append the contents of the buffer to the end of an existing command file, use the SAVE command and follow the file name with the word APPEND:

```
SQL> SAVE file_name APPEND
```

## Exiting from a Command File with a Return Code

If your command file generates a SQL error while running from a batch file on the host operating system, you may want to abort the command file and exit with a return code. Use the SQL\*Plus command WHENEVER SQLERROR to do this; see WHENEVER SQLERROR in Chapter 6 for more information.

## Setting Up Your SQL\*Plus Environment

You may wish to setup your SQL\*Plus environment in a particular way (such as showing the current time as part of the SQL\*Plus command prompt) and then re-use those settings with each session. You can do this through a host operating system file called LOGIN with the file extension SQL (also called your *User Profile*). The exact name of this file is system-dependent; see the Oracle installation and user's manual(s) provided for your operating system for the precise name.

You can add any SQL commands, PL/SQL blocks, or SQL\*Plus commands to this file; when you start SQL\*Plus, it automatically searches for your LOGIN file (first in your local directory and then on a system-dependent path) and runs the commands it finds there. (You may also have a Site Profile. See the SQLPLUS command in Chapter 6 for more information on the relationship of Site and User profiles.)

## Modifying your LOGIN File

You can modify your LOGIN file just as you would any other command file. You may wish to add some of the following commands to the LOGIN file:

SET COMPATIBILITY	Followed by V5, V6, or V7, sets compatibility to the version of ORACLE you specify. Setting COMPATIBILITY to V5 allows you to run command files created with Version 5 of ORACLE.
SET CRT	Followed by a SQL*Forms CRT name, enables you to run SQL*Forms forms with RUNFORM using the specified CRT definition.
SET NUMFORMAT	Followed by a number format (such as \$99,999), sets the default format for displaying numbers in query results.
SET PAGES SIZE	Followed by a number, sets the number of lines per page.
SET PAUSE	Followed by ON, causes SQL*Plus to pause at the beginning of each page of output (SQL*Plus continues scrolling after you enter [Return]). Followed by text, sets the text to be displayed each time SQL*Plus pauses (you must also set PAUSE to ON).
SET TIME	Followed by ON, displays the current time before each command prompt.

See the SET command in Chapter 6 for more information on these and other SET command variables you may wish to set in your SQL\*Plus LOGIN file.

---

## Writing Interactive Commands

The following features of SQL\*Plus make it possible for you to set up command files that allow end-user input:

- defining user variables
- substituting values in commands
- using the START command to provide values
- prompting for values

### Defining User Variables

You can define variables, called *user variables*, for repeated use in a single command file by using the SQL\*Plus command DEFINE. Note that you can also define user variables to use in titles and to save you keystrokes (by defining a long string as the value for a variable with a short name).

#### Example 3-9 Defining a User Variable

To define a user variable EMPLOYEE and give it the value "SMITH", enter the following command:

```
SQL> DEFINE EMPLOYEE = SMITH
```

To confirm the definition of the variable, enter DEFINE followed by the variable name

```
SQL> DEFINE EMPLOYEE
```

SQL\*Plus lists the definition

```
DEFINE EMPLOYEE          =  " SMITH " ( CHAR)
```

To list all user variable definitions, enter DEFINE by itself at the command prompt. Note that any user variable you define explicitly through DEFINE takes only CHAR values (i.e., the value you assign to the variable is always treated as a CHAR datatype). You can define a user variable of datatype NUMBER implicitly through the ACCEPT command. You will learn more about the ACCEPT command later in this chapter.

To delete a user variable, use the SQL\*Plus command UNDEFINE followed by the variable name.

### Using Substitution Variables

Suppose you want to write a query like the one in SALES (see Example 3-6) to list the employees with various jobs, not just those whose job is SALESMAN. You could do that by editing a different CHAR value into the WHERE clause each time you run the command, but there is an easier way.

By using a *substitution variable* in place of the value SALESMAN in the WHERE clause, you can get the same results you would get if you had written the values into the command itself.

A substitution variable is a user variable name preceded by one or two ampersands (&). When SQL\*Plus encounters a substitution variable in a command, SQL\*Plus executes the command as though it contained the value of the substitution variable, rather than the variable itself.

For example, if the variable SORTCOL has the value JOB, and the variable MYTABLE has the value EMP, SQL\*Plus executes the commands

```
SQL> BREAK ON &SORTCOL
SQL> SELECT &SORTCOL, SAL
      2 FROM &MYTABLE
      3 ORDER BY &SORTCOL;
```

as if they were:

```
SQL> BREAK ON JOB
SQL> SELECT JOB , SAL
      2 FROM EMP
      3 ORDER BY JOB;
```

(The BREAK command suppresses duplicate values of the column named in SORTCOL; BREAK is discussed in Chapter 4.)

## Where and how to Use Substitution Variables

You can use substitution variables anywhere in SQL and SQL\*Plus commands, except as the first word entered at the command prompt. When SQL\*Plus encounters an undefined substitution variable in a command, SQL\*Plus prompts you for the value.

You can enter any string at the prompt, even one containing blanks and punctuation. If the SQL command containing the reference should have quote marks around the variable and you do not include them there, the user must include the quotes when prompted.

SQL\*Plus reads your response from the keyboard, even if you have redirected terminal input or output to a file. If a terminal is not available (if, for example, you run the command file in batch mode), SQL\*Plus uses the redirected file.

After you enter a value at the prompt, SQL\*Plus lists the line containing the substitution variable twice once before substituting the value you enter and once after substitution. You can suppress this listing by setting the SET command variable VERIFY to OFF.

### Example 3-10 Using Substitution Variables

Create a comm and file named STATS, to be used to calculate a subgroup statistic (the maximum value) on a numeric column:

```
SQL> CLEAR BUFFER
SQL> INPUT
  1 SELECT   &GROUP_COL ,
  2         MAX(&NUMBER_COL)  MAXIMUM
  3 FROM     &TABLE

  5
SQL> SAVE STATS
Created file STATS
```

Now run the command file STATS and respond as shown below to the prompts for values:

```
SQL> @STATS
Enter value for group_col: JOB
old  1: SELECT   &GROUP_COL,
new  1: SELECT   JOB ,
Enter value for number_col: SAL
old  2:         MAX(&NUMBER_COL) MAXIMUM
new  2:         MAX(SAL) MAXIMUM
Enter value for table: EMP
old  3: FROM     &TABLE
new  3: FROM     EMP
Enter value for group_col: JOB
old  4: GROUP BY &GROUP_COL
new  4: GROUP BY JOB
```

SQL\*Plus displays the following output

JOB	MAXIMUM
ANALYST	3000
CLERK	1300
MANAGER	2975
PRESIDENT	5000
SALESMAN	1600

If you wish to append characters immediately after a substitution variable, use a period to separate the variable from the character. For example,

```
SQL> SELECT * FROM EMP WHERE EMPNO='&X.01';
Enter value for X: 123
```

will be interpreted as

```
SQL> SELECT * FROM EMP WHERE EMPNO='12301';
```

## Avoiding Unnecessary Prompts for Values

Suppose you wanted to expand the file `STATS` to include the minimum, sum, and average of the "number" column. You may have noticed that `SQL*Plus` prompted you twice for the value of `GROUP_COL` and once for the value of `NUMBER_COL` in Example 3-10, and that each `GROUP_COL` or `NUMBER_COL` had a single ampersand in front of it. If you were to add three more functions—using a single ampersand before each—to the command file, `SQL*Plus` would prompt you a total of four times for the value of the number column.

You can avoid being re-prompted for the group and number columns by adding a second ampersand in front of each `GROUP_COL` and `NUMBER_COL` in `STATS`. `SQL*Plus` automatically `DEFINES` any substitution variable preceded by two ampersands, but does not `DEFINE` those preceded by only one ampersand. Thus, when `SQL*Plus` encounters a substitution variable more than once during a session, `SQL*Plus` uses the `DEFINEd` values for substitution variables preceded by two ampersands, and prompts again for substitution variables preceded by one ampersand. This feature would also be useful if you wanted to run the file using the same `GROUP_COL` and `NUMBER_COL` in a different table.

**Example 3-11** To expand the command file `STATS` using double ampersands and then run the file, first suppress the display of each line before and after substitution  
**Using Double Ampersands**

```
SQL> SET VERIFY OFF
```

Now retrieve and edit `STATS` by entering the following commands:

```
SQL> GET STATS
1 SELECT &GROUP_COL ,
2           MAX ( &NUMBER_COL )   MAXIMUM
3 FROM &TABLE
4 GROUP BY &GROUP_COL
SQL> 2
2* MAX ( &NUMBER_COL ) MAXIMUM
SQL> APPEND ,
2* MAX ( &NUMBER_COL ) MAXIMUM,
SQL> C /&/&&
2* MAX ( &&NUMBER_COL ) MAXIMUM,
SQL> I
3i MIN ( &&NUMBER_COL ) MINIMUM,
4i SUM ( &&NUMBER_COL ) TOTAL,
5i AVG ( &&NUMBER_COL ) AVERAGE
6i
```

```

SQL> 1
1* SELECT &GROUP_COL,
SQL> C /&/&&
1* SELECT &&GROUP_COL,
SQL> 7
7* GROUP By &GROUP_COL
SQL> C /&/&&
7* GROUP By &&GROUP_COL
SQL> SAVE STATS2
created file STATS2

```

Finally, run the command file STATS2 and respond to the prompts for Values as follows:

```

SQL> START STATS2
Enter value for group_col: JOB
Enter value for number_col: SAL
Enter value for table: EMP

```

SQL\*Plus displays the following output:

JOB	MAXIMUM	MINIMUM	TOTAL	AVERAGE
ANALYST	3000	3000	6000	3000
CLERK	1300	800	4150	1037.5
MANAGER	2975	2450	8275	2758.33333
PRESIDENT	5000	5000	5000	5000
SALESMAN	1600	1250	5600	1400

Note that you were prompted for the values of NUMBER\_COL and GROUP\_COL only once. If you were to run STATAS2 again during the Current session, you would be prompted for TABLE(because its name has a single ampersand and the variable is therefore not DEFINED) but not for GROUP\_COL or NUMBER\_COL (because their names have double ampersands and the variables are therefore DEFINED).

Before continuing, set the system variable VERIFY back to ON:

```
SQL> SET VERIFY ON
```

## Restrictions

You cannot use substitution variables in the buffer editing commands, APPEND, CHANGE, DEL, and INPUT, nor in other commands where substitution would be meaningless, such as REMARK and TIMING. The buffer editing commands, APPEND, CHANGE, and INPUT, treat text beginning with "&" or "&&" literally, as any other text string.

## System Variables

The following system variables, specified with the SQL\*Plus SET command, affect substitution variables:

```
SET SCAN          Turns substitution on and off.
```

SET DEFINE	Defines the substitution character (by default the ampersand "&").
SET ESCAPE	Defines an escape character you can use before the substitution character. The escape character instructs SQL*Plus to treat the substitution character as an ordinary character rather than as a request for variable substitution. The default escape character is a backslash (\).
SET VERIFY ON	List each line of the command file before and after substitution.
SET CONCAT	Defines the character that separates the name of a substitution variable or parameter from characters that immediately follow the variable or parameter-by default the period (.).

Refer to SET in Chapter 6 for more information on these system variables.

### Passing Parameters through the START Command

You can bypass the prompts for values associated with substitution variables by passing values to parameters in a command file through the START command.

You do this by placing an ampersand (&) followed by a numeral in the command file in place of a substitution variable. Each time you run this command file, START replaces each &1 in the file with the first value (called an argument) after *START file\_name*, then replaces each &2 with the second value, and so forth.

For example, you could include the following commands in a command file called MYFILE:

```
SELECT * FROM EMP
WHERE JOB= '&1 '
AND SAL=&2
```

In the following START command, SQL\*Plus would substitute CLERK for &1 and 7900 for &2 in the command file MYFILE:

```
SQL> START MYFILE CLERK 7900
```

When you use arguments with the START command, SQL\*Plus DEFINES each parameter in the command file with appropriate argument.

**Example 3-12**  
**Passing Parameters**  
**through START**

To create a new coremand file based on SALES that takes a parameter specifying the job to be displayed, enter

```
SQL> GET SALES
  1 COLUMN ENAME HEADING SALESMAN
  2 COLUMN SAL HEADING SALARY FORMAT $99,999
  3 COLUMN COMM HEADING COMMISSION FORMAT $99,990
  4 SELECT EMPNO , ENAME , SAL , COMM
  5 FROM EMP
    WHERE JOB = 'SALESMAN'
SQL> CHANGE /SALESMAN/ &1
  6* WHERE JOB = '&1'
SQL> 1
  1* COLUMN ENAME HEADING SALESMAN
SQL> CHANGE /SALESMAN/&1
  1* COLUMN ENAME HEADING &1
SQL> SAVE ONEJOB
Created file ONEJOB
```

Now run the command with the parameter CLERK.

```
SQL> START ONEJOB CLERK
```

SQL\*Plus lists the line of the SQL command that contains the parameter, before and after replacing the parameter with its value, and then displays the output

```
old 3: WHERE JOB = '&1'
new 3: WHERE JOB = 'CLERK'
```

EMPNO	CLERK	SALARY	COMMISSION
7369	SMITH	\$800	
7876	ADAMS	\$1,100	
7900	JAMES	\$950	
7934	MILLER	\$1,300	

You can use any number of parameters in a command file. Within a command file, you can refer to each parameter any number of times, and can include the parameters in any order.

Note that you cannot use parameters when you run a command with RUN or slash (/). You must store the command in a command file and run it with START.

Before continuing, return the column ENAME to its original heading by entering the following command:

```
SQL> COLUMN ENAME CLEAR
```

## Communicating with the User

Three SQL\*Plus commands--PROMPT, ACCEPT, and PAUSE—help you communicate with the end user. These commands enable you to send messages to the screen and receive input from the user, including a simple [Return]. You can also use PROMPT and ACCEPT to customize the prompts for values SQL\*Plus automatically generates for substitution variables.

## Prompting for and Accepting User Variable Values

Through PROMPT and ACCEPT, you can send messages to the end user and accept values as end-user input. PROMPT simply displays a message you specify on-screen; use it to give directions or information to the user. ACCEPT prompts the user for a value and stores it in the user variable you specify. Use PROMPT in conjunction with ACCEPT when your prompt for the value spans more than one line.

### Example 3-13 Prompting for and Accepting Input

To direct the user to supply a report title and to store the input in the variable MYTITLE for use in a subsequent query, first clear the buffer:

```
SQL> CLEAR BUFFER
```

Next, set up a command file as shown below:

```
SQL> INPUT
 1 PROMPT Enter a title up to 30 characters long.
 2 ACCEPT MYTITLE PROMPT 'Title:'
 3 TTITLE CENTER MYTITLE SKIP 2
 4 SELECT * FROM DEPT
 5
SQL> SAVE PROMPT1
Created file PROMPT1
```

The TTITLE command sets the top title for your report. This command is covered in detail in Chapter 4.

Finally, run the command file, responding to the prompt for the title as shown

```
SQL> START PROMPT1
Enter a title up to 30 characters long.
Title: Department Report as of 1/1/89
```

SQL\*Plus displays the following output:

Department Report as of 1/1/89

DEPTNO	DNAME	LOC
10	ACCOUNTING	NEW YORK
20	RESEARCH	DALLAS
30	SALES	CHICAGO
40	OPERATIONS	BOSTON

Before continuing, turn the TTITLE command you entered in the command file off as shown below:

```
SQL> TTITLE OFF
```

### Customizing Prompts for Substitution Variable Values

If you want to customize the prompt for a substitution variable value, use PROMPT and ACCEPT in conjunction with the substitution variable, as shown in the following example.

#### **Example 3-14** **Using PROMPT and ACCEPT in Conjunction with Substitution Variables**

As you have seen in Example 3-13, SQL\*Plus automatically generates a prompt for a value when you use a substitution variable. You can replace this prompt by including PROMPT and ACCEPT in the command file with the query that references the substitution variable. To create such a file, enter the commands shown:

```
SQL> CLEAR BUFFER
buffer cleared
SQL> INPUT
 1 PROMPT Enter a valid employee number
 2 PROMPT For example: 7123, 7456, 7890
 3 ACCEPT ENUMBER NUMBER PROMPT 'Emp. no.:'
 4 SELECT ENAME, MGR, JOB, SAL
 5 FROM EMP
 6 WHERE EMPNO = &ENUMBER
 7
SQL> SAVE PROMPT2
CREATED FILE PROMPT2
```

Next, run the command file. SQL\*Plus prompts for the value of ENUMBER using the text you specified with PROMPT and ACCEPT:

```
SQL> START PROMPT2
Enter a valid employee number
For example: 7123, 7456, 7890
Emp. No. :
```

Try entering characters instead of numbers to the prompt for "Emp. No.":

```
EMP. No.: ONE
"ONE" is not a valid number
Emp. No. :
```

Because you specified NUMBER after the variable name in the ACCEPT command, SQL\*Plus will not accept a non-number value. Now enter a number:

```
Emp.No. : 7521
old 3: WHERE EMPNO = &ENUMBER
new 3: WHERE EMPNO = 7521
```

SQL\*Plus displays the following output:

ENAME	MGR	JOB	SALARY
WARD	7698	SALESMAN	\$1,250

Sending a Message and  
Accepting [Return] as  
Input

If you want to display a message on the user's screen and then have the user enter [Return] after reading the message, use the SQL\*Plus command PAUSE. For example, you might include the following lines in a command file:

```
PROMPT Before continuing, make sure you have your account card.  
PAUSE Press RETURN to continue.
```

If the message you wish to display fits on one line, you can omit the PROMPT command.

Clearing the Screen

If you want to clear the screen before displaying a report (or at any other time), include the SQL\*Plus CLEAR command with its SCREEN clause at the appropriate point in your command file, in the following form:

```
CLEAR SCREEN
```

Before continuing to the next chapter, reset all columns to their original formats and headings by entering the following command:

```
SQL> CLEAR COLUMNS
```

---

## Using Bind Variables

Suppose that you want to be able to display the variables you use in your PL/SQL subprograms in SQL\*Plus or use the same variables in multiple subprograms. If you declare a variable in a PL/SQL subprogram, you cannot display that variable in SQL\*Plus. If you use a bind variable rather than a variable declared in PL/SQL, however, you can access the variable in SQL\*Plus.

Bind variables are variables you create in SQL\*Plus and then reference in PL/SQL. If you create a bind variable in SQL\*Plus you can use the variable as you would a declared variable in your PL/SQL subprogram and then access the variable from SQL\*Plus. You can use bind variables for such things as storing return codes or debugging your PL/SQL subprograms.

Because bind variables are recognized by SQL\*Plus, you can display their values in SQL\*Plus or reference them in other PL/SQL subprograms that you run in SQL\*Plus.

## Creating Bind Variables

You create bind variables in SQL\*Plus with the VARIABLE command. For example,

```
VARIABLE ret_val NUMBER
```

This command creates a bind variable named `ret_val` with a datatype of NUMBER. See VARIABLE in Chapter 6. (To list all of the bind variables created in a session, type VARIABLE without any arguments.)

## Referencing Bind Variables

You reference bind variables in PL/SQL by typing a colon (:) followed immediately by the name of the variable. For example,

```
: ret_val := 1;
```

This command assigns a value to the bind variable named `ret_val`.

It is important to note that if a bind variable's name is the same as that of a declared variable in a PL/SQL subprogram, the declared variable will take precedence in the PL/SQL subprogram.

## Displaying Bind Variables

You display the value of a bind variable in SQL\*Plus, you use the SQL\*Plus PRINT command. For example,

```
PRINT ret_val
```

This command displays a bind variable named `ret_val`. See PRINT in Chapter 6.

### Example 3-15 Creating, Referencing, and Displaying Bind Variables

Declaring a local bind variable:

```
VARIABLE n NUMBER
```

Putting a value into the variable

```
BEGIN  
:n := 1;  
END;
```

Printing the value of the variable:

```
PRINT n
```

Creating some new departments using the variable:

```
EXECUTE : id := dept_management.new ('ACCOUNTING', 'NEW YORK' )  
EXECUTE : id := dept_management.new ('RESEARCH', 'DALLAS')  
EXECUTE : id := dept_management.new ( 'SALES', ' CHICAGO' )  
EXECUTE : id := dept_management.new ( 'OPERATIONS ', 'BOSTON' )  
PRINT id  
COMMIT
```

**Note:** `dept_management.new` refers to a PL/SQL function `(new)` in a package `(dept_management)`. `new` adds the department data to a table.

## FORMATTING QUERY RESULTS

**T**his chapter explains how to format your query results to produce a finished report. This chapter covers the following topics:

- changing column headings
- formatting NUMBER, CHAR, VARCHAR2 (VARCHAR), LONG, DATE, and Trusted ORACLE columns
- copying listing, and resetting column display attributes
- suppressing duplicate values and inserting space for clarity
- calculating and printing summary lines (totals, averages, minimums, maximums, and more)
- listing and removing spacing and summary line definitions
- setting page dimensions
- placing titles at the top and bottom of each page
- displaying column values and the current date or page number in your titles
- listing and suppressing page title definitions
- sending query results to a file or printer

Read this chapter while sitting at your computer, and try out the examples shown. Before beginning, make sure you have access to the sample tables described in Chapter 1.

---

## Formatting Columns

Through the SQL\*Plus COLUMN command you can change the column headings and reformat the column data in your query results.

### Changing Column Headings

When displaying column headings, you can either use the default heading or you can change it using the COLUMN command. The sections below describe how the default headings are derived and how you can alter them with the COLUMN command.

#### Default Headings

SQL\*Plus uses column or expression names as default column headings when displaying query results. Column names are often short and cryptic, however, and expressions can be hard to understand.

#### Changing Default Headings

You can define a more useful column heading with the HEADING clause of the COLUMN command, in the format shown below:

```
COLUMN column.name HEADING column_heading
```

See the COLUMN command in Chapter 6 for more details.

### Example 4-1 Changing a Column Heading

To produce a report from EMP with new headings specified for DEPTNO, ENAME, and SAL, enter the following commands:

```
SQL> COLUMN DEPTNO HEADING Department
SQL> COLUMN ENAME HEADING Employee
SQL> COLUMN SAL HEADING Salary
SQL> COLUMN COMM HEADING Commission
SQL> SELECT DEPTNO, ENAME, SAL, COMM
2 FROM EMP
3 WHERE JOB = 'SALESMAN' ;
```

SQL\*Plus displays the following output:

Department	Employee	Salary	Commission
30	ALLEN	1600	300
30	WARD	1250	500
30	MARTIN	1250	1400
30	TURNER	1500	0

**Note:** The new headings will remain in effect until you enter different headings, reset each column's format, or exit from SQL\*Plus.

To change a column heading to two or more words, enclose the new heading in single or double quotation marks when you enter the COLUMN command. To display a column heading on more than one line, use a vertical bar(|) where you want to begin a new line. (You can use a character other than a vertical bar by changing the setting of the HEADSEP variable of the SET command. See SET in Chapter 6 for more information.)

**Example 4-2**  
**Splitting a Column**  
**Heading**

To give the column ENAME the heading EMPLOYEE NAME and to split the new heading onto two lines, enter:

```
SQL> COLUMN ENAME HEADING 'Employee|Name'
```

Now rerun the query with the slash (/) command:

```
SQL> /
```

SQL\*Plus displays the following output

<i>Employee</i>			
<i>Department</i>	<i>Name</i>	<i>Salary</i>	<i>Commission</i>
30	ALLEN	1600	300
30	WARD	1250	500
30	MARTIN	1250	1400
30	TURNER	1500	0

To change the character used to underline each column heading, set the UNDERLINE variable of the SET command to the desired character.

**Example 4-3**  
**Setting the Underline**  
**Character**

To change the character used to underline headings to an equal sign and rerun the query, enter the following commands:

```
SQL> SET UNDERLINE =
```

```
SQL> /
```

SQL\*Plus displays the following results:

<i>Employee</i>			
<i>Department</i>	<i>Name</i>	<i>Salary</i>	<i>Commission</i>
30	ALLEN	1600	300
30	WARD	1250	500
30	MARTIN	1250	1400
30	TURNER	1500	0

Now change the underline character back to a dash

```
SQL> SET UNDERLINE ' - '
```

Note that you must enclose the dash in quotation marks; otherwise SQL\*Plus interprets the dash as a hyphen indicating you wish to continue the command on another line.

## **Formatting NUMBER Columns**

When displaying NUMBER columns, you can either accept the SQL\*Plus default display width or you can change it using the COLUMN command. The sections below describe the default display and how you can alter the default with the COLUMN command,

### **Default Display**

SQL\*Plus normally displays numbers with as many digits as are required for accuracy, up to a standard display width determined by the value of the NUMWIDTH variable of the SET command (normally 10). If you specify a width shorter than the column heading, SQL\*Plus truncates the heading.

You can choose a different format for any NUMBER column by using a format model in a COLUMN command. A format model is a representation of the way you want the numbers in the column to appear, using 9's to represent digits.

### **Changing the Default Display**

The COLUMN command identifies the column you want to format and the model you want to use, as shown below

```
COLUMN column_name FORMAT model
```

Use format models to add commas, dollar signs, angle brackets (around negative values), and/or leading zeros to numbers in a given column. You can also round the values to a given number of decimal places, display minus signs to the right of negative values (instead of to the left), and display values in exponential notation.

To use more than one format model for a single column, combine the desired models in one COLUMN command (see Example 4-4). For a complete list of format models and further details, see the COLUMN command in Chapter 6.

#### **Example 4-4 Formatting a NUMBER column**

To display SAL with a dollar sign, a comma, and the numeral zero instead of a blank for any zero values, enter the following command:

```
SQL> COLUMN SAL FORMAT $99,990
```

Now rerun the current query

```
SQL> /
```

### SQL\*Plus displays the following output:

Employee			
Department	Name	Salary	Commission
30	ALLEN	\$1,600	300
30	WARD	\$1,250	500
30	MARTIN	\$1,250	1400
30	TURNER	\$1,500	0

Use a zero in your format model, as shown above, when you use other formats such as a dollar sign and wish to display a zero in place of a blank for zero values.

Note: The format model will stay in effect until you enter a new one, reset the column's format, or exit from SQL\*Plus.

### Formatting CHAR, VARCHAR2 (VARCHAR), LONG, DATE, and Trusted ORACLE Columns

When displaying CHAR, VARCHAR2 (VARCHAR), LONG, and DATE, and Trusted ORACLE columns, you can either accept the SQL\*Plus default display width or you can change it using the COLUMN command. The sections below describe the defaults and how you can alter the defaults with the COLUMN command.

#### Default Display

The default display width for CHAR and VARCHAR2 (VARCHAR) values is the width defined for the column in the database or the width of the column heading, whichever is longer. (VARCHAR2 requires ORACLE7.)

The display width of LONG columns defaults to the value of the LONGCHUNKSIZE variable of the SET command (which is 80 by default).

With ORACLE7, the default display width of DATE columns not formatted by a SQL TO\_CHAR function is derived from the default date format specified via initialization parameter in a parameter file. With ORACLE Version 5 and Version 6, the default width for DATE columns is nine characters. For more information on formatting DATE columns, see the FORMAT clause of the COLUMN command in Chapter 6.

The default display width for the Trusted ORACLE datatypes MLSLABEL and RAW MLSLABEL is the width defined for the column in the database or the width of the column heading, whichever is longer. (Note that the default display width for a Trusted ORACLE column named ROWLABEL is 15.)

Note The default justification for CHAR, VARCHAR2 (VARCHAR), LONG, DATE, and Trusted ORACLE columns is left justification.

## Changing the Default Display

You can change the displayed width of a CHAR, VARCHAR2 (VARCHAR), LONG, DATE, or Trusted ORACLE column by using the COLUMN command with a format model consisting of the letter A (for alphanumeric) followed by a number representing the width of the column in characters.

within the COLUMN command, identify the column you want to format and the model you want to use:

```
COLUMN column_name FORMAT model
```

If you specify a width shorter than the column heading, SQL\*Plus truncates the heading. If you specify a width for a LONG column larger than LONGCHUNKSIZE, LONGCHUNKSIZE is automatically increased to the column's width. See the COLUMN command in Chapter 6 for more details.

### Example 4-5 Formatting a Character column

To set the width of the column ENAME to four characters and rerun the current query, enter:

```
SQL> COLUMN ENAME FORMAT A4  
SQL> /
```

SQL\*Plus displays the results:

Department	Empl Name	Salary	Commission
30	ALLE N	\$1,600	300
30	WARD	\$1,250	500
30	MART IN	\$1,250	1400
30	TURN ER	\$1,500	0

Note: The format model will stay in effect until you enter a new one, reset the column's format, or exit from SQL\*Plus. ENAME could be a CHAR or VARCHARZ (VARCHAR) column.

If the WRAP variable of the SET command is set to ON (its default value), the employee names wrap to the next line after the fourth character, as shown in Example 45. If WRAP is set to OFF, the names are truncated (cut off) after the fourth character.

The system variable WRAP controls all columns; you can override the setting of WRAP for a given column through the WRAPPED, WORD\_WRAPPED, and TRUNCATED clauses of the COLUMN command. See COLUMN in Chapter 6 for more information on these clauses. You will use the WORD\_WRAPPED clause of COLUMN later in this chapter.

Note that the column heading is truncated regardless of the setting of WRAP or any COLUMN command clauses.

Now return the column to its previous format:

```
SQL> COLUMN ENAME FORMAT A10
```

## Copying Column Display Attributes

When you use SQL\*Plus to give more than one column the same display attributes, you can reduce the length of the commands you must enter by using the LIKE clause of the COLUMN command. The LIKE clause tells SQL\*Plus to copy the display attributes of a previously defined column to the new column, except for changes made by other clauses in the same command.

### Example 4-6 Copying a Column's Display Attributes

To give the column COMM the same display attributes you gave to SAL, but to specify a different heading, enter the following command

```
SQL> COLUMN COMM LIKE SAL HEADING Bonus
```

Rerun the query

```
SQL> /
```

SQL\*Plus displays the following output

Employee			
Department	Name	Salary	Bonus
30	ALLEN	\$1,600	\$300
30	WARD	\$1,250	\$500
30	MARTIN	\$1,250	\$1,400
30	TURNER	\$1,500	\$0

## Listing and Resetting Column Display Attributes

To list the current display attributes for a given column, use the COLUMN command followed by the column name only, as shown below

```
COLUMN column_name
```

To list the current display attributes for all columns, enter the COLUMN command with no column names or clauses after it:

```
COLUMN
```

To reset the display attributes for a column to their default values, use the CLEAR clause of the COLUMN command as shown below:

```
COLUMN column_name CLEAR
```

To reset the attributes for all columns, use the COLUMNS clause of the CLEAR command.

**Example 47**  
**Resetting Column**  
**Display Attributes to**  
**their Defaults**

To reset all columns' display attributes to their default values, enter the following command:

```
SQL> CLEAR COLUMNS  
columns cleared
```

You may wish to place the command CLEAR COLUMNS at the beginning of every command file to ensure that previously entered COLUMN commands will not affect queries you run in a given file.

**Suppressing and**  
**Restoring Column**  
**Display Attributes**

You can suppress and restore the display attributes you have given a specific column. To suppress a column's display attributes, enter a COLUMN command in the following form

```
COLUMN column_name OFF
```

The OFF clause tells SQL\*Plus to use the default display attributes for the column, but does not remove the attributes you have defined through the COLUMN command. To restore the attributes you defined through COLUMN, use the ON clause:

```
COLUMN column_name ON
```

**Printing a Line of**  
**Characters after**  
**Wrapped Column**  
**Values**

As you have seen, by default SQL\*Plus wraps column values to additional lines when the value does not fit within the column width. If you want to insert a *record separator* (a line of characters or a blank line) after each wrapped line of output (or after every row), use the RECSEP and RECSEPCHAR variables of the SET command.

RECSEP determines when the line of characters is printed you set RECSEP to EACH to print after every line, to WRAPPED to print after wrapped lines, and to OFF to suppress printing. The default setting of RECSEP is WRAPPED

RECSEPCHAR sets the character printed in each line. You can set RECSEPCHAR to any character.

You may wish to wrap whole words to additional lines when a column value wraps to additional lines. To do so, use the WORD\_WRAPPED clause of the COLUMN command as shown below:

```
COLUMN column_name WORD_WRAPPED
```

**Example 4-8**  
**Printing a Line of**  
**Characters after**  
**Wrapped Column**  
**Values**

To print a line of dashes after each wrapped column value, enter the following commands:

```
SQL> SET RECSEP WRAPPED  
SQL> SET RECSEPCHAR '-'
```

Now restrict the width of the column LOC and tell SQL\*Plus to wrap whole words to additional lines when necessary:

```
SQL> COLUMN LOC FORMAT A7 WORD_WRAPPED
```

Finally, enter and run the following query:

```
SQL> SELECT * FROM DEPT;
```

SQL\*Plus displays the results:

```
      DEPTNO  DNAME          LOC  
-----  -  
          10  ACCOUNTING      NEW  
                                     YORK  
-----  
          20  RESEARCH        DALLAS  
          30  SALES            CHICAGO  
          40  OPERATIONS       BOSTON
```

If you set RECSEP to EACH, SQL\*Plus prints a line of characters after every row (after every department, for the above example).

Before continuing, set RECSEP to OFF to suppress the printing of record separators:

```
SQL> SET RECSEP OFF
```

---

## Clarifying Your Report with Spacing and Summary Lines

When you use an ORDER BY clause in your SQL SELECT command, rows with the same value in the ordered column (or expression) are displayed together in your output. You can make this output more useful to the user by using the SQL\*Plus BREAK and COMPUTE commands to create subsets of records and add space and/or summary lines after each subset.

The column you specify in a BREAK command is called a *break column*. By including the break column in your ORDER BY clause, you create meaningful subsets of records in your output. You can then add formatting to the subsets within the same BREAK command, and add a summary line (containing totals, averages, and so on) by specifying the break column in a COMPUTE command.

For example, the following query, without BREAK or COMPUTE commands,

```
SELECT DEPTNO, ENAME, SAL
FROM EMP
WHERE SAL < 2500
ORDER BY DEPTNO;
```

produces the following unformatted results:

DEPTNO	ENAME	SAL
10	CLARK	2450
10	MILLER	1300
20	SMITH	800
20	ADAMS	1100
30	ALLEN	1600
30	JAMES	950
30	TURNER	1500
30	WARD	1250
30	MARTIN	1250

To make this report more useful, you would use BREAK to establish DEPTNO as the break column. Through BREAK you could suppress duplicate values in DEPTNO and place blank lines or begin anew page between departments. You could use BREAK in conjunction with COMPUTE to calculate and print summary lines containing the total (and/or average, maximum, minimum, standard deviation, variance, or count of rows of) salary for each department and for all departments.

### Suppressing Duplicate Values in Break Columns

The BREAK command suppresses duplicate values by default in the column or expression you name. Thus, to suppress the duplicate values in a column specified in an ORDER BY clause, use the BREAK command in its simplest form

```
BREAK ON break_column
```

**Note:** Whenever you specify a column or expression in a BREAK command, use an ORDER BY clause specifying the same column or expression. If you do not do this, the breaks may appear to occur randomly.

**Example 4-9**  
**Suppressing Duplicate**  
**Values in a Break**  
**column**

To suppress the display of duplicate department numbers in the query results shown above, enter the following commands

```
SQL> BREAK ON DEPTNO
SQL> SELECT DEPTNO, ENAME, SAL
  2 FROM EMP
  3 WHERE SAL < 2500
  4 ORDER BY DEPTNO;
```

SQL\*Plus displays the following output

DEPTNO	ENAME	SAL
10	CLARK	2450
	MILLER	1300
20	SMITH	800
	ADAMS	1100
30	ALLEN	1600
	JAMES	950
	TURNER	1500
	WARD	1250
	MARTIN	1250

**Inserting Space when a**  
**Break Column's Value**  
**Changes**

You can insert blank lines or begin a new page each time the value changes in the break column. To insert *n* blank lines, use the BREAK command in the following form

```
BREAK ON break_column SKIP n
```

To skip the number of lines defined to be a page, use the command in this form:

```
BREAK ON break_column SKIP PAGE
```

**Example 410**  
**Inserting Space when a**  
**Break Column's Value**  
**Changes**

To place one blank line between departments, enter the following command:

```
SQL> BREAK ON DEPTNO SKIP 1
```

Now rerun the query:

```
SQL> /
```

### SQL\*Plus displays the results:

DEPTNO	ENAME	SAL
10	CLARK	2450
	MILLER	1300
20	SMITH	800
	ADAMS	1100
30	ALLEN	1600
	JAMES	950
	TURNER	1500
	WARD	1250
	MARTIN	1250

### Inserting Space after Every Row

You may wish to insert blank lines or a blank page after every row. To skip *n* lines after every row, use **BREAK** in the following form

```
BREAK ON ROW SKIP n
```

To skip the number of lines defined to be a page after every row, use

```
BREAK ON ROW SKIP PAGE
```

Note that **SKIP PAGE** only skips the number of lines defined to be a page. Thus it may not cause a physical page break.

### Using Multiple Spacing Techniques

Suppose you have more than one column in your **ORDER BY** clause, and wish to insert space when each column's value changes. Each **BREAK** command you enter replaces the previous one. Thus, if you want to use different spacing techniques in one report or insert space after the value changes in more than one ordered column, you must specify multiple columns and actions in a single **BREAK** command:

#### Example 4-11 Combining Spacing Techniques

First, add another column to the current query:

```
SQL> L
 1 SELECT DEPTNO, ENAME, SAL
 2 FROM EMP
 3 WHERE SAL < 2500
 4* ORDER BY DEPTNO
SQL> 1 SELECT DEPTNO, JOB, ENAME, SAL
SQL> 4 ORDER BY DEPTNO , JOB
```

Now, to skip a page when the value of **DEPTNO** changes and one line when the value of **JOB** changes, enter the following command:

```
SQL> BREAK ON DEPTNO SKIP PAGE ON JOB SKIP 1
```

Run the new query to see the results:

SQL> /

DEPTNO	JOB	ENAME	SAL
10	CLERK	MILLER	1300
	MANAGER	CLARK	2450

DEPTNO	JOB	ENAME	SAL
20	CLERK	SMITH	800
		ADAMS	1100

DEPTNO	JOB	ENAME	SAL
30	CLERK	JAMES	950
	SALESMAN	ALLEN	1600
		TURNER	1500
		WARD	1250
		MARTIN	1250

### Listing and Removing Break Definitions

You can list your current break definition by entering the BREAK command with no clauses

```
BREAK
```

You can remove the current break definition by entering the CLEAR command with the BREAKS clause:

```
CLEAR BREAKS
```

You may wish to place the command CLEAR BREAKS at the beginning of every command file to ensure that previously entered BREAK commands will not affect queries you run in a given file.

## Computing Summary Lines when a Break Column's Value Changes

If you organize the rows of a report into subsets with the BREAK command, you can perform various computations on the rows in each subset. You do this with the functions of the SQL\*Plus COMPUTE command. Use the BREAK and COMPUTE commands together in the following forms:

```
BREAK ON break_column
COMPUTE function OF column column column . . . ON break_ column
```

You can include multiple break columns and actions such as skipping lines in the BREAK command, as long as the column you name after ON in the COMPUTE command also appears after ON in the BREAK command. To include multiple break columns and actions in BREAK when using it in conjunction with COMPUTE, use these commands in the following forms:

```
BREAK ON break_column_1 SKIP PAGE ON break_column_2 SKIP 1
COMPUTE function OF column column column . . . ON break_column_2
```

The COMPUTE command has no effect without a corresponding BREAK command.

You can COMPUTE on NUMBER columns, and in certain cases, on all types of columns. See COMPUTE in Chapter 6 for details.

The following table lists compute functions and their effects:

**Table 4-1**  
**Compute Functions**

<b><i>Function</i></b>	<b><i>Effect</i></b>
SUM	Computes the sum of the values in the column.
MIN	Commutes the minimum value in the column.
<b>MAX</b>	Computes the maximum value in the column.
AVG	Computes the average of the values in the column.
STD	Computes the standard deviation of the values in the column.
VAR	Computes the variance of the values in the column.
COUNT	Computes the number of non-null values in the column.
NUM	Computes the number of rows in the column.

The function you specify in the COMPUTE command applies to all columns you enter after OF and before ON. The computed values print on a separate line when the value of the ordered column changes. Labels for the computed values appear in the first column.

If you use COMPUTE on the first column, you should create a dummy column for the label using the COLUMN command. Otherwise, the label will not print.

All of the COMPUTE functions except NUM ignore null values.

**Example 4-12  
Computing and  
Printing Subtotals**

To compute the total of SAL by department, first list the current BREAK definition

```
SQL> BREAK
break on DEPTNO skip page nodup
      on JOB skip 1 nodup
```

Now enter the following COMPUTE command, and run the current query:

```
SQL> COMPUTE SUM OF SAL ON DEPTNO
SQL> /
```

SQL\*PLUS displays the following output:

DEPTNO	JOB	ENAME	SAL
10	CLERK	MILLER	1300
	MANAGER	CLARK	2450
*****			-----
sum			3750
20	CLERK	SMITH	800
		ADAMS	1100
*****			-----
sum			1900
30	CLERK	JAMES	950
	SALESMAN	ALLEN	1600
		TURNER	1500
		WARD	1250
		MARTIN	1250
*****			-----
sum			6550

Note that the format of the column SAL controls the appearance of the sum of SAL, as well as the individual values of SAL. When you establish the format of a NUMBER column, you must allow for the size of sums you will include in your report.

### Computing Summary Lines at the End of the Report

You can calculate and print summary lines based on all values in a column by using BREAK and COMPUTE in the following forms

```
BREAK ON REPORT
COMPUTE function OF column column column . . . ON REPORT
```

#### Example 413 Computing and Printing a Grand Total

To calculate and print the grand total of salaries for all salesmen, first enter the following BREAK and COMPUTE commands:

```
SQL> BREAK ON REPORT
SQL> COMPUTE SUM OF SAL ON REPORT
```

Next, enter and run anew query

```
SQL> SELECT ENAME, SAL
2 FROM EMP
3 WHERE JOB = 'SALESMAN' ;
```

SQL\*PLUS displays the results:

```
ENAME          SAL
-----
ALLEN          1600
WARD           1250
MARTIN         1250
TURNER         1500
*****
sum            5600
```

To print a grand total (or grand average, grand maximum, and so on) in addition to subtotals (or sub-averages, and so on), include a break column and an ON REPORT clause in your BREAK command. Then, enter one COMPUTE command for the break column and another to compute ON REPORT:

```
BREAK ON break_column ON REPORT
COMPUTE function OF column ON break_column
COMPUTE function OF column ON REPORT
```

## Computing Multiple Summary Values and Lines

### Example 4-14 Computing the Same Type of Summary Value on Different Columns

You can compute and print the same type of summary value on different columns. To do so, enter a separate COMPUTE command for each column.

To print the total of salaries and commissions for all salesmen, first enter the following COMPUTE command:

```
SQL> COMPUTE SUM OF SAL COMM ON REPORT
```

You do not have to enter a BREAK command; the BREAK you entered in Example 4-13 is still in effect. Now, add COMM to the current query:

```
SQL> 1 SELECT ENAME, SAL, COMM
```

Finally, run the revised query to see the results:

```
SQL> /
```

ENAME	SAL	COMM
ALLEN	1600	300
WARD	1250	500
MARTIN	1250	1400
TURNER	1500	0
*****	-----	-----
sum	5600	2200

You can also print multiple summary lines on the same break column. To do so, include the function for each summary line in the COMPUTE command as follows

```
COMPUTE function function function . . . OF column ON break_ column
```

If you include multiple columns after OF and before ON, COMPUTE calculates and prints values for each column you specify.

### Example 4-15 Computing Multiple Summary Lines on the Same Break Column

To compute the average and sum of salaries for the sales department, first enter the following BREAK and COMPUTE commands:

```
SQL> BREAK ON DEPTNO
```

```
SQL> COMPUTE AVG SUM OF SAL ON DEPTNO
```

Now, enter and run the following query:

```
SQL> SELECT DEPTNO, ENAME, SAL  
2 FROM EMP  
3 WHERE DEPTNO = 30  
4 ORDER BY DEPTNO, SAL;
```

SQL\*Plus displays the results:

DEPTNO	ENAME	SAL
30	JAMES	950
	WARD	1250
	MARTIN	1250
	TURNER	1500
	ALLEN	1600
	BLAKE	2850
*****		-----
avg		1566.66667
sum		9400

### Listing and Removing COMPUTE Definitions

You can list your current COMPUTE definitions by entering the COMPUTE command with no clauses:

```
COMPUTE
```

You can remove all the COMPUTE definitions by entering the CLEAR command with the COMPUTES clause.

### Example 4-16 Removing COMPUTE Definitions

To remove all COMPUTE definitions and the accompanying BREAK definition, enter the following commands:

```
SQL> CLEAR BREAKS  
breaks cleared  
SQL> CLEAR COMPUTES  
computes cleared
```

You may wish to place the commands CLEAR BREAKS and CLEAR COMPUTES at the beginning of every command file to ensure that previously entered BREAK and COMPUTE commands will not affect queries you run in a given file.

## Defining Page Titles and Dimensions

The word *page* refers to a screenful of information on your display, or a page of a spooled (printed) report. You can place top and bottom titles on each page, set the number of lines per page, and determine the width of each line.

### Setting the Top and Bottom Titles

As you have already seen, you can set a title to display at the top of each page of a report. You can also set a title to display at the bottom of each page. The TTITLE command defines the top title; the BTITLE command defines the bottom title.

A TTITLE or BTITLE command consists of the command name TTITLE or BTITLE followed by one or more clauses specifying a position or format and a CHAR value you wish to place in that position or give that format. You can include multiple sets of clauses and CHAR values:

```
TTITLE position_clause (s) char_value position_clause(s)  
char_value . . .
```

or

```
BTITLE position_clause (s) char_value position_clause (s)  
char_value . . .
```

The most often used clauses of TTITLE and BTITLE are summarized in the following table. For descriptions of all TTITLE and BTITLE clauses, see the discussion of TTITLE in Chapter 6.

**Table 4-2**  
**Often-Used Clauses of**  
**TTITLE and BTITLE**

<i>Clause</i>	<i>Example</i>	<i>Description</i>
COL <i>n</i>	COL 72	Makes the next CHAR value appear in the specified column of the line.
SKIP <i>n</i>	SKIP 2	Skips to a new line <i>n</i> times. If <i>n</i> is greater than 1, <i>n</i> - 1 blank lines appear before the next CHAR value.
LEFT	LEFT	Left-aligns the following CHAR value.
CENTER	CENTER	Centers the following CHAR value.
RIGHT	RIGHT	Right-aligns the following CHAR value.

**Example 4-17  
Placing a Top and  
Bottom Title**

To put titles at the top and bottom of each page of a report, enter:

```
SQL> TTITLE CENTER 'ACME WIDGET SALES DEPARTMENT PERSONNEL REPORT'  
SQL> BTITLE CENTER 'COMPANY CONFIDENTIAL'
```

Now run the current query

```
SQL> /
```

SQL\*Plus displays the following output:

```
                ACME WIDGET SALES DEPARTMENT PERSONNEL REPORT  
DEPTNO  ENAME                SAL  
-----  -
```

30	JAMES	950
30	WARD	1250
30	MARTIN	1250
30	TURNER	1500
30	ALLEN	1600
30	BLAKE	2850

```
                COMPANY CONFIDENTIAL
```

**Positioning Title Elements**

The report in the preceding exercise might look more attractive if you give the company name more emphasis and place the type of report and the department name on either end of a separate line. It may also help to reduce the linesize and thus center the titles more closely around the data.

You can accomplish these changes by adding some clauses to the TTITLE command, and by resetting the system variable LINESIZE, as the following example shows.

**Example 4-18  
Positioning Title  
Elements**

To redisplay the personnel report with a repositioned top title, enter the following commands:

```
SQL> TTITLE CENTER 'A C M E   W I D G E T' SKIP 1 -  
> CENTER ===== SKIP 1 LEFT 'PERSONNEL REPORT' -  
> RIGHT 'SALES DEPARTMENT' SKIP 2  
SQL> SET LINESIZE 60  
SQL> /
```

SQL\*PLUS displays the results:

```

                A C M E   W I D G E T
                =====
PERSONNEL REPORT                                SALES DEPARTMENT

  DEPTNO ENAME          SAL
  -----
      30 JAMES          950
      30 WARD           1250
      30 MARTIN         1250
      30 TURNER         1500
      30 ALLEN          1600
      30 BLAKE          2850
                COMPANY CONFIDENTIAL
```

The LEFT,RIGHT, and CENTER clauses place the following values at the beginning, end, and center of the line. The SKIP clause tells SQL\*Plus to move down one or more lines.

Note that there is no longer any space between the last row of the results and the bottom title. The last line of the bottom title prints on the last line of the page. The amount of space between the last row of the report and the bottom title depends on the overall page size, the number of lines occupied by the top title, and the number of rows in a given page. In the above example the top title occupies three more lines than the top title in the previous example. You will learn to set the number of lines per page later in this chapter.

To always print *n* blank lines before the bottom title, use the SKIP *n* clause at the beginning of the BTITLE command. For example, to skip one line before the bottom title in the example above, you could enter the following command:

```
BTITLE SKIP 1 CENTER 'COMPANY CONFIDENTIAL'
```

### Indenting a Title Element

You can use the COL clause in TTITLE or BTITLE to indent the title element a specific number of spaces. For example, COL 1 places the following values in the first character position, and so is equivalent to LEFT, or an indent of zero. COL 15 places the title element in the 15th

### Exercise 4-19 Indenting a Title Element

To print the company name left-aligned with the report name indented 5 spaces on the next line, enter:

```
SQL> TTITLE LEFT 'ACME WIDGET' SKIP 1 -
> COL 6 'SALES DEPARTMENT PERSONNEL REPORT' SKI P 2
```

Now rerun the current query to see the results:

```
SQL> /

ACME WIDGET
      SALES DEPARTMENT PERSONNEL REPORT

      DEPTNO  ENAME                SAL
-----  -
          30  JAMES                950
          30  WARD                 1250
          30  MARTIN               1250
          30  TURNER               1500
          30  ALLEN                 1600
          30  BLAKE                 2850

                                COMPANY CONFIDENTIAL
```

### Entering Long Titles

If you need to enter a title greater than 500 characters in length, you can use the SQL\*PLUS command DEFINE to place the text of each line of the title in a separate user variable:

```
SQL> DEFINE LINE1 = 'This is the first line. . .'
SQL> DEFINE LINE2 = 'This is the second line. . .'
SQL> DEFINE LINE3 = 'This is the third line. . .'
```

Then, reference the variables in your TTITLE or BTITLE command as follows:

```
SQL> TTITLE CENTER LINE1 SKIP 1 CENTER LINE2 SKIP 1 CENTER LINE3
```

### Displaying the Page Number and other System-Maintained Values in Titles

You can display the current page number and other system-maintained values in your title by entering a system value name as a title element, for example:

```
TTITLE LEFT system-maintained_value_name
```

There are five system-maintained values you can display in titles, the most commonly used of which is SQL.PNO (the current page number). Refer to the TTITLE command in Chapter 6 for a list of system-maintained values you can display in titles.

#### **Example 420** **Displaying the Current Page Number in a Title**

To display the current page number at the top of each page, along with the company name, enter the following command:

```
SQL> TTITLE LEFT 'ACME WIDGET' RIGHT 'PAGE:' SQL.PNO SKIP 2
```

Now rerun the current query:

```
SQL> /
```

SQL\*Plus displays the following results:

ACME WIDGET

PAGE : 1

DEPTNO	ENAME	SAL
30	JAMES	950
30	WARD	1250
30	MARTIN	1250
30	TURNER	1500
30	ALLEN	1600
30	BLAKE	2850

COMPANY CONFIDENTIAL

Note that SQL.PNO has a format ten spaces wide. You can change this format with the FORMAT clause of TTITLE (or BTITLE).

**Example 4-21**  
**Formatting a**  
**System-Maintained**  
**Value in a Title**

To closeup the space between the word PAGE: and the page number, re-enter the TTITLE command as shown:

```
SQL> TTITLE LEFT 'ACME WIDGET' RIGHT 'PAGE:' FORMAT 999 -  
> SQL. PNO SKIP 2
```

Now rerun the query:

```
SQL> /
```

SQL\*Plus displays the following results:

ACME WIDGET

PAGE: 1

DEPTNO	ENAME	SAL
30	JAMES	950
30	WARD	1250
30	MARTIN	1250
30	TURNER	1500
30	ALLEN	1600
30	BLAKE	2850

COMPANY CONFIDENTIAL

## Listing, suppressing, and Restoring Page Title Definitions

To list a page title definition, enter the appropriate title command with no clauses:

```
TTITLE  
BTITLE
```

To suppress a title definition, enter

```
TTITLE OFF  
BTITLE OFF
```

These commands cause SQL\*Plus to cease displaying titles on reports, but do not clear the current definitions of the titles. You may restore the current definitions by entering

```
TTITLE ON  
BTITLE ON
```

## Displaying Column Values in Titles

You may wish to create a master/detail report that displays a changing master column value at the top of each page with the detail query results for that value below. You can reference a column value in a top title by storing the desired value in a variable and referencing the variable in a TTITLE command. Use the following form of the COLUMN command to define the variable:

```
COLUMN column.name NEW_VALUE variable_name
```

You must include the master column in an ORDER BY clause and in a BREAK command using the SKIP PAGE clause.

### Example 4-22 Creating a Master/Detail Report

Suppose you want to create a report that displays two different managers' employee numbers, each at the top of a separate page, and the people reporting to the manager on the same page as the manager's employee number. First create a variable, MGRVAR to hold the value of the current manager's employee number:

```
SQL> COLUMN MGR NEW_VALUE MGRVAR NOPRINT
```

Because you will display the managers' employee numbers in the title, you do not want them to print as part of the detail. The NOPRINT clause you entered above tells SQL\*Plus not to print the column MGR.

Next, include a label and the value in your page title, enter the proper BREAK command, and suppress the bottom title from the last example:

```
SQL> TTITLE LEFT 'Managr: ' MGRVAR SKIP 2  
SQL> BREAK ON MGR SKIP PAGE  
SQL> BTITLE OFF
```

**Finally, enter and run the following query:**

```
SQL> SELECT MGR, ENAME, SAL, DEPTNO
2 FROM EMP
3 WHERE MGR IN (7698, 7839)
3 ORDER BY MGR;
```

**SQL\*Plus displays the following output**

Manager: 7698

ENAME	SAL	DEPTNO
ALLEN	1600	30
WARD	1250	30
TURNER	1500	30
MARTIN	1250	30
JAMES	950	30

Manager: 7839

ENAME	SAL	DEPTNO
JONES	2975	20
BLAKE	2850	30
CLARK	2450	10

If you want to print the value of a column at the bottom of the page, you can use the COLUMN command in the following form

```
COLUMN column_name OLD_VALUE variable_name
```

SQL\*Plus prints the bottom title as part of the process of breaking to a new page-after finding the new value for the master column. Therefore, if you simply referenced the NEW\_VALUE of the master column, you would get the value for the next set of detail. OLD\_VALUE remembers the value of the master column that was in effect before the page break began.

**Displaying the Current Date in Titles**

You can, of course, date your reports by simply typing a value in the title. This is satisfactory for ad-hoc reports, but if you want to run the same report repeatedly, you would probably prefer to have the date automatically appear when the report is run. You can do this by creating a variable to hold the current date.

To create the variable (in this example named `_DATE`), you can add the following commands to your SQL\*Plus LOGIN file:

```
SET TERMOUT OFF
BREAK ON TODAY
COLUMN TODAY NEW_VALUE_DATE
SELECT TO_CHAR ( SYSDATE, 'fmMonth DD, YYYY') TODAY
FROM DUAL ;
CLEAR BREAKS
SET TERMOUT ON
```

When you start SQL\*Plus, these commands place the value of `SYSDATE` (the current date) into a variable named `_DATE`. To display the current date, you can reference `_DATE` in a title as you would any other variable.

The date format model you include in the `SELECT` command in your LOGIN file determines the format in which SQL\*Plus displays the date. See your ORACLE7 Server SQL *Language Reference Manual* for more information on date format models.

You can also enter these commands interactively at the command prompt; see `COLUMN` in Chapter 6 for an example.

## Setting Page Dimensions

Typically, a page of a report contains a top title, column headings, your query results, and a bottom title. SQL\*Plus displays a report that is too long to fit on one page on several consecutive pages, each with its own titles and column headings. The amount of data SQL\*Plus displays on each page depends on the current page dimensions.

The default page dimensions used by SQL\*Plus are shown below:

- number of lines before the top title 1
- number of lines per page, from the top title to the bottom of the page 14
- number of characters per line: 80

You can change these settings to match the size of your computer screen or, for printing, the size of a sheet of paper.

You can change the page length with the system variables `NEWPAGE` and `PAGESIZE`. For example, you may wish to do so when you print a report, since printed pages are customarily 66 lines long, not 15 (the total number of lines per page is the sum of `PAGESIZE` and `NEWPAGE`).

To set the number of lines between the beginning of each page and the top title, use the NEWPAGE variable of the SET command:

```
SET NEWPAGE number_of_lines
```

If you set NEWPAGE to zero, SQL\*Plus skips zero lines and displays and prints a formfeed character to begin anew page. On most types of computer screens, the formfeed character clears the screen and moves the cursor to the beginning of the first line. When you print a report, the formfeed character makes the printer move to the top of a new sheet of paper, even if the overall page length is less than that of the paper.

To set the number of lines on a page from the top title on, use the PAGESIZE variable of the SET command:

```
SET PAGESIZE number_of_lines
```

You may wish to reduce the linesize to center a title properly over your output. Or, you may want to increase linesize for printing on wide paper. You can change the line width using the LINESIZE variable of the SET command:

```
SET LINESIZE number_of_characters
```

**Example 4-23**  
**Setting Page**  
**Dimensions**

To set the page size to 66 lines, clear the screen (or advance the printer to a new sheet of paper) at the start of each page, and set the linesize to 32, enter the following commands:

```
SQL> SET PAGESIZE 66  
SQL> SET NEWPAGE 0  
SQL> SET LINESIZE 32
```

Now enter and run the following commands to see the results:

```
SQL> TTITLE CENTER 'ACME WIDGET PERSONNEL REPORT' SKIP 1 -  
> CENTER '10-JAN-89' SKIP 2  
SQL> COLUMN DEPTNO HEADING DEPARTMENT  
SQL> COLUMN ENAME HEADING EMPLOYEE  
SQL> COLUMN SAL FORMAT $99,999 HEADING SALARY  
SQL> SELECT DEPTNO, ENAME, SAL  
2 FROM EMP  
3 ORDER BY DEPTNO;
```

**SQL\*Plus** displays a formfeed followed by the query results:

```
ACME WIDGET PERSONNEL REPORT
10-JAN-89
```

DEPARTMENT	EMPLOYEE	SALARY
10	CLARK	\$2,450
10	KING	\$5,000
10	MILLER	\$1,300
20	SMITH	\$800
20	ADAMS	\$1,100
20	FORD	\$3,000
20	SCOTT	\$3,000
20	JONES	\$2,975
30	ALLEN	\$1,600
30	BLAKE	\$2,850
30	MARTIN	\$1,250
30	JAMES	\$950
30	TURNER	\$1,500
30	WARD	\$1,250

Now reset **PAGESIZE**, **NEWPAGE**, and **LINESIZE** to their default values:

```
SQL> SET PAGESIZE 14
SQL> SET NEWPAGE 1
SQL> SET LINESIZE 80
```

To list the current values of these variables, use the **SHOW** command:

```
SQL> SHOW PAGESIZE
pagesize 14'
SQL> SHOW NEWPAGE
newpage 1
SQL> SHOW LINESIZE
linesize 80
```

## Storing and Printing Query Results

Through the SQL\*Plus command SPOOL, you can store your query results in a file or print them on your computer's default printer.

### Sending Results to a File

To store the results of a query in a file--d still display them on the screen--enter the SPOOL command in the following form:

```
SPOOL file_name
```

SQL\*Plus stores all information displayed on the screen after you enter the SPOOL command in the file you specify.

If you do not follow the file name with a period and an extension, SPOOL adds a default file extension to the filename to identify it as an output file. The default varies with the host operating system; on most hosts it is LST or LIS. See the Oracle installation and user's manual(s) provided for your operating system for more information.

SQL\*PLUS continues to spool information to the file until you turn spooling off, using the following form of SPOOL

```
SPOOL OFF
```

Send your query results to a file when you want to edit them with a word processor before printing, or include them in a letter, memo, or other document.

### Creating a Flat File

When moving data between different software products, it is sometimes necessary to use a "flat" file (an operating system file with no escape characters, headings or extra characters embedded). For example, if you do not have SQL\*Net, you need to create a flat file for use with SQL\*Loader when moving data from ORACLE Version 6 to ORACLE Version 5.

To create a flat file with SQL\*Plus, you first must enter the following SET commands:

```
SET NEWPAGE 0
SET SPACE 0
SET LINESIZE 80
SET PAGESIZE 0
SET ECHO OFF
SET FEEDBACK OFF
SET HEADING OFF
```

After entering these commands, you use the SPOOL command as shown in the previous section to actually create the flat file.

## **Sending Results to a Printer**

To print query results, spool them to a file as described in the previous section. Then, instead of using SPOOL OFF, enter the command in the following form:

```
SPOOL OUT
```

SQL\*Plus stops spooling and copies the contents of the spooled file to your host computer's standard (default) printer. SPOOL OUT does not delete the spool file after printing.

### **Example 4-24 Sending Query Results to a Printer**

To generate a final report and spool and print the results, create a command file named EMPRPT containing the following commands.

First, use EDIT to create the command file with your host operating system text editor. (Do not use INPUT and SAVE, or SQL\*Plus will add a slash to the end of the file, and will run the command file twice--once as a result of the semicolon and once due to the slash.)

```
SQL> EDIT EMPRPT
```

Next, enter the following commands into the file, using your text editor:

```
SPOOL TEMP
CLEAR COLUMNS
CLEAR BREAKS
CLEAR COMPUTES

COLUMN DEPTNO HEADING DEPARTMENT
COLUMN ENAME HEADING EMPLOYEE
COLUMN SAL HEADING SALARY FORMAT $99,999

BREAK ON DEPTNO SKIP 1 ON REPORT
COMPUTE SUM OF SAL ON DEPTNO
COMPUTE SUM OF SAL ON REPORT

SET PAGESIZE 21
SET NEWPAGE 0
SET LINESIZE 30

TTITLE CENTER 'A C M E   W I D G E T' SKIP 2 -
LEFT 'EMPLOYEE REPORT' RIGHT 'PAGE:' -
FORMAT 999 SQL.PNO SKIP 2

BTITLE CENTER 'COMPANY CONFIDENTIAL'

SELECT DEPTNO, ENAME, SAL
FROM EMP
ORDER BY DEPTNO;

SPOOL OUT
```

If you do not want to see the output on your screen, you can also add SET TERMOUT OFF to the beginning of the file and SET TERMOUT ON to the end of the file. Save the file (you automatically return to SQL\*Plus). Now, run the command file EMPRPT:

```
SQL> @EMPRPT
```

SQL\*Plus displays the output on your screen (unless you set TERMOUT to OFF), spools it to the file TEMP, and sends the contents of TEMP to your default printer:

```
      A C   M E   W I D G E T

EMPLOYEE REPORT          PAGE:   1

DEPARTMENT  EMPLOYEE      SALARY
-----
           10 CLARK          $2,450
              KING          $5,000
              MILLER        $1,300
*****
sum                    $8,750

           20 SMITH          $800
              ADAMS        $1,100
              FORD         $3,000
              SCOTT        $3,000
              JONES        $2,975

*****
sum                    $10,875

      COMPANY CONFIDENTIAL

      A C   M E   W I D G E T

EMPLOYEE REPORT          PAGE :  2
```

DEPARTMENT	EMPLOYEE	SALARY
-----	-----	-----
30	ALLEN	\$1,600
	BLAKE	\$2,850
	MARTIN	\$1,250
	JAMES	\$900
	TURNER	\$1,500
	WARD	\$1,250
*****		-----
sum		\$9,400
*****		-----
sum		\$29,025

COMPANY CONFIDENTIAL

CHAPTER

# 5

## ACCESSING DATABASES

**T**his chapter explains how to access databases through SQL\*Plus, and discusses the following topics:

- connecting to the default database
- connecting to a remote database
- copying data between different databases
- copying data between tables on the same database

Read this chapter while sitting at your computer, and try out the example shown. Before beginning, make sure you have access to the sample tables described in Chapter 1.

---

## Connecting to the Default Database

In order to access data in a given database, you must first connect to the database. When you start SQL\*Plus, you normally connect to your default ORACLE database, under the username and password you enter while starting. Once you have logged on, you can connect under a different username with the SQL\*Plus CONNECT command. The username and password must be valid for the database.

For example, to connect the username TODD to the default database using the password FOX, you could enter:

```
SQL> CONNECT TODD/ FOX
```

If you omit the username and password, SQL\*Plus prompts you for them. You also have the option of typing only the username following CONNECT and omitting the password (SQL\*Plus then prompts for the password). Because CONNECT first disconnects you from your current database, you will be left unconnected to any database if you use an invalid username and password in your CONNECT command.

You can disconnect the username currently connected to ORACLE without leaving SQL\*Plus by entering the SQL\*Plus command DISCONNECT at the SQL\*Plus command prompt.

---

## Connecting to a Remote Database

Many large installations run ORACLE on more than one computer. Such computers are often connected in a network, which permits programs on different computers to exchange data rapidly and efficiently. Networked computers can be physically near each other, or can be separated by large distances and connected by telecommunication links.

Databases on other computers or databases on your host computer other than your default database are titled *remote databases*. You can access remote databases if the desired database has SQL\*Net and both databases have compatible network drivers.

You can connect to a remote database in one of two ways:

- from within SQL\*Plus, using the CONNECT command
- as you start SQL\*Plus, using the SQLPLUS command

**Connecting to a Remote Database from within SQL\*Plus**

To connect to a remote database using `CONNECT`, include a SQL\*Net database specification in the `CONNECT` command in one of the following forms (the username and password you enter must be valid for the database to which you wish to connect):

- `CONNECT SCOTT@ database_ specification`
- `CONNECT SCOTT/TIGER@ database_specification`

SQL\*Plus prompts you for username and password as needed, and connects you to the specified database. This database becomes the default database until you `CONNECT` again to another database, `DISCONNECT`, or leave SQL\*Plus.

When you connect to a remote database in this manner, you can use the complete range of SQL and SQL\*Plus commands and PL/SQL blocks on the database.

The exact string you enter for the database specification depends upon the SQL\*Net protocol your computer uses. For more information, see `CONNECT` in Chapter 6 and the SQL\*Net manual appropriate for your protocol, or contact your DBA.

**Connecting to a Remote Database as You Start SQL\*Plus**

To connect to a remote database when you start SQL\*Plus, include the SQL\*Net database specification in your `SQLPLUS` command in one of the following forms:

- `SQLPLUS SCOTT@ database_specification`
- `SQLPLUS SCOTT /TIGER@ database_specificdtion`

You must use a username and password valid for the remote database and substitute the appropriate database specification for the remote database. SQL\*Plus prompts you for username and password as needed, starts SQL\*Plus, and connects you to the specified database. This database becomes the default database until you `CONNECT` to another database, `DISCONNECT`, or leave SQL\*Plus.

Once again, you can manipulate tables in the remote database directly after you connect in this manner.

## Copying Data from One Database to another

Use the SQL\*Plus COPY command to copy data between databases and between tables on the same database. With the COPY command, you can copy data between databases in the following ways:

- copy data from a remote database to your local database
- copy data from your local (default) database to a remote database (on most systems)
- copy data from one remote database to another remote database (on most systems)

**Note:** In general, the COPY command is to be used for copying data between ORACLE and non-ORACLE databases. You should use SQL commands (CREATE TABLE AS and INSERT) to copy data between ORACLE databases.

### Understanding COPY Command Syntax

You enter the COPY command in the following form:

```
COPY FROM database TO database action -  
destination_table (column_name, column_name, column_name ...) -  
USING query
```

Here is a sample COPY command:

```
COPY FROM SCOTT/TIGER@D:BOSTON-MFG -  
TO TODD/ FOX@D: CHICAGO-SALES -  
CREATE NEWDEPT (DNUMBER, DNAME, CITY ) -  
USING SELECT * FROM DEPT
```

To specify a database in the FROM or TO clause, you must have a valid username and password for the local and remote database(s) and know the appropriate database specification(s). COPY obeys ORACLE security, so that the username you specify must have been granted access to tables for you to have access to tables. For information on what databases are available to you, contact your DBA.

When you copy to your local database from a remote database, you can omit the TO clause. When you copy to a remote database from your local database, you can omit the FROM clause. When you copy between remote databases, you must include both clauses.

The COPY command behaves differently based on whether the destination table already exists and on the action clause you enter (CREATE in the example above). See "Controlling Treatment of the Destination Table" later in this chapter.

By default, the copied columns have the same names in the destination table that they have in the source table. If you want to give new names to the columns in the destination table, enter the new names in parentheses after the destination table name. If you enter any column names, you must enter a name for every column you are copying.

**Note:** To enable the copying of data between ORACLE and non-ORACLE databases, NUMBER columns are changed to DECIMAL columns in the destination table. Hence, if you are copying between ORACLE databases, a NUMBER column with no precision will be changed to a DECIMAL(38) column. When copying between ORACLE databases you should use SQL commands (CREATE TABLE AS and INSERT) or you should ensure that your columns have a precision specified.

The USING clause specifies a query that names the source table and specifies the data that COPY copies to the destination table. You can use any form of the SQL SELECT command to select the data that the COPY command copies.

Here is an example of a COPY command that copies only two columns from the source table, and copies only those rows in which the value of DEPTNO is 30:

```
SQL> COPY FROM SCOTT /TIGER@D: BOSTON-MFG -  
> REPLACE EMPCOPY2 -  
> USING SELECT ENAME, SAL -  
> FROM EMPCOPY -  
> WHERE DEPTNO = 30
```

You may find it easier to enter and edit long COPY commands in command files rather than trying to enter them directly at the command prompt.

### **Controlling Treatment of the Destination Table**

You control the treatment of the destination table by entering one of four control clauses-REPLACE, CREATE, INSERT, or APPEND.

The REPLACE clause names the table to be created in the destination database, and specifies the following actions:

- If the destination table already exists, COPY drops the existing table and replaces it with a table containing the copied data.
- If the destination table does not already exist, COPY creates it using the copied data.

You can use the CREATE clause to avoid accidentally writing over an existing table. CREATE specifies the following actions:

- If the destination table already exists, COPY reports an error and stops.
- If the destination table does not already exist, COPY creates the table using the copied data.

Use INSERT to insert data into an existing table. INSERT specifies the following actions:

- If the destination table already exists, COPY inserts the copied data in the destination table.
- If the destination table does not already exist, COPY reports an error and stops.

Use APPEND when you want to insert data in an existing table, or create anew table if the destination table does not exist. APPEND specifies the following actions:

- If the destination table already exist, COPY inserts the copied data in the destination table.
- If the table does not already exist, COPY creates the table and then inserts the copied data init.

**Example 5-1**  
**Copying from a Remote**  
**Database to Your Local**  
**Database Using**  
**CREATE**

To copy EMP from a remote database into a table called EMPCOPY on your own database, enter the following command.

Note: See your DBA for an appropriate username, password, and database specification for a remote computer that contains a copy of EMP.

```
SQL> COPY FROM SCOTT/TIGER@D:BOSTON-MFG -  
> CREATE EMPCOPY -  
> USING SELECT * FROM EMP
```

SQL\*Plus displays the following messages:

```
Array fetch/bind size is 20. (arraysize is 20)  
Will commit when done. (copy commit is 0 )  
Maximum long size is 80. (long is 80)
```

SQL\*Plus then creates the table EMPCOPY, copies the rows, and displays the following additional messages:

```
Table EMPCOPY created.
```

```
14 rows selected from SCOTT@D:BOSTON-MFG.  
14 rows inserted into EMPCOPY.  
14 rows committed into EMPCOPY at DEFAULT HOST connection.
```

In this COPY command, the FROM clause directs COPY to connect you to the database with the specification D:BOSTON-MFG as SCOTT, with the password TIGER.

Notice that you do not need a semicolon at the end of the command; COPY is a SQL\*Plus command, not a SQL command, even though it contains a query. Because most COPY commands are longer than one line, you must use a hyphen (-), optionally preceded by a space, at the end of each line except the last.

### **Interpreting the Messages that COPY Displays**

The first three messages displayed by COPY show the values of SET command variables that affect the COPY operation. The most important one is LONG, which limits the length of a LONG column's value. (LONG is a datatype, similar to CHAR) If the source table contains a LONG column, COPY truncates values in that column to the length specified by the system variable LONG.

The variable ARRAYSIZE limits the number of rows that SQL\*Plus fetches from the database at one time. This number of rows makes up a *batch*. The variable COPYCOMMIT sets the number of batches after which COPY commits changes to the database. (If you set COPYCOMMIT to zero, COPY commits changes only after all batches are copied.) For more information on the variables of the SET command, including how to change their settings, see SET in Chapter 6.

After listing the three system variables and their values, COPY tells you if a table was dropped, created, or updated during the copy. Then COPY lists the number of rows selected, inserted, and committed.

### **Specifying another User's Table**

You can refer to another user's table in a COPY command by qualifying the table name with the username, just as you would in your local database, or in a query with a database link.

For example, to make a local copy of a table named DEPT, owned by the username ADAMS on D:BOSTON-MFG, you would enter:

```
SQL> COPY FROM SCOTT/TIGER@D: BOSTON-MFG -  
> CREATE EMPCOPY2 -  
> USING SELECT * FROM ADAMS.DEPT
```

Of course, you could get the same result by instructing COPY to log on to the remote database as ADAMS. You cannot do that, however, unless you know the password associated with the username ADAMS.

---

## Copying Data between Tables on One Database

You can copy data from one table to another in a single database (local or remote). To copy between tables in your local database, specify your own username and password and the database specification for your local database in either a FROM or a TO clause (omit the other clause):

```
SQL> COPY FROM SCOTT/TIGER@D:MYDATABASE -  
> INSERT EMPCOPY2 -  
> USING SELECT * FROM EMP
```

To copy between tables on a remote database, include the same username, password, and database specification in the FROM and TO clauses:

```
SQL> COPY FROM SCOTT/TIGER@D:BOSTON-MFG -  
> TO SCOTT /TIGER@D:BOSTON-MFG -  
> INSERT EMPCOPY2 -  
> USING SELECT * FROM EMP
```

PART

***II***

REFERENCE

# 6

## COMMAND REFERENCE

**T**his chapter contains descriptions of SQL\*PLUS commands, listed alphabetically. Use this chapter for reference only. Each description contains the following parts:

Purpose	Discusses the basic use(s) of the command.
Syntax	Shows how to enter the command. Refer to Chapter 1 for an explanation of the syntax notation.
Terms and Clauses	Describes the function of each term or clause appearing in the syntax.
Usage Notes	Provides added information on how the command works and on uses of the command.
Examples	Gives one or more examples of the command.

A summary table that lists and briefly describes SQL\*Plus commands. precedes the individual command descriptions.

To access online help for SQL\*Plus commands, you can type HELP followed command name at the SQL command prompt. For example:

```
SQL> HELP ACCEPT
```

If you get a response that help is unavailable, consult your database administrator. See the HELP command for more information.

## SQL\*Plus Command Summary

<i>Command</i>	<i>Description</i>
@	Runs the specified command file.
@@	Runs a nested command file.
/	Executes the SQL command or PL/SQL block currently stored in the SQL buffer.
ACCEPT	Reads a line of input and stores it in a given user variable.
APPEND	Adds specified text to the end of the current line in the buffer.
BREAK	Specifies where and how formatting will change in a report, or lists the current break down.
BTITLE	Places and formats a specified title at the bottom of each report page, or lists the current BTITLE definition.
CHANGE	Changes text on the current line in the buffer.
CLEAR	Resets or erases the current value or setting for the specified option, such as BREAKS or COLUMNS.
COLUMN	Specifies display attributes for a given column. Or, lists the current display attributes for a single column or for all columns.
COMPUTE	Calculates and prints summary lines, using various standard computations, on subsets of selected rows. Or, lists all COMPUTE definitions.
CONNECT	Connects a given username to ORACLE.
COPY	Copies data from a query to a table in a local or remote database
DEFINE	Specifies a user variable and assigns it a CHAR value. Or, lists the value and variable type of a single variable or all variables.
DEL	Deletes the current line of the buffer.
DESCRIBE	Lists the column definitions for the specified table, view, or synonym.
DISCONNECT	Commits pending changes to the database and logs the current username off ORACLE, but does not exit SQL*Plus.
EDIT	Invokes a host operating system text editor on the contents of the specified file or on the contents of the buffer.

<i>Command</i>	<i>Description</i>
EXECUTE	Executes a single PL/SQL statement.
EXIT	Commits all pending database changes, terminates SQL*Plus, and returns control to the operating system.
GET	Loads a host operating system file into the buffer.
HELP	Accesses the SQL*Plus help system.
HOST	Executes a host operating system command without leaving SQL*Plus.
INPUT	Adds one or more new lines after the current line in the buffer.
LIST	Lists one or more lines of the buffer.
PAUSE	Displays an empty line followed by a line containing text, then waits for the user to press [Return]. Or, displays two empty lines and waits for the user's response.
PRINT	Lists the current value of a bind variable.
PROMPT	Sends the specified message or a blank line to the user's screen.
REMARK	Begins a comment in a commands file.
RUN	Lists and executes the SQL command or PL/SQL block currently stored in the SQL buffer.
RUNFORM	Invokes a SQL*Forms application from within SQL*Plus.
SAVE	Saves the contents of the buffer in a host operating system file (a command file).
SET	Establishes an aspect of the SQL*Plus environment for your current session.
SHOW	Lists the value of a SQL*Plus system variable.
SPOOL	Stores query results in an operating system file and, optionally, sends the file to a default printer. Also lists the current spooling status.
SQLPLUS	Starts SQL*Plus from the operating system prompt.
START	Executes the contents of the specified command file.
TIMING	Records timing data for an elapsed period of time, lists the current timing area's title and timing data, or lists the number of active timing areas.

<i>Command</i>	<i>Description</i>
TTITLE	Places and formats a specified title at the top of each report page, or lists the current TTITLE definition.
UNDEFINE	Deletes a given user variable that you defined either explicitly (with the DEFINE command) or implicitly (with an argument to the START command).
VARIABLE	Declares a bind variable which can be referenced in PL/SQL.
WHENEVER OSERROR	Exits SQL*Plus if an OS command generates an error.
WHENEVER SQLERROR	Exits SQL*Plus if a SQL command or PL/SQL block generates an error.

## @ ("at" sign)

**Purpose** Runs the specified command file.

**Syntax** @file\_name[.ext] [ arg1 arg2 . . . ]

**Terms and Clauses** Refer to the following list for a description of each term or clause:

`file_name [.ext]` Represents the command file you wish to run. If you omit *ext*, SQL\*Plus assumes the default command-file extension (normally SQL). For information on changing the default extension, see the SUFFIX variable of the SET command in this chapter.

When you enter `@file_name.ext`, SQL\*Plus searches for a file with the filename and extension you specify in the current default directory. If SQL\*Plus does not find such a file, SQL\*Plus will search a system-dependent path to find the file. Some operating systems may not support the path-search. Consult the Oracle installation and user's manual(s) provided for your operating system for specific information related to your operating system environment.

Note that you can omit the space between the "at" sign (@) and the command-file name.

`arg1 arg2 . . .` Represent data items you wish to pass to parameters in the command file. If you enter one or more arguments, SQL\*Plus substitutes the values into the parameters (&1, &2, and so forth) in the command file. The first argument replaces each occurrence of &1, the second replaces each occurrence of &2, and so forth.

The "at" sign@ command DEFINES the parameters with the values of the arguments; if you run the command file again in this session, you can enter new arguments or omit the arguments to use the old values.

For more information on using parameters, refer to the subsection "Passing Parameters through the START Command" under "Writing Interactive Commands" in Chapter 3.

**Usage Notes** You can include in a command file any command you would normally enter interactively (typically, SQL or SQL\*Plus commands).  
The "at" sign command functions the same as START.

**Example** To run a command file named PRINTRPT with the extension SQL, enter:

```
SQL> @PRINTRPT
```

To run command file named WKRPT with the extension QRY, enter:

```
SQL> @WKRPT . QRY
```

## @@ (double "at" sign)

**Purpose** Runs a nested command file. This command is identical to the @ "at" sign) command except that it looks for the specified command file in the same path as the command file from which it was called.

**Syntax** @@ file\_name [. ext ]

**Terms and Clauses** Refer to the following list for a description of each term or clause:

*file\_name* [.ext ] Represents the nested command file you wish to run. If you omit *ext*, SQL\*Plus assumes the default command-file extension (normally SQL). For information on changing the default extension, see the SUFFIX variable of the SET command in this chapter.

When you enter @@ *file\_name.ext* within a command file, SQL\*Plus searches for a file with the file name and extension you specify in the same path as the command file. If SQL\*Plus does not find such a file, SQL\*Plus will search a system-dependent path to find the file. Some operating systems may not support the path-search. Consult the Oracle installation and user's manual(s) provided for your operating system for specific information related to your operating system environment.

Note that you can omit the space between the double "at" sign (@@) and the command-file name.

**Usage Notes** You can include in a command file any command you would normally enter interactively (typically, SQL or SQL\*Plus commands).

**Example** Suppose that you have the following command file named PRINTRPT:

```
SELECT * FROM EMP
@EMPRPT
@@ WKRPT
```

When you run PRINTRPT and it reaches the @ command, it looks for the command file named EMPRPT in the current working directory and runs it. When PRINTRPT reaches the @@ command, it looks for the command file named WKRPT in the same path as PRINTRPT and runs it.

## / (slash)

**Purpose** Executes the SQL command or PL/SQL block currently stored in the SQL buffer.

**Syntax** /

**Usage Notes** You can enter a slash (/) at the command prompt or at a line number prompt for a continuing command or block in the SQL buffer.

The slash command functions similarly to RUN, but does not list the command in the buffer on your screen.

Executing a SQL command or PL/SQL block using the slash command will not cause the current line number in the SQL buffer to change unless the command in the buffer contains an error. In that case SQL\*Plus changes the current line number to the number of the line containing the error.

**Example** To see the SQL command(s) you will execute, you can list the contents of the buffer:

```
SQL> LIST
1* SELECT ENAME, JOB FROM EMP WHERE ENAME = 'JAMES'
```

Enter a slash (/) to the command prompt to execute the command(s) in the buffer:

```
SQL> /
```

For the above query, SQL\*Plus displays the following output:

```
ENAME      JOB
-----
JAMES      CLERK
```

## ACCEPT

**Purpose** Reads a line of input and stores it in a given user variable.

**Syntax** ACC[EPT] variable [NUM[BER] | CHAR]  
[PROMPT text |NOPR|OMPT|]  
[HIDE]

**Terms and Clauses** Refer to the following list for a description of each term or clause:

variable	Represents the name of the variable in which you wish to store a value. If variable does not exist, SQL*Plus creates it.
NUM[BER]	Restricts the datatype of <i>variable</i> to the datatype NUMBER. If the reply does not match the datatype, ACCEPT gives an error message and terminates.
CHAR	Restricts the datatype of <i>variable</i> to the datatype CHAR. If the reply does not match the datatype, ACCEPT gives an error message and terminates.
PROMPT text	Displays text on-screen before accepting the value of <i>variable</i> from the user.
<u>NOPR OMPT </u>	Skips a line and waits for input without displaying a prompt.
HIDE	Suppresses the display as you type the reply.

**Examples** To display the prompt, "Salary: " and place the reply in a NUMBER variable named SALARY, enter:

```
SQL> ACCEPT salary NUMBER PROMPT 'Salary: '
```

To display the prompt, "Password ", to place the reply in a CHAR variable named PSWD, and to suppress the display, enter:

```
SQL> ACCEPT salary CHAR PROMPT 'Password: ' HIDE
```

**Usage Notes** To display a percent sign (%) in your PROMPT string, you need to specify %%. For example:

```
SQL> ACCEPT mystr CHAR PROMPT 'mystr (%% ): '
```

## APPEND

**Purpose** Adds specified text to the end of the current line in the buffer.

**Syntax** A [APPEND] text

**Terms and Clauses** Refer to the following list for a description of each term or clause:

*text* Represents the text you wish to append. If you wish to separate text from the preceding characters with a space, enter two spaces between APPEND and text.

To APPEND *text* that ends with a semicolon, end the command with two semicolons (SQL\*Plus interprets a single semicolon as an optional command terminator).

**Examples** To append a space and the column name DEPT to the second line of the buffer, make that line the current line by listing the line as follows:

```
SQL> 2
      2* FROM EMP,
```

Now enter APPEND:

```
SQL> APPEND DEPT
SQL> 2
      2* FROM EMP, DEPT
```

Notice the double space between APPEND and DEPT. The first space separates APPEND from the characters to be appended; the second space becomes the first appended character.

To append a semicolon to the line, enter:

```
SQL> APPEND ; ;
```

SQL\*Plus appends the first semicolon to the line and interprets the second as the terminator for the APPEND command.

---

## BREAK

**Purpose** Specifies where and how formatting will change in a report, such as:

- suppressing display of duplicate values for a given column
- skipping a line each time a given column value changes
- printing COMPUTED figures each time a given column value changes or at the end of the report (see also the COMPUTE command)

Also lists the current BREAK definition.

**Syntax** `BRE[AK] [ON report_ element [action [action]]] . . .`

where:

`report_element` Requires the following syntax:

`{ column | expr | ROW | REPORT }`

`action` Requires the following syntax:

`[SKIP] n1 [SKI[P]] PAGE  
[DUP[LICATES] | DUP[LICATES]]`

**Terms and Clauses** Refer to the following list for a description of each term or clause:

`ON column [action [action] ]`

When you include action(s), specifies action(s) for SQL\*PLUS to take whenever a break occurs in the specified column (called the *break column*). (*column* cannot have a table or view prepended to it. To achieve this, you can alias the column in the SQL statement.) A break is one of three events

- a change in the value of a column or expression
- the output of a row
- the end of a report

When you omit action(s), BREAK ON *column* suppresses printing of duplicate values in *column* and marks a place in the report where SQL\*Plus will perform the computation you specify in a corresponding COMPUTE command.

You can specify ON *column* one or more times. If you specify multiple ON clauses, as in:

```
SQL> BREAK ON DEPTNO SKIP PAGE ON JOB SKIP 1-  
> ON SAL SKIP 1
```

The first ON clause represents the *outermost break* (in this case, ON DEPTNO) and the last ON clause represents the *innermost break* (in this case, ON SAL). SQL\*Plus searches each row of output for the specified break(s), starting with the outermost break and proceeding in the order you enter the clauses to the innermost. In the example, SQL\*Plus searches for a change in the value of DEPTNO, then JOB, then SAL.

Next, SQL\*Plus executes actions beginning with the action specified for the innermost break and proceeding in reverse order toward the outermost break (in this case from SKIP 1 for ON SAL toward SKIP PAGE for ON DEPTNO). SQL\*Plus executes each action up to and including the action specified for the first occurring break encountered in the initial search.

If, for example, in a given row the value of JOB changes but the values of DEPTNO and SAL remain the same--SQL\*Plus skips *two* lines before printing the row (one as a result of SKIP 1 in the ON SAL clause and one as a result of SKIP 1 in the ON JOB clause).

Whenever you use ON *column*, you should also use an ORDER BY clause in the SQL SELECT command. Typically, the columns used in the BREAK command should appear in the same order in the ORDER BY clause (although all columns specified in the ORDER BY clause need not appear in the BREAK command). This prevents breaks from occurring at meaningless points in the report.

With the above BREAK command, the following SELECT command produces meaningful results:

```
SQL> SELECT DEPTNO, JOB, SAL, ENAME
       2 FROM EMP
       3 ORDER BY DEPTNO, JOB, SAL, ENAME;
```

All rows with the same DEPTNO print together on one page, and within that page all rows with the same JOB print in groups. Within each group of jobs, jobs with the same SAL print in groups. Breaks in ENAME cause no action, because ENAME does not appear in the BREAK command.

`ON expr [action [action]]`

When you include action(s), specifies action(s) for SQL\*Plus to take when the value of the expression changes.

When you omit action(s), `BREAK ON expr` suppresses printing of duplicate values of `expr` and marks a place in the report where SQL\*Plus will perform the computation you specify in a corresponding `COMPUTE` command.

You can use an expression involving one or more table columns or an alias assigned to a report column in a SQL `SELECT` or SQL\*Plus `COLUMN` command. If you use an expression in a `BREAK` command, you must enter `expr` exactly as it appears in the `SELECT` command. If the expression in the `SELECT` command is `a+b`, for example, you cannot use `b+a` or `(a+b)` in a `BREAK` command to refer to the expression in the `SELECT` command.

The information given above for `ON column` also applies to `ON expr`.

`ON ROW [action [action] ]`

When you include action(s), specifies action(s) for SQL\*Plus to take when a SQL `SELECT` command returns a row. The `ROW` break becomes the inner most break regardless of where you specify it in the `BREAK` command. You should always specify an action when you `BREAK` on a row.

`ON REPORT`

Marks a place in the report where SQL\*Plus will perform the computation you specify in a corresponding `COMPUTE` command. Use `BREAK ON REPORT` in conjunction with `COMPUTE` to print grand totals or other "grand" computed values.

The `REPORT` break becomes the outermost break regardless of where you specify it in the `BREAK` command.

Refer to the following list for a description of each action

`SKI[P] n`

Skips `n` lines before printing the row where the break occurred.

<code>[SKIP] PAGE</code>	Skips the number of lines that are defined to be a page before printing the row where the break occurred. The number of lines per page can be set via the PAGESIZE clause of the SET command. Note that PAGESIZE only changes the number of lines that SQL*Plus considers to be a page. Thus SKIP PAGE may not always cause a physical page break, unless you have also specified NEWPAGE O.
<code><u>NODUP</u> [<u>LICATES</u> ]</code>	Prints blanks rather than the value of a break column when the value is a duplicate of the column's value in the preceding row.
<code>DUP [LICATES]</code>	Prints the value of a break column in every selected row.

Enter BREAK with no clauses to list the current break definition.

**Usage Notes** Each new BREAK command you enter replaces the preceding one.

When you use COMPUTE with BREAK, the label for the computed value normally appears in the first column. However, if the COMPUTE is being performed on the first column, you should create a dummy first column for the label using the COLUMN command. Otherwise, the label will not appear.

**Example** To produce a report that prints duplicate job values, prints the average of SAL and inserts one blank line when the value of JOB changes, and *additionally* prints the sum of SAL and inserts another blank line when the value of DEPTNO changes, you could enter the following commands. (The example selects departments 10 and 30 and the jobs of clerk and salesman only.)

```
SQL> BREAK ON DEPTNO SKIP 1 ON JOB SKIP 1 DUPLICATES
SQL> COMPUTE SUM OF SAL ON DEPTNO
SQL> COMPUTE AVG OF SAL ON JOB
SQL> SELECT DEPTNO, JOB, ENAME, SAL FROM EMP
  2 WHERE JOB IN ('CLERK', 'SALESMAN')
  3 AND DEPTNO IN (10, 30)
  4 ORDER BY DEPTNO, JOB;
```

The following output results:

DEPTNO	JOB	ENAME	SAL
-----	-----	-----	-----
10	CLERK	MILLER	1300
	*****		-----
	avg		1300
*****			-----
sum			1300
30	CLERK	JAMES	1045
	*****		-----
	avg		1045
	SALESMAN	ALLEN	1760
	SALESMAN	MARTIN	1375
	SALESMAN	TURNER	1650
	SALESMAN	WARD	1375
	*****		-----
	avg		1540
*****			-----
sum			7205

## BTITLE

**Purpose** Places and formats a specified title at the bottom of each report page, or lists the current BTITLE definition.

Note: For a description of the old form of BTITLE, see BTITLE (old form) in Appendix F.

**Syntax** BTI[TLE] [printspec [text I variable]...]  
[OFF ION]

**Terms and Clauses** Refer to the TTITLE command for additional information on terms and clauses in the BTITLE command syntax.

Enter BTITLE with no clauses to list the current BTITLE definition.

**Usage Notes** SQL\*Plus interprets BTITLE in the new form if a valid *printspec* clause (LEFT, SKIP, COL, etc) immediately follows the command name.

For information on printing page numbers in the title, see TTITLE.

**Examples** To set a bottom title with CORPORATE PLANNING DEPARTMENT on the left and a date on the right, enter:

```
SQL> BTITLE LEFT 'CORPORATE PLANNING DEPARTMENT' -  
> RIGHT '11 Mar 1988'
```

To set a bottom title with CONFIDENTIAL in column 50, followed by 6 spaces and a date, enter:

```
SQL> BTITLE COL 50 'CONFIDENTIAL' TAB 6 '11 Mar 88'
```

---

## CHANGE

**Purpose** Changes text on the current line in the buffer.

**Syntax** C[CHANGE] *sepchar* *old* [*sepchar* [*new* [ *sepchar* ]]]

**Terms and Clauses** Refer to the following list for a description of each term or clause:

<i>sepchar</i>	Represents any non-alphanumeric character such as "/" or "!". Use a <i>sepchar</i> that does not appear in <i>old</i> or <i>new</i> . You can omit the space between CHANGE and the first <i>sepchar</i> .
<i>old</i>	Represents the text you wish to change. CHANGE ignores case in searching for <i>old</i> . For example,  CHANGE / aq/ aw  will find the first occurrence of "aq", "AQ", "aQ", or "Aq" and change it to "aw". SQL*Plus inserts the <i>new</i> text exactly as you specify it.  If <i>old</i> is prefixed with "...", it matches everything up to and including the first occurrence of <i>old</i> . If it is suffixed with "..", it matches the first occurrence of <i>old</i> and everything that follows on that line. If it contains an embedded "...", it matches everything from the preceding part of <i>old</i> through the following part of <i>old</i> .
<i>new</i>	Represents the text with which you wish to replace <i>old</i> . If you omit <i>new</i> and, optionally, the second and third <i>sepchars</i> , CHANGE deletes <i>old</i> from the current line of the buffer.

**Usage Notes** CHANGE changes the existing text you specify from the current line of the buffer to the new text you specify. The current line is marked with an asterisk (\*) in the LIST output.

You can also use CHANGE to modify a line in the buffer that has generated an ORACLE error. SQL\*Plus sets the buffer's current line to the line containing the error so that you can make modifications.

To re-enter an entire line, you can type the line number followed by the new contents of the line. If you specify a line number larger than the number of lines in the buffer, and follow the number with text, SQL\*Plus adds the text in a new line at the end of the buffer. If you specify zero ("0") for the line number and follow the zero with text, then SQL\*Plus inserts the line at the beginning of the buffer (that line becomes line 1).

**Examples** Assume the current line of the buffer contains the following text

```
4* WERE JOB IS IN ('CLERK', 'SECRETARY', 'RECEPTIONIST')
```

Enter the following command:

```
SQL> C /RECEPTIONIST/GUARD/
```

The text in the buffer changes as follows:

```
4* WHERE JOB IS IN ('CLERK','SECRETARY','GUARD')
```

Or enter the following command:

```
SQL> C /'CLERK',.../'CLERK'//
```

The original line changes to:

```
4* WHERE JOB IS IN ('CLERK')/
```

Or enter the following command:

```
SQL>C/(...('COOK','BUTLER'))
```

The original line changes to:

```
4* WERE JOB IS IN ('COOK','BUTLER')
```

You can replace the contents of an entire line using the line number.

This entry

```
SQL> 2 FROM EMP e1
```

causes the second line of the buffer to be replaced with:

```
FROM EMP e1
```

**Note:** Entering a line number followed by a string will replace the line regardless of what text follows the line number. Thus,

```
SQL> 2 c/old/new/
```

will change the second line of the buffer to be:

```
SQL> c/old/new
```

---

## CLEAR

**Purpose** Resets or erases the current value or setting for the specified option.

**Syntax** `CL[EAR]option`

where *option* represents one of the following clauses:

```
BRE [AKS ]
BUFF [ ER]
COL [UMNS ]
COMP [UTES ]
SCR [ EEN ]
SQL
TIMI [NG]
```

**Terms and Clauses** Refer to the following list for a description of each term or clause:

<code>BRE [ AKS ]</code>	Removes the break definition set by the BREAK command.
<code>BUFF [ ER]</code>	Clears text from the buffer. CLEAR BUFFER has the same effect as CLEAR SQL, unless you are using multiple buffers (see SET BUFFER in Appendix F).
<code>COL [UMNS ]</code>	Resets column display attributes set by the COLUMN command to default settings for all columns. To reset display attributes for a single column, use the CLEAR clause of the COLUMN command.
<code>COMP [UTES ]</code>	Removes all COMPUTE definitions set by the COMPUTE command.
<code>SCR [ EEN]</code>	Clears your screen.
<code>SQL</code>	Clears the text from SQL buffer. CLEAR SQL has the same effect as CLEAR BUFFER, unless you are using multiple buffers (see SET BUFFER in Appendix F).
<code>TIMI [NG]</code>	Deletes all timing areas created by the TIMING command.

**Examples** To clear breaks, enter:

```
SQL> CLEAR BREAKS
```

To clear column definitions, enter:

```
SQL> CLEAR COLUMNS
```

## COLUMN

**Purpose** Specifies display attributes for a given column, such as:

- text for the column heading
- alignment of the column heading
- format for NUMBER data
- wrapping of column data

Also lists the current display attributes for a single column or all columns.

**Syntax** `col[UMN] [{column|expr} [Option ...]]`

where option represents one of the following clauses:

```
ALI [AS] alias
CLE [AR]
COLOR{color|color_variable}
FOLD_A[FTER ]
FOLD_B [EFORE]
FOR [MAT ] format
HEA[DING]text
JUS[TIFY] {L[EFT] |C[ENTER] |C[ENTRE] |R[IGHT] )
LIKE {expr| alias}
LINEAPP{LINE|MARK|BOTH}
NEWL [INE]
NEW_V[ALUE]variable
NOPRI [NT] 1 PRI[NT]
NUL [L] char
OLD_V[ALUE]variable
ON 1OFF
PATTERN{pattern_number|pattern_variable}
WRA [ PPED] | WOR [D_WRAPPED] | TRU [NCATED]
```

**Terms and Clauses** Enter COLUMN followed by *column* or *expr* and no other clauses to list the current display attributes for only the specified column or expression. Enter COLUMN with no clauses to list all current column display attributes.

Refer to the following list for a description of each term or clause:

<code>{ column   expr }</code>	<p>Identifies the data item (typically, the name of a column) in a SQL SELECT command to which the column command refers. If you use an expression in a COLUMN command, you must enter <i>expr</i> exactly as it appears in the SELECT command. If the expression in the SELECT command is a+b, for example, you cannot use b+a or (a+b) in a COLUMN command to refer to the expression in the SELECT command.</p> <p>If you select columns with the same name from different tables, a COLUMN command for that column name will apply to both columns. That is, a COLUMN command for the column ENAME applies to all columns named ENAME that you reference in this session. COLUMN ignores table name prefixes in SELECT commands. Also, spaces are ignored unless the name is placed in double quotes.</p> <p>To format the columns differently, assign a unique alias to each column within the SELECT command itself (do not use the ALIAS clause of the COLUMN command) and enter a COLUMN command for each column's alias.</p>
<code>ALI [AS] alias</code>	<p>Assigns a specified <i>alias</i> to a column, which can be used to refer to the column in BREAK, COMPUTE, and other COLUMN commands.</p>
<code>CLE[AR]</code>	<p>Resets the display attributes for the column to default values.</p>
<code>COLOR{ color   color_variable }</code>	<p>Is described in the <i>SQL*Graph User's Guide</i>.</p>
<code>FOLD_A [FTER]</code>	<p>Inserts a carriage return after the column heading and after each row in the column.</p>
<code>FOLD_B [EFORE]</code>	<p>Inserts a carriage return before the column heading and before each row of the column.</p>
<code>FOR [ MAT] format</code>	<p>Specifies the display format of the column. The format specification must be a text constant such as A10 or \$9,999-not a variable.</p>

**Character Columns** A CHAR or VARCHAR2 (VARCHAR) column's width defaults to the column's width as defined in the database or to the length of the column's heading, whichever is longer. SQL\*Plus formats CHAR and VARCHAR2 (VARCHAR) data left-justified. If a value does not fit within the column width, SQL\*Plus wraps or truncates the character string depending on the setting of SET WRAP. The width cannot exceed 32,767 or the value set with SET MAXDATA. (VARCHAR2 requires ORACLE7.)

LONG column's width defaults to the value of SET LONGCHUNKSIZE or SET LONG, whichever one is smaller.

A Trusted ORACLE column of datatype MLSLABEL or RAW MLSLABEL defaults to the width defined for the column in the database or the length of the column's heading, whichever is longer. The default display width for a Trusted ORACLE column of datatype ROWLABEL is 15.

To change the width of a CHAR, VARCHAR2 (VARCHAR), LONG, or Trusted ORACLE column to *n*, use FORMAT An. (A stands for alphanumeric.) If you specify a width shorter than the column heading, SQL\*Plus truncates the heading. If you make the width of a LONG column greater than LONGCHUNKSIZE, LONGCHUNKSIZE is automatically increased to equal the column's width.

**DATE Columns** For ORACLE7, the default width for unformatted DATE columns in SQL\*Plus is derived from the default format specified via initialization parameter in a parameter file. Otherwise, the default width is A9.

To change the format of a DATE column, use the SQL function TO\_CHAR in your SQL SELECT command. When you use TO\_CHAR, ORACLE automatically allows for a very wide column, so SQL\*Plus automatically sets the column width to 80 characters. To reset the width of the column, use the COLUMN command with FORMAT An, where *n* is the desired display width. If *n* is shorter than the column heading, SQL\*Plus truncates the heading. For more information on TO\_CHAR, see your ORACLE7 *Server SQL Language Reference Manual*.

**Note:** SQL calculations may cause a column to become very wide; in such cases you should also use the SQL\*Plus COLUMN command to reset the column width.

**NUMBER Columns** A NUMBER column's width defaults to the value of SET NUMWIDTH. To change the width, use FORMAT followed by an element as specified in Table 6-1.

**TABLE 6-1**  
**Number Formats**

<i>Element</i>	<i>Example(s)</i>	<i>Description</i>
9	9999	Determines the display width by the number of digits entered. Does not display leading zeroes.
0	0999 9990	Displays leading zeroes. Displays zero instead of a blank when a value is zero.
\$	\$9999	Prefixes a dollar sign to a value.
B	B9999	Displays a zero value as blank
MI	9999MI	Displays "-" after a negative value.
PR	9999PR	Displays a negative value in angle brackets.
comma	9,999	Displays a comma in the position indicated.
period	99.99	Aligns the decimal point in the position indicated.
V	999V99	Multiplies value by <i>n</i> , where <i>n</i> is the number of "9's" after the "V."
EEEE	9.999EEEE	Displays in scientific notation (format must contain exactly four "E's.")
DATE	DATE	Displays value as a date in MM/DD/YY format; used to format NUMBER columns that represent Julian dates.

SQL\*Plus formats NUMBER data right-justified. The field width equals the width of the heading or the format plus one space for the sign, whichever is greater. If you specify a width shorter than the column heading, SQL\*Plus truncates the heading. If a value does not fit within the column width, SQL\*Plus displays an asterisk (\*) in place of each digit the width allows to indicate overflow.

With all number formats, SQL\*Plus rounds a number to the specified number of significant digits. When no format is given, a number's width defaults to the value of NUMWIDTH (see the SET command in this chapter).

HEA [DING] *text*

Defines a column heading. If you do not use a HEADING clause, the column's heading defaults to *column* or *expr*. If *text* contains blanks or punctuation characters, you must enclose it with single or double quotes. Each occurrence of the HEADSEP character (by default, '|') begins a new line. For example,

```
COLUMN ENAME HEADING 'Employee | Name'
```

would produce a two-line column heading. See the HEADSEP variable of the SET command in this chapter for information on changing the HEADSEP character.

JUS[TIFY] {L[EFT] |C[ENTER] |C| [ENTRE] |R[IGHT] }

Aligns the heading. If you do not use a JUSTIFY clause, NUMBER columns default to RIGHT and other column types default to LEFT.

LIKE {*expr1 alias* }

Copies the display attributes of another column or expression (whose attributes you have already defined with another COLUMN command.) LIKE copies only attributes not defined by another clause in the current COLUMN command.

LINEAPP {LINE|MARK|BOTH}

Is described in the *SQL\*Graph User's Guide*.

NEWL [INE ]

Starts a new line before displaying the column's value. NEWLINE has the same effect as FOLD\_BEFORE *n*.

NEW\_V[ALUE] *variable*

Specifies a variable to hold a column value. You can reference the variable in TITLE commands. Use NEW\_VALUE to display column values or the date in the top title. You must include the column in a BREAK command with the SKIP PAGE action. The variable name cannot contain a pound sign (#).

NEW\_VALUE is useful for master/detail reports in which there is a new master record for each page. For master/detail reporting, you must also include the column in the ORDER BY clause. See the example at the end of this command description.

For information on displaying a column value in the bottom title, see COLUMN OLD-VALUE. Refer to TITTLE for more information on referencing variables in titles. See COLUMN FORMAT for details on formatting and valid format models.

`NOPR[INT] PRINT1` Controls the printing of the column (the column heading and all the selected values). NOPRINT turns the printing of the column off. PRINT turns the printing of the column on.

`NUL [L] char` Controls the text SQL\*PLUS displays for null values in the given column. If you do not use a NULL clause in the COLUMN command, SQL\*Plus displays blanks for embedded null values, nothing for trailing null values, or the text to which you have set NULL using the SET command for all null values. (SET NULL controls the text displayed for all null values for all columns, unless overridden for a specific column by the NULL clause of the COLUMN command.)

`OLD_V[ALUE] variable` Specifies a variable to hold a column value. You can reference the variable in BTITLE commands. Use OLD\_VALUE to display column values or the date in the bottom title. You must include the column in a BREAK command with the SKIP PAGE action.

OLD\_VALUE is useful for master/detail reports in which there is a new master record for each page. For master/detail reporting, you must also include the column in the ORDER BY clause.

For information on displaying a column value in the top title, see COLUMN NEW\_VALUE. Refer to TITTLE for more information on referencing variables in titles. See COLUMN FORMAT for details on formatting and valid format models.

`ON|OFF` Controls the status of display attributes for a column. OFF disables the attributes for a column without affecting the attributes' definition. ON reinstates the attributes.

`PATTERN{pattern_number|pattern_variable}`  
Is described in the *SQL\*Graph User's Guide*.

WRAP[PPED] | WOR[D\_WRAPPED] | TRU[NCATED]

Specifies how SQL\*Plus will treat a CHAR string that is too wide for a column. WRAPPED wraps the end of the string to the next line. WORD\_WRAP functions similarly to WRAPPED, but moves an entire word to the next line rather than splitting the word between two lines. TRUNCATED truncates the string at the end of the first line of display.

**Usage Notes** You can enter any number of COLUMN commands for one or more columns. All column attributes set for each column remain in effect for the remainder of the session, or until you turn the column OFF. Thus, the COLUMN commands you enter can control a column's display attributes for multiple SQL SELECT commands.

When you enter multiple COLUMN commands for one or more SQL\*Plus applies their clauses collectively. If several COLUMN commands apply the same clause to the same column, the last one entered will control the output.

**Examples** To make the ENAME column 20 characters wide and display EMPLOYEE NAME on two lines at the top, enter:

```
SQL> COLUMN ENAME FORMAT A20 HEADING 'EMPLOYEE | NAME'
```

To format the SAL column so that it shows millions of dollars, rounds to cents, uses commas to separate thousands, and displays \$0.00 when a value is zero, you would enter:

```
SQL> COLUMN SAL FORMAT $9,999,990.99
```

To assign the alias NET to a column containing a long expression, to display the result in a dollar format, and to display <NULL> for null values, you might enter:

```
SQL> COLUMN SAL+ COMM+BONUS-EXPENSES-INS-TAX ALIAS NET
SQL> COLUMN NET FORMAT $9,999,999.99 NULL '<NULL>'
```

Note that the example divides this column specification into two commands. The first defines the alias NET, and the second uses NET to define the format.

Also note that in the first command you must enter the expression exactly as you entered it (or will enter it) in the SELECT commands. Otherwise, SQL\*Plus cannot match the COLUMN command to the appropriate column.

To wrap long values in a column named REMARKS, you can enter:

```
SQL> COLUMN REMARKS FORMAT A20 WRAP
```

For example:

CUSTOMER	DATE	QUANTITY	REMARKS
123	25-AUG-86	144	This order must be shipped by air freight to ORD.

If you replace WRAP with WORD\_WRAP, REMARKS looks like this:

CUSTOMER	DATE	QUANTITY	REMARKS
123	25-AUG-86	144	This order must be shipped by air freight to ORD.

If you specify TRUNCATE, REMARKS looks like this:

CUSTOMER	DATE	QUANTITY	REMARKS
123	25-AUG-86	144	This order must be s

In order to print the current date and the name of each job in the top title, enter the following. (For details on creating a date variable through your SQL\*Plus LOGIN file, see "Displaying the Current Date in Titles" under "Defining Page Titles and Dimensions" in Chapter 4.)

```
SQL> COLUMN JOB NOPRINT NEW_VALUE JOBVAR
SQL> COLUMN TODAY NOPRINT NEW_VALUE DATEVAR
SQL> BREAK ON JOB SKIP PAGE ON TODAY
SQL> TTITLE CENTER 'Job Report' RIGHT DATEVAR SKIP 2 -
> LEFT 'Job:      'JOBVAR SKIP 2
SQL> SELECT TO_CHAR(SYSDATE,'MM/DD/YY') TODAY,
2 ENAME, JOB, MGR, HIREDATE, SAL, DEPTNO
3 FROM EMP WHERE JOB IN ('CLERK', 'SALESMAN')
4 ORDER BY JOB, ENAME;
```

Your 2-page report would look similar to the following report, with "Job Report" centered within your current linesize:

Job Report

05/01/88

Job : CLERK

ENAME	MGR	HI	REDATE	SAL	DEPTNO
ADAMS	7788	14	JAN-87	1100	20
JAMES	7698	03	DEC-81	.950	30
MILLER	7782	23	JAN-82	1300	10
SMITH	7902	17	DEC-80	800	20

Job Report

05/01/88

Job : SALESMAN

ENAME	MGR	HI	REDATE	SAL	DEPTNO
ALLEN	7698	20	FEB-81	1600	30
MARTIN	7698	28	SEP-81	1250	30
TURNER	7698	08	SEP-81	1500	30
WARD	7698	22	FEB-81	1250	30

## COMPUTE

**Purpose** Calculates and prints summary lines, using various standard computations, on subsets of selected rows. Or, lists all COMPUTE definitions. (For details on how to create summaries, see "Clarifying Your Report with Spacing and Summary Lines" in Chapter 4.)

**Syntax** COMP [UTE] [function . . .  
 OF {expr | column | alias} . . .  
 ON {expr1 column | alias | REPORT|ROW} ]

**Terms and Clauses** Refer to the following list for a description of each term or clause:

*function . . .* Represents one of the functions listed in Table 6-2. If you specify more than one function, use spaces to separate the functions. (VARCHAR2 requires ORACLE7.)

**Table 6-2**  
**COMPUTE Functions**

<i>Function</i>	<i>Computes</i>	<i>Applies to Datatypes</i>
AVG	Average of non-null values	NUMBER
COU[NT]	Count of non-null values	all types
MAX[IMUM]	Maximum value	NUMBER, CHAR, VARCHAR2
MIN [IMUM]	Minimum value	NUMBER, CHAR, VARCHAR2 (VARCHAR)
NUM[BER]	Count of rows	all types
STD	Standard deviation of non-null values	NUMBER
SUM	Sum of non-null values	NUMBER
VAR [IANCE]	Variance of non-null values	NUMBER

*OF {expr |column|alias} . . .* Specifies the column(s) or expression(s) you wish to use in the computation. (*column* cannot have a table or view prepended to it. To achieve this, you can alias the column in the SQL statement.) You must also specify these columns in the SQL SELECT command, or SQL\*Plus will ignore the COMPUTE command.

If you do not want the computed values of a given column to appear in the output of a SELECT command, specify that column in a COLUMN command with a NOPRINT clause. Use spaces to separate multiple expressions, columns, or aliases within the OF clause.

In the OF clause, you can refer to an expression or function reference in the SELECT statement by placing the expression or function reference in double quotes. Column names and aliases do not need quotes.

```
ON {expr| column| alias [REPORT | ROW] }
```

Specifies the event SQL\*Plus will use as a break. (*column* cannot have a table or view prepended to it. To achieve this, you can alias the column in the SQL statement) COMPUTE prints the computed value and restarts the computation when the event occurs (i.e., when the value of the expression changes, a new ROW is fetched, or the end of the report is reached).

If multiple COMPUTE commands reference the same column in the ON clause, only the last COMPUTE command applies.

To reference a SQL SELECT expression or function reference in an ON clause, place the expression or function reference in quotes. Column names and aliases do not need quotes.

Enter COMPUTE without clauses to list all COMPUTE definitions.

**Usage Notes** In order for the computations to occur, the following must all be true:

- The expression, column, or column alias you reference in the ON clause must occur in the SELECT command.
- The expression, column, or column alias you reference in the ON clause must also occur in the most recent BREAK command.
- If you reference either ROW or REPORT in the ON clause, also reference ROW or REPORT in the most recent BREAK command.
- One or more of the expressions, columns, or column aliases you reference in the OF clause must also occur in the SELECT command.

When you use COMPUTE with BREAK, the label for the computed value normally appears in the first column. However, if the COMPUTE is being done on the first column, you should create a dummy first column for the label with the COLUMN command. Otherwise, the label will not print.

**Examples** To subtotal the salary for the "clerk," "analyst," and "salesman" job classifications, enter:

```
SQL> BREAK ON JOB SKIP 1
SQL> COMPUTE SUM OF SAL ON JOB
SQL> SELECT JOB, ENAME, SAL
  2 FROM EMP
  3 WHERE JOB IN ( 'CLERK', 'ANALYST', 'SALESMAN' )
  4 ORDER BY JOB, SAL;
```

The following output results

JOB	ENAME	SAL
ANALYST	SCOTT	3000
	FORD	3000
*****		-----
sum		6000
CLERK	SMITH	800
	JAMES	950
	ADAMS	1100
	MILLER	1300
*****		-----
sum		4150
SALESMAN	WARD	1250
	MARTIN	1250
	TURNER	1500
	ALLEN	1600
	WILSON	3000
*****		-----
sum		8600

To compute the average and maximum salary for the accounting and sales departments, enter:

```
SQL> BREAK ON DNAME SKIP 1
SQL> COMPUTE AVG MAX OF SAL ON DNAME
SQL> SELECT DNAME, ENAME, SAL
  2 FROM DEPT  EMP
  3 WHERE DEPT. DEPTNO=EMP. DEPTNO
  4 AND DNAME IN ('ACCOUNTING', 'ALES')
  5 ORDER BY DNAME;
```

The following output results:

DNAME	ENAME	SAL
ACCOUNTING	CLARK	2450
	KING	5000
	MILLER	1300
*****		
avg		2916.66667
maximum		5000
SALES	ALLEN	1600
	WARD	1250
	MARTIN	1250
	TURNER	1500
	JAMES	950
	BLAKE	2850
*****		
avg		1566.66667
maximum		2850

## CONNECT

**Purpose** Connects a given username to ORACLE.

**Syntax** `CONN [ECT] [logon]`

**where:**

`logon`

Requires the following syntax:

```
username [ / password ] [ @database_specification ] |  
/
```

**Terms and Clauses** Refer to the following list for a description of each term or clause:

`username [ /password]`

Represent the username and password with which you wish to Connect to ORACLE. IF you omit *username* and *password*, SQL\*Plus prompts you for them. If you enter a slash (/) or simply enter [Return] to the prompt for *username*, SQL\*Plus logs you on using a default logon (see "/"below).

If you omit only *password*, SQL\*Plus prompts you for *password*. When prompting, SQL\*Plus does not display *password* on your terminal screen.

Represents a default (ops\$) logon. You cannot enter a *databas\_specification* if you use a default logon. In a default logon SQL\*Plus attempts to log you on using the username OPSSname, where *name* is your operating system username.

`database_specification`

Consists of a SQL\*Net connection string. The exact syntax depends upon the SQL\*Net communications protocol your Oracle installation uses. For more information, refer to the SQL\*Net manual appropriate for your protocol or contact your DBA. SQL\*Plus does not prompt for a database specification, but uses your default database if you do not include a specification.

**Usage Notes** CONNECT commits the current transaction to the database, disconnects the current username from ORACLE, and reconnects with the specified username.

**Examples** To connect using username SCOTT and password TIGER to the default database on the DECnet node "corp", enter:

```
SQL> CONNECT SCOTT /TIGER@d : corp
```

To connect using username SCOTT and let SQL\*Plus prompt you for the password, enter:

```
SQL> CONNECT SCOTT
```

## COPY

**Purpose** Copies the data from a query to a table in a local or remote database.

**Syntax**

```
COPY {FROM username [ /password ] @database_ specification |
      TO username [ /password] @database_ specification |
      FROM username [ password ] @database_specification TO
      username [ /password] @database_specification}
      {APPEND | CREATE | INSERT|REPLACE} destination_table [(column,
      column, column . . .)| USING query
```

**Terms and Clauses** Refer to the following list for a description of each term or clause:

*username [ /password ]*

Represent the ORACLE *username/password* you wish to COPY FROM and TO. In the FROM clause, *username / password* identifies the source of the data; in the TO clause, *username/password* identifies the destination. If you do not specify *password* in either the FROM clause or the TO clause, SQL\*Plus will prompt you for it. SQL\*Plus suppresses the display of your response to these prompts.

*database\_ specification*

Consists of a SQL\*Net connection string. In the FROM clause, *database\_specification* represents the database at the source; in the TO clause, *database\_specification* represents the database at the destination. The exact syntax depends upon the SQL\*Net communications protocol your Oracle installation uses. For more information, refer to the SQL\*Net manual appropriate for your protocol or contact your DBA.

*destination\_table*

Represents the table you wish to create or to which you wish to add data.

*(column, column, column, . . . )*

Specifies the names of the columns in *destination\_table*. You must enclose a name in double quotes if it contains lowercase letters or blanks.

If you specify columns, the number of columns must equal the number of columns selected by the query. If you do not specify any columns, the copied columns will have the same names in the destination table as they had in the source, if COPY creates *destination\_table*.

USING <i>query</i>	Specifies a SQL query (SELECT command) determining which rows and columns COPY copies.
FROM <i>username</i> [ <i>/password</i> ]@ <i>database_specification</i>	Specifies the username, password, and database that contains the data to be copied. If you omit the FROM clause, the source defaults to the database SQL*Plus is connected to (i.e., the database that other commands address). You must include a FROM clause to specify a source database other than the default.
TO <i>username</i> [ <i>/password</i> ] @ <i>database_specification</i>	Specifies the database containing the destination table. If you omit the TO clause, the destination defaults to the database SQL*Plus is connected to (i.e., the database that other commands address). You must include a TO clause to specify a destination database other than the default.
APPEND	Inserts the rows from <i>query</i> into <i>destination_table</i> if the table exists. If <i>destination_table</i> does not exist, COPY creates it.
CREATE	Inserts the rows from <i>query</i> into <i>destination_table</i> after creating the table first. If <i>destination_table</i> already exists, COPY returns an error.
INSERT	Inserts the rows from <i>query</i> into <i>destination_table</i> if the table exists. If <i>destination_table</i> does not exist, COPY returns an error. When using INSERT, the USING <i>query</i> must select one column for each column in the <i>destination_table</i> .
REPLACE	Replaces <i>destination_table</i> and its contents with the rows from <i>query</i> . If <i>destination_table</i> does not exist, COPY creates it. If <i>destination_table</i> does already exist, COPY drops the existing table and replaces it with a table containing the copied data.

### Usage Notes

To enable the copying of data between ORACLE and non-ORACLE databases, NUMBER columns are changed to DECIMAL columns in the destination table. Hence, if you are copying between ORACLE databases, a NUMBER column with no precision will be changed to a DECIMAL column. When copying between ORACLE databases, you should use SQL commands (CREATE TABLE AS and INSERT) or you should ensure that your columns have a precision specified.

The SQL\*Plus SET variable LONG limits the length of LONG columns that you copy. If any LONG columns contain data longer than the value of LONG, COPY truncates the data.

SQL\*Plus performs a commit at the end of each successful COPY. If you set the SQL\*Plus SET variable COPYCOMMIT to a positive value *n*, SQL\*Plus performs a commit after copying every *n* batches of records. (The SQL\*Plus SET variable ARRAYSIZE determines the size of the batch.)

Some operating environments require that database specifications be placed in double quotes.

**Examples** The following command copies the entire EMP table to a table named WESTEMP. Note that the tables are located in two different databases. If WESTEMP already exists, SQL\*Plus replaces the table and its contents. The columns in WESTEMP have the same names as the columns in the source table, EMP.

```
SQL> COPY FROM SCOTT/TIGER@HQ TO JOHN/CHROME@WEST -  
> REPLACE WESTEMP -  
> USING SELECT * FROM EMP
```

The following command copies selected records from EMP to the database to which SQL\*Plus is connected. SQL\*Plus creates SALESMEN through the copy. SQL\*Plus copies only the columns EMPNO and ENAME and at the destination names them EMPNO and SALESMAN.

```
SQL> COPY FROM SCOTT/TIGER@HQ -  
> CREATE SALESMEN (EMPNO, SALESMAN) -  
> USING SELECT EMPNO, ENAME FROM EMP -  
> WHERE JOB= ' SALESMAN '
```

---

## DEFINE

**Purpose** Specifies a user variable and assigns it a CHAR value. Or, lists the value and variable type of a single variable or all variables.

**Syntax** DEF [INE] [variable] |  
[variable = text]

**Terms and Clauses** Refer to the following list for a description of each term or clause:

<i>variable</i>	Represents the user variable whose value you wish to assign or list.
<i>text</i>	Represents the CHAR value you wish to assign to <i>variable</i> . Enclose <i>text</i> in single quotes if it contains punctuation or blanks.
<i>variable = text</i>	Defines (names) a user variable and assigns it a CHAR value.

Enter DEFINE followed by *variable* to list the value and type of variable. Enter DEFINE with no clauses to list the values and types of all user variables.

**Usage Notes** DEFINEd variables retain their values until one of the following events occurs:

- you enter a new DEFINE command referencing the variable
- you enter an UNDEFINE command referencing the variable
- you enter an ACCEPT coremand referencing the variable
- \* you reference the variable in the NEW\_VALUE or OLD\_VALUE clause of the COLUMN command and reference the column in a subsequent SQL SELECT command
- you EXIT SQL\*Plus

Whenever you run a stored query or command file, SQL\*Plus substitutes the value of *variable* for each substitution variable referencing *variable* (in the form *&variable* or *&&vatile*). SQL\*Plus will not prompt you for the value of *variable* in this session until you UNDEFINE *variable*.

You can DEFINE a maximum of 1024 variables.

Note that you can use DEFINE to define the variable, `_EDITOR`, which establishes the host system editor invoked by the SQL\*Plus EDIT command.

If you continue the value of a DEFINED variable on multiple lines (using the SQL\*Plus command continuation character), SQL\*Plus replaces each continuation character and carriage return you enter with a space in the resulting variable. For example, SQL\*Plus interprets

```
SQL> DEFINE TEXT = 'ONE-  
> TWO -  
> THREE '
```

as:

```
SQL> DEFINE TEXT = 'ONE TWO THREE '
```

**Examples** To assign the value MANAGER to the variable POS, type:

```
SQL> DEFINE POS = MANAGER
```

If you execute a command that contains a reference to &POS, SQL\*Plus will substitute the value WAGER for &POS and will not prompt you for a POS value.

To assign the CHAR value 20 to the variable DEPTNO, type:

```
SQL> DEFINE DEPTNO = 20
```

Even though you enter the number 20, SQL\*Plus assigns a CHAR value to DEPTNO consisting of two characters, 2 and O.

To list the definition of DEPTNO, enter:

```
SQL> DEFINE DEPTNO  
DEFINE DEPTNO          = "20" (CHAR)
```

This result shows that the value of DEPTNO is 20.

---

## DEL

**Purpose** Deletes the current line of the buffer.

**Syntax** DEL

**Usage Notes** DEL makes the following line of the buffer (if any) the comment line. To delete several consecutive lines, enter DEL several times.

**Examples** Assume the SQL buffer contains the following query:

```
1 SELECT ENAME, DEPTNO
2 FROM EMP
3 WHERE JOB = 'SALESNAN'
4* ORDER BY DEPTNO
```

To make the line containing the WHERE clause the current line, you would enter:

```
SQL> LIST 3
3* WHERE JOB = 'SALESMAN'
```

To delete the WHERE clause, enter:

```
SQL> DEL
```

The SQL buffer now contains the following lines:

```
1 SELECT ENAME, DEPTNO
2 FROM EMP
3* ORDER BY DEPTNO
```

---

## DESCRIBE

**Purpose** Lists the column definitions for the specified table, view, or synonym or the specifications for the specified function, procedure, package, or package contents.

**Syntax** DESC [RIBE] { [ *user.* ] *table* [ @*database\_link\_name1* [ *column*] | [ *user.* ] *object* [ .*subject* ] }

**Terms and Clauses** Refer to the following list for a description of each term or clause:

<i>user</i>	Represents the user who owns <i>table</i> or <i>object</i> . If you omit user, SQL*Plus assumes you own <i>table</i> or <i>object</i> .
<i>table</i>	Represents the table, view, or synonym you wish to describe.
<i>database_link_name</i>	Consists of the database link name corresponding to the database where <i>table</i> exists. For more information on which privileges allow access to another table in a different schema, refer to the <i>ORACLE7 Server SQL Language Reference Manual</i> .
<i>column</i>	Represents the column in <i>table</i> that you wish to describe.
<i>object</i>	Represents the function, procedure, or package you wish to describe.
<i>subobject</i>	Represents the function or procedure in the package that you wish to describe.

**Usage Notes** The description for tables, views, and synonyms contains the following information

- each column's name
- whether or not null values are allowed (NULL or NOT NULL) for each column
- datatype of columns-NUMBER, CHAR, VARCHAR2 (VARCHAR), LONG, DATE, MLSLABEL, or RAW MLSLABEL
- precision of columns (and scale, if any, for a numeric column)

When you do a DESCRIBE, VARCHAR columns are returned with a type of VARCHAR2.

The description for functions, procedures, and packages contains the following:

- the type of PL/SQL (function, procedure, or package)
- the name of the function, procedure, or package
- the type of value returned (for functions)
- the argument names, types, whether they are input or output, and default values, if any
- the package contents, if describing a package

**Example** To describe the table IMP, enter:

```
SQL> DESCRIBE EMP
```

DESCRIBE lists the following information:

Name	Null?	Type
-----	-----	-----
EMPNO	NOT NULL	NUMBER (4)
ENAME		CHAR(10)
JOB		JOB(9)
MGR		NUMBER (4)
HIREDATE		DATE
SAL		NUMBER (7,2)
COMM		NUMBER (7,2)
DEPTNO		NUMBER(2)

To describe the package APACK, enter:

```
SQL> DESCRIBE apack
```

DESCRIBE lists the following information:

```
PACKAGE apack AS PROCEDURE aproc (p1 varchar2) ; apack;
```

To describe the procedure APROC in the package APACK, enter:

```
SQL> DESCRIBE apack.aproc
```

DESCRIBE lists the following information:

```
PROCEDURE apack.aproc
```

Argument Name	Type	In/Out	Default?
-----	-----	-----	-----
P1	CHAR	IN	
P2	NUMBER	IN	

---

## DISCONNECT

**Purpose** Commits pending changes to the database and logs the current username off ORACLE, but does not exit SQL\*Plus.

**Syntax** DISC [ ONNECT ]

**Usage Notes** Use DISCONNECT within a command file to prevent user access to the database when you want to log the user off ORACLE but have the user remain in SQL\*Plus. Use EXIT or QUIT to log off ORACLE and return control to your host computer's operating system.

**Example** Your command file might begin with a CONNECT command and end with a DISCONNECT, as shown below.

```
SQL> GET MYFILE
  1  CONNECT . . .
      .
      .
      .
15* DISCONNECT
```

---

## EDIT

**Purpose** Invokes a host operating system text editor on the contents of the specified file or on the contents of the buffer.

**Syntax** `EDIT [ file_name [ .ext ] ]`

**Terms and Clauses** Refer to the following list for a description of each term or clause:

`file_name [.ext ]` Represents the file you wish to edit (typically a command file). If you omit *ext*, SQL\*Plus assumes the default command-file extension (normally SQL). For information on changing the default extension, see the SUFFIX variable of the SET command in this chapter.

Enter EDIT with no filename to edit the contents of the SQL buffer with the host operating system text editor.

**Usage Notes** The user variable, `_EDITOR`, contains the name of the text editor invoked by EDIT. You can change the text editor by changing the value of `_EDITOR`. See DEFINE for information about changing the value of a user variable. If `_EDITOR` is undefined, EDIT attempts to invoke the default host operating system editor.

EDIT alone places the contents of the buffer in a file named AFIEDT with the extension BUF (located in your current working directory) and invokes the text editor on the contents of the file. If the AFIEDT.BUF file already exists, it is overwritten with the contents of the buffer. If you do not specify a file name and the buffer is empty, EDIT returns an error message. When you save edited text, the text is saved back into the buffer.

To leave the editing session and return to SQL\*Plus, terminate the editing session in the way customary for the text editor.

**Example** To edit the file REPORT with the extension SQL using your host operating system text editor, enter

```
SQL> EDIT REPORT
```

---

## EXECUTE

**Purpose** Executes a single PL/SQL statement. The EXECUTE command is often useful when you want to execute a PL/SQL statement that references a stored procedure. For more information on PL/SQL, see your *PL/SQL User's Guide and Reference*.

**Syntax** EXECUTE [CUTE ] statement

**Terms and Clauses** Refer to the following list for a description of each term or clause:

<i>statement</i>	Represents a PL/SQL statement.
------------------	--------------------------------

**Usage Notes** If your EXECUTE command cannot fit on one line because of the PL/SQL statement, use the SQL\*Plus continuation character (a hyphen) as shown in the example below.

The length of the command and the PL/SQL statement cannot exceed the length defined by SET LINESIZE.

**Examples** The following EXECUTE command runs a PL/SQL statement which

```
SQL> EXECUTE :n := 1
```

The following EXECUTE command runs a PL/SQL statement which references a stored procedure.

```
SQL> EXECUTE -  
:ID := EMP_MANAGEMENT.HIRE ('BLAKE','MANAGER', 'KING', 2990, 'SALES')
```

Note that the value returned by the stored procedure is being placed in a bind variable, :ID. For information on how to create a bind variable, see the VARIABLE command in this chapter.

---

## EXIT

**Purpose** Commits all pending database changes, terminates SQL\*Plus, and returns control to the operating system.

**Syntax** {EXIT|QUIT} [ SUCCESS | FAILURE |WARNING | *n* | *variable*

**Terms and Clauses** Refer to the following list for a description of each term or clause:

{ EXIT   QUIT }	Can be used interchangeably (QUIT is a synonym for EXIT).
<i>n</i>	Represents an integer you specify as the return code.
<i>variable</i>	Represents a user-defined or system variable, such as SQL.SQLCODE. EXIT <i>variable</i> exits with the value of <i>variable</i> as the return code.
<u>SUCCESS</u>	Exits normally.
FAILURE	Exits with a return code indicating failure.
WARNING	Exits with a return code indicating warning.

EXIT' with no clauses exits with a value of SUCCESS.

**Usage Notes** EXIT allows you to specify an operating system return code. This allows you to run SQL\*Plus command files in batch mode and to detect programmatically the occurrence of an unexpected event. The manner of detection is operating system specific. See the Oracle installation and user's manual(s) provided for your operating system for details.

The key words SUCCESS, WARNING, and FAILURE represent operating-system dependent values. On some systems, WARNING and FAILURE may be indistinguishable.

Note: SUCCESS, FAILURE, and WARNING are not reserved words.

For information on exiting conditionally, see the WHENEVER SQLERROR and WHENEVER OSERROR commands later in this chapter.

**Example** The following returns the error code of the last executed SQL command or PL/SQL block:

```
SQL> EXITSQL.SQLCODE
```

The location of the return code depends on your system. Consult your DBA for information concerning how your operating system retrieves data from a program.

---

## GET

**Purpose** Loads a host operating system file into the buffer.

**Syntax** GET file\_name [ .ext ] [ LIST ] [NOL[IST] ]

**Terms and Clauses** Refer to the following list for a description of each term or clause:

<i>file_name</i> [ .ext ]	Represents the file you wish to load (typically a command file). If you do not specify a file extension, SQL*Plus assumes the default command-file extension (normally SQL). For information on changing the default extension, see the SUFFIX variable of the SET command in this chapter.
<u>LIST</u>	Lists the contents of the file.
NOLIST]	Suppresses the listing.

**Usage Note** If part of the filename you are specifying contains the word *list* or the word *file*, you need to put the name in double quotes because LIST and FILE are reserved words in this instance.

**Example** To load a file called YEARENDRPT with the extension SQL into the buffer, type:

```
SQL> GET YEARENDRPT
```

---

## HELP

**Purpose:** Accesses the SQL\*Plus help system.

**Syntax** `HELP [topic]`

**Terms and Clauses** Refer to the following list for a description of each term or clause:

*topic* Represents a SQL\*Plus help topic. This can be a SQL\*PLUS command (e.g., COLUMN), a SQL statement (e.g., INSERT), a PL/SQL statement (e.g., IF), or another topic in the help system (e.g., comparison operators).

Enter `HELP` without *topic* to get help on the help system.

**Usage Notes** You can only enter one topic after `HELP`. You can abbreviate the topic (e.g., COL for COLUMN). However, if you enter only an abbreviated topic and the abbreviation is ambiguous, SQL\*Plus will display help for all topics that match the abbreviation. For example, if you entered:

```
SQL> HELP COMP
```

SQL\*Plus would display help on `COMPUTE` followed by help on comparison operators.

If you get a response indicating that help is not available, consult your database administrator.

**Example** To see a list of SQL\*Plus commands and PL/SQL and SQL statements enter:

```
SQL> HELP COMMANDS
```

---

## HOST

**Purpose** Executes a host operating system command without leaving SQL\*Plus.

**Syntax** HO [ ST] [ command]

**Terms and Clauses** Refer to the following list for a description of each term or clause:

*command* Represents a host operating system command.

Enter HOST without command to display an operating system prompt. You can then enter multiple operating system commands. For information on returning to SQL\*Plus, refer to the Oracle installation and user's manual(s) provided for your operating system.

**Usage Notes** With some operating systems, you can use a "\$" or another character instead of HOST. See the Oracle installation and user's manual(s) provided for your operating system for details.

You may not have access to the HOST command, depending on your operating system. See the Oracle installation and user's manual(s) provided for your operating system or ask your DBA for more information.

**Example** To execute an operating system command, ls \*.sql, enter:

```
SQL> HOST ls *.sql
```

---

## INPUT

**Purpose** Adds one or more new lines of text after the current line in the buffer.

**Syntax** I [NPUT] [text]

**Terms and Clauses** Refer to the following list for a description of each term or clause:

*text* Represents the text you wish to add. To add a single line, enter the text of the line after the command INPUT, separating the text from the command with a space. To begin the line with one or more spaces, enter two or more spaces between INPUT and the first non-blank character of *text*.

To add several lines, enter INPUT with no *text*. INPUT prompts you for each line. To leave INPUT, enter a null (empty) line.

**Usage Notes** If you enter at the command prompt a line number larger than the number of lines in the buffer, and follow the number with text, SQL\*Plus adds the text in a new line at the end of the buffer. If you specify zero (0) for the line number and follow the zero with text, then SQL\*Plus inserts the line at the beginning of the buffer (that line becomes line 1).

**Examples** Assume the SQL buffer contains the following command:

```
1 SELECT ENAME, DEPTNO, SAL, COMM
2 FROM EMP
```

To add an ORDER BY clause to the query, enter:

```
SQL> LIST 2
      2* FROM EMP
SQL> INPUT ORDER BY ENAME
```

LIST 2 ensures that line 2 is the current line. INPUT adds a new line containing the ORDER BY clause after the current line. The SQL buffer now contains the following lines:

```
1 SELECT ENAME, DEPTNO, SAL, COMM
2 FROM EMP
3* ORDER BY ENAME
```

To add a two-line WHERE clause, enter

```
SQL> LIST 2
  2* FROM EMP
SQL> INPUT
  3 WHERE JOB = 'SALESMAN'
  4 AND COMM 500
  5
```

INPUT prompts you for new lines until you enter an empty line. The SQL buffer now contains the following lines:

```
1 SELECT ENAME, DEPTNO, SAL, COMM
2 FROM EMP
3 WHERE JOB = 'SALESMAN'
4 AND COMM 500
5 ORDER BY ENAME
```

## LIST

**Purpose** Lists one or more lines of the buffer.

**Syntax** L[IST] [ *n* | *n* | *m* LAST |\*|\* *n* 1\* LAST |LAST]

**Terms and Clauses** Refer to the following list for a description of each term or clause:

<i>n</i>	Lists line <i>n</i> .
<i>n m</i>	Lists lines <i>n</i> through <i>m</i> .
<i>n</i> *	Lists line <i>n</i> through the current line.
<i>n</i> LAST	Lists line <i>n</i> through the last line.
*	Lists the current line.
* <i>n</i>	Lists the current line through line <i>n</i> .
* LAST	Lists the current line through the last line.
LAST	Lists the last line.

Enter LIST with no clauses to list all lines.

**Usage Notes** You can omit the space between LIST and *nor* \*, but not between LIST and LAST.

The last line listed becomes the new current line (marked by an asterisk).

**Example** To list the contents of the buffer, enter:

```
SQL> L
```

You will see a listing of all lines in the buffer, similar in form to the following

```
1  SELECT BNAME, DEPTNO, JOB
2     FROM EMP
3     WHERE JOB = 'CLERK'
4*  ORDER BY DEPTNO
```

The asterisk indicates that line 4 is the current line.

To list the second line only, enter

```
SQL> L 2
```

You will then see this:

```
2*  FROM EMP
```

To list the current line (now line 2) to the last line, enter

```
SQL> L * LAST
```

You will then see this:

```
2 FROM EMP  
3 WHEREJOB = 'CLERK'  
4* ORDER BY DEPTNO
```

---

## PAUSE

**Purpose** Displays an empty line followed by a line containing text, then waits for the user to press [Return]. Or, displays two empty lines and waits for the user's response.

**Syntax** PAU[SE][text]

**Terms and Clauses** Refer to the following list for a description of each clause or term:

*text* Represents the text you wish to display.

Enter PAUSE followed by no text to display two empty lines.

**Usage Notes** Because PAUSE always waits for the user's response, it is best to use a message that tells the user explicitly to press [Return].

PAUSE reads input from the terminal (if a terminal is available) even when you have designated the source of the command input as a file.

For information on pausing between pages of a report, see the PAUSE variable of the SET command later in this chapter.

**Example** To print "Adjust paper and press RETURN to continue.", and to have SQL\*Plus wait for the user to press [Return], you might include the following PAUSE command in a command file:

```
SQL> GET MYFILE
1 SET PAUSE OFF
2 PAUSE Adjust paper and press RETURN to continue.
3 SELECT . . .
```

## PRINT

**Purpose** Displays the current value of a bind variable. For more information on bind variables, see your *PL/SQL User's Guide and Reference*.

**Syntax** PRI[NT] variable

**Terms and Clauses** Refer to the following list for a description of each clause or term

<i>variable</i>	Represents the name of the bind variable whose value you wish to display.
-----------------	---

**Usage Notes** Bind variables are created using the VARIABLE command. For more information, see the VARIABLE command in this chapter.

You can control the formatting of the PRINT output just as you would query output. See the formatting techniques described in Chapter 4.

**Example** The following is an example of a PRINT command:

```
SQL> VARIABLE n NUMBER
SQL> BEGIN
  2   :n := 1;
  3 END;
SQL> PRINT n
          N
-----
          1
```

---

## PROMPT

**Purpose** Sends the specified message or a blank line to the user's screen.

**Syntax** PROMPT [ *text*]

**Terms and Clauses** Refer to the following list for a description of each term or clause:

*text* Represents the text of the message you wish to display. If you omit *text*, PROMPT displays a blank line on the user's screen.

**Usage Notes** You can use this command in command files to give information to the user.

**Example** The following example shows the use of PROMPT in conjunction with ACCEPT in a command file called ASKFORDEPT. ASKFORDEPT contains the following SQL\*Plus and SQL commands:

```
PROMPT
PROMPT Please enter a valid department
PROMPT For example: 10, 20, 30, 40
ACCEPT NEWDEPT NUMBER PROMPT 'DEPT:>'
SELECT DNAME FROM DEPT
WHERE DEPTNO = &NEWDEPT
```

Assume you run the file using START or @:

```
SQL> @ASKFORDEPT
```

SQL\*Plus displays the following prompts:

```
Please enter a valid department
For example: 10, 20, 30, 40
DEPT :>
```

The end user enters a department number to the prompt DEPT:>. SQL\*Plus lists the line containing &NEWDEPT before and after substitution, and then displays the department name corresponding to the number entered at the DEPT:> prompt.

---

## REMARK

**Purpose** Begins a comment in a command file. SQL\*Plus does not interpret the comment as a command.

**Syntax** REM [ ARK]

**Usage Notes** The REMARK command must appear at the beginning of a line, and the comment ends at the end of the line. A line cannot contain both a comment and a command.

For details on entering comments in command files using the SQL comment delimiters, /\*...\*/ or the ANSI/ISO comment delimiter, --..., refer to "Placing Comments in Command Files" in Chapter 3.

**Example** The following command file contains some typical comments

```
SQL> GET EMPSUM
1  REM COMPUTE uses BREAK ON REPORT to break on end of table.
2  BREAK ON REPORT
3  COMPUTE SUM OF " DEPARTMENT 10 " " DEPARTMENT 20 " -
4  "DEPARTMENT 30" "TOTAL BY JOB" ON REPORT
5  REM Each column displays the sums of salaries by job for
6  REM one of the departments 10, 20, 30.
7  SELECT JOB,
8          SUM ( DECODE ( DEPTNO, 10, SAL,0 ) ) "DEPARTMENT 10" ,
9          SUM ( DECODE ( DEPTNO, 20, SAL,0 ) ) "DEPARTMENT 20" ,
10         SUM ( DECODE ( DEPTNO, 30, SAL, 0 ) ) "DEPARTMENT 30" ,
11         SUM(SAL) "TOTAL BY JOB"
12 FROM EMP
13* GROUP BY JOB
```

## RUN

**Purpose** Lists and executes the SQL command or PL/SQL block currently stored in the SQL buffer.

**Syntax** R [UN]

**Usage Notes** RUN causes the last line of the SQL buffer to become the current line. The slash command (/) functions similarly to RUN, but does not list the command in the SQL buffer on your screen.

**Example** Assume the SQL buffer contains the following query

```
SELECT DEPTNO FROM DEPT
```

To RUN the query, enter

```
SQL> RUN
```

The following output results:

```
1* SELECT DEPTNO FROM DEPT
```

```
      DEPTNO
-----
          10
          20
          30
          40
```

---

## RUNFORM

**Purpose** Invokes a SQL\*Forms application from within SQL\*Plus.

Note: You have access to this command only if your site chose this option while installing SQL\*Plus.

**Syntax** RUNFORM [ options] *form\_name*

**Usage Notes** The RUNFORM syntax is the same in both SQL\*Plus and SQL\*Forms. If you are already in SQL\*Plus, you can invoke a form more quickly in this manner than by invoking a form from the system prompt, because you avoid a separate ORACLE logon. See your *SQL\*Forms Operator's Guide* for details on the correct syntax.

Note that when you use RUNFORM from within SQL\*Plus, you may not specify a username/password (you retain your current connection to ORACLE). If you wish to use a different username/password, use the SQL\*Plus CONNECT command to connect to the desired ORACLE username prior to issuing the RUNFORM command.

**Example** To run a form named MYFORM, enter

```
SQL> RUNFORM MYFORM
```

## SAVE

**Purpose** Saves the contents of the buffer in a host operating system file (a command file).

**Syntax** SAV [ E] *file\_name* [ *ext* ] [CREATE|REPLACE] |APP[END] ]

**Terms and Clauses** Refer to the following list for a description of each term or clause:

*file\_name* [ *.ext* ] Specifies the command file in which you wish to save the buffer's contents. If you do not specify an extension, SQL\*Plus assumes the default command-file extension (normally SQL). For information on changing this default extension, see the SUFFIX variable of the SET command in this chapter.

If you wish to SAVE a file under a name identical to a SAVE command clause (CREATE, REPLACE, or APPEND), you must specify a file extension.

CREATE

Creates the file if the file does not exist.

REP [ LACE]

Replaces the contents of an existing file. If the file does not exist, REPLACE creates the file.

APP [END]

Adds the contents of the buffer to the end of the file you specify.

**Usage Notes** When you SAVE the contents of the SQL buffer, SAVE adds a line containing a slash (/) to the end of the file.

If part of the filename you are specifying contains the word *file*, you need to put the name in double quotes because FILE is a reserved word in this instance.

**Example** To save the contents of the buffer in a file named DEPTSALRPT with the extension SQL, enter

```
SQL> SAVE DEPTSALRPT
```

To save the contents of the buffer in a file named DEPTSALRPT with the extension OLD, enter:

```
SQL> SAVE DEPTSALRPT . OLD
```

## SET

**Purpose** Establishes an aspect of the SQL\*Plus environment for your current session, such as:

- setting the display width for NUMBER data
- setting the display width for LONG data
- enabling or disabling the printing of column headings
- setting the number of lines per page

**Syntax** SET *system\_variable* *value*

where *system\_variable value* represents a system variable followed by a value as shown below:

```
ARRAY [SIZE] { 20 | n }
AUTO [ COMMIT ] { OFF | ON | IMM [ EDIATE] }
BLO [ CKTERMINATOR ] { _ | c }
CMDS[EP] { ; | c | OFF | ON }
COM [ PATIBILITY ] { V5 | V6 | V7 | NATIVE }
CON [ CAT ] { _ | c | OFF | ON }
COPYC [ OMMIT ] { 0 | n }
CRT crt
DEFINE] { '&' | c | OFF | ON }
ECHO { OFF | ON }
EMBEDDED { OFF | ON }
ESC[APE] { \ | c | OFF | ON }
FEED[BACK] { 6 | n | OFF | ON }
FLU[SH] { OFF | ON }
HEA[DING] { OFF | ON }
HEADS [EP] { _ | c | OFF | ON }
LIN|ESIZE] { 80 | n }
LONG { 80 | n }
LONGC|HUNKSIZE| { 80 | n }
MAXD[ATA] n
NEWP[AGE] { 1 | n }
NULL text
NUMF[ORMAT] format
NUM[WIDTH] { 10 | n }
PAGES [IZE] { 14 | n }
PAU[SE] { OFF | ON | text }
RECSEP { WR[APPED] | EA|CH | OFF }
RECSEPCHAR { _ | c }
SCAN { OFF | ON }
SERVEROUT|PUT| OFF | ON } [SIZE n ]
SHOW|MODE] { OFF | ON }
SPA[CE] { 1 | n }
SQLC[ASE] { MIX[ED] | LO[WER] | UP[PER] }
```

SQLCO[NTIWE] { > | text }  
 SQLN[UMBER] {OFF| ON }  
 SQLPRE[FIX] { # |c}  
 SQLP[ROMPT] { SOL> |text}  
 SQLT[ERMINATOR] { ; |c| OFF | ON }|  
 SUF[IX]{ SOL |text}  
 TAB {OFF|ON}  
 TERM[OUT] {OFF| ON }  
 TI[ME] { OFF | ON}  
 TIMI[NG] { OFF |ON}  
 TRIM[OUT] {OFF \ ON }  
 UND[ERLINE]{ \_ |c| ON |OFF}  
 VER[IFY] {OFF| ON }  
 WRA[P] {OFF| ON }

**Terms and Clauses** Refer to the following list for a description of each term, clause, or system variable

ARRAY[SIZE] { 20 /n} Sets the number of rows--called a *batch*-- that SQL\*Plus will fetch from the database at one time. Valid values are 1 to 5000. A large value increases the efficiency of queries and subqueries that fetch many rows, but requires more main memory in the host computer. Values over approximately 100 provide little added performance. ARRAYSIZE has no effect on the results of SQL\*Plus operations other than increasing efficiency.

AUTO[COMMIT] { OFF |ON| IMM[EDIATE]} Controls when ORACLE commits pending changes to the database. ON commits pending changes to the database after ORACLE executes each SQL command or PL/SQL block. OFF suppresses automatic committing, so that you must commit changes manually (for example, with the SQL command COMMIT). IMMEDIATE functions in the same manner as the ON option.

BLO [CKTERMINATOR] { \_ | c} Sets the non-alphanumeric character used to end PL/SQL blocks to c. To execute the block, you must issue a RUN or / (slash) command.

CMDS[EP] { ; |c| OFF | ON} Sets the non-alphanumeric character used to separate multiple SQL\*Plus commands entered on one line to c. ON or OFF controls whether you can enter multiple commands on a line; ON automatically sets the command separator character to a semicolon (;).

COMPATIBILITY { V5|V6|V7| NATIVE }

Specifies the version of ORACLE to which you are currently connected. Set COMPATIBILITY to V5 for ORACLE Version 5; set it to V6 for ORACLE Version 6; set it to V7 (or V6) for ORACLE7; set it to NATIVE if you wish the database to determine the setting (e.g., if connected to ORACLE7, COMPATIBILITY would default to V7).

COMPATIBILITY must be correctly set for the version of ORACLE to which you are connected, otherwise you will be unable to run any SQL commands. Note that you can set

COMPATIBILITY to V6 or V7 when connected to ORACLE7. (This enables you to run ORACLE Version 6 SQL against ORACLE7.)

COMPATIBILITY also controls whether SQL\*PLUS stores the COMMIT and ROLLBACK commands in the SQL buffer. V5 does not store COMMIT and ROLLBACK in the SQL buffer; V6 and V7 do.

Refer to the ORACLE7 Server *SQL Language Reference Manual* for information on COMMIT and ROLLBACK.

Setting COMPATIBILITY to V6 and V7 affects how SQL\*PLUS handles character data. Setting COMPATIBILITY to V6 causes SQL\*Plus to treat CHAR column values as variable length character strings. Setting COMPATIBILITY to V7 causes SQL\*Plus to treat CHAR column values as fixed length character strings and VARCHAR2 (VARCHAR) column values as variable length character strings.

CONCAT { . | c|OFF| ON }

Sets the character you can use to terminate a substitution variable reference if you wish to immediately follow the variable with a character that SQL\*Plus would otherwise interpret as a part of the substitution variable name. SQL\*Plus resets the value of CONCAT to a period when you switch CONCAT on.

COPYCOMMIT { 0 | n }

Controls the number of batches after which the COPY command commits changes to the database. COPY commits rows to the destination database each time it copies *n* row batches. Valid values are 0 to 5000. You can set the size of a batch with the ARRAYSIZE variable. If you set COPYCOMMIT to 0, COPY performs a commit only at the end of a copy operation.

CRT crt

Changes the default CRT file used in the SQL\*PLUS RUNFORM command. To return to the original default (before CRT was set), set CRT to nothing by entering two double quotes ("" ) for crt.

If you want to use NEW.CRT during a form invocation on a system where the default CRT is OLD.CRT, you can either invoke the form by:

```
SQL> RUNFORM -c NEW form_name
```

or

```
SQL> SET CRT NEW
SQL> RUNFORM form_name
```

The second method stores the CRT option so that you do not need to re-specify it for subsequent RUNFORM commands during the same SQL\*Plus session.

DEF[INE] { '&' | c | OFF | ON }

Sets the character used to prefix substitution variables to c. ON or OFF controls whether SQL\*Plus will scan commands for substitution variables and replace them with their values. The setting of DEFINE to ON or OFF overrides the setting of the SCAN variable.

ECHO { OFF | ON }

Controls whether the START command lists each command in a command file as the command is executed. ON lists the command; OFF suppresses the listing.

EMBEDDED { OFF | ON }

Controls where on a page each report begins. OFF forces each report to start at the top of a new page. ON allows a report to begin anywhere on a page. Set EMBEDDED to ON when you want a report to begin printing immediately following the end of the previously run report.

ESC[APE] { \\_ | c | OFF | ON }

Defines the character you enter as the escape character. OFF undefines the escape character. ON enables the escape character.

You can use the escape character before the substitution character (set through SET DEFINE) to indicate that SQL\*Plus should treat the substitution character as an ordinary character rather than as a request for variable substitution.

FEED[BACK] { <u>6</u>   <i>n</i>   OFF   ON }	Displays the number of records returned by a query when a query selects at least <i>n</i> records. ON or OFF turns this display on or off. Turning feedback ON sets <i>n</i> to 1. Setting feedback to 0 is equivalent to turning it OFF.
FLU[SH] { OFF   <u>ON</u> }	Controls when output is sent to the user's display device. OFF allow; the host operating system to buffer output. ON disables buffering.  Use OFF only when you run a command file non-interactively (i.e., when you do not need to see output and/or prompts until the command file finishes running). The use of FLUSH OFF may improve performance by reducing the amount of program I/O.
HEA[DING] { OFF   <u>ON</u> }	Controls printing of column headings in reports. ON prints column headings in reports; OFF suppresses column headings.
HEADS [EP] { <u> </u>   C   OFF   <u>ON</u> }	Defines the character you enter as the heading separator character. You can use the heading separator character in the COLUMN command and in the old forms of BTITLE and TTITLE to divide a column heading or title onto more than one line. ON or OFF turns heading separation on or off. When heading separation is OFF, SQL*Plus prints a heading separator character like any other character.
LIN[ESIZE] { 80   <i>n</i> }	Sets the total number of characters that SQL*Plus displays on one line before beginning a new line. It also controls the position of centered and right-aligned text in TTITLE and BTITLE. You can define LINESIZE as a value from 1 to a maximum that is system dependent. Refer to the Oracle installation and user's manual(s) provided for your operating system.
LONG { <u>80</u>   <i>n</i> }	Sets maximum width (in characters) for displaying and copying LONG values. For ORACLE7, the maximum value of <i>n</i> is two gigabytes. For ORACLE Version 6, the maximum is 32,767.

LONGC[HUNKSIZE] { <u>80</u>   <i>n</i> }	Sets the size (in characters) of the increments in which SQL*Plus retrieves a LONG value. When retrieving a LONG value, you may want to retrieve it in increments rather than all at once because of memory size restrictions. Valid values are 1 to whatever has been set with MAXDATA. LONGCHUNKSIZE applies only to ORACLE7.
MAXD[ATA] <i>n</i>	Sets the maximum total row width that SQL*Plus can process. The default and maximum values of <i>n</i> vary in different operating systems. Consult the ORACLE installation and user's manual(s) provided for your operating system or your DBA for details. Note that MAXDATA has no effect when using ORACLE7.
NEWP[AGE] { <u>1</u>   <i>n</i> }	Sets the number of blank lines to be printed between the beginning of each page and the top title. A value of 0 sends a formfeed between pages and clears the screen on most terminals.
NULL <i>text</i>	Sets the text that represents a null value in the result of a SQL SELECT command. NULL without <i>text</i> displays the default for null values—a blank for embedded null values and nothing for trailing null values. Use the NULL clause of the COLUMN command to override the setting of the NULL variable for a given column.
NUMF[ORMAT] <i>format</i>	Sets the default format for displaying numbers. Enter a number format for <i>format</i> . For number format descriptions, see the FORMAT clause of the COLUMN command in this chapter.
NUM[WIDTH] { <u>10</u>   <i>n</i> }	Sets the default width for displaying numbers.
PAGES [IZE] { <u>14</u>   <i>n</i> }	Sets the number of lines from the top title to the end of the page. For reports printed on paper 11 inches long, a value of 54 (plus a NEWPAGE value of 6) leaves one-inch margins above and below the output.  You can set PAGEXZE to 0 to suppress all headings, page breaks, titles, the initial blank line, and other formatting information.

PAUSE {OFF |ON| *text*}

Allows you to control scrolling of your terminal when running reports. You must press [Return] after seeing each pause. ON causes SQL\*Plus to pause at the beginning of each page of report output. The text you enter specifies the text to be displayed each time SQL\*Plus pauses. If you enter multiple words, you must enclose *text* in single quotes.

You can embed terminal-dependent escape sequences in the PAUSE command. These sequences allow you to create inverse video messages or other effects on terminals that support such characteristics.

RECSEP { WRAPPED ] EA [CHI |OFF } and RECSEPCHAR { |c }

Display or print record separators. A record separator consists of a single line of the RECSEPCHAR (record separating character) repeated LINESIZE times.

RECSEPCHAR defines the record separating character. A blank space is the default for RECSEPCHAR.

RECSEP tells SQL\*Plus where to make the record separation. For example, if you set RECSEP to WRAPPED, SQL\*Plus a record separator only after wrapped lines. If you set RECSEP to EACH, SQL\*Plus prints a record separator following every row. If you set RECSEP to OFF, SQL\*Plus does not print a record separator.

SCAN {OFF|ON }

Controls scanning for the presence of substitution variables and parameters. OFF suppresses processing of substitution variables and parameters; ON allows normal processing.

SERVEROUT[PUT] {OFF|ON} [SIZE *n* ]

Controls whether to display the output (i.e., DBMS\_OUTPUT.PUT\_LINE) of stored procedures in SQL\*Plus. OFF suppresses the output of DBMS\_OUTPUT.PUT\_LINE; ON displays the output.

SIZE sets the number of bytes of the output that can be buffered within the ORACLE7 Server. The default for *n* is 2000. *n* cannot be less than 2000 or greater than 1,000,000.

For more information on  
DBMS\_OUTPUT.PUT\_LINE, see your *ORACLE7  
Server Application Developer's Guide*.

SHOW [MODE] { OFF|ON}

Controls whether SQL\*PLUS lists the old and *new settings* of a SQL\*Plus system variable when you change the setting with SET. ON lists the settings; OFF suppresses the listing. BOTH functions in the same manner as ON.

SPACE [1 | n ]

Sets the number of spaces between columns in output. The maximum value of *n* is 10.

SQLCASE {MIX [ED] |LO[WER] |UP[PER] }

Converts the case of SQL commands and PL/SQL blocks just prior to execution. SQL\*Plus converts all text within the command, including quoted literals and identifiers, as follows:

- uppercase if SQLCASE equals UPPER
- lowercase if SQLCASE equals LOWER
- unchanged if SQLCASE equals MIXED

SQLCASE does not change the SQL buffer itself.

SQLCO [NTINUE] { > | text }

Sets the character sequence SQL\*Plus displays as a prompt after you continue a SQL\*Plus command on an additional line using a hyphen (-).

SQLN[UMBER] {OFF|ON}

Sets the prompt for the second and subsequent lines of a SQL command or PL/SQL block. ON sets the prompt to be the line number. OFF sets the prompt to the value of SQLPROMPT.

SQLPRE[FIX] { # | C }

Sets the SQL\*Plus prefix character. While you are entering a SQL command or PL/SQL block, you can enter a SQL\*Plus command on a separate line, prefixed by the SQL\*Plus prefix character. SQL\*Plus will execute the command immediately without affecting the SQL command or PL/SQL block that you are entering. The prefix character must be a non-alphanumeric character.

SQLP [ROMPT] {SQL>| text }

Sets the SQL\*Plus command prompt.

SQLT[ERMINATOR]	{ ;   c   OFF   ON }	Sets the character used to end and execute SQL commands to <i>c</i> . OFF means that SQL*Plus recognizes no command terminator; you terminate a SQL command by entering an empty line. ON resets the terminator to the default semicolon (;).
SUF[FIX]	{ SQL   text }	Sets the default file suffix (extension) that SQL*Plus uses in commands that refer to command files. SUFFIX does not control extensions for output (spool) files.
TAB	{ OFF   ON }	Determines how SQL*Plus formats white space in terminal output. OFF uses spaces to format white space in the output. ON uses the TAB character. The default value for TAB is system-dependent. Note that this option applies only to terminal output. Tabs will not be placed in output files. Enter SHOW TAB to see the default value.
TERM[OUT]	{ OFF   <u>ON</u> }	Controls the display of output generated by commands executed from a file; OFF suppresses the display so that you can spool output from a command file without seeing the output on the screen. ON displays the output. TERMOUT OFF does not affect output from commands you enter interactively.
TI[ME]	{ <u>OFF</u>   ON }	Controls the display of the current time. ON displays the current time before each command prompt. OFF suppresses the time display.
TIMI [NG]	{ <u>OFF</u>   ON }	Controls the display of timing statistics. ON displays timing statistics on each SQL command or PL/SQL block run. OFF suppresses timing of each command. For information about the data SET TIMING ON displays, see the Oracle installation and user's manual(s) provided for your operating system. Refer to the TIMING command for information on timing multiple commands.
TRIM [OUT]	{ OFF   <u>ON</u> }	Determines whether SQL*Plus allows trailing blanks at the end of each displayed line. ON removes blanks at the end of each line, improving performance especially when you access SQL*Plus from a slow communications device. OFF allows SQL*Plus to display trailing blanks. TRIMOUT ON does not affect spooled output; SQL*Plus ignores TRIMOUT ON unless you set TAB ON.

UND[ERLINE] { - | c | ON | OFF }

Sets the character used to underline column headings in SQL\*Plus reports to c. ON or OFF turns underlining on or off without affecting the value of c.

VER[IFY] { OFF | ON } Controls whether SQL\*Plus lists the text of a command before and after SQL\*Plus replaces substitution variables with values. ON lists the text; OFF suppresses the listing.

WRA[P] { OFF | ON } Controls whether SQL\*Plus truncates the display of a data item if it is too long for the current line width. OFF truncates the data item; ON allows the data item to wrap to the next line.

Use the WRAPPED and TRUNCATED clauses of the COLUMN command to override the setting of WRAP for specific columns.

**Usage Notes** SQL\*Plus maintains system variables (also called SET command variables) to allow you to establish a particular environment for a SQL\*Plus session. You can change these system variables with the SET command and list them with the SHOW command.

SET ROLE and SET TRANSACTION are SQL commands (see the *ORACLE7 Server SQL Language Reference Manual* for more information). When not followed by the keywords TRANSACTION or ROLE, SET is assumed to be a SQL\*Plus command.

**Examples** The following examples show sample uses of selected SET command variables.

**COMPATIBILITY** To run a command file, SALARY.SQL, created with Version 5 of ORACLE, enter:

```
SQL> SET COMPATIBILITY V5
SQL> START SALARY
```

After running the file, reset compatibility to V7 to run command files created with ORACLE7

```
SQL> SET COMPATIBILITY V7
```

Alternatively, you can add the command SET COMPATIBILITY V5 to the beginning of the command file, and reset COMPATIBILITY to V7 at the end of the file.

**ESCAPE** If you define the escape character as an exclamation point (!), then

```
SQL> ACCEPT v1 PROMPT Enter ! &1:
```

displays this prompt:

```
Enter &l:
```

**HEADING** To suppress the display of column headings in a report, enter:

```
SQL> SET HEADING OFF
```

If you then run a SQL SELECT command,

```
SQL> SELECT ENAME, SAL FROM EMP
      2 WHERE JOB = 'CLERK';
```

the following output results:

```
ADAMS          1100
JAMES          950
MILLER         1300
```

**LONG** To set the maximum width for displaying and copying LONG values to 500, enter:

```
SQL> SET LONG 500
```

The LONG data will wrap on your screen; SQL\*Plus will not truncate until the 501st character.

**LONGCHUNKSIZE** To set the size of the increments in which SQL\*Plus retrieves LONG values to 100 characters, enter:

```
SQL> SET LONGCHUNKSIZE 100
```

The LONG data will be retrieved in increments of 100 characters until the entire value is retrieved.

**SERVEROUTPUT** To enable the display of DBMS\_OUTP'UT.PUT\_LINE enter:

```
SQL> SET SERVEROUTPUT ON
```

The following shows what happens when you execute an anonymous procedure with SET SERVEROU'TPUT ON:

```
SQL> BEGIN
2   DBMS_OUTPUT. PUT_LINE ('Task is complete');
3   END;
4   /
Task is complete.
```

```
PL/SQL procedure successfully completed.
```

The following shows what happens when you create a trigger with SET SERVEROUTPUT ON:

```
SQL> CREATE TRIGGER SERVER_TRIG BEFORE INSERT OR UPDATE OR DELETE
2  ON SERVER_TAB
3  BEGIN
4  DBMS_OUTPUT.PUT_LINE('Task is complete. ');
5  END ;
6  /
Trigger created.
SQL> INSERT INTO SERVER_TAB VALUES ('TEXT');
Task is complete.
1 row created.
```

**SQLCONTINUE** To set the SQL\*Plus command continuation prompt to an exclamation point followed by a space, enter

```
SQL> SET SQLCONTINUE ' !'
```

SQL\*Plus will prompt for continuation as follows:

```
SQL> TTITLE 'YEARLY INCOME' -
! RIGHT SQL.PNO SKIP 2 -
! CENTER 'PC DIVISION'
SQL>
```

**SUFFIX**

```
SQL> SET SUFFIX UFI
```

If you then enter

```
SQL> GET EXAMPLE
```

SQL\*Plus will look for a file named EXAMPLE with an extension of UFI instead of EXAMPLE with an extension of SQL.

## SHOW

**Purpose** Lists the value of a SQL\*Plus system variable.

**Syntax** SHO [W] *option*

where *option* represents one of the following terms or clauses:

*system\_variable*

ALL

BTI [TLE]

ERR [ ORS ] [ { FUNCTION | PROCEDURE | PACKAGE | PACKAGE BODY |  
TRIGGER | VIEW } name ]

LABEL

LNO

PNO

REL [ EASE ]

SPOO[L]

SQLCODE

TTI [TLE]

USER

**Terms and Clauses** Refer to the following list for a description of each term or clause

*system\_variable* Represents any system variable set by the SET command.

ALL Lists the settings of all SHOW options.

BTI [TLE] Shows the current BTITLE definition.

ERR [ ORS ] [ { FUNCTION | PROCEDURE | PACKAGE | PACKAGE BODY |  
TRIGGER | VIEW } name ] Shows the compilation errors of a stored procedure (includes stored functions, procedures, and packages. After you use the CREATE command to create a stored procedure, a message is displayed if the stored procedure has any compilation errors. To see the errors, you use SHOW ERRORS.

When you specify SHOW ERRORS with no arguments, SQL\*Plus shows compilation errors for the most recently created or altered stored procedure. When you specify the type (function, procedure, package, package body, trigger, or view) and the name of the PL/SQL stored procedure, SQL\*Plus shows errors for that stored procedure. For more information on compilation errors, see your *PL/SQL User's Guide and Reference*.

SHOW ERRORS output displays the line and column number of the error (LINE/COL) as well as the error itself (ERROR). LINE/COL and ERROR have default widths of 8 and 65, respectively. You can alter these widths using the COLUMN command.

LABEL	Shows the security level for the current session For more information, see your <i>Trusted ORACLE Administrator's Guide</i> .
LNO	Shows the current line number (the position in the current page of the display and/or spooled output).
PNO	Shows the current page number.
REL[EASE]	Shows the release number of ORACLE that SQL*PLUS is accessing.
SPOO[L]	Shows whether output is being spooled.
SQLCODE	Shows the value of SQL.SQLCODE (for example, the SQL return code of the most recent operation).
TTI[TLE]	Shows the current TTITLE definition.
USER	Shows the username under which you are currently accessing SQL*Plus.

**Usage Notes** SHOW ERRORS is translated into a SQL command and, as a result overwrites the contents of the SQL buffer. This means the previously entered SQL statement is overwritten.

**Example** To list the current LINESIZE, enter:

```
SQL> SHOW LINESIZE
```

If the current linesize equals 80 characters, SQL\*Plus will give the following response

```
linesize 80
```

**Following is an example of how to create a stored procedure and then show its compilation errors:**

```
SQL> CREATE PROCEDURE ASSIGNVL AS BEGIN 2222222; END;  
2 /
```

Warning: Procedure created with compilation errors.

```
SQL> SHOW ERRORS PROCEDURE ASSIGNVL
```

```
LINE/COL      ERROR
```

```
-----  
1/26          PL/SQL: Statement ignored  
1/26          PLS-00201: identifier 'ZZZZZZ' must be declared
```

**Note:** Since the procedure ASSIGNVL was the most recently created/alterd stored procedure, you could just type SHOW ERRORS with no arguments to see its compilation errors.

---

## SPOOL

**Purpose** Stores query results in an operating system file and, optionally, sends the file to a default printer. Also lists the current spooling status.

**Syntax** SPOOL [ *file\_name* [ *.ext* ] | OFF | OUT ]

**Terms and Clauses** Refer to the following list for a description of each term or clause:

*file\_name* [ *.ext* ] Represents the name of the file to which you wish to spool. SPOOL followed by *file\_name* begins spooling displayed output to the named file. If you do not specify an extension, SPOOL uses a default extension (LST or LIS on most systems).

OFF stops spooling.

OUT Stops spooling and sends the file to your host computer's standard (default) printer.

Enter SPOOL with no clauses to list the current spooling status.

**Usage Notes** To spool output generated by coremands in a command file without playing the output on the screen, use SET TERMOUT OFF. SET TERMOUT OFF does not affect output from commands run interactively.

The filename for SPOOL cannot contain the caret (^) character.

**Examples** To record your displayed output in a file named DIARY using the default file extension, enter

```
SQL> SPOOL DIARY
```

To stop spooling and print the file on your default printer, type:

```
SQL> SPOOL OUT
```

---

## SQLPLUS

**Purpose** Starts SQL\*Plus from the operating system prompt.

**Syntax** SQLPLUS [[-S[ILENT]] [logon] [start]] |  
-?

where:

*logon*

Requires the following syntax:

```
username[/password ] [ @database_specification1 |  
/1  
/NOLOG
```

*start*

Allows you to enter the name of a command file and arguments. SQL\*PLUS passes the arguments to the command file as though you executed the file using the SQL\*PLUS START command. The start clause requires the following syntax:

```
file_name [. ext ] [ arg1 arg2 . . . ]
```

See the START command in this chapter for more information.

**Terms and Clauses** You have the option of entering *logon*. If you do not specify *logon*, and do specify *start*, SQL\*Plus assumes that the first line of the command file contains a valid *logon*. If neither *start* nor *logon* are specified, SQL\*Plus prompts for *logon* information.

Refer to the following list for a description of each term or clause:

*username* [ /*password* ]

Represent the username and password with which you wish to start SQL\*Plus and connect to ORACLE. If you omit *username* and *password*, SQL\*Plus prompts you for them. If you enter a slash (/) or simply enter [Return] to the prompt for *username*, SQL\*Plus logs you on using a default *logon* (see "/" below).

If you omit only *password*, SQL\*Plus prompts you for *password*. When prompting, SQL\*Plus does not display *password* on your terminal screen.

Represents a default (ops\$) *logon*. You cannot enter a *database\_specification* if you use a default *logon*. In a default *logon* SQL\*Plus attempts to log you on using the username OPSS *name*, where *name* is your operating system username.

<code>/NOLOG</code>	Establishes no initial connection to ORACLE. Before issuing any SQL commands, you must issue a <code>CONNECT</code> command to establish a valid logon. Use <code>/NOLOG</code> when you want to have a SQL*Plus command file prompt the user for the name of a database.
<code>database_specification</code>	Consists of a SQL*Net connection string. The exact syntax depends upon the SQL*Net communications protocol your Oracle installation uses. For more information, refer to the SQL*Net manual appropriate for your protocol or contact your DBA.
<code>-S[ILENT]</code>	Suppresses all SQL*Plus information and prompt messages, including the command prompt, the echoing of commands, and the banner normally displayed when you start SQL*Plus. Use <code>SILENT</code> to invoke SQL*Plus within another program so that the use of SQL*Plus is invisible to the user.
<code>-?</code>	Makes SQLPLUS display its current version and level number and then returns control to the operating system. Do not enter a space between the hyphen (-) and the question mark (?).

**Usage Notes** SQL\*Plus supports a Site Profile, a SQL\*Plus command file created by the database administrator. SQL\*Plus executes this command file whenever any user starts SQL\*Plus and SQL\*Plus establishes the ORACLE connection. The Site Profile allows the DBA to set up SQL\*Plus environment defaults for all users at a particular site; users cannot directly access the Site Profile. The default name and location of the Site Profile depend on your system. Site Profiles are described in more detail in the Oracle installation and user's manual(s) provided for your operating system.

SQL\*Plus also supports a User Profile, executed after the Site Profile. SQL\*Plus searches for a file named `LOGIN` with the extension `SQL` in your current directory. If SQL\*Plus does not find the file there, SQL\*Plus will search a system-dependent path to find the file. Some operating systems may not support this path-search. If SQL\*Plus does not find the `LOGIN` file in the paths, SQL\*Plus prints a warning message and continues the logon process.

**Examples**      To start SQL\*Plus with username SCOTT and password *TIGER*, enter:

```
SQLPLUS SCOTT/TIGER
```

To start SQL\*Plus, as above, and to make POLICY the default database, enter:

```
SQLPLUS SCOTT /TIGER@ POLICY
```

To start SQL\*Plus and run a command file named STARTUP with the extension SQL, enter

```
SQLPLUS SCOTT/TIGER @STARTUP
```

Note the space between TIGER and @STARTUP.

## START

**Purpose** Executes the contents of the specified command file.

**Syntax** STA[RT] *file\_name* [. *ext* ] [*arg1 arg2 ...* ]

**Terms and Clauses** Refer to the following list for a description of each term or clause:

*file\_name* [.*ext*]  
Represents the command file you wish to execute. The file can contain any command that you can run interactively.

If you do not specify an extension, SQL\*Plus assumes the default command-file extension (normally SQL). For information on changing this default extension, see the SUFFIX variable of the SET command in this chapter.

When you enter START *file\_name.ext*, SQL\*Plus searches for a file with the file name and extension you specify in the current default directory. If SQL\*Plus does not find such a file, SQL\*Plus will search a system-dependent path to find the file. Some operating systems may not support the path-search. Consult the Oracle installation and user's manual(s) provided for your operating system for specific information related to your operating system environment.

*arg1 arg2 . . .*  
Represent data items you wish to pass to parameters in the command file. If you enter one or more arguments, SQL\*Plus substitutes the values into the parameters (&1, &2, and so forth) in the command file. The first argument replaces each occurrence of &1, the second replaces each occurrence of &2, and so forth.

The START command DEFINES the parameters with the values of the arguments; if you START the command file again in this session, you can enter new arguments or omit the arguments to use the old values.

For more information on using parameters, refer to the subsection "Passing Parameters through the START Command" under "Writing Interactive Commands" in Chapter 3.

**Usage Notes** The @ ("at"sign) command functions similarly to START.

The @@ (double "at" sign) command functions similarly to START, but does not allow the passing of values to parameters.

**Example** A file named PROMOTE with the extension SQL, used to promote employees, might contain the following command.

```
SELECT * FROM EMP
WHERE MGR=&1 AND JOB= '&2' AND SAL>&3;
```

To run this command file,enter:

```
SQL> START PROMOTE 7280 CLERK 950
```

SQL\*Plus then executes the following command:

```
SELECT * FROM EMP
WHERE MGR=7280 AND JOB='CLERK' AND SAL>950;
```

## TIMING

**Purpose** Records timing data for an elapsed period of time, lists the current timing area's title and timing data, or lists the number of active timing areas.

**Syntax** `TIMI[NG] [START text |SHOW | STOP ]`

**Terms and Clauses** Refer to the following list for a description of each term or clause:

<code>START <i>text</i></code>	Sets up a timing area and makes <i>text</i> the title of the timing area. You can have more than one active timing area by STARTing additional areas before STOPping the first; SQL*Plus nests each new area within the preceding one. The area most recently STARTed becomes the current timing area.
<code>SHOW</code>	Lists the current timing area's title and timing data.
<code>STOP</code>	Lists the current timing area's title and timing data, and then deletes the timing area. If any other timing areas are active, the next most recently STARTed area becomes the current timing area. Use the TIMING clause of the CLEAR command to delete all timing areas.

Enter TIMING with no clauses to list the number of active timing areas.

**Usage Notes** You can use this data to do a performance analysis on any commands or blocks run during the period.

For information about the data TIMING displays, see the Oracle installation and user's manual(s) provided for your operating system. Refer to SET TIMING ON for information on automatically displaying timing data after each SQL command or PL/SQL block you run.

**Examples** To create a timing area named SQL\_AREA, enter:

```
SQL> TIMING START SQL_AREA
```

To list the current timing area's title and accumulated time, enter:

```
SQL> TIMING SHOW
```

To list the current timing area's title and accumulated time and to remove the timing area, enter

```
SQL> TIMING STOP
```

---

## TTITLE

**Purpose** Places and formats a specified title at the top of each report page, or lists the current TTITLE definition.

**Note:** For a description of the old form of TTITLE, which is compatible with UFI (a predecessor of SQL\*Plus), see TTITLE (old form) in Appendix F.

**Syntax** `TTI[TLE] [printspec [text | variable ... ] |`  
`[OFF] | ON 1`

where *printspec* represents one or more of the following clauses used to place and format the *text*:

`COL` *n*  
`S[KIP]` [*n*]  
`TAB` *n*  
`LE[FT]`  
`CE[NTER]`  
`R[IGHT]`  
`BOLD`  
`FORMAT` *char*

**Terms and Clauses** If you do not enter a *printspec* clause before the first occurrence of text, TTITLE left justifies the text. Enter TTITLE with no clauses to list the current TTITLE definition.

Refer to the following list for a description of each term or clause. These terms and clauses also apply to the BTITLE command.

<i>text</i>	Represents the title text. Enter text in single quotes if you wish to place more than one word on a single line.
<i>variable</i>	Represents a user variable or any of the following system-maintained values <ul style="list-style-type: none"><li>• SQL.LNO (current line number)</li><li>• SQL.PNO (current page number)</li><li>• SQL.RELEASE (current ORACLE release number)</li><li>• SQL.SQLCODE (current error code)</li><li>• SQL.USER (current username)</li></ul> To print one of these values, reference the appropriate variable in the title. You can format <i>variable</i> with the FORMAT clause.
<i>OFF</i>	Turns the title off (suppresses its display) without affecting its definition.

<code>ON</code>	Turns the title on (restores its display). When you define a top title, SQL*Plus automatically sets TTITLE to ON.
<code>COL n</code>	Indents to column <i>n</i> of the current line (backward if column <i>n</i> has been passed). "Column" in this context means print position, not table column.
<code>S[KIP] [n]</code>	Skips to the start of a new line <i>n</i> times; if you omit <i>n</i> , onetime; if you enter zero for <i>n</i> , backward to the start of the current line.
<code>TAB n</code>	Skips forward <i>n</i> columns (backward if you enter a negative value for <i>n</i> ). "Column" in this context means print position, not table column.
<code>LE[FT], CE [NTER] , and R[IGHT]</code>	Left-align center, and right-align data on the current line respectively. SQL*Plus aligns following data items as a group, up to the end of the <i>printspec</i> or the next LEFT, CENTER, RIGHT, or COL command. CENTER and RIGHT use the SET LINESIZE value to calculate the position of the data item that follows.
<code>BOLD</code>	Prints data in bold print. SQL*Plus represents bold print on your terminal by repeating the data on three consecutive lines.
<code>FORMAT char</code>	Specifies a format model that determines the format of following data items, up to the next FORMAT clause or the end of the command. The format model must be a <i>char</i> constant such as A10 or \$999-not a variable. See COLUMN FORMAT for more information on formatting and valid format models.  If the datatype of the format model does not match the datatype of a given data item, the FORMAT clause has no effect on that item.  If no appropriate FORMAT model precedes a given data item, SQL*Plus prints NUMBER values according to the format specified by SET NUMFORMAT or, if you have not used SET NUMFORMAT, the default format. SQL*Plus prints DATE values according to the default format.  Refer to the FORMAT clause of the COLUMN command in this chapter for more information on default formats.

**Usage Notes** SQL\*Plus interprets TTITLE in the new form if a valid *printspec* clause (LEFT, SKIP, COL, etc) immediately follows the command name. See COLUMN NEW\_VALUE for information on printing column and DATE values in the top title.

You can use any number of constants and variables in a *printspec*. SQL\*Plus displays the constants and variables in the order you specify them, positioning and formatting each constant or variable as specified by the *printspec* clauses that precede it.

The length of the title you specify with TTITLE cannot exceed 2400 characters.

The continuation character (a hyphen) will not be recognized inside a single-quoted title text string. To be recognized, the continuation character must appear outside of the quotes, as follows:

```
SQL> TTITLE CENTER 'Summary Report for' -  
> 'the Month of May'
```

**Examples** To define "Monthly Analysis" as the top title and to left-align it, to center the date, to right-align the page number with a three-digit format, and to display "Date in Thousands" in bold in the center of the next line, enter

```
SQL> TTITLE LEFT 'Monthly Analysis' CENTER '11 Mar 88' -  
> RIGHT 'Page:' FORMAT 999 SQL.PNO SKIP CENTER BOLD -  
> 'Data in Thousands'
```

The following title results:

```
Monthly Analysis                11 Mar 88                Page:  1  
                                Data in Thousands
```

To suppress the top title display without changing its definition, enter:

```
SQL> TTITLE OFF
```

---

## UNDEFINE

**Purpose** Deletes a given user variable that you defined either explicitly (with the DEFINE command) or implicitly (with an argument to the START command).

**Syntax** UNDEF[INE] *variable*

**Terms and Clauses** Refer to the following list for a description of each term or clause:

<i>variable</i>	Represents the name of the user variable you wish to delete.
-----------------	--

**Example** To undefine a user variable named POS, enter:

```
SQL> UNDEFINE POS
```

## VARIABLE

**Purpose** Declares a bind variable which can then be referenced in PL/SQL. For more information on bind variables, see "Using Bind Variables" in Chapter 3. For more information about PL/SQL, see your *PL/SQL User's Guide and Reference*.

VARIABLE without arguments displays a list of all the variables declared in the session. VARIABLE followed only by a variable name lists that variable.

**Syntax** VAR[iable] [variable {NUMBER[CHAR|CHAR (n)]}]

**Terms and Clauses** Refer to the following list for a description of each term or clause:

variable	Represents the name of the bind variable you wish to create.
NUMBER	Creates a variable of type NUMBER with a fixed length.
CHAR	Creates a variable of type CHAR (character) with a length of one.
CHAR (n)	Creates a variable of type CHAR with a maximum length of n.

**Usage Notes** To display the value of a bind variable created with VARIABLE, use the PRINT command. For more information, see the PRINT command in this chapter.

**Examples** Following is an example of creating a bind variable and then setting it to the value returned by a function:

```
SQL> VARIABLE id NUMBER
SQL> BEGIN
  1   : id := emp_management.hire
  2     ('BLAKE', 'N.ANAGER', 'KING',2990, 'SALES') ;
  3   END;
```

The bind variable named `id` could also be displayed with the PRINT command or used in subsequent PL/SQL subprograms.

**Following is an example of creating some variables and then listing some or all of them:**

```
SQL> VARIABLE id NUMBER
SQL> VARIABLE txt CHAR (20 )
SQL> VARIABLE
variable id
datatype NUMBER

variable txt
datatype CHAR (20)
SQL> VARIABLE txt
variable txt
datatype CHAR ( 20 )
```

---

## WHENEVER OSERROR

**Purpose** Exits SQL\*Plus if an operating system error occurs, (such as a file I/O error).

**Syntax** `WHENEVER OSERROR { EXIT [ SUCCESS |FAILURE |OSCODE | n ]  
[COMMIT|ROLLBACK] | CONTINUE [COMMIT|ROLLBACK| NONE ]}`

**Terms and Clauses** Refer to the following list for a description of each term or clause:

<code>EXIT [ <u>SUCCESS</u>  FAILURE  OSCODE   n  variable]</code>	Directs SQL*Plus to exit as soon as an operating system error is detected. You can also specify that SQL*Plus return a success or failure code, the operating system failure code, or a number or variable of your choice. See also EXIT in this chapter for details.  The EXIT clause will not exit if a SQL*Plus command generates an error.
<code>CONTINUE</code>	Turns off the EXIT option.
<code>COMMIT</code>	Directs SQL*Plus to execute a COMMIT before exiting or continuing and save pending changes to the database.
<code>ROLLBACK</code>	Directs SQL*Plus to execute a ROLLBACK before exiting or continuing and abandon pending changes to the database.
<code>NONE</code>	Directs SQL*Plus to take no action before exiting or continuing.

**Usage Notes** If you do not enter the WHENEVER OSERROR command, the default behavior of SQL\*Plus is to continue and take no action when an operating system error occurs.

**Examples** The commands in the following command file cause SQL\*Plus to exit and COMMIT any pending changes if a failure occurs when writing to the output file:

```
SQL> GET RAISE
  1  WHENEVER OSERROR EXIT OSCODE COMMIT
  2  UPDATE EMP SET SAL = SAL*1.1
  3  COPY TO SCOTT /TIGER@D:BETHESDA -
  4  REPLACE EMP -
  5  USING SELECT * FROM EMP
  6  SPOOL OUT
  7  SELECT SAL FROM EMP
```

## WHENEVER SQLERROR

**Purpose** Exits SQL\*Plus in a SQL command or PL/SQL block generates an error.

**Syntax** `WHENEVER SQLERROR { EXIT [ SUCCESS | FAILURE | WARNING | n | variable ]  
[ COMMIT | ROLLBACK | CONTINUE [ COMMIT | ROLLBACK | NONE ] }`

**Terms and Clauses** Refer to the following list for a description of each term or clause:

<code>EXIT [ <u>SUCCESS</u>   FAILURE   WARNING   <i>n</i>   <i>variable</i> ]</code>	Directs SQL*PLUS exit as soon as it detects any SQL error (but after printing the SQL error message). The EXIT clause of WHENEVER SQLERROR follows the same syntax as the EXIT command. See EXIT in this chapter for details.  The EXIT clause will not exit if a SQL*Plus command generates an error.
<code>CONTINUE</code>	Turns off the EXIT option.
<code>COMMIT</code>	Directs SQL*Plus to execute a COMMIT before exiting or continuing and save pending changes to the database.
<code>ROLLBACK</code>	Directs SQL*Plus to execute a ROLLBACK before exiting or continuing and abandon pending changes to the database.
<code>NONE</code>	Directs SQL*Plus to take no action before exiting or continuing.

**Usage Notes** If you do not enter the WHENEVER SQLERROR command, the default behavior of SQL\*Plus is to continue and take no action when a SQL error occurs.

**Examples** The commands in the following command file cause SQL\*Plus to exit and display the SQL error code if a SQL UPDATE command fails and skips the COPY command:

```
SQL> GET RAISE
 1 WHENEVER SQLERROR EXIT SQL. SQLCODE
 2 UPDATE EMP SET SAL = SAL*1.1
 3 COPY TO SCOTT/TIGER@D:BETHESDA -
 4 REPLACE EMP -
 5 USING SELECT * FROM EMP
 6 WHENEVER SQLERROR CONTINUE
```



APPENDIX

# A

## COPY COMMAND MESSAGES AND CODES

This appendix lists error messages generated by the COPY command. For error messages generated by ORACLE, refer to the ORACLE7 Server Messages *and Codes Manual*.

**CPY002: Illegal or missing APPEND, CREATE, INSERT, or REPLACE option**

**Cause:** An internal COPY function has invoked COPY with a create option (flag) value that is out of range.

**Action:** Please contact your Oracle Customer Support representative.

**CPY0003: Internal Error logical host number out of range**

**Cause:** An internal COPY function has been invoked with a logical host number value that is out of range.

**Action:** Please contact your Oracle Customer Support representative.

**CPY0004: Source and destination table and column names don't match**

**Cause:** On an APPEND operation or an INSERT (when the table exists), at least one column name in the destination table does not match the corresponding column name in the optional column name list or in the SELECT command.

**Action:** Re-specify the COPY command, making sure that the column names and their respective order in the destination table match the column names and column order in the optional column list or in the SELECT command.

**CPY0005: Source and destination column attributes don't match**

**Cause:** On an APPEND operation or an INSERT (when the table exists), at least one column in the destination table does not have the same datatype as the corresponding column in the SELECT command.

**Action:** Re-specify the COPY command, making sure that the datatypes for items being selected agree with the destination. You can use TO\_DATE, TO\_CHAR, and TO\_NUMBER to make conversions.

**CPY0006: Select list has more columns than destination table**

**Cause:** On an APPEND operation or an INSERT (when the table exists), the number of columns in the SELECT command is greater than the number of columns in the destination table.

**Action:** Re-specify the COPY command, making sure that the number of columns being selected agrees with the number in the destination table.

**CPY0007: Select list has fewer columns than destination table**

**Cause:** On an APPEND operation or INSERT (when the table exists), the number of columns in the SELECT command is less than the number of columns in the destination table.

**Action:** Re-specify the COPY command, making sure that the number of columns being selected agrees with the number in the destination table.

**CPY0008: More column list names than columns in the destination table**

**Cause:** On an APPEND operation or an INSERT (when the table exists), the number of columns in the column name list is greater than the number of columns in the destination table.

**Action:** Re-specify the COPY command, making sure that the number of columns in the column list agrees with the number in the destination table.

**CPY0009: Fewer column list names than columns in the destination table**

**Cause:** On an APPEND operation or an INSERT (when the table exists), the number of columns in the column name list is less than the number of columns in the destination table.

**Action:** Re-specify the COPY command, making sure that the number of columns in the column list agrees with the number in the destination table.



APPENDIX

# *B*

## VERSION 3 ENHANCEMENTS

**S**QL\*Plus Version 3 provides a number of enhancements over previous versions of SQL\*Plus. This appendix describes the enhancements for SQL\*Plus Version 3.1 and SQL\*Plus Version 3.0.

## SQL\*Plus Version 3.1 Enhancements

SQL\*Plus Version 3.1 is a superset of SQL\*Plus Version 3.0. To fully exploit SQL\*Plus Version 3.1, you need ORACLE7. SQL\*Plus Version 3.1 gives you the following capabilities:

- You can use the following new SQL commands with SQL\*Plus Version 3.1. You can also control access to these commands through the `PRODUCT_USER_PROFILE` table located in the `SYSTEM` account. See Appendix E for a full explanation.

ALTER ALL SNAPSHOTS	CREATE ROLE
ALTER FUNCTION	CREATE SCHEMA
ALTER PACKAGE	CREATE SNAPSHOT
ALTER PACKAGE BODY	CREATE SNAPSHOT LOG
ALTER PROCEDURE	CREATE TRIGGER
ALTER PROFILE	CREATE USER
ALTER RESOURCE COST	DROP FUNCTION
ALTER SESSION	DROP PACKAGE
ALTER SNAPSHOT	DROP PROCEDURE
ALTER SNAPSHOT LOG	DROP PROFILE
ALTER SYSTEM	DROP ROLE
ALTER TRIGGER	DROP SNAPSHOT
ANALYZE	DROP SNAPSHOT LOG
CREATE FUNCTION	DROP TRIGGER
CREATE PACKAGE	DROP USER
CREATE PACKAGE BODY	SET ROLE
CREATE PROCEDURE	TRUNCATE
CREATE PROFILE	

- You can create and display bind variables using the `VARIABLE` and `PRINT` commands. These variables can be referenced in PL/SQL. For details, see the section entitled "Using Bind Variables" in Chapter 3 and the `VARIABLE` and `PRINT` commands in Chapter 6.

- You can execute a stored procedure using the SQL\*Plus EXECUTIVE command. For details, see the EXECUTE command in Chapter 6.
- You can display the compilation errors for a stored procedure. The SHOW command has a new keyword (ERRORS) for this purpose. For details, see the SHOW command in Chapter 6.
- You can display the security level for the session. The SHOW command has a new keyword (LABEL) for this purpose. For details, see the SHOW command in Chapter 6.
- When you enter any of the following SQL commands from SQL\*Plus, it places you in PL/SQL mode: BEGIN, CREATE FUNCTION, CREATE PACKAGE, CREATE PACKAGE BODY, CREATE PROCEDURE, CREATE TRIGGER For details, see "Running PL/SQL Blocks" in Chapter 2.
- You can enable or disable DBMS\_OUTPUT.PUT\_LINE output using SET SERVEROUTPUT. For details, see the SERVEROUTPUT variable of the SET command in Chapter 6.
- You can set the size of increments in which you want to retrieve LONG values from the database. The SET command has a new variable (LONGCHUNKSIZE) for this purpose. For details, see the LONGCHUNKSIZE variable of the SET command in Chapter 6.
- You can specify the default date format via an initialization parameter in a parameter file. SQL\*Plus uses what you have specified to determine the default width for displaying DATE values.
- You can display the new VARCHAR2 and Trusted ORACLE (MISLABEL, RAW MLSLABEL, ROWLABEL) column types in SQL\*Plus. For details, see the section entitled "Formatting CHAR, VARCHAR2 (VARCHAR), LONG, DATE, and Trusted ORACLE Columns" in Chapter 4.
- You can use the SET variable, COMPATIBILITY, to maintain compatibility between command files written with ORACLE Version 5, Version 6, and ORACLE7. For details, see the COMPATIBILITY variable of the SET command in Chapter 6.
- You can specify whether to exit SQL\*Plus or continue when an operating system error occurs. The WHENEVER OSERROR command enables you to exit SQL\*Plus when an operating system error occurs. For details, see the WHENEVER OSERROR command in Chapter 6.

- When a SQL or PL/SQL error occurs, you can continue and no action is taken by default. The new default for `WHENEVER SQLERROR CONTINUE` is `NONE`. For details, see the `WHENEVER SQLERROR` command in Chapter 6.
- You can disable roles using the `PRODUCT_USER_PROFILE` table located in the `SYSTEM` account. For details, see Appendix E.
- You can execute nested command files using the `@@` (double "at" sign) command. For details, see the `@@` command in Chapter 6.

---

## SQL\*Plus Version 3.0 Enhancements

SQL\*Plus Version 3.0 is a subset of SQL\*Plus Version 3.1 and it gives you the following capabilities:

- You can choose whether SQL\*Plus stores the ORACLE Version 6 commands COMMIT and ROLLBACK in the SQL buffer. A new SET variable, COMPATIBILITY, allows you to maintain compatibility with command files written with ORACLE Version 5. See the COMPATIBILITY variable of the SET command in Chapter 6 for more information.
- You can enter, edit, store, and execute PL/SQL blocks through SQL\*Plus. Refer to the subsection "Running PL/SQL Blocks" under "Entering and Executing Commands" in Chapter 2 for details.
- You will automatically see improved efficiency in a network environment. SQL\*Plus now defines multiple columns in a SELECT command with a single network message.
- You can restrict users' access to given SQL and SQL\*Plus commands through a table, PRODUCT\_USER\_PROFILE, located in the SYSTEM account. See Appendix E for a full explanation.
- You can omit the password from the FROM and TO clauses of the COPY command; SQL\*Plus prompts you for each password and suppresses the display of your response. Refer to the COPY command in Chapter 6 for details.
- You can specify the language and character set in which ORACLE messages are displayed. SQL\*Plus supports multi-lingual ORACLE messages, a feature of National Language Support (NLS). Messages are displayed in the language and character set specified via initialization parameter in a parameter file.
- You can enter comments using the "--" comment delimiter in SQL\*Plus without putting a space between the delimiter and the beginning of the comment. For details, see "Placing Comments in Command Files" in Chapter 3.



APPENDIX

# C

## SQL\*PLUS LIMITS

**T**able C-1, on the following page, lists the limit, or maximum value, of each of the SQL\*Plus elements shown. The limits shown are valid for most operating systems (all except PDP11 and mc68000).

**TABLE C-1**  
**SQL\*Plus Limits**

<i>Item</i>	<i>Limit</i>
file name length	system-dependent
username length	30 bytes
user variable name length	30 bytes
user variable value length	240 characters
number of user variables	1,024
number of variables in a SQL INSERT command INTO list	50
number of variables per SQL command	100
command line length	2500 characters
length of a LONG value entered through SQL*Plus	LINESIZE value
LINESIZE	system-dependent
LONGCHUNKSIZE value (requires ORACLE7)	MAXDATA value
MAXDATA value	system-dependent
output line size	system-dependent
line size after variable substitution	1,000 characters (internal only)
number of lines per SQL command	500 (assuming 80 characters per line)
number of lines per page	50,000
total row width	60,000 characters for VMS, otherwise 32,767 characters
number of rows in an array fetch	5000
number of nested commandfiles	20 for VMS, CMS, Unix; otherwise, 5
page number	99,999
PL/SQL error message buffer	2K (ORACLE7) 512 (ORACLE Version 6)

APPENDIX

*D*

SQL COMMAND LIST

Table D-1, on the following page, lists SQL commands. SQL commands were formerly documented in this manual. You can now refer to the ORACLE7 Server *SQL Language Reference Manual* for full documentation of these commands.

**TABLE D-1**  
**SQL Command List**

*Major SQL Commands and Clauses*

---

ALTER	LOCK TABLE
ANALYZE*	NOAUDIT
AUDIT	RENAME
COMMENT	REVOKE
COMMIT	ROLLBACK
CREATE	SAVEPOINT
DELETE	SELECT
DROP	SET ROLE*
EXPLAIN	SET TRANSACTION
GRANT	TRUNCATE*
INSERT	UPDATE

\* requires ORACLE7

# *E*

## SECURITY

This appendix describes the available methods for controlling access to database tables and SQL\*Plus commands. The available methods for security fall into two broad categories:

- SQL\*Plus PRODUCT\_USER\_PROFILE table
- roles

## PRODUCT\_USER\_PROFILE Table

Various Oracle products use PRODUCT\_USER\_PROFILE, a table in the SYSTEM account, to provide product-level security that supplements the user-level security provided by the SQL GRANT and REVOKE commands, and user roles. (SET ROLE requires ORACLE7)

### Overview

DBAs can use PRODUCT\_USER\_PROFILE to disable certain SQL and SQL\*Plus commands in the SQL\*Plus environment, on a per-user basis. SQL\*Plus--not ORACLE--enforces this security. DBAs can even restrict access to the GRANT, REVOKE, and SET ROLE commands to control users' ability to change their database privileges.

You can create PRODUCT\_USER\_PROFILE by running the command file named V7PUP with the extension SQL. The exact format of the file extension and the location of the file are system-dependent. See the ORACLE installation and user's manual(s) provided for your operating system or your DBA for more information.

SQL\*Plus reads restrictions from PRODUCT\_USER\_PROFILE when a user logs onto SQL\*Plus and maintains those restrictions for the duration of the session. Changes to PRODUCT\_USER\_PROFILE will only take effect the next time the affected users log onto SQL\*Plus.

### Table Structure

The PRODUCT\_USER\_PROFILE table consists of the following columns:

PRODUCT	NOT NULL CHAR(30)
USERID	CHAR(30)
ATTRIBUTE	CHAR(240)
SCOPE	CHAR(240)
NUMERIC_VALUE	NUMBER (15,2)
CHAR_VALUE	CHAR(240)
DATE_VALUE	DATE
LONG_VALUE	LONG

## Description and Use of Columns

Refer to the following list for the descriptions and use of each column in the PRODUCT\_USER\_PROPILE table:

Product	Must contain the product name (in this case "SQL*Plus"). You cannot enter wildcards or NULL in this column. Also notice that the product name SQL*Plus must be specified in mixed case, as shown, in order to be recognized.
Userid	Must contain the username (in upper case) of the user for whom you wish to disable the command. To disable the command for more than one user, use SQL wild cards (%) or make multiple entries. Thus, all of the following entries are valid: <ul style="list-style-type: none"><li>• SCOTT</li><li>• CLASS1</li><li>• CLASS% (all users whose names start with</li><li>• CLASS)</li><li>• % (all users)</li></ul>
Attribute	Must contain the name (in upper case) of the SQL, SQL*Plus, or PL/SQL command you wish to disable (e.g., GET). If you are disabling a role, must contain the character string "ROLES". You cannot enter a wildcard. See "Administration," below, for a list of SQL and SQL*Plus commands you can disable. See "Roles," below, for information on how to disable a role.
Scope	SQL*Plus ignores this column. It is recommended that you enter NULL in this column. Other products may store specific file restrictions or other data in this column.
Numeric_Value	SQL*Plus ignores this column. It is recommended that you enter NULL in this column. Other products may store numeric values in this column.
Char_Value	Must contain the character string "DISABLED" to disable a SQL, SQL*Plus, or PL/SQL command. If you are disabling a role, must contain the name of the role you wish to disable. You cannot use a wildcard. See "Roles," below, for information on how to disable a role.
Date_Value	SQL*Plus ignores this column. It is recommended that you enter NULL in this column. Other products may store DATE values in this column.

Long\_Value            SQL\*Plus ignores this column. It is recommended that you enter NULL in this column. Other products may store LONG values in this column.

## Administration

The DBA username SYSTEM owns and has all privileges on PRODUCT\_USER\_PROFILE. (When SYSTEM logs on, SQL\*Plus does not read PRODUCT\_USER\_PROFILE. Therefore, no restrictions apply to user SYSTEM.) Other ORACLE usernames should have only SELECT access to this table. The command file PUPBLD, when run, grants SELECT access on PRODUCT\_USER\_PROFILE to PUBLIC.

## Disabling SQL\*Plus SQL, and PL/SQL Commands

To disable a SQL or SQL\*Plus command for a given user, insert a row containing the user's username in the Userid column, the command name in the Attribute column, and DISABLED in the Char\_Value column.

The Scope, Numeric\_Value, and Date\_Value columns should contain NULL. For example:

PRODUCT	USERID	ATTRIBUTE	SCOPE	NUMERIC VALUE	CHAR VALUE	DATE VALUE
-----	-----	-----	-----	-----	-----	-----
SQL*Plus	SCOTT	HOST			DISABLED	
SQL*Plus	%	INSERT			DISABLED	
SQL*Plus	%	UPDATE			DISABLED	
SQL*Plus	%	DELETE			DISABLED	

To re-enable commands, delete the row containing the restriction.

You can disable the following SQL\*Plus commands:

- CONNECT
- EDIT
- EXECUTE
- EXIT
- GET
- HOST (or your operating system's alias for HOST, such as \$)
- QUIT
- RUN
- SAVE
- SET (see note below)
- SPOOL
- START

**Note:** Disabling the SQL\*Plus SET command will also disable the SQL SET ROLE and SET TRANSACTION commands.

You can also disable the following SQL commands:

- ALTER
- ANALYZE (requires ORACLE)
- AUDIT
- CONNECT
- CREATE
- DELETE
- DROP
- GRANT
- INSERT
- LOCK
- NOAUDIT
- RENAME
- REVOKE
- SELECT
- SET ROLE (requires ORACLE7)
- SET TRANSACTION
- TRUNCATE (requires ORACLE7)
- UPDATE
- VALIDATE (only for ORACLE V6)

You can also disable the following PL/SQL commands

- BEGIN
- DECLARE

**Note:** Disabling BEGIN and DECLARE does not prevent the use of the SQL\*Plus EXECUTE command. EXECUTE must be disabled separately.

## Disabling SET ROLE

From SQL\*Plus, users can submit any SQL command. In certain situations, this can cause security problems. Unless you take proper precautions, a user could use SET ROLE to access privileges obtained via an application role. With these privileges, they might issue SQL statements from SQL\*Plus that could wrongly change database tables.

To prevent application users from accessing application roles in SQL\*Plus, you can use PRODUCT USER\_PROFILE to disable the SET ROLE command. This allows a SQL\*Plus user only those privileges associated with the roles enabled when they started SQL\*Plus. For more information about the creation and usage of user roles, see your *ORACLE7 Server SQL Language Reference* and *ORACLE7 Server Administrator's Guide*.

## Disabling Roles

To disable a role for a given user, insert a row in PRODUCT\_USER\_PROFILE containing the user's username in the Userid column, "ROLES" in the Attribute column, and the role name in the Char\_Value column. Note that by entering "PUBLIC" or % for the Userid column, you disable the role for all users.

The Scope, Numeric\_Value, and Date\_Value columns should contain NULL. For example:

PRODUCT	USERID	ATTRIBUTE	SCOPE	NUMERIC VALUE	CHAR VALUE	DATE VALUE
SQL*Plus	SCOTT	ROLES			ROLE1	
SQL*Plus	PUBLIC	ROLES			ROLE2	

During login, these table rows are translated into the command:

```
SET ROLE ALL EXCEPT ROLE1, ROLE2
```

To ensure that the user does not use the SET ROLE command to change their roles after login, you can disable the SET ROLE command. See "Disabling SET ROLE" earlier in this appendix.

To re-enable roles, delete the row containing the restriction.

## Roles

To provide for the security of your database tables in ORACLE7 using SQL commands, you can create and control access to roles. By creating a role and then controlling who has access to it, you can ensure that only certain users have access to particular database privileges.

## Overview

Roles are created and used with the SQL CREATE, GRANT, and SET commands:

- To create a role, you use the CREATE command. You can create roles with or without passwords.
- To grant access to roles, you use the GRANT command. In this way, you can control who has access to the privileges associated with the role.
- To access roles, you use the SET ROLE command. If you created the role with a password, the user must know the password in order to access the role.

For more information about roles, see your *ORACLE7 Server SQL Language Reference*, your *ORACLE7 Server Administrator's Guide*, and your *ORACLE7 Server Concepts Manual*.

# *F*

## SQL\*PLUS COMMANDS FROM EARLIER VERSIONS

**T**his appendix covers earlier versions of some SQL\*Plus commands. These older commands still function within SQL\*Plus, but SQL\*Plus provides newer commands that have improved functionality.

---

## BTITLE (old form)

**Purpose** Displays a title at the bottom of each report page.

**Syntax** BTI [TLE] text

**Usage Notes** The old form of BTITLE offers formatting features more limited than those of the new form, but provides compatibility with UFI (a predecessor of SQL\*Plus). The old form defines the bottom title as an empty line followed by a line with centered text. Refer to TTITLE (old form) in this appendix for more details.

---

## COLUMN DEFAULT

**Purpose** Resets the display attributes for a given column to default values.

**Syntax** COL [UMN] { *column* | } DEF [AULT]

**Usage Notes** Has the same effect as COLUMN CLEAR.

---

## DOCUMENT

**Purpose** Begins a block of documentation in a command file.

**Syntax** DOC[UMENT]

**Usage Notes** For information on the current method of inserting comments in a command file, refer to the subsection "Placing Comments in Command Files" under "Saving Commands for Later Use" in Chapter 3 and to REMARK in Chapter 6.

After you type DOCUMENT and enter [Return], SQL\*Plus displays the prompt DOC> in place of SQL> until you end the documentation. The "pound" character (#) on a line by itself ends the documentation.

If you have set DOCUMNT to OFF, SQL\*Plus suppresses the display of the block of documentation created by the DOCUMENT commands. (See SET DOCUMENT later in this appendix.)

---

## NEWPAGE

**Purpose** Advances spooled output *n* lines beyond the beginning of the next page.

**Syntax** NEWPAGE [ 1 | *n* ]

**Usage Notes** Refer to the NEWPAGE variable of the SET command in Chapter 6 for information on the current method for advancing spooled output.

---

## SET BUFFER

**Purpose** Makes the specified buffer the current buffer.

**Syntax** SET BUF [FER] { *buffer* | SQL }

**Usage Notes** Initially, the SQL buffer is the current buffer. SQL\*Plus does not require the use of multiple buffers; the SQL buffer alone should meet your needs.

If the buffer name you enter does not already exist, SET BUFFER defines (creates and names) the buffer. SQL\*Plus deletes the buffer and its contents when you exit SQL\*Plus.

Running a query automatically makes the SQL buffer the current buffer. To copy text from one buffer to another, use the GET and SAVE commands. To clear text from the current buffer, use CLEAR BUFFER. To clear text from the SQL buffer while using a different buffer, use CLEAR SQL.

---

## SET DOCUMENT

**Purpose** Displays or suppresses blocks of documentation created by the DOCUMENT command.

**Syntax** SET DOC[UMENT] {OFF | ON }

**Usage Notes** SET DOCUMENT ON causes blocks of documentation to be echoed to the screen. Set DOCUMENT OFF suppresses the display of blocks of documentation.

See DOCUMENT in this appendix for information on the DOCUMENT command.

---

## SET TRUNCATE

**Purpose** Controls whether SQL\*Plus truncates or wraps a data item that is too long for the current line width.

**Syntax** SET TRU [NCATE] { OFF | ON }

**Usage Notes** ON functions in the same manner as SET WRAP OFF, and vice versa. You may prefer to use WRAP because the SHOW command recognizes WRAP and does not recognize TRUNCATE.

---

## TTITLE (old form)

**Purpose** Displays a title at the top of each report page.

**Syntax** TTI[TLE] *text*

**Usage Notes** The old form of TTITLE offers formatting features more limited than those of the new form, but provides compatibility with UFI (a predecessor of SQL\*Plus). The old form defines the top title as a line with the date left-aligned and the page number right-aligned, followed by a line with centered text and then a blank line.

The *text* you enter defines the title TTITLE will display.

SQL\*Plus centers text based on the size of a line as determined by SET LINESIZE. A separator character(|) begins a new line; two line separator characters in a row (| |) insert a blank line. You can change the line separator character with SET HEADSEP.

You can control the formatting of page numbers in the old forms of TTITLE and BTITLE by defining a variable named "\_page". The default value of \_page is the formatting string, "page &P4". To alter the format, you can DEFINE \_page with anew formatting string as follows:

```
SQL> SET ESCAPE /
SQL> DEFINE _page = 'Page /&P2'
```

This formatting string will print the word "page" with an initial capital letter and format the page number to a width of 2. You can substitute any text for "page" and any number for the width. You must set escape so that SQL\*Plus does not interpret the ampersand (&) as a substitution variable. See the ESCAPE variable of the SET command in Chapter 6 for more information on setting the escape character.

SQL\*Plus interprets TTITLE in the old form if a valid new-form clause does not immediately follow the command name.

If you want to use CENTER with TTITLE and put more than one word on a line, you should use the new form of TTITLE documented in the Reference portion of this manual.

**Example** To use the old form of TTITLE to set a top title with a left-aligned date and right-aligned page number on one line followed by SALES DEPARTMENT on the next line and PERSONNEL REPORT on a third line, enter:

```
SQL> TTITLE 'SALES DEPARTMENT |PERSONNEL REPORT'
```

---

## GLOSSARY

### A

**argument** A data item following the command-file name in a START command. The argument supplies a value for a parameter in the command file.

**ASCII** A convention for using digital data to represent printable characters. ASCII is an acronym for American Standard Code for Information Interchange.

**autocommit** A feature unique to SQL\*Plus that enables SQL\*Plus to automatically commit changes to the database after every successful execution of a SQL command or PL/SQL block. Setting the AUTOCOMMIT variable of the SET command to ON enables this feature.

### B

**block** In PL/SQL, a group of SQL and PL/SQL commands related to one another through procedural logic.

**break** An event, such as a change in the value of an expression, that occurs while SQL\*Plus processes a query or report. You can direct SQL\*Plus to perform some action, such as printing totals, whenever a break occurs.

**break column** A column in a report that causes a break when its value changes.

**break hierarchy** The order in which SQL\*Plus checks for the occurrence of events and triggers the corresponding breaks.

**buffer** An area where SQL\*Plus saves your most recently entered SQL command or PL/SQL block. The SQL buffer is the default buffer. You can edit or execute commands from multiple buffers; however, SQL\*Plus does not require the use of multiple buffers.

### C

**CHAR datatype** An ANSI-standard datatype. Specifically, it is a fixed length, alpha-numeric string with a maximum length of 255 characters. If data entered for a column of type CHAR is less than 255, requisite spaces will be padded. If data entered is more than 255, an error occurs. (Note: This datatype functions differently than it did in ORACLE Version 6. The ORACLE Version 6 CHAR datatype is equivalent to the ORACLE7 VARCHAR2 datatype.)

**column** (1) The fields representing one kind of data in a table; for example, the fields representing salary in the sample table EMP. (2) The fields representing one kind of data in the output of a query. See also *row*.

**command** An instruction to SQL\*Plus. ACCEPT, CLEAR, and COPY are examples of commands in SQL\*Plus.

**command file** A file containing one or more commands. You can execute the command file with the START or @ command.

**command prompt** The text, by default SQL>, with which SQL\*Plus requests your next command.

**commit** To make changes to data (inserts, updates, deletes) permanent. Before changes are stored, both the old and new data exist so that changes can be stored or the data can be restored to its prior state. When a user enters the SQL command COMMIT, all changes in that transaction are made permanent.

**connect** To identify yourself to ORACLE by entering your username and password in order to gain access to the database. In SQL\*Plus, the CONNECT command allows you to log off ORACLE and then log back on with a specified username.

**current line** The line in the buffer that SQL\*Plus editing commands will affect at any given time.

## D

**database** A disk storage area where ORACLE stores tables, views, and other data; also, the set of objects stored in that area.

**Database Administrator (DBA)** A person responsible for the operation and maintenance of the ORACLE. The DBA is an ORACLE user authorized to grant and revoke other users' access to the system, modify ORACLE options that affect all users, and perform other administrative functions. There may be more than one DBA per site.

**database link** An object stored in the local database that identifies a remote database, a communication path to the remote database, and optionally, a username and password for it. Once defined, a database link can be used to perform queries on tables in the remote database. Also called *DBlink* In SQL\*Plus, you can reference a database link in a DESCRIBE or COPY command.

**database specification** An alphanumeric code that identifies a database, used to specify the database in SQL\*Net operations and to define a database link. In SQL\*Plus, you can reference a database specification in a COPY, CONNECT, or SQLPLUS command.

**datatype** Any one of the forms of data that ORACLE can store and manipulate. The SQL language recognizes the following datatypes: CHAR, DATE, NUMBER, LONG, RAW, and LONG RAW.

**DATE datatype** One of the standard ORACLE datatypes. A DATE column can contain a date and time from January 1,4712 BC to December 31,4712 AD. Standard date format is 01-JAN-88 (DD-MM-YY).

**DBA** See *Database Administrator*.

**DCL commands** A category of SQL commands that control access to the data and to the database. DCL stands for data control language.

**DDL commands** A category of SQL commands that define or delete database objects such as tables or views. DDL stands for data definition language.

**default** A clause or option value that SQL\*Plus uses if you do not specify an alternative.

**default database** See *local database*.

**DML commands** A category of SQL commands that query and update the actual data. DML stands for data manipulation language.

## E

**error message** A message from a computer program (e.g., SQL\*Plus) informing you of a potential problem preventing program or command execution.

## F

**file** A collection of data treated as a unit, such as a list, document, index, note, set of procedures, etc.—the basic unit of information maintained by an operating system. Generally used to refer to data stored on magnetic tapes or disks.

**format model** A clause element that controls the appearance of a value in a report column. You specify predefined format models in the COLUMN, TTITLE, and BTITLE commands' FORMAT clauses. You can also use format models for DATE columns in SQL date conversion functions, such as TO\_DATE.

**formfeed** A control character that, when executed, causes the printer to skip to the top of a new sheet of paper (top of form). When SQL\*Plus displays a formfeed on most terminals, the formfeed clears the screen.

## H

**heading** Text that appears above a report column to name the column.

**host computer** The computer from which you run SQL\*Plus.

**Julian date** An algorithm for expressing dates in integer form, using the JDATE function and date formatting. Julian dates allow additional arithmetic functions to be performed on dates.

## L

**local database** The database that SQL\*Plus connects to when you start SQL\*Plus, ordinarily a database on your host computer. Also called a default database. See also *remote database*.

**LONG datatype** One of the standard ORACLE datatypes. A LONG column can contain any printable characters such as A, 3, &, or a blank, and can have any length from 0 to 65,535 characters.

## N

**network** Two or more computers linked together through hardware and software to allow the sharing of peripherals.

**null** A value that means, "a value is not applicable" or "the value is unknown." Nulls are not equal to any specific value, even to each other. Comparisons with nulls are always false.

**NUMBER datatype** One of the standard ORACLE datatypes. A NUMBER column can contain a number, with or without a decimal point and a sign, and can have from 1 to 105 decimal digits (only 40 digits are significant).

## O

**operating system** The system software that manages the computer's resources, performing basic tasks such as allocating memory and allowing computer components to communicate.

## P

**page** A screen of displayed data or a sheet of printed data in a report.

**parameter** A substitution variable consisting of an ampersand followed by a numeral (&1, &2, etc.). You use parameters in a command file and pass values into them through the arguments of the START command.

**password** A secondary identification word associated with a username. A user logging on to the system must supply the correct password before the system will permit access. This security measure helps to prevent unauthorized people from working with files.

**PL/SQL** A procedural language extension of SQL that provides programming constructs like blocks, conditionals, and procedures.

**prompt** A message from a computer program that instructs you to enter data or take some other action.

## Q

**query** A frequently used type of SQL command, used to retrieve information from tables or views. Queries typically begin with the SQL reserved word SELECT.

**query results** The data retrieved by a query.

## R

**RAW datatype** One of the standard ORACLE datatypes. A RAW column can contain data in any form, including binary.

**RDBMS** See *relational database management system*.

**record** A row in a database.

**relational database management system** A computer program for general-purpose data storage and retrieval, also called the RDBMS. Data is stored in tables consisting of one or more units of information (rows), each containing the same set of data items (columns). ORACLE is a relational database management system.

**remote computer** A term used to refer to any computer in a network other than one's own host computer.

**remote database** A database other than your default database, which may reside on a remote computer; in particular, one that you reference in the CONNECT, COPY, and SQLPLUS commands.

**reserved word** One of a number of words that have special meaning to ORACLE; you cannot use a reserved word as the name of a database object. Examples are TABLE, NUMBER, DATE, SELECT.

**roll back** To discard pending changes made to the data in the current transaction using the SQL ROLLBACK command. You can rollback a portion of a transaction by identifying a savepoint.

**row** (1) One set of fields in a table; for example, the fields representing one employee in the sample table EMP. (2) One set of fields in the output of a query.

## S

**sessions** The events that happen between the time you connect to SQL\*Plus and the time you disconnect.

**SET command variable** See *system variable*.

**spooling** The act of writing displayed output to a disk storage area. The SPOOL command controls spooling.

**SQL** Structured Query Language, the ANSI, industry-standard language used to manipulate information in a relational database. SQL is the language used in ORACLE and IBM DB2 relational database management systems. SQL is pronounced sequel. See also *DCL commands*, *DDL commands*, and *DML commands*.

**SQL buffer** The default buffer containing your most recently entered SQL command or PL/SQL block.

**SQL\*Forms** Anon-procedural tool for creating, maintaining, and running forms-based, interactive applications using ORACLE.

**SQL\*Net** An Oracle network product that works with ORACLE and enables two or more computers that run ORACLE to exchange database data through a network.

**SQL\*Plus** A software product that allows users to interactively use SQL commands or PL/SQL blocks and that produces formatted reports and supports written-command procedures to access data in ORACLE.

**substitution variable** A variable name or numeral preceded by one or two ampersands (&). You use a substitution variable in a command file to represent a value that you will provide when you run the command file.

**subtotal** The total of values in a NUMBER column, taken over a group of rows that have the same value in a break field.

**summary line** A line in a report containing totals, averages, maximums, or other computed values. You create summary lines through the BREAK and COMPUTE commands.

**syntax** A set of rules that determines how to construct a valid command in a computer language, such as SQL.

**system editor** A program on the host computer used to edit text in host operating system files.

**system variable** A variable predefined and set to a default value by ORACLE or SQL\*Plus to indicate status or environment. You can list the values of and set many system variables with the SHOW and SET commands, respectively. An example is LINESIZE, which determines the number of characters that SQL\*Plus displays on a line before beginning a new line.

## T

**table** The basic unit of storage in a relational database management system. A table consists of one or more rows and one or more columns.

**text editor** A program run under your host computer's operating system that you use to create and edit host system files and SQL\*Plus command files containing SQL commands, SQL\*Plus commands, and/or PL/SQL blocks.

**timing area** An internal storage area created by the TIMING command.

**title** A line that appears at the top or bottom of each report page. You establish and format titles through the TTITLE and BTITLE commands.

**transaction** The SQL commands that occur between one CONNECT, COMMIT, or ROLLBACK (without mentioning a savepoint) and another. Note that a COMMIT can occur explicitly with the use of the SQL COMMIT command, or implicitly through commands such as the SQL\*Plus EXIT command or SQL DDL commands.

**truncate** An operation where one or more characters are discarded from the end of a value.

## U

**username** (1) The name a user enters to log on to the host system. (2) The name by which a user is known to ORACLE and to other users, as in the prefix to a table name (for example SCO'IT, in the table SCOTT.EMP). Every username is associated with a private password, and both must be entered in the data dictionary in order to connect to ORACLE.

**user variable** A variable defined and set by you explicitly with the DEFINE command or implicitly with an argument to the START command.

## V

**VARCHAR** An Oracle Corporation datatype. Specifically, this datatype functions identically to the ORACLE7 VARCHAR2 datatype (see definition below). However, Oracle Corporation recommends that you use VARCHAR2 instead of VARCHAR because Oracle Corporation may change the functionality of VARCHAR in the future.

**VARCHAR2** An Oracle Corporation datatype. Specifically, it is a variable-length, alpha-numeric string with a maximum length of 2000 characters. If data entered for a column of type VARCHAR2 is less than 2000 no spaces will be padded; the data is stored with a length as entered. If data entered is more than 2000, an error occurs. (Note This datatype is identical to the ORACLE Version 6 CHAR datatype, except that its maximum length is 2000 instead of 255)

**variable** A named object that holds a single value. SQL\*Plus uses substitution, system, and user variables.

## W

**wrapping** The process of moving some words or letters of a heading or data item to a new line when the heading or data does not fit on one line.

# Index

## !

- . (period)
  - See Period (.)
- ;(semicolon)
  - See Semicolon (;)
- @ ("at" sign)
  - in CONNECT command 5-3, 6-33
  - in COPY command 5-4, 6-35
  - in SQLPLUS command 3-13, 5-3, 6-77
- @ ("at" sign) command 3-13, 6-5
  - command file 3-13, 6-5
  - similar to START 3-13, 6-6, 6-81
- @@ ("at" sign) command
  - similar to START 6-81
- @@ (double "at" sign) command 6-7
  - command file 6-7
- \$, number format 4-4, 6-23
- & (ampersand)
  - See Substitution variables
- \* (asterisk), in LIST command 3-2, 6-52
- (comment delimiter) 3-11
- ? clause 6-78
- SILENT clause 6-78
- / (slash) command 2-9, 6-8
  - entered at buffer line-number prompt 2-7, 6-8
  - entered at command prompt 2-9, 6-8
  - executing current PL/SQL block 2-9
  - executing current SQL command 2-9
  - similar to RUN 2-9, 6-8, 6-58
- / (slash), default logon 6-77
- /"..."/ (comment delimiters) 3-10
- /NOLOG option 6-78

- 0, number format 4-4, 6-23
- 9, number format 4-4, 6-23
- :(colon)
  - See bind variables
- @ ("at" sign) command
  - arguments 6-5
  - passing parameters to a command file 6-5
  - \_EDITOR, in EDIT command 3-6, 6-44

## A

- ACCEPT command 3-23, 6-9
  - and DEFINE command 6-38
  - CHAR clause 6-9
  - customizing prompts for value 3-24
  - HIDE clause 6-9
  - NOPROMPT clause 6-9
  - NUMBER clause 3-25
  - PROMPT clause 3-24, 6-9
- Access, denying and granting E-2
- ALIAS clause 6-21
- ALL clause 6-73
- ALTER command
  - disabling E-5
  - See also your Oracle SQL language documentation
- Ampersands (&)
  - in parameters 3-22, 6-5, 6-80
  - See also Substitution variables

ANALYZE command  
  disabling E-5  
  *See also* your Oracle SQL language documentation  
APPEND clause  
  in COPY command 5-6, 6-36  
  in SAVE command 3-14, 6-60  
APPEND command 3-2, 3-5, 6-10  
Arguments, in START command 3-22, 6-80  
ARRAYSIZE variable 6-62  
  relationship to COPY command 5-7, 6-37  
AUDIT command  
  disabling E-5  
  *See also* your Oracle SQL language documentation  
AUTOCOMMIT variable 2-12, 6-62  
AVG function 4-14, 6-29

## B

B, number format 6-23  
[Backspace] key 2-2  
Batch mode 3-14, 6-46  
BEGIN command 2-9  
  disabling E-5  
  *See also* your PL/SQL User's Guide and Reference  
Bind variables 3-26  
  creating 6-87  
  displaying 6-55  
Blank line  
  in PL/SQL blocks 2-9  
  in SQL commands 2-8  
Blocks, PL/SQL 1-2  
  continuing 2-9  
  editing in-buffer 3-2  
  editing with host system editor 3-6, 6-44  
  entering and executing 2-9  
  listing current in buffer 3-3  
  saving current 3-7, 6-60  
  setting character used to end 6-62  
  stored in SQL buffer 2-9  
  storing in command files 3-7  
  timing statistics 6-69  
  within SQL commands 2-8

BLOCKTERMINATOR variable 6-62  
BOLD clause 6-84  
Break columns 4-10, 6-11  
  inserting space when value changes 4-11  
  specifying multiple 4-12  
  suppressing duplicate values in 4-10  
BREAK command 4-10, 6-11  
  and SQL ORDER BY  
    clause 4-9 to 4-10, 4-12, 6-12  
  displaying column values in titles 4-24  
DUPLICATES clause 6-14  
  inserting space after every row 4-12  
  inserting space when break column changes 4-11  
  listing current break definition 4-13, 6-14  
NODUPLICATES clause 6-14  
ON column clause 4-10, 6-11  
ON expr clause 6-13  
ON REPORT clause 4-16, 6-13  
ON ROW clause 4-12, 6-13  
  printing "grand" and "sub" summaries 4-16  
  printing summary lines at ends of reports 4-16  
  removing definition 6-19  
SKIP clause 4-12, 6-13  
SKIP PAGE clause 4-11 to 4-12, 6-14  
  specifying multiple break columns 4-12, 6-11  
  storing current date in variable for titles 4-26  
  suppressing duplicate values 4-10, 6-14  
  used in conjunction with  
    COMPUTE 4-14, 6-11, 6-13, 6-30  
Break definition  
  listing current 4-13, 6-14  
  removing current 4-13, 6-19  
BREAKS clause 4-13, 6-19  
BTITLE clause 6-73  
BTITLE command 4-19, 6-16  
  old form F-2  
  printing blank lines before bottom title 4-21  
  referencing column value variable 6-25  
  *See also* TTITLE command  
Buffer 2-9  
  appending text to a line in 3-5, 6-10  
  deleting a line from 3-6, 6-40  
  deleting all lines 3-2, 6-19  
  executing contents 2-9, 6-8, 6-58

- inserting new line in 3-5, 6-50
- listing a range of lines 3-2, 6-52
- listing a single line 3-2, 6-52
- listing all lines 3-2, 6-52
- listing contents 3-3, 6-52
- listing the current line 3-2, 6-52
- listing the last line 3-2, 6-52
- loading contents into host system
  - editor 3-6, 6-44
- overwriting by SHOW ERRORS 6-74
- saving contents 3-7, 6-60
- BUFFER clause 3-2, 3-8, 6-19
- BUFFER variable F-3

## C

- [Cancel] function 2-13
- [Cancel] key 2-2
- CASE\*Designer 1-3
- CASE\*Dictionary 1-3
- CASE\*Generators 1-3
- CENTER clause 4-19, 4-21, 6-84
- CHANGE command 3-2 to 3-3, 6-17
- CHAR clause 6-9
- CHAR columns
  - changing format 4-6, 6-22
  - default format 4-5, 6-22
  - see also your Oracle SQL language documentation
- CLEAR clause 4-8, 6-21
- CLEAR command 6-19
  - BREAKS clause 4-13, 6-19
  - BUFFER clause 3-2, 3-8, 6-19
  - COLUMNS clause 4-8, 6-19
  - COMPUTES clause 4-18, 6-19
  - SCREEN clause 3-26, 6-19
  - SQL clause 6-19
  - TIMING clause 6-19
- CMDSEP variable 6-62
- COL clause 4-19, 4-21, 6-84
- Colons (:)
  - See also bind variables
- COLOR clause 6-21
- COLUMN command 4-2, 6-20
  - ALIAS clause 6-21
  - and BREAK command 6-13
  - and DEFINE command 6-38
  - CLEAR clause 4-8, 6-21
  - COLOR clause 6-21
  - DEFAULT clause F-2
  - displaying column values in bottom titles 4-25, 6-25
  - displaying column values in top titles 4-24, 6-24
  - entering multiple 6-26
  - FOLD\_AFTER clause 6-21
  - FOLD\_BEFORE clause 6-21
  - FORMAT clause 4-4, 4-6, 6-21
  - formatting columns 4-6
  - formatting NUMBER columns 4-4, 6-23
  - HEADING clause 4-2, 6-24
  - HEADSEP character 6-24
  - JUSTIFY clause 6-24
  - LIKE clause 4-7, 6-24
  - LINEAPP clause 6-24
  - listing a column's display attributes 4-7, 6-20
  - listing all columns' display attributes 4-7, 6-20
  - NEW\_VALUE clause 4-24, 4-26, 6-24
  - NEWLINE clause 6-24
  - NOPRINT clause 4-24, 6-25
  - NULL clause 6-25
  - OFF clause 48, 6-25
  - OLD\_VALUE clause 4-25, 6-25
  - ON clause 4-8, 6-25
  - PATTERN clause 6-25
  - Print clause 6-25
  - resetting a column to default display 4-8, 6-21
  - restoring column display attributes 4-8, 6-25
  - storing current date in variable for titles 4-26, 6-27
  - suppressing column display attributes 4-8, 6-25
  - TRUNCATED clause 4-7, 6-26
  - WORD\_WRAPPED clause 4-7, 4-9, 6-26
  - WRAPPED clause 4-7, 6-26
- Column headings
  - aligning 6-24
  - changing 4-2, 6-24
  - changing character used to underline 4-3, 6-70

- changing to two or more words 4-3, 6-24
- displaying on more than one line 4-3, 6-24
- suppressing printing in a report 6-65
- when truncated 6-22
- when truncated for CHAR and LONG
  - columns 4-6
- when truncated for DATE columns 4-6, 6-22
- when truncated for NUMBER
  - columns 4-4, 6-23
- Columns
  - assigning aliases 6-21
  - computing summary lines 4-14, 6-29
  - copying display attributes 4-7, 6-24
  - copying values between tables 5-4, 5-8, 6-35
  - displaying values in bottom titles 4-25, 6-25
  - displaying values in top titles 4-24, 6-24
  - formatting CHAR, LONG, and DATE 4-5
  - formatting CHAR, VARCHAR, LONG, and DATE 6-22
  - formatting in reports 4-2, 6-20
  - formatting MLSLABEL, RAW MLSLABEL, ROWLABEL 6-22
  - formatting NUMBER 4-4, 6-23
  - listing display attributes for all 4-7, 6-20
  - listing display attributes for one 4-7, 6-20
  - names in destination table when
    - copying 5-5, 6-35
  - printing line after values that
    - overflow 4-8, 6-67
  - resetting a column to default display 4-8, 6-21
  - resetting all columns to default
    - display 4-8, 6-19
  - restoring display attributes 4-8, 6-25
  - setting number of spaces between 6-68
  - setting printing to off or on 4-24, 6-25
  - specifying values to be computed 6-29
  - starting new lines 6-24
  - storing values in variables 4-24, 6-24
  - suppressing display attributes 4-8, 6-25
  - truncating display for all when value overflows 4-6, 6-70
  - truncating display for one when value overflows 4-7, 6-26
  - wrapping display for all when value overflows 4-6, 6-70
  - wrapping display for one when value overflows 4-7, 6-26
  - wrapping whole words for one 4-9, 6-26
- COLUMNS clause 4-8, 6-19
- Comma, number format 4-4, 6-23
- Command files 3-7
  - aborting and exiting with a
    - return code 3-14, 6-89 to 6-90
  - allowing end-user input 3-16
  - creating with a system editor 3-9
  - creating with INPUT and SAVE 3-8
  - creating with SAVE 3-7, 6-60
  - editing with GET and SAVE 3-14
  - editing with host system editor 3-14, 6-44
  - in @ ("at" sign) command 3-13, 6-5
  - in @@ (double "at" sign) command 6-7
  - in EDIT command 3-14, 6-44
  - in GET command 3-11, 6-47
  - in SAVE command 3-7 to 3-8, 6-60
  - in SQLPLUS command 3-13, 6-77
  - in START command 3-12, 6-80
  - including comments in 3-10, 6-57
  - including more than one PL/SQL block 3-9
  - including more than one SQL command 3-9
  - listing names with HOST command 3-8
  - nesting 3-13
  - passing parameters to 3-22, 6-5, 6-80
  - retrieving 3-11, 6-47
  - running 3-12, 6-5, 6-80
  - running a series in sequence 3-13
  - running as you start SQL\*Plus 3-13, 6-77
  - running in batch mode 3-14, 6-46
  - running nested 6-7
  - saving contents of buffer in 3-7, 6-60
- Command prompt
  - host operating system 2-3
  - SQL\*Plus 2-4
- Command summary SQL\*Plus 6-2
- Commands 1-2
  - case 2-5
  - collecting timing statistics on 2-13, 6-82
  - disabling E-4
  - host operating system, running from SQL\*Plus 2-13, 6-49

- listing current in buffer 6-52
- re-enabling E-4
- spaces 2-5
- SQL\*Plus, abbreviations 2-10
- SQL\*Plus, command summary 6-2
- SQL\*Plus, continuing on additional lines 2-11
- SQL\*Plus, editing at command prompt 3-2
- SQL\*Plus, ending 2-11
- SQL\*Plus, entering and executing 2-10
- SQL\*Plus, entering during SQL
  - command entry 6-68
- SQL, continuing on additional lines 2-7
- SQL, editing with host system editor 3-6
- SQL, editing in buffer 3-2
- SQL, editing with host system editor 6-44
- SQL, ending 2-7
- SQL, entering and executing 2-6
- SQL, entering without executing 2-8
- SQL, executing current 2-9, 6-8, 6-58
- SQL, following syntax 2-7
- SQL, list of major D-1
- SQL, listing current in buffer 3-3
- SQL, saving current 3-7, 6-60
- SQL, setting character used to end
  - and run 6-69
- stopping while running 2-13
- storing in command files 3-7
- syntax conventions 1-4
- tabs 2-5
- types of 2-5
- variables that affect running 2-12
- writing interactive 3-16
- COMMENT command
  - See your Oracle SQL language documentation
- Comments
  - including in command files 3-10, 6-57
  - using -- to create 3-11
  - using /\*...\*/ to create 3-10
  - using REMARK to create 3-10, 6-57
- COMMIT clause
  - WHENEVER OSERROR 6-89
  - WHENEVER SQLError 6-90
- COMMIT command 2-12
  - COMPATIBILITY variable 6-63
  - storing/not storing in SQL buffer 6-63
  - See also your Oracle SQL language documentation
- COMPATIBILITY variable 6-63
  - in LOGIN file 3-15
- COMPUTE command 4-10, 6-29
  - AVG function 4-14, 6-29
  - computing a summary on different columns 4-17
  - COUNT function 4-14, 6-29
  - listing all definitions 4-18, 6-30
  - MAXIMUM function 4-14, 6-29
  - MINIMUM function 4-14, 6-29
  - NUMBER function 4-14, 6-29
  - OF clause 4-14, 6-29
  - ON column clause 4-14, 6-30
  - ON expr clause 6-30
  - ON REPORT clause 4-16, 6-30
  - ON ROW clause 6-30
  - printing "grand" and "sub" summaries 4-16
  - printing multiple summaries on same column 4-17
  - printing summary lines at ends of reports 4-16
  - printing summary lines on a break 4-14, 6-29
  - referencing a SELECT expression in OF 6-30
  - referencing a SELECT expression in ON 6-30
  - removing definitions 4-18, 6-19
  - STD function 4-14, 6-29
  - SUM function 4-14, 6-29
  - treatment of null values 4-15
  - VARIANCE function 4-14, 6-29
- COMPUTES clause 4-18, 6-19
- CONCAT variable 3-21, 6-63
- CONNECT command (SQL)
  - disabling E-5
- CONNECT command
  - (SQL\*Plus) 5-2 to 5-3, 6-33
  - and @ ("at" sign) 5-3, 6-33
  - database specification 5-3
  - disabling E-4
  - username/password 5-2 to 5-3, 6-33

- CONTINUE clause
  - WHENEVER OSERROR 6-89
  - WHENEVER SQLERROR 6-90
- Conventions, command syntax 1-4
- COPY command 5-4, 6-35
  - and @ ("at" sign) 5-4, 6-35
  - and ARRAYSIZE variable 5-7, 6-37
  - and COPYCOMMIT variable 5-7, 6-37
  - and LONG variable 5-7, 6-36
- APPEND clause 5-6, 6-36
- copying data between databases 5-4
- copying data between tables on one database 5-8
- CREATE clause 5-6, 6-36
- creating a table 5-5 to 5-6, 6-36
- database specification 5-4, 5-6, 5-8
- destination table 5-4, 6-35
- determining actions 5-4
- determining source rows and columns 5-5, 6-36
- error messages A-1
- FROM clause 5-4, 6-36
- INSERT clause 5-6, 6-36
- inserting data in a table 5-6, 6-36
- interpreting messages 5-7
- naming the source table with SELECT 5-5, 6-36
- query 5-5, 6-36
- referring to another user's table 5-7
- REPLACE clause 5-5, 6-36
- replacing data in a table 5-5, 6-36
- sample command 5-4 to 5-5
- specifying column names for destination 5-5, 6-35
- specifying the data to copy 5-5, 6-36
- TO clause 5-4, 6-36
- username/password 5-4, 5-6, 5-8, 6-35 to 6-36
- USING clause 5-5, 6-36
  - when a commit is performed 6-37
- COPYCOMMIT variable 6-63
  - relationship to COPY command 5-7, 6-37
- COUNT function 4-14, 6-29
- CREATE clause
  - in COPY command 5-6, 6-36
  - in SAVE command 6-60

- CREATE command
  - disabling E-5
  - entering PL/SQL 2-8
  - See also* your Oracle SQL language documentation
- Creating flat files 4-29
- CRT files, changing default 6-64
- CRT variable 6-64
  - in LOGIN file 3-15

## D

- Database changes, saving automatically 2-12, 6-62
- Database link names
  - in DESCRIBE command 6-41
- Database specifications
  - in CONNECT command 5-3
  - in COPY command 5-4, 5-6, 5-8
  - in SQLPLUS command 5-3, 6-78
- Database, Administrator 1-6
- Databases
  - connecting to default 5-2, 6-33
  - connecting to remote 5-2, 6-33
  - copying data between 5-4, 6-35
  - copying data between tables on a single 5-8
  - disconnecting without leaving SQL\*Plus 5-2, 6-43
- DATE columns
  - changing format 4-6, 6-22
  - default format 4-5, 6-22
  - See also* your Oracle SQL language documentation
- DATE, number format 6-23
- Date, storing current in variable for titles 4-25, 6-24 to 6-25, 6-27
- DECLARE command
  - disabling E-5
- DECLARE command (PL/SQL) 2-9
  - See also* your PL/SQL User's Guide and Reference
- DEFAULT clause F-2
- DEFINE command 3-16, 6-38
  - and host system editor 3-6, 6-38
  - CHAR values 6-38
  - substitution variables 6-38

DEFINE variable 3-21, 6-64  
 DEL command 3-2, 3-6, 6-40  
 DELETE command  
     disabling E-5  
     *See also* your Oracle SQL language documentation  
 DEMOBLD 1-7  
     and LOGIN file 3-15  
 DEMODROP 1-8  
 DESCRIBE command (SQL\*Plus) 2-14, 6-41  
     database link name 6-41  
     PL/SQL properties listed by 6-42  
     table properties listed by 6-41  
 DISABLED keyword, disabling commands E-3  
 Disabling  
     PL/SQL commands E-5  
     SQL commands E-4  
     SQL\*Plus command E04  
 DISCONNECT command 5-2, 6-43  
 DOCUMENT command F-2  
     REMARK as newer version of F-2  
 DOCUMENT variable F-3  
 DROP command  
     disabling E-5  
     *See also* our Oracle SQL language documentation  
 DUPLICATES clause 6-14

## E

ECHO variable 3-12, 6-64  
 EDIT command 3-6, 6-44  
     creating command files with 3-9  
     defining \_EDITOR 3-6, 6-44  
     disabling E-4  
     modifying command files 3-14, 6-44  
 EEEE, number format 6-23  
 EMBEDDED variable 6-64  
 Empty line, displaying 6-54  
 Enhancement list, Version 3.0 B-5  
 Enhancement list, Version 3.1 B-2  
 Error messages, interpreting 2-15  
 Errors, making line containing current 3-3  
 Escape characters, definition of 6-64  
 ESCAPE variable 3-21, 6-64

EXECUTE command 6-45  
     disabling E-4  
 EXIT clause  
     WHENEVER OSERROR 6-89  
     WHENEVER SQLERROR 6-90  
 EXIT command 24, 6-46  
     disabling E-4  
     FAILURE clause 6-46  
     SUCCESS clause 6-46  
     WARNING clause 6-46  
 Exit, conditional 6-89 to 6-90  
 EXPLAIN command  
     *See* your Oracle SQL language documentation

## F

FAILURE clause 6-46  
 FEEDBACK variable 6-65  
 File names  
     in @ ( "at" sign) command 6-5  
     in @@ (double "at" sign) command 6-7  
     in EDIT command 6-44  
     in GET command 6-47  
     in SAVE command 3-7, 6-60  
     in SPOOL command 4-29, 6-76  
     in SQLPLUS command 6-77  
     in START command 6-80  
 Files  
     changing default CRT 6-64  
     *See also* Command files  
     flat 4-29  
 Flat file 4-29  
 FLUSH variable 6-65  
 FOLD\_AFTER clause 6-21  
 FOLD\_BEFORE clause 6-21  
 FORMAT clause  
     in COLUMN command 4-4, 4-6, 6-21  
     in TTITLE and BTITLE commands 4-23, 6-84  
 Format models, number 4-4, 6-23  
 Formfeed, to begin a new page 4-27, 6-66  
 Forms, running from SQL\*Plus 2-14, 6-59  
 FROM clause (SQL\*Plus) 5-4, 6-36

## G

- GET command 3-11, 6-47
  - disabling E-4
  - LIST clause 6-47
  - modifying command files 3-14
  - NOLIST clause 6-47
  - retrieving command files 3-11, 6-47
- GRANT command E-2
  - disabling E-5
  - See also* your Oracle SQL language documentation

## H

- HEADING clause 4-2, 6-24
- HEADING variable 6-65
- Headings
  - See* Column headings
- HEADSEP variable 6-65
  - use in COLUMN command 4-3, 6-24
- Help command 6-48
- Help, online 2-5, 6-1, 6-48
- HIDE clause 6-9
- HOST command 2-14, 6-49
  - disabling E-4
  - listing command file names with 3-8
- Host operating system
  - command prompt 2-3
  - editor 3-6, 6-44
  - file, loading into buffer 6-47
  - running commands from SQL\*Plus 2-13, 6-49

## I

- Input
  - accepting [Return] 3-26, 6-54
  - accepting values from the user 3-23, 6-9
- INPUT command 3-2, 3-5, 6-50
  - entering several lines 6-50
  - using with SAVE to create command files 3-8
- INSERT clause 5-6, 6-36

- INSERT command
  - disabling E-5
  - See also* your Oracle SQL language documentation
- [Interrupt] key 2-2

## J

- JUSTIFY clause 6-24

## K

- Keyboard, significance of keys on 2-2
- Keys
  - [Backspace] key 2-2
  - [Cancel] key 2-2
  - [Interrupt] key 2-2
  - [Pause] key 2-2
  - [Resume] key 2-2
  - [Return] key 2-2

## L

- LEFT clause 4-19, 4-21, 6-84
- LIKE clause 4-7, 6-24
- Limits, SQL\*Plus C-1
- Line numbers, for SQL commands 2-6
- LINEAPP clause 6-24
- Lines
  - adding at beginning of buffer 6-50
  - adding at end of buffer 6-50
  - adding new after current 3-5, 6-50
  - appending text to 3-5, 6-10
  - changing width 4-27, 6-65
  - deleting from buffer 3-6, 6-40
  - determining which is current 3-3
  - editing current 3-3
  - listing all in buffer 3-2, 6-52
  - removing blanks at end 6-69
- LINESIZE variable 4-20, 4-27, 6-65
- LIST clause 6-47
- LIST command 3-2, 6-52
  - determining current line 3-3, 6-52
  - making last line current 3-3, 6-52
  - using an asterisk 3-2, 6-52

LNO clause 6-74  
LOCK TABLE command  
    disabling E-5  
    *See also* your Oracle SQL language documentation  
Logging Off  
    conditionally 6-89 to 6-90  
    ORACLE 5-2, 6-43  
    SQL\*Plus 2-4, 6-46  
Logging on  
    ORACLE 5-2 to 5-3, 6-33  
    SQL\*Plus 2-3, 6-77  
LOGIN file 3-15, 6-78  
    keeping the current one 3-15  
    sample commands to include 3-15  
    storing current date in variable for titles 4-26  
LONG columns  
    changing format 4-6, 6-22  
    default format 4-5, 6-22  
    setting maximum width 6-65  
    setting retrieval size 6-66  
    *See also* your Oracle SQL language documentation  
LONG variable 4-5, 6-65  
    effect on COPY command 5-7, 6-36  
LONGCHUNKSIZE variable 6-66

## M

MNDATA variable 6-66  
MAXIMUM function 4-14, 6-29  
Message, sending to screen 3-23, 6-56  
MI, number format 6-23  
MINIMUM function 4-14, 6-29  
MLSLABEL columns  
    changing format 4-6  
    default format 4-5 6-22

## N

National Language Support B-5  
NEW\_VALUE clause 4-24, 6-24  
    storing current date in variable for titles 4-26, 6-24, 6-27  
NEWLINE clause 6-24

NEWPAGE command F-3  
NEWPAGE variable 4-27, 6-66  
NSL  
    *See* National Language Support  
NOAUDIT command  
    disabling E-5  
    *See also* your Oracle SQL language documentation  
NODUPPLICATES clause 6-14  
NOLIST clause 6-47  
/NOLOG option 6-78  
NONE clause  
    WHENEVER OSERROR 6-89  
    WHENEVER SQLERROR 6-90  
NOPRINT clause 4-24, 6-25  
NOPROMPT clause 6-9  
NULL clause 6-25  
Null values  
    and COMPUTE command 4-15  
    setting text displayed 6-25  
NULL variable 6-66  
NUMBER clause 3-25, 6-9  
NUMBER columns  
    changing format 4-4, 6-23  
    default format 4-4, 6-23  
    *See also* your Oracle SQL language documentation  
Number formats  
    \$ 4-4, 6-23  
    0 4-4, 6-23  
    9 4-4, 6-23  
    B 6-23  
    comma 4-4, 6-23  
    DATE 6-23  
    EEEE 6-23  
    MI 6-23  
    period 6-23  
    PR 6-23  
    setting default 6-66  
    V 6-23  
NUMBER function 4-14, 6-29  
NUMFORMAT variable 6-66  
    in LOGIN file 3-15  
NUMWWTH variable 6-66  
    effect on NUMBER column format 4-4, 6-23

## O

- OF clause 4-14, 6-29
- OFF clause
  - in COLUMN command 4-8, 6-25
  - in SPOOL command 4-29, 6-76
  - in TTITLE and BTITLE commands 4-8, 6-83
- OLD\_VALUE clause 4-25, 6-25
  - storing current date in variable for titles 6-25
- ON clause
  - in COLUMN command 4-8, 6-25
  - in TTITLE and BTITLE commands 4-24, 6-84
- ON column clause
  - in BREAK command 4-10, 6-11
  - in COMPUTE command 4-14, 6-30
- ON expr clause
  - in BREAK command 6-13
  - in COMPUTE command 6-30
- ON REPORT clause
  - in BREAK command 4-16, 6-13
  - in COMPUTE command 4-16, 6-30
- ON ROW clause
  - in BREAK command 4-12, 6-13
  - in COMPUTE command 6-30
- Online help 2-5, 6-1, 6-48
- Oracle Card 1-3
- Oracle Data Browser 1-3
- Oracle Graphics 1-3
- ORACLE Precompilers 1-3
- Oracle\*Mail 1-3
- ORDER BY clause
  - displaying column values in titles 4-24
  - displaying values together in output 4-9
- OUT clause 4-30, 6-76
- output
  - formatting white space in 6-69
  - pausing during display 2-15, 6-67
  - See also* Query results

## P

- Page number, including in titles 4-22, 6-83
- Pages
  - changing length 4-26, 6-66
  - default dimensions 4-26
  - matching dimensions to screen or paper size 4-26
  - setting dimensions 4-26
- PAGESIZE variable 2-6, 4-27, 6-66
  - in LOGIN file 3-15
- Parameters 3-22, 6-5, 6-80
- Password 1-7
  - in CONNECT command 5-2 to 5-3, 6-33
  - in COPY command 5-4, 5-6, 5-8, 6-35
  - in SQLPLUS command 2-3, 5-3, 6-77
- Paths, creating
  - See* Installation and User's Guide
- PATTERN clause 6-25
- PAUSE command 3-26, 6-54
  - in LOGIN file 3-16
- [Pause] function 2-15
- [Pause] key 2-2
- PAUSE variable 2-15, 6-67
- Performance, over dial-up lines 6-69
- Period (.)
  - number format 6-23
  - terminating PL/SQL blocks 2-9
- PL/SQL 1-2 to 1-3, 2-9
  - See also* Blocks, PL/SQL
  - executing 6-45
  - listing definitions 2-15
  - mode in SQL\*Plus 2-8
  - within SQL commands 2-8
- PNO clause 6-74
- PR, number format 6-23
- PRINT clause 6-25
- PRINT command 6-55
- Printing
  - See* SPOOL command
- PRODUCT\_USER\_PROFILE table E-2
- PROMPT clause 3-24, 6-9
- PROMPT command 3-23, 6-56
  - customizing prompts for value 3-24

- Prompts for value
  - bypassing with parameters 3-22
  - customizing 3-24
  - though ACCEPT 3-23
  - through substitution variables 3-18

## Q

- Queries 1-2
  - displaying number of records
    - retrieved 2-6, 6-65
  - in COPY command 5-5, 6-36
- Query results 1-2
  - displaying on-screen 2-6
  - sending to a printer 4-30, 6-76
  - storing in a file 4-29, 6-76
- QUIT command 6-46
  - disabling E-4

## R

- RAW MLSLABEL columns
  - changing format 4-6
  - default format 4-5, 6-22
- Record separators, printing 4-8, 6-67
- RECSEP variable 4-8, 6-67
- RECSEPCHAR variable 4-8, 6-67
- RELEASE clause 6-74
- REMARK command 3-10, 6-57
- RENAME command
  - disabling E-5
  - See also* your Oracle SQL language documentation
- REPLACE clause
  - in COPY command 5-5, 6-36
  - in SAVE command 3-14, 6-60
- Report breaks
  - See* BREAK command
- Report columns
  - See* Columns
- Report titles
  - See* Titles

- Reports 1-2
  - clarifying with spacing and summary lines 4-9
  - creating bottom titles 4-19, 6-16
  - creating master/detail 4-24, 6-24 to 6-25
  - creating top titles 4-19, 6-83
  - formatting column headings 4-2, 6-20
  - formatting columns 4-4 to 4-5, 6-20
  - starting on a new page 6-64
- [Resume] key 2-2
- Return code, specifying 3-14, 6-46, 6-90
- [Return] key 2-2
- REVOKE command E-2
  - disabling E-5
  - See also* your Oracle SQL language documentation
- RIGHT clause 4-19, 4-21, 6-84
- Roles E-6
  - disabling E-6
  - re-enabling E-6
- ROLLBACK clause
  - WHENEVER OSERROR 6-89
  - WHENEVER SQLERROR 6-90
- ROLLBACK command
  - COMPATIBILITY variable 6-63
  - storing/not storing in SQL buffer 6-63
  - See also* your Oracle SQL language documentation
- ROWLABEL columns
  - changing format 4-6
  - default format 6-22
- Rows
  - performing computations on 4-14, 6-29
  - setting maximum width SQL\*Plus can process 6-66
  - setting number retrieved at one time 6-62
  - setting the number after which COPY commits 6-63
- RUN command 2-9, 6-58
  - disabling E-4
  - executing current PL/SQL block 2-9
  - executing current SQL command 2-9
  - making last line current 3-3
  - similar to / (slash) command 2-9, 6-58
- RUNFORM command 2-14, 6-59

## S

- Sample tables 1-5
  - access to 1-7
  - DEMOBLD 1-7
  - DEMODROP 1-8
- SAVE command 3-7, 6-60
  - APPEND clause 3-14, 6-60
  - CREATE clause 6-60
  - disabling E-4
  - modifying command files 3-14
  - REPLACE clause 3-14, 6-60
  - storing commands in command files 3-7, 6-60
  - using with INPUT to create command files 3-8
- SAVEPOINT command
  - See your Oracle SQL language documentation
- SCAN variable 3-21, 6-67
- SCREEN clause 3-26, 6-19
- Screen, clearing 3-26, 6-19
- Search paths
  - See Installation and User's Guide
- security
  - See PRODUCT\_USER\_PROFILE table
- SELECT command
  - and BREAK command 4-9, 6-12 to 6-13
  - and COLUMN command 6-21
  - and COMPUTE command 4-9, 6-29
  - and COPY command 5-5, 6-36
  - and DEFINE command 6-38
  - and ORDER BY clause 4-9
  - disabling E-5
  - storing current date in variable for titles 4-26
  - See also your Oracle SQL language documentation
- Semicolon (;)
  - in PL/SQL blocks 2-9
  - in SQL commands 2-6 to 2-7
  - in SQL\*Plus commands 2-11
  - not needed when inputting a command file 3-9
  - not stored in buffer 3-3
- SERVEROUTPUT variable 6-67
- SET command 2-12, 6-61
  - ARRAYSIZE variable 5-7, 6-62
  - AUTOCOMMIT variable 2-12, 6-62
  - BLOCKTERMINATOR variable 6-62
  - BUFFER variable F-3
  - CMDSEP variable 6-62
  - COMPATIBILITY variable 6-62
  - CONCAT variable 3-21, 6-63
  - COPYCOMMIT variable 5-7, 6-63
  - CRT variable 3-15, 6-64
  - DEFINE variable 3-21, 6-64
  - disabling E-4
  - DOCUMENT variable F-3
  - ECHO variable 3-12, 6-64
  - EMBEDDED variable 6-64
  - ESCAPE variable 3-21, 6-64
  - FEEDBACK variable 6-65
  - FLUSH variable 6-65
  - HEADING variable 6-65
  - HEADSEP variable 4-3, 6-65
  - LINESIZE variable 4-20, 4-27, 6-65
  - LONG variable 4-5, 5-7, 6-65
  - LONGCHUNKSIZE variable 6-66
  - MAXDATA variable 6-66
  - NEWPAGE variable 4-27, 6-66
  - NULL variable 6-66
  - NUMFORMAT variable 3-15, 6-66
  - NUMWIDTH variable 4-4, 6-23, 6-66
  - PAGESIZE variable 2-6, 3-15, 4-27, 6-66
  - PAUSE variable 2-15, 3-16, 6-67
  - RECSEP variable 4-8, 6-67
  - RECSEPCHAR variable 4-8, 6-67
  - SCAN variable 3-21, 6-67
  - SERVEROUTPUT variable 6-67
  - SPACE variable 6-68
  - SQLCASE variable 6-68
  - SQLCONTINUE variable 6-68
  - SQLNUMBER variable 6-68
  - SQLPREFIX variable 6-68
  - SQLPROMPT variable 6-68
  - SQLTERMINATOR variable 6-69
  - SUFFIX variable 6-69
  - TAB variable 6-69
  - TERMOUT variable 4-26, 6-69
  - TIME variable 3-16, 6-69
  - TIMING variable 6-69

- TRIMOUT variable 6-69
- TRUNCATE variable F-4
- UNDERLINE variable 4-3, 6-70
- VERIFY variable 3-18, 3-21, 6-70
- WRAP variable 4-6, 6-70
- SET command variables
  - See System variables
- SET ROLE command
  - disabling E-5
  - See also your Oracle SQL language documentation
- SET TRANSACTION command
  - disabling E-5
  - See also your Oracle SQL language documentation
- SHOW clause 6-82
- SHOW command 2-12, 6-73
  - ALL clause 6-73
  - BTITLE clause 6-73
  - ERRORS clause 6-73
  - LABEL clause 6-74
  - listing current page dimensions 4-28
  - LNO clause 6-74
  - PNO clause 6-74
  - RELEASE clause 6-74
  - SPOOL clause 6-74
  - SQLCODE clause 6-74
  - TTITLE clause 6-74
  - USER clause 6-74
- SHOWMODE variable 6-68
- SILENT clause 6-78
- Site Profile 6-78
- SKIP clause
  - in BREAK command 4-11 to 4-12, 6-13
  - in TTITLE and BTITLE commands 4-19, 4-21, 6-84
  - used to place blank lines before bottom title 4-21
- SKIP PAGE clause 4-11 to 4-12, 6-14
- Slash (/) command
  - See / (slash) command
- SPACE variable 6-68
- SPOOL clause 6-74
  - SPOOL command 4-29, 6-76
    - disabling E-4
    - file name 4-29, 6-76
    - OFF clause 4-29, 6-76
    - OUT clause 4-30, 6-76
    - turning spooling Off 4-29, 6-76
- SQL buffer
  - See Buffer
- SQL clause 6-19
- SQL commands, list of major D-1
- SQL database language 1-2
- SQL\*Forms 1-3
  - invoking from SQL\*Plus 2-14, 6-59
- SQL\*Menu 1-3
- SQL\*Net protocol 5-3
- SQL\*Plus
  - basic concepts 1-2
  - command prompt 2-4
  - command summary 6-2
  - exiting 2-4, 6-46
  - exiting conditionally 6-89 to 6-90
  - limits C-1
  - LOGIN file 3-15
  - overview 1-2
  - running commands in batch mode 3-14, 6-46
  - setting up environment 3-15
  - shortcuts to starting 2-4
  - starting 2-3, 6-77
  - what you need to run 1-6
  - who can use 1-3
- SQL\*ReportWriter 1-3
- SQL\*TextRetrieval 1-3
- SQL.LNO, referencing in report titles 6-83
- SQL.PNO, referencing in report titles 4-22, 6-83
- SQL.RELEASE, referencing in report titles 6-83
- SQL.SQLCODE, referencing in report titles 6-83
- SQL.USER, referencing in report titles 6-83
- SQLCASE variable 6-68
- SQLCODE clause 6-74
- SQLCONTINUE variable 6-68
- SQLNUMBER variable 6-68

SQLPLUS command 2-3, 6-77  
   -? clause 6-78  
   -SILENT clause 6-78  
   /NOLOG clause 6-78  
   and @ ("at" sign) 3-13, 5-3, 6-77  
   connecting to a remote database 5-3  
   database specification 5-3, 6-78  
   running command files 3-13  
   username/password 2-3, 6-77  
 SQLPREFIX variable 6-68  
 SQLPROMPT variable 6-68  
 SQLTERMINATOR variable 6-69  
 START clause 6-82  
 START command 3-12, 6-80  
   arguments 3-22, 6-80  
   command file 3-12, 6-80  
   disabling E-4  
   passing parameters to a  
     command file 3-22, 6-80  
   similar to @ ("at" sign)  
     command 3-13, 6-6, 6-81  
   similar to @@ ("at" sign) command 6-81  
 Starting SQL\*Plus 2-3, 6-77  
   shortcuts 2-4  
 STD function 4-14, 6-29  
 STOP clause 6-82  
 Stored procedures  
   creating 2-8  
 Substitution variables 3-17  
   appending characters immediately after 3-19  
   avoiding unnecessary prompts for value 3-19  
   concatenation character 6-63  
   DEFINE command 6-38  
   prefixing 6-44  
   restrictions 3-21  
   single and double ampersands 3-19  
   suppression of 6-67  
   system variables used with 3-21  
   undefined 3-18  
   where and how to use 3-18  
 SUCCESS clause 6-46  
 SUFFIX variable 6-69  
   used with @ ("at" sign) command 6-5  
   used with @@ (double "at" sign) command 6-7  
   used with EDIT command 6-44  
   used with GET command 6-47  
     used with SAVE command 6-60  
     used with START command 6-80  
 SUM function 4-14, 6-29  
 Summary lines  
   computing and printing 4-14, 6-29  
   computing and printing at ends of  
     reports 4-16  
   computing same type on different  
     columns 4-17  
   printing "grand" and "sub" summaries  
     (totals) 4-16  
   printing multiple on same break column 4-17  
 syntax  
   conventions 1-4  
   COPY command 5-4  
 Syntax rules  
   SQL commands 2-7  
   SQL\*Plus commands 2-11  
 SYSDATE 4-26  
 System variables 2-12, 6-70  
   changing current settings 6-61  
   listing current settings 2-12, 6-73  
   listing old and new values 6-68  
   used with substitution variables 3-21  
 System-maintained values  
   displaying in titles 4-22, 6-83  
   formatting in titles 4-23

## T

TAB clause 6-84  
 TAB variable 6-69  
 Tables 1-2  
   access to sample 1-7  
   controlling destination when  
     copying 5-5, 6-36  
   copying values between 5-4, 5-8, 6-35  
   DEPT 1-5  
   EMP 1-5  
   listing column definitions 2-14, 6-41  
   referring to another user's when copying 5-7  
   sample 1-5  
 TERMOUT variable 6-69  
   storing current date in variable for titles 4-26  
   using with SPOOL command 6-76

## Text

- adding to current line with APPEND 3-5, 6-10
- changing old to new with CHANGE 3-3, 617
- clearing from buffer 3-2, 6-19

Text editor, host operating system 3-6, 6-44

TIME variable 6-69

- in LOGIN file 3-16

TIMING clause 6-19

TIMING command 2-13, 6-82

- deleting all areas created by 6-19
- deleting current area 6-82
- SHOW clause 6-82
- START clause 6-82
- STOP clause 6-82

TIMING variable 6-69

## Titles

- aligning elements 4-20, 6-84
- displaying at bottom of page 4-19, 6-16
- displaying at top of page 4-19, 6-83
- displaying column values 4-24, 6-24 to 6-25
- displaying current date 4-25, 6-24 to 6-25, 6-27
- displaying page number 4-22, 6-83, 6-85
- displaying system-maintained values 4-22, 6-83
- formatting elements 6-84
- formatting system-maintained values in 4-23
- indenting 4-21, 6-84
- listing current definition 4-24, 6-16, 6-83
- restoring definition 4-24, 6-84
- setting lines from top of page to top title 4-27, 6-66
- setting lines from top title to end of page 4-27, 6-66
- setting top and bottom 4-19, 6-16, 6-83
- spacing between last row and bottom title 4-21
- suppressing definition 4-24, 6-83

TO clause 5-4, 6-36

TRIMOUT variable 6-69

TRUNCATE command

- disabling E-5
- See also* your Oracle SQL language documentation

TRUNCATE variable F-4

TRUNCATED clause 4-7, 6-26

## Trusted ORACLE columns

- changing format 4-6
- default format 4-5, 6-22

TTITLE clause 6-74

TTITLE command 4-19, 6-83

- aligning title elements 4-20, 6-84

BOLD clause 6-84

CENTER clause 4-19, 4-21, 6-84

COL clause 4-19, 4-21, 6-84

FORMAT clause 4-23, 6-84

indenting titles 4-21, 6-84

LEFT clause 4-19, 4-21, 6-84

listing current definition 4-24, 6-83

most often used clauses 4-19

OFF clause 4-24, 6-83

old form F-4

ON clause 4-24, 6-84

referencing column value variable 4-24, 6-24

restoring current definition 4-24, 6-84

RIGHT clause 4-19, 4-21, 6-84

SKIP clause 4-19, 4-21, 6-84

suppressing current definition 4-24, 6-83

TAB clause 6-84

## U

UNDEFINE command 3-17, 6-86

- and DEFINE command 6-38

UNDERLINE variable 4-3, 6-70

UPDATE command

- disabling E-5

*See also* your Oracle SQL language documentation

Upgrading applications from prior versions 6-63

USER clause 6-74

User Profile 3-15, 6-78

User variables 3-16

- defining 3-16, 6-38

deleting 3-17, 6-86

displaying in titles 6-83

in ACCEPT command 3-23, 6-9

listing definition of one 3-16, 6-38

listing definitions of all 3-17, 6-38

Username 1-7  
    connecting under different 5-2, 6-33  
    in CONNECT command 5-2 to 5-3, 6-33  
    in COPY command 5-4, 5-6, 5-8, 6-35  
    in SQLPLUS command 5-4, 5-6, 5-8, 6-33  
USING clause 5-5, 6-36

## V

V, number format 6-23  
VALIDATE INDEX command  
    disabling E-5  
VARCHAR columns  
    changing format 4-6  
    default format 4-5, 6-22  
    *See also* your Oracle SQL language  
    documentation  
VARCHAR2 columns  
    changing format 4-6  
    default format 4-5  
    *See also* your Oracle SQL language  
    documentation  
VARIABLE command 6-87  
Variables  
    *See* bind variables  
    *See* Substitution variables  
    *See* System variables  
    *See* User variables  
VARIANCE function 4-14, 6-29  
VERIFY variable 3-18, 3-21, 6-70

## W

WARNING clause 6-46  
WHENEVER OSERROR command 6-89  
    COMMIT clause 6-89  
    CONTINUE clause 6-89  
    EMT clause 6-89  
    NONE clause 6-89  
    ROLLBACK clause 6-89

WHENEVER SQLERROR  
    command 3-14, 6-90  
    COMMIT clause 6-90  
    CONTINUE clause 6-90  
    EMT clause 6-90  
    NONE clause 6-90  
    ROLLBACK clause 6-90  
WORD\_WRAPPED clause 4-7, 4-9, 6-26  
WRAP variable 4-6, 6-70  
WRAPPED clause 4-7, 6-26