

SUBSCRIBER CABLE RECORD

CONTENTS	PAGE
1. GENERAL	1
2. DESCRIPTION OF FORMS	1
3. FILING EQUIPMENT	2
4. ORDERING INFORMATION	2
5. ASSOCIATED EXHIBITS	3

RELATED SECTIONS

EXCHANGE SUBSCRIBER CABLE RECORD	680-201-010
EXCHANGE SUBSCRIBER CABLE RECORD — LINE CONCENTRATORS	680-201-011
EXCHANGE SUBSCRIBER CABLE RECORD — CONCENTRATOR- IDENTIFIER	680-201-012
EXCHANGE SUBSCRIBER CABLE RECORD — END POINT CONTACTORS	680-201-013
EXCHANGE SUBSCRIBER CABLE RECORD — ASSIGNMENTS IN PIC CABLE	680-201-014

1. GENERAL

- 1.01** This section describes the forms of the "page-type" subscriber cable record.
- 1.02** This section is revised to:
- (a) Delete specimen entries on forms. These entries should be, in general, the same as those shown in Section 680-201-010.
 - (b) Show current forms and filing equipment.
 - (c) Delete reference to Form E-879, Choice of Telephone Numbers, which has been discontinued.
- 1.03** Since this issue covers a general revision, arrow symbols used to indicate changes have been omitted.

2. DESCRIPTION OF FORMS

Cable Pair Charts

2.01 The following cable pair charts are available:

<u>FORM NUMBER</u>	<u>IMPRINTING IN "PAIR" COLUMN</u>		<u>ILLUS- TRATED IN</u>
	<u>FRONT</u>	<u>BACK</u>	
E-876	None	None	—
E-876-51	01-51	51-00, plus X Pair	Exhibit 1
E-877	None	None	—
E-877-51	01-51	51-00, plus X Pair	Exhibit 2
E-2876	None	None	—
E-2876-51	01-51	51-00, plus X Pair	Exhibit 3
E-2877	None	None	—
E-2877-51	01-51	51-00, plus X Pair	Exhibit 4

Supplementary Terminal Records

2.02 Form E-876-A is a supplementary terminal record with a capacity of 24 terminals. It is used in conjunction with Forms E-876 and E-2876 where additional terminal spaces are needed.

2.03 Form E-877-A is a supplementary terminal record used in conjunction with Forms E-877 and E-2877. It has a capacity of 24 terminals.

Locality Record

2.04 Exhibit 5 illustrates Form E-878, Locality Record.

Index Tabs

2.05 Index tabs will be attached locally. The cable pair charts have tab position guide lines on their edges.

2.06 An insertable index tab is available. It consists of two parts:

INDEX TAB PROTECTOR, Form E-4620, is a die-cut piece of clear plastic. One side has a coating of a pressure-sensitive adhesive.

SECTION 680-200-010

INDEX TAB INSERT, Form E-4620A, contains 60 imprinted inserts. See Exhibit 6. Add cable number to insert marked "CABLE" and use for first page of a given cable.

INDEX TAB INSERT, Form E-4620B, is identical to Form E-4620A except:

- a. The inserts are blank.
- b. Each sheet contains only 30 inserts.

2.07 Instructions for applying the index tabs are printed on the rear of Forms E-4620A and E-4620B. These instructions are shown in Exhibit 7.

Color Code Templates

2.08 The following color code templates are available:

<u>USED WITH CABLE RECORD FORMS</u>	<u>ODD PIC</u>	<u>EVEN PIC</u>
E-876, E-2876	E-4579	E-4582
E-877	E-4580	E-4583
E-2877	E-4581	E-4584

3. FILING EQUIPMENT

Cable Record Binders

3.01 The following binders are available for filing the forms:

<u>CODE NO.</u>	<u>SIZE AND TYPE OF RINGS</u>	<u>CAPACITY</u>
201	9/16" Continuous Rings	50 Sheets
202	13/16" " "	75 "
203	1-1/16" " "	100 "
222	1/2" Split Rings	50 "
223	3/4" " "	75 "
224	1" " "	100 "

3.02 The binders are bound in brown canvas and have an index window. They come equipped with two full-sized fibre fly-leaves. These leaves protect the record sheets and provide a flat writing surface. Additional fly-leaves are available for replacements.

Cable Record Binder Cabinets

3.03 A cabinet is available for filing the cable record binders flat. Each cabinet has a capacity of 21 binders. A capacity of 42 binders is available by stacking one cabinet on top of another. The cabinet has an olive-green finish. The following accessories are available:

- High Caster Base — For a single cabinet
- Low Caster Base — For two stacked cabinets
- Designation Strip — Set of 8. Furnished with acetate protectors.
- Door — Set of two. May be ordered individually.

4. ORDERING INFORMATION

Cable Pair Charts and Locality Record Forms

4.01 Forms are provided in packages of 50. Order in multiples of 50 forms as follows:
(Quantity) Forms E-

Index Tab Protectors

4.02 Forms are provided in packages of 50. Order in multiples of 50 forms as follows:
(Quantity) Forms E-4620

Index Tab Inserts

4.03 Each Form E-4620A or E-4620B is considered to be one sheet. Each sheet, Form E-4620A, contains 60 inserts. Each sheet, Form E-4620B, contains 30 inserts. Forms are provided in packages of three. Order in multiples of three forms as follows:
(Quantity) Forms E-

Color Code Templates

4.04 Order as follows:
(Quantity) Forms E-

Cable Record Binders; Replacement Fly-leaves

4.05 Order as follows:
(Quantity) Binder, Record, Cable (Code)
(Quantity) Fly-leaf, for Cable Record Binder

Cable Record Binder Cabinet and Accessories**4.06 Order as follows:**

- (Quantity) Cabinet, Binder, Record, Cable,
A.T.&T. DWG. 173-A-57,
equipped with
- (Quantity) Base, Caster (High or Low)
- (Quantity) Set Strips, Designation, Set of
Eight
- (Quantity) Door

5. ASSOCIATED EXHIBITS

EXHIBIT NO.	TITLE
1	Illustration, Form E-876-51
2	" " E-877-51
3	" " E-2876-51
4	" " E-2877-51
5	" " E-878
6	" " E-4620A
7	Instructions for Applying Index Tabs to Cable Pair Chart

EXHIBIT 1
ILLUSTRATION. FORM E-876-51
 (ORIGINAL SIZE = 9 ⁵/₁₆" x 17")

FORM E 876-51 14 951		CONNECTS TO CABLE NO. _____ COUNT _____		1
PLACED IN SERVICE _____		CONNECTS TO CABLE NO. _____ COUNT _____ CABLE _____		2
RECORDS CHECKED _____		TERMINAL LOCATION _____ C.O. _____		3
HELD ORDERS		PIC CABLE COUNTS		4
DATE	ORDER NO.			TER
				6
				7
				8
				9
				10
				11
				12
				13
				14
				15
				16
				17
				18
				19
				20
				21
				22
				23
				24
				25
				26
				27
				28
				29
				30
				31
				32
				33
				34
				35
				36
				37
				38
				39
				40
				41
				42
				43
				44
				45
				46
				47
				48
				49
				50
				51
				52

EXHIBIT 2
ILLUSTRATION, FORM E-877-51
 (ORIGINAL SIZE = 9 ⁵/₁₆ " x 17")

FORM E-877-51 (4-59)		CONNECTS TO CABLE NO. _____ COUNT _____		1																					
PLACED IN SERVICE _____		CONNECTS TO CABLE NO. _____ COUNT _____		CABLE _____																2					
RECORDS CHECKED _____		TERMINAL LOCATION _____		C. O. _____																3					
HELD ORDERS				WIRED OUT OF LIMITS																4					
DATE	ORDER NO.	YER.	DESIRED SERVICE	PRESENT CA. NO.	PAIR	CA. NO.	144 PR.	YER.																	5
																									6
PIC CABLE COUNTS																				7					
																				8					
CONNECTS TO PAIR	SERV.	C. O. UNIT	TEL. OR CRT. NUMBER	STATIONS ON LINE				PAIR													REMARKS				9
								01	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	10
								02																	11
								03																	12
								04																	13
								05																	14
								06																	15
								07																	16
								08																	17
								09																	18
								10																	19
								11																	20
								12																	21
								13																	22
								14																	23
								15																	24
								16																	25
								17																	26
								18																	27
								19																	28
								20																	29
								21																	30
								22																	31
								23																	32
								24																	33
								25																	34
								26																	35
								27																	36
								28																	37
								29																	38
								30																	39
								31																	40
								32																	41
								33																	42
								34																	43
								35																	44
								36																	45
								37																	46
								38																	47
								39																	48
								40																	49
								41																	50
								42																	51
								43																	1
								44																	2
								45																	3
								46																	4
								47																	5
								48																	6
								49																	7
								50																	8
								51																	9
																									10
																									11
																									12
																									13
																									14
																									15
																									16
																									17
																									18
																									19
																									20
																									21
																									22
																									23
																									24
																									25
																									26
																									27
																									28

EXHIBIT 3
ILLUSTRATION, FORM E-2876-51
 (ORIGINAL SIZE = 9 ⁵/₁₆ " × 17")

FORM E-2876 (4-58)		CONNECTS TO CABLE NO. _____ COUNT _____		1																									
PLACED IN SERVICE _____		CONNECTS TO CABLE NO. _____ COUNT _____ CABLE _____		2																									
RECORDS CHECKED _____		TERMINAL LOCATION _____ C.O. _____		3																									
HELD ORDERS							PIC CABLE COUNTS													4									
DATE	ORDER NO.	LR	DESIRED SERVICE	DATE	ORDER NO.	TER.	DESIRED SERVICE														5								
																					6								
																					7								
																					8								
WIRED OUT OF LIMITS																				9									
PRESENT CA. NO.	PAIR	SHOULD BE CA. NO.	1st PR.	TER.	PRESENT CA. NO.	PAIR	SHOULD BE CA. NO.	1st PR.	TER.														10						
																							11						
CONNECTS TO PAIR	SERV.	C. O. UNIT	TEL. OR CAT. NO.	PANEL OR DIAL EQUIV.	JK. OR DIAL EQ.	MESSAGE REGISTER	PAIR	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	REMARKS	12
																													13
																													14
																													15
																													16
																													17
																													18
																													19
																													20
																													21
																													22
																													23
																													24
																													25
																													26
																													27
																													28
																													29
																													30
																													31
																													32
																													33
																													34
																													35
																													36
																													37
																													38
																													39
																													40
																													41
																													42
																													43
																													44
																													45
																													46
																													47
																													48
																													49
																													50
																													51
PRINTED IN U.S.A.							1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	30		

EXHIBIT 4
ILLUSTRATION, FORM E-2877-51
 (ORIGINAL SIZE = 9 ⁵/₁₆ " x 17")

FORM E-2877-51 (4-68)		CONNECTS TO CABLE NO. _____ COUNT _____		1																			
PLACED IN SERVICE _____		CONNECTS TO CABLE NO. _____ COUNT _____ CABLE _____		2																			
RECORDS CHECKED _____		TERMINAL LOCATION _____ C.O. _____		3																			
HELD ORDERS				4																			
DATE	ORDER NO.	TER.	DESIRED SERVICE	5																			
			PIC CABLE COUNTS	6																			
WIRED OUT OF LIMITS				7																			
PRESENT		SHOULD BE		8																			
CA. NO.	PAIR	CA. NO.	1st PR. TER.	9																			
				10																			
				11																			
				12																			
				13																			
				14																			
				15																			
				16																			
				17																			
				18																			
				19																			
				20																			
				21																			
				22																			
				23																			
				24																			
				25																			
				26																			
				27																			
				28																			
				29																			
				30																			
				31																			
				32																			
				33																			
				34																			
				35																			
				36																			
				37																			
				38																			
				39																			
				40																			
				41																			
				42																			
				43																			
				44																			
				45																			
				46																			
				47																			
				48																			
				49																			
				50																			
				51																			
CONNECTS TO PAIR	SERV.	C.O. UNIT	STATIONS ON LINE	PANEL OR DING EQUIP.	M. OR PANEL EQ.	CRT. NO.	PAIR	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	REMARKS
							01																
							02																
							03																
							04																
							05																
							06																
							07																
							08																
							09																
							10																
							11																
							12																
							13																
							14																
							15																
							16																
							17																
							18																
							19																
							20																
							21																
							22																
							23																
							24																
							25																
							26																
							27																
							28																
							29																
							30																
							31																
							32																
							33																
							34																
							35																
							36																
							37																
							38																
							39																
							40																
							41																
							42																
							43																
							44																
							45																
							46																
							47																
							48																
							49																
							50																
							51																
								1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	

EXHIBIT 6

ILLUSTRATION, FORM E-4620A
(ORIGINAL SIZE 8 3/8" x 10 7/8")

13	13	14	14	15	16	17	18	19	20
13	13	14	14	15	16	17	18	19	20
8	8	9	9	10	10	11	11	12	12
8	8	9	9	10	10	11	11	12	12
5	5	5	6	6	6	7	7	7	8
5	5	5	6	6	6	7	7	7	8
2	2	3	3	3	3	4	4	4	4
2	2	3	3	3	3	4	4	4	4
1	1	1	1	1	1	1	2	2	2
1	1	1	1	1	1	1	2	2	2
CABLE									
CABLE									

FORM E-4620A (7-58)

INDEX TAB INSERT

PRINTED IN U.S.A.

B.S.P. M24.32

EXHIBIT 7

INSTRUCTIONS FOR APPLYING INDEX TABS TO CABLE PAIR CHART

- STEP 1: Remove the large portion of the release paper from the INDEX TAB PROTECTOR, Form E-4620
- STEP 2: Select desired INDEX TAB INSERT, Form E-4620A. Position INSERT on PROTECTOR as shown in FIG. 1.




FIG. 1. ASSEMBLY OF INDEX TAB

Note: Be sure that:

- (1) INSERT is firmly against release paper.
- (2) Top and bottom edges of INSERT line up with arrows.

STEP 3: Position TAB on front of cable record page as shown in FIG. 2.




FIG. 2. PLACING TAB ON PAGE

Note 1: Top of tab should line up with Tab Position Guide Line.

Note 2: Press TAB firmly against page. Run thumbnail around edges to insure seal.

STEP 4: Remove remaining piece of release paper

STEP 5: Fold TAB back on itself (and on back of cable record page). See FIG. 3




FIG. 3. FOLDING OF TAB

Note: Press TAB firmly against page. Run thumbnail around edges to insure seal.