





CODE DIGIT 5 FEATURE		CODE	CODE DIGIT 6 FEATURE		CODE	CODE DIGIT 7 FEATURE		CODE									
LEAR SIEGLER	LEAR MTG (1)	X	2 PARTY ANI			AUTO GAIN CONTROL											
	WSCM 800 MTG	D	E/W VFR DISABLER LEAD			MANUAL GAIN CONTROL											
	WECCO MTG	E	E/W SURGE PROTECTION			DUAL GAIN CONTROL											
	REG (1)	F	E/W HI-LOW BOOST SW			LONGITUDINAL NETWORK											
			BATTERY BOOST TYPE			GAS TUBES RINGING											
						X	B										
						X	X	T		X	B						
					96V		X	X	U		X	2					
							X	X	X	V	X	X	4				
							X	X	C			X	5				
					78V		X		R	VF RPTR	YES	CABLE TYPE	H88	X	X	X	7
									S					X	X	C	
					60/78V		X	X	D						X	3	
							X		E				D66			X	6
NO									0								
CODE DIGIT 8																	
REFERENCE		5	6	7	CODE												
LEAR	X	C, B	10, 2, 3,	2%													
	D	B, T	15, 6														
	U, V	10, 5, 6															
	E	U, V	10, B														
	F	R, S	10, 2, B														
		D, E	15, C														
			14, 7														

NOTES: (1) SEE DLMX  
(2) SEE MTH

DESCRIPTION: DIAL LONG LINE - RANGE EXTENDER - SUBSCRIBER LOOPS -  
COIN AND INDIVIDUAL OR MULTIPARTY LINES

CODE DIGIT 5 FEATURE		CODE	CODE DIGIT 6 FEATURE			CODE	CODE DIGIT 7 FEATURE				CODE						
LORAIN PRODUCTS (LORAIN TEL ELTN)	WECO MTG	L	POS OR NEG BOOST	IN R & T CONDR			CABLE	26 GA									
		N		IN R CONDR				ALL									
			NEG BOOST IN R & T CONDR						22/24 GA								
			REMOTE TEST-THRU						H88								
			72V/96V						D66								
			BOOST VOLT 96V						4/6.5 DB SW SELV				X	X	L		
			72V/88V						4.5 DB				X	X	6		
			NONE			X	X	L	6.5 DB				X	1			
						X	X	M	AUTO GAIN				X	J			
						X	X	K	0 - 7.5 DB				X	K			
						X	X	A	OTHER				7				
						X	X	B	SEE PAGE 5								
			PLMT RSTCN			X	X	C	CODE DIGIT 8								
			ANYWHERE FROM CO TO MIDPOINT			X	X	G	REFERENCE				5	6	7	CODE	
						X	X	H	LORN				L	A TO D, 10			3%
						X	X	T					IF TO K,				
						X	X	D					M, T				
			CO ONLY			X	X	E					C			1, 4	
						X	X	F					H, L			4	
			E/W LONG NET			X	X	N					J, P, R			5	
						X	X	U					D			2, 9	
			PLUG-ON LONG NET										P, R			1, 4, 6,	
			SEE PAGE 5										I			8, A, B,	
													S			1, 6,	
													F			B TO L	
													N			16	
													I			4	
													U			13	
																17	

NOTES:

DESCRIPTION: DIAL LONG LINE - RANGE EXTENDER - SUBSCRIBER LOOPS -  
COIN AND INDIVIDUAL OR MULTIPARTY LINES

DLXC

DLXC

DLXC

DLXC

DLXC

DLXC

DLXC

795-201-156

CODE DIGIT 5 FEATURE		ICODE	CODE DIGIT 6 FEATURE		ICODE	CODE DIGIT 7 FEATURE				ICODE
SEE PAGE 4			E/W TEST THRU MODULE			CABLE				
			BOOST VOLT			26 GA				
			84/96V			ALL				
			72/84/96V			LOADED				
						NON-LOADED				
			NO PLACEMENT RESTRICTION			D66				
						H88				
						AUTO GAIN				
						0 - 15 DB				
						X				
						X				
						VF RPTR				
						0 - 7.5 DB				
						X				
						X				
						ADJ GAIN				
						0 - 15 DB				
						X X				
						X X X				
						3 - 7.5 DB				
						X X				
						X				
						U/W LORN CFE6 ADPTR				
						X				
						X				
						W/O RPTR				
						W/POLL MAINTAINING				
						W/POLL REV				
						CODE DIGIT 8				
						REFERENCE				
						5 6 7				
						CODE				
						SEE PAGE 4				

NOTES: DESCRIPTION: DIAL LONG LINE - RANGE EXTENDER - SUBSCRIBER LOOPS - COIN AND INDIVIDUAL OR MULTIPARTY LINES

