

BELL SYSTEM MODERNIZED ENGINEERING CIRCUIT EQUIPMENT DESIGN ENCODER OPTIONS

BSP SECTION
ADDENDUM 795 - 201 - 341 SW

| CODE DIGIT 5 | | CODE DIGIT 6 | | | CODE DIGIT 7 | | | | | | | | | | | | | | | | | | | |
|---|------|---|-----------|---------|--------------|--|--|---|--|------------|---|---|---|---|------|---|---|---|---|-------------------|--|--|--|--|
| FEATURE | CODE | FEATURE | CODE | FEATURE | | | | CODE | | | | | | | | | | | | | | | | |
| MOD TO REMOVE THE IDLE CIRCUIT TERMINATION AND EXTEND SG LEAD TO HMDF | B | STANDARD HECIG BEING MODIFIED | MSOT/LOOB | 1 | NO CHOICE | | | 0 | | | | | | | | | | | | | | | | |
| | | | | | CODE DIGIT 8 | | | | | | | | | | | | | | | | | | | |
| | | REFERENCE | DIGIT 5 | DIGIT 6 | DIGIT 7 | | | CODE | | | | | | | | | | | | | | | | |
| | | SD-55647-01 (MOD) | B | 1 | | | | 2 | | | | | | | | | | | | | | | | |
| NOTES | | DESCRIPTION | | | | | | <table border="1" style="font-size: small;"> <tr> <td style="text-align: center;">ISSUE DATE</td> <td style="text-align: center;">M</td> <td style="text-align: center;">S</td> <td style="text-align: center;">Q</td> <td style="text-align: center;">M</td> </tr> <tr> <td style="text-align: center;">8/75</td> <td style="text-align: center;">1</td> <td style="text-align: center;">2</td> <td style="text-align: center;">3</td> <td style="text-align: center;">4</td> </tr> <tr> <td colspan="5" style="text-align: center;">BASIC CODE</td> </tr> </table> | | ISSUE DATE | M | S | Q | M | 8/75 | 1 | 2 | 3 | 4 | BASIC CODE | | | | |
| ISSUE DATE | M | S | Q | M | | | | | | | | | | | | | | | | | | | | |
| 8/75 | 1 | 2 | 3 | 4 | | | | | | | | | | | | | | | | | | | | |
| BASIC CODE | | | | | | | | | | | | | | | | | | | | | | | | |
| | | MULTI-STATION RELAY - IDLE LOOP TERMINATION | | | | | | (MSOT) | | | | | | | | | | | | | | | | |

BSP SECTION
ADDENDUM 795 - 201 - 341 SW
ISSUE A