

CODE DIGIT 5 FEATURE		CODE	CODE DIGIT 6 FEATURE			CODE	CODE DIGIT 7 FEATURE			CODE
DISTRIBUTION - MODE 1,2,3 OR 4		D	DISTN UNIT	W/20 HZ	NO	1	IMPROVED NOISE MARGIN			1
CONVERTER		C	W/ FILTERED 48V SUPPLY	RINGING SUPPLY	YES	2	OTHER			0
			OTHER			0				
CODE DIGIT 8										
REFERENCE		5	6	7	CODE					
SD-3C312-01		D	10,1,2	10	A%					
		D	10,1,2	11	A**					
SD-82371-01		C	10		B**					

NOTES:

DESCRIPTION: D4 CHANNEL BANK - POWER UNITS

CODE DIGITS 5 & 6 FEATURE			CODE	CODE DIGITS 5 & 6 FEATURE			CODE	CODE DIGIT 7 FEATURE			CODE
MODE 5 TRANSMITTER	LASER		10					NO CHOICE			0
	LED		11								
MODE 5 RECEIVER			20								
CODE DIGIT 8											
REFERENCE			5	6	7	CODE					
SD-3C393-01	1		10,1	10		C%					
SD-3C394-01	2		10	10		D%					

NOTES:

DESCRIPTION: D4 CHANNEL BANK - POWER DISTRIBUTION AND OPTICAL
TRANSMITTER OR RECEIVER UNIT

D4PB

D4PB

D4PB

D4PB

D4PB

D4PB

D4PB

795-209-374

CODE DIGIT 5 FEATURE		CODE	CODE DIGIT 6 FEATURE		CODE	CODE DIGIT 7 FEATURE		CODE
INTERNATIONAL TEL & TEL		T	CHANNEL BANK ASSEMBLY	19 INCH		REGULATED 7.5 VDC & 12 VDC		1
WESCOM		W		23 INCH		OTHER		0
			WITH E2 TELEMETRY					
			CARRIER TERMINAL POWER SUPPLY FOR	CHANNEL UNITS & COMMON EQUIPMENT	X	X		A
								B
					X			C
					X	X		D
								E
				DATA UNITS	X	X		F
			>48V POWER DISTRIBUTION		X			J
				W/FIL - 72V	X			G
			CONVERTER					H
			CODE DIGIT 8					
			REFERENCE	5	6	7	CODE	
			ITTN	T	H	0	2%	
			WSCM	W	A TO G,	0	1%	
			>		J			
					A, B	1		

NOTES:

DESCRIPTION: D4 CHANNEL BANK - POWER UNITS