

CODE DIGIT 5 FEATURE		CODE	CODE DIGIT 6 FEATURE		CODE	CODE DIGIT 7 FEATURE				CODE
POWER OUTPUT (DBM)	27	//1/	REGULAR	3730	A	E/W CAVITIES CAPABLE OF WITHSTANDING CORROSIVE ATMOSPHERES				1
	30	2		3770	B	OTHER				0
	33	3		3810	C					
	33 OR 37 (500V)	4		3850	D					
	37 (250V)	5		3890	E					
					3930	F				
				3970	G					
				4010	H					
				4050	J					
				4090	K					
				4130	L					
				4170	M					
				3710	N					
				3750	P					
			3790	R						
			3830	S						
			3870	T						
			3910	U						
			3950	V						
			3990	W						
			4030	X						
			4070	Y						
			4110	Z						
			4150	9						
					CODE DIGIT 8					
					REFERENCE	5	6	7	CODE	
					SD-59411-01				*A%/	

NOTES:

DESCRIPTION: TD RADIO - TD-2 TRANSMITTER AMPLIFIER (TUBE TYPE)

CODE DIGIT 5 FEATURE			CODE	CODE DIGIT 6 FEATURE			CODE	CODE DIGIT 7 FEATURE			CODE
2 WATT	660A		6	FREQUENCY RANGE	3.70 TO 3.94 GHZ		1	NO CHOICE			0
	660B		7		3.94 TO 4.20 GHZ		2				
5 WATT	660C		8								
	660D		9								
CODE DIGIT 8											
REFERENCE		5	6	7	CODE						
660 AMPL		6,8	11		B**						
		7,9	12								
NOTES:				DESCRIPTION: TD RADIO - TD TRANSMITTER AMPLIFIER (SOLID STATE)							

TDTA

TDTA

TDTA

TDTA

TDTA

TDTA

TDTA

795-217-075

CODE DIGIT 5 FEATURE		CODE	CODE DIGIT 6 FEATURE				CODE	CODE DIGIT 7 FEATURE		CODE
>AVANTEK		A	2	FULL		3.7 - 4.2 GHZ	1	NO CHOICE		0
			WATT	LOWER		3.7 - 3.96 GHZ	2			
				UPPER	FREQ BAND	3.94 - 4.2 GHZ	3			
			5	FULL		3.7 - 4.2 GHZ	4			
			WATT	LOWER		3.7 - 3.96 GHZ	5			
				UPPER		3.94 - 4.2 GHZ	6			
							CODE DIGIT 8			
					REFERENCE	5	6	7	CODE	
					AVTK	A	1 TO 6	0	1*	
NOTES:					DESCRIPTION: TD RADIO - TD TRANSMITTER AMPLIFIER (SOLID STATE)					