

**520A**  
**EMERGENCY REPORTING SYSTEM**  
**EQUIPMENT DESIGN REQUIREMENTS**  
**COMMON SYSTEMS**

**1. GENERAL**

The following changes apply to Part 1 of the section:

**1.001** This addendum supplements Section 801-608-150, Issue 6.

(a) Under Subdivisions of Equipment and Detailed Index, J99244BD, J99244BY, and J99244CB—added; J99244BL—revised.

**1.002** This addendum is issued:

- (a) To add J99244BY and J99244CB.
- (b) To revise J99244BE, J99244BL, and J99244BM.
- (c) To change the rating of J99244BD from Mfr Disc. to AT&TCo Standard.

(b) Under Circuit Schematic Index, J99244BD, J99244BY, and J99244CB—added; J99244BL—revised.

**1.003** The above changes are in accordance with SD-98077-01, Issues 10AC and 11D, and SD-98056-01, Issue 4D.

*Under Subdivisions of Equipment and Detailed Index*

**Add:** J99244BD, J99244BY, and J99244CB

EQUIPMENT CODE	RATING OF UNIT	TITLE	EQUIPMENT DRAWING	CIRCUIT DRAWING	CKT PER UNIT	MTG PLATES PER UNIT	LOCATION
J99244BD	AT&TCo Std	Ticketeer and Control Unit Surface Wired	J99244BD-( )	SD-98079-01	1		Cable Recorder Frame
J99244BL	AT&TCo Std	Position Unit	J99244BL-( )	SD-98056-01	2	2	Trunk and Common Equipment Frame
J99244BY	AT&TCo Std	Teletype-writer Transfer Unit	J99244BY-( )	SD-98077-01			
J99244CB	AT&TCo Std	TOUCH-TONE® Calling Unit	J99244CB-( )	SD-98056-01			

*Under Circuit Schematic Index*

*Change:*

CIRCUIT DRAWING	J99244 EQPT CODE
SD-98052-01	A, G, H, J, L, BL
SD-98056-01	BM
SD-98077-01	BB, BC, BE, BG, BH, BS

*To Read:*

CIRCUIT DRAWING	J99244 EQPT CODE
SD-98052-01	A, G, H, J, L
SD-98056-01	BL, BM, CB
SD-98077-01	BB, BC, BE, BG, BH, BS, BY
SD-98079-01	BD

**4. EQUIPMENT**

The following changes apply to Part 4 of the section:

- (a) J99244BD—added
- (b) J99244BE, Lists 1 and 2—revised
- (c) J99244BE, Notes A and B—added
- (d) J99244BL, List 1—revised
- (e) J99244BM, List 1—revised
- (f) J99244BM, List 2—added
- (g) J99244BY—added
- (h) J99244CB—added

*Add:*

***J99244BD—AT&T Co Standard—Ticketer and Control Unit—Surface Wired***

Equipment—J99244BD-( )

**List 1**—Assembly, wiring, and equipment for one message ticketer and control unit in accordance with SD-98079-01, Fig. 1.

**List 2**—Wiring and equipment required in addition to list 1 when ticketer is arranged to serve incoming recorder trunks in accordance with SD-98079-01.

*Note*

A. When the unit is required to function with a multisection switchboard, provide wiring per option Z. When one unit is required to function with a single-section switchboard, provide wiring per option Y.

*Under J99244BE*

*Change:* Lists 1 and 2

*To Read:*

**List 1**—Assembly, wiring, and equipment for one teletypewriter control unit per SD-98077-01, Fig. 2 (see Notes A and B).

**List 2**—Wiring and equipment required in addition to list 1 when the teletypewriter is arranged to serve concentrator lines per SD-98077-01, Fig. 3, and option B.

*Add:*

*Notes*

- A. Provide option A when used with selective station line identifier circuit.
- B. Provide option B when used with other than selective station line identifier circuit.

*Under J99244BL*

*Change:* List 1

*To Read:*

**List 1**—Assembly, wiring, and equipment for one position unit in accordance with SD-98056-01, Fig. 1 (two circuits) and Fig. 6 (one circuit). (See Note A.)

*Under J99244BM*

*Change:* List 1

*To Read:*

**List 1**—Assembly, wiring, and equipment for one cord circuit relay unit, arranged for rotary dial per SD-98056-01, Fig. 2 and R option.

**Add:**

**List 2**—Assembly, wiring, and equipment for one cord circuit relay unit, arranged for TOUCH-TONE dial per SD-98056-01, Fig. 2 and S option.

**Add:**

**J99244BY—AT&T Co Std—Teletypewriter Transfer Unit**

Equipment—J99244BY-( )

**List 1**—Assembly, wiring, and equipment for one teletypewriter unit per SD-98077-01, Fig. 9 and 10, options K and ZE, when one teletypewriter group is provided.

**J99244CB—AT&T Co Std—TOUCH-TONE Calling Unit**

Equipment—J99244CB-( )

**List 1**—Assembly, wiring, and equipment for one TOUCH-TONE calling unit per SD-98056-01, Fig. 9, for use in addition to the position unit, J99244BL, when a TOUCH-TONE dial is required.

**5. GENERAL NOTES**

The following changes apply to Part 5 of the section:

**Under List of A&M Only and Mfr Disc. Equipment**

**Remove:**

EQUIPMENT	RATING	DETAILS	
		LAST SHOWN IN ISSUE	REPLACING EQUIPMENT
J99244BD	Mfr Disc.	3	—

Bell Telephone and Laboratories, Incorporated

Dept 3232