

SELECTORS AND 3- AND 10-CAPACITY SELECTOR SHELVES
NO. 1, 350A, 355A, 35E97 AND 702A PBX OFFICES
EQUIPMENT DESIGN REQUIREMENTS
STEP-BY-STEP AND PBX SYSTEMS

1. GENERAL

1.001 This addendum supplements Sections 809-804-152 and 814-401-150, Issue 14.

1.002 This addendum is issued:

- (a) To add to Part 2 the PBX system index.
- (b) To revise code J32310M to remove the trunk transfer feature for service code selectors per list 9 and Note P, since this feature was initiated as part of the requirements for handling service code and CAMA traffic over a common trunk group that is presently rated Mfr Disc. This change agrees with SD-32043-01, Issue 26D.
- (c) To revise ED-32183-01 to remove the feature of "no-such-number tone."
- (d) To revise code J32310R and ED-31178-() to agree with the drawings.
- (e) To rate J32310M, Lists 8 and 11 and Notes S and T Mfr Disc.
- (f) To update J32310N and J32310R to agree with the drawings.
- (g) To add list 10 and Note C to J32310P. This change agrees with SD-32123-01, Issue 20D.

The following changes apply to Part 1 of this section:

Under Subdivisions of Equipment

Switches

Change: ED-32183-01

To Read:

ED-32183-01—Digit-Absorbing Selector—3- or 4-Wire—Local or Incoming—Arranged To Absorb One or Two Digits, To Return Paths-Busy Tone on Specified Levels, for Peg Count on Cut-Through, and Timed Release on Permanent Signal—No. 1, 350A, or 355A Offices

Shelf Units

Change: J32310R

To Read:

J32310R—AT&TCo Std—Double-Selector Shelf—Three Capacity—For Use in No. 1, 350A, and 355A Offices (Arranged for Solderless Wrapped Connections)

2. SUPPLEMENTARY INFORMATION

The following changes apply to Part 2 of this section:

Add:

809-000-000—PBX System Index

3. DRAWINGS

The following changes apply to Part 3 of this section:

Change:

ED-31178-()—Universal Switch Frame Assembly

To Read:

ED-31178-30—Universal Switch Frame Assembly

4. EQUIPMENT

The following changes apply to Part 4 of this section:

Under Shelf Units, J32310M

Remove: Lists 8 and 11 and Notes S and T

Remove: List 9 and Note P

Change: Notes N and R

To Read:

N. When this shelf is used in No. 1 and 350A offices and is equipped with selectors per ED-32183-01, the jack wiring for the LT1 lead shall be connected to jack terminal 7; otherwise, it shall be connected to terminal 16.

R. Mount a Zierick No. 122 lug on the 98A repeating coil provided in list 3 to facilitate termination of TT2 tone supply leads where TOUCH-TONE® type dial tone is transmitted through first selectors.

Under J32310N

Change: Note D

To Read:

D. When this shelf is used in 355A offices and selectors per SD-31745-01 with option K, SD-31723-01 with option K, or SD-31841-01 with option X are used, wiring between shelf jacks 11 and 13 and 12 and 14 shall be furnished by the shop when +48V talk battery is not required.

‡ *Under J32310P*

Add:

List 10—Equipment required in addition to list 5 for ten 400-point banks (62EL lower) per SD-32132-01, option H, when these banks are provided in areas where there is a high sulfurous content in the environment. (Omit option K.) (See Note C.)

Note

C. Because of the high cost of these wiper banks (62EL), list 10 shall only be ordered when the telephone companies so indicate.‡

Under J32310R

Change: Lists 1 and 2 and Note B

To Read:

List 1—Framework, assembly, wiring, and common equipment for one shelf of three toll transmission selectors, less selectors and banks.

	WIRE	EQUIP	NOTES
Sel Ckt Universal Jk Wiring for SD-31841-01, Fig. 1	3	3	B, D
Sw Tbl Alm Ckt, SD-32043-01: Perm Sig 1 and 7	1	1	A, C

List 2—Wiring and equipment per SD-32043-01, Fig. 12, required in addition to list 1 to provide ringing supply for use when coin control trunk is not required.

B. When this shelf is used in 355A offices, SD-31841-01, X wiring only, shall be specified when +48V talk battery is not required.

Remove: Note E

5. GENERAL NOTES

The following changes apply to Part 5 of this section:

Under List of A&M Only and Mfr Disc. Equipment

Add:

EQUIPMENT	RATING	DETAILS LAST SHOWN IN ISSUE	REPLACING EQUIPMENT
J32310M,L8 L9 & L11	Mfr Disc.	14	—

Bell Telephone Laboratories, Incorporated

Dept 5245