

**SELECTOR AND 20-CAPACITY SELECTOR SHELVES**  
**NO. 1, 350A AND 702A PBX OFFICES**  
**EQUIPMENT DESIGN REQUIREMENTS**  
**STEP-BY-STEP AND PBX SYSTEMS**

**1. GENERAL**

**1.001** This addendum supplements Sections 809-804-151 and 814-401-151, Issue 15.

**1.002** This addendum is issued to rate J32302AW, Lists 8 and 12 and Note K Mfr Disc.

**1.003** ♦ This addendum is issued to add list 13 and Note N to J32302BA. This change agrees with SD-32123-01, Issue 20D.♦

(62EL lower) per SD-32123-01, option H, when these banks are provided in areas where there is a high sulphurous content in the environment. (Omit option K.) (See Note N.)

**Note**

N. Because of the high cost of these wiper banks (62EL), list 13 shall only be ordered when the telephone companies so indicate.♦

**4. EQUIPMENT**

The following changes apply to Part 4 of the section:

*Under J32302AW*

**Remove:** Lists 8 and 12 and Note K

♦ *Under J32302BA*

**Add:**

**List 13**—Equipment required in addition to list 9, 10, 11, or 12 for ten 400-point banks

**5. GENERAL NOTES**

The following change applies to Part 5 of the section:

*Under List of A&M Only and Mfr Disc. Equipment*

**Add:**

| EQUIPMENT    | RATING        | DETAILS                | REPLACING<br>EQUIPMENT |
|--------------|---------------|------------------------|------------------------|
|              |               | LAST SHOWN<br>IN ISSUE |                        |
| J32302AW, L8 | Mfr Disc.     | 15                     | —                      |
|              | L12 Mfr Disc. | 15                     | —                      |

Bell Telephone Laboratories, Incorporated

Dept 5245