

**100 AND 200 POINT LINE FINDERS  
10-, 16-, AND 20-CAPACITY LINE FINDER SHELVES  
CONTROL AND LOCKOUT FEATURES  
NO. 355A OFFICE  
EQUIPMENT DESIGN REQUIREMENTS  
STEP-BY-STEP SYSTEMS**

**1. GENERAL**

(g) To add J32006C, List 9 and J32006E, List 5.◀

**1.001** This addendum supplements Section 814-411-150, Issue 10.

The following changes apply to Part 1 of the section:

**1.002** This addendum is issued:

◆ **Under 1. GENERAL**

(a) To rerate J32006B Mfr Disc.

**Add:** 1.14

(b) To add under Equipment Drawing of Subdivisions of Equipment and Detailed Index: ED-31909-( ), ED-31984-( ), and ED-32000-( ).

**1.14** In offices where automatic message accounting recording (AMAR) is added, a line finder relay sleeve circuit board, ED-35021-( ), and its associated mounting hardware shall be added to the jack of each line finder. The connecting information is shown on trunk circuit SD-35031-01.◀

(c) To change ED-30055-01 to dual rated.

(d) To rate ED-30589-01 Mfr Disc.

(e) To add ED-31178-( )

**Under Subdivisions of Equipment and Detailed Index**

(f) ◆ To add 1.14 and reference to ED-35021-( ) circuit board.

**Remove:**

CIRCUIT DRAWING	EQUIPMENT CODE	RATING OF UNIT	TITLE	EQUIPMENT DRAWING
SD-31777-01	J32006B	A&M Only	100-Point Line Relay Unit — 10 Percent Lockout	ED-30588-01

**Add:**

CIRCUIT DRAWING	EQUIPMENT CODE	RATING OF UNIT	TITLE	EQUIPMENT DRAWING
SD-31909-01	ED-31909-01	A&M Only	200-Point Line Finder — 4-Wire	ED-31909-( )
SD-31984-01	ED-31984-01	A&M Only	100-Point Line Finder — 3- or 4-Wire	ED-31984-( )
SD-32000-01	ED-32000-01	A&M Only	200-Point Line Finder — 3-Wire	ED-32000-( )

*Change:*

CIRCUIT DRAWING	EQUIPMENT CODE	RATING OF UNIT	TITLE	EQUIPMENT DRAWING
SD-31777-01	J32006A	A&M Only	200-Point Line Relay Unit — 10 Percent Lockout	ED-30587-01
SD-31777-01	J32006C	A&M Only	200-Point Line Relay Unit — 100 Percent Lockout	ED-30658-01
SD-31777-01	J32006E	A&M Only	Line Equipment Arranged With or Without Line Lockout Relays	ED-30695-01

*To Read:*

CIRCUIT DRAWING	EQUIPMENT CODE	RATING OF UNIT	TITLE	EQUIPMENT DRAWING
SD-31777-01	J32006A	A&M Only	200-Point Line Relay Unit — 10 Percent Lockout	J32006A-( )
SD-31777-01	J32006C	A&M Only	200-Point Line Relay Unit — 100 Percent Lockout	J32006C-( )
SD-31777-01	J32006E	A&M Only	Line Equipment Arranged With or Without Line Lockout Relays	J32006E-( )

*Add:*

**Circuit Schematic Index**

CIRCUIT DRAWING	J32006 EQPT CODE
SD-31777-01	A, C, E
SD-31909-01	ED-31909-01
SD-31984-01	ED-31984-01
SD-32000-01	ED-32000-01

**3. DRAWINGS**

The following changes apply to Part 3 of the section:

**Change:** ED-30055-01—Bank Support

**To Read:** ED-30055-( )—Bank Support

**Rate:** ED-30589-01 Mfr Disc.

**Add:** ED-31178-( )—Assembly of Switch Frame

**ϕAdd:**

ED-35021-( )—Line Finder Relay Sleeve Circuit Board

SD-35031-01—AMARS Sleeve Relay Board Trunk Circuitϕ

**4. EQUIPMENT**

The following changes apply to Part 4 of the section:

**Under J32006A**

**Change:** Equipment—ED-30587-01

**To Read:** Equipment—J32006A-( )

**Rate:** J32006B Mfr Disc.

Bell Telephone Laboratories, Incorporated

Dept 5245

**Under J32006C**

**Change:** Equipment—ED-30658-01

**To Read:** Equipment—J32006C-( )

**Add:** ϕList 9

**List 9**—Wiring and equipment per SD-31777-01, Fig. 2, ZF option only, required in addition to list 4 to arrange a line with permanent signal lockout for +65V message register operation (omit ZG option).ϕ

**Under J32006E**

**Change:** Equipment—ED-30695-01

**To Read:** Equipment—J32006E-( )

**Add:** ϕList 5

**List 5**—Wiring and equipment per SD-31777-01, Fig. 2, ZF option only, required in addition to list 2 to arrange a line with permanent signal lockout for +65V message register operation (omit ZG option).ϕ

**5. GENERAL NOTES**

The following change applies to Part 5 of the section:

**Add:**

**Under List of A&M Only and Mfr Disc. Equipment**

EQUIPMENT	RATING	DETAILS LAST SHOWN IN ISSUE	REPLACING EQUIPMENT
ED-30589-01	Mfr Disc.	10	ED-31178-( )
J32006B	Mfr Disc.	10	—