

**AUTOMATIC OUTGOING INTERTOLL TRUNK TEST AND CONNECTOR FRAMES
AUTOMATIC TRANSMISSION TEST AND CONTROL FRAMES
TELETYPEWRITER FRAME
FLOOR MODEL 28-TYPE TELETYPEWRITER
EQUIPMENT DESIGN REQUIREMENTS
NO. 4 TYPE TOLL SWITCHING SYSTEMS, CROSSBAR TANDEM SWITCHING
SYSTEM, AND NO. 1 CROSSBAR SWITCHING SYSTEM**

1. GENERAL

1.001 This addendum supplements Sections 818-601-154, 817-706-150, and 818-706-150, Issue 13.

1.002 This addendum is reissued to add J67447AF,L5 and J67447AS. These changes are made to add equipment arrangements for common systems message printer per SD-68456-01, Issue 21B.

The following changes apply to **1. GENERAL**:

- (a) Under **SUBDIVISIONS OF EQUIPMENT AND DETAILED INDEX**, J67447AS—added.

Under Subdivisions of Equipment and Detailed Index

Add:

EQUIPMENT CODE	RATING OF UNIT	TITLE	EQUIPMENT DRAWING	CIRCUIT DRAWING
J67447AS	AT&TCo Std	Printer Interconnection Unit	J67447AS-()	SD-68456-01

Circuit Schematic Index

CIRCUIT DRAWING	J67447 EQUIP CODE
SD-68456-01	AS

NOTICE

Not for use or disclosure outside the Bell System except under written agreement

4. EQUIPMENT

(J99391A and KS-21239 L5 transformer are required to work with this list.)

The following changes apply to **4. EQUIPMENT**:

(a) J67447AF,L5—added

Add:

(b) J67447AS—added

J67447AS—AT&TCo Std—Printer Interconnection Unit

Under J67447AF

Add: List 5

List 1—Wiring and equipment per SD-68456-01, Fig. 15 for one printer interconnection unit. (Equipment per J99391A is required to operate with this unit.)

List 5—Wiring and equipment per J67447AS,L1 for common systems message printer

Bell Telephone Laboratories, Incorporated

Dept 5251

**AUTOMATIC OUTGOING INTERTOLL TRUNK TEST AND CONNECTOR FRAMES
AUTOMATIC TRANSMISSION TEST AND CONTROL FRAMES
TELETYPEWRITER FRAME
FLOOR MODEL 28-TYPE TELETYPEWRITER
EQUIPMENT DESIGN REQUIREMENTS
NO. 4 TYPE TOLL SWITCHING SYSTEMS, CROSSBAR TANDEM SWITCHING
SYSTEM, AND NO. 1 CROSSBAR SWITCHING SYSTEM**

1. GENERAL

Under J67447K

1.001 This addendum supplements Section 816-601-154, 817-706-150, and 818-706-150, Issue 13.

Add:

1.002 The addendum is issued:

- (a) To add J67447K, List 7 and 8 which arranges the trunk test connector unit to be accessed by the OTTS frame per SD-68404-01, Issue 39B.

List 7—AT&TCo Std—Equipment per SD-68404-01, Fig. 30, UG option only required in addition to list 1 to arrange this test connector unit to be accessed by the OTTS frame in OTTS retrofit applications. (See Note E.)

List 8—AT&TCo Std—Equipment per SD-68404-01, Fig. 30, UH or UI option only required in addition to list 5 to arrange this test connector unit to be accessed by a first or second integrated manual test frame group in OTTS retrofit applications. (See Note E.)

4. EQUIPMENT

The following changes apply to Part 4 of the section:

- (a) J67447K, Lists 7 and 8 and Note E—added

E. The equipment provided in lists 7 and 8 supplement equipment provided in lists 4 and 5 for OTTS retrofit applications. The equipment provided in list 4 and 5 is reassigned and wired per SD-68404-01, Fig. 30 for the OTTS frame and integrated manual test frames, respectively.

Bell Telephone Laboratories, Incorporated

Dept 5251

NOTICE

Not for use or disclosure outside the
Bell System except under written agreement

Printed in U.S.A.