


CODED TOOLS

NO. 267 TO 298

TOOL, 267 Manufacture Discontinued.
 Replaced by the No. 267B tool.

TOOL, 267B




Contact spring insulator.

Replaces the No. 267 tool.

For use on A- and B-type sequence switches.


→ TOOL, 268



Spring adjuster.

For use on Stromberg Carlson relays.


TOOL, 269



Screwdriver.

For use on Stromberg Carlson relays.


TOOL, 270



Spring adjuster.

For use on precision-type interrupters and Stromberg Carlson relays.


→ TOOL, 271



13/16" Open single end flat wrench.

For use on friction roll drives.

→ TOOL, 273




Adjuster.

Replaces the No. 223 tool.

For use on panel clutches, 197- and 198-type switches and panel multiple banks.


TOOL, 274



Signal plug extractor.

For use in extracting signal plugs from multiple jacks and No. 350A make busy plugs at outgoing trunk test frame.

TOOL, 276




1/4" Hex. single end socket wrench.

Replaces the No. 92 tool.

For use on 100-type interrupters and for removing mounting nuts of 18- and 19-type resistances which have not been wired.

TOOL, 277



1/4" Hex. open single end offset wrench.

For use on 50-type dial testers and No. 156B interrupters and for removing mounting nuts of 18- and 19-type resistances which have been wired.


TOOL, 278 Manufacture Discontinued.

TOOL, 279 Manufacture Discontinued.
Replaced by the No. 446A tool.

TOOL, 280 Manufacture Discontinued.

TOOL, 282 Manufacture Discontinued.
Replaced by the KS-8300 Dialing Pencil or the KS-8400 Dialing Tool


TOOL, 284



Straight cable sewing needle.

For use in sewing local cable. (P.B.X. installation only).


TOOL, 286



Skinner dressing comb.

For use in dressing skimmers from local switchboard cable. (P.B.X. installation only).


TOOL, 287



Curved cable sewing needle.

For use in sewing local cable. (P.B.X. installation only).


TOOL, 289



Skinner dressing hook.

For use in dressing skimmers from local switchboard cable. (P.B.X. installation only)

TOOL, 294
TOOL, 295
TOOL, 296



Bristo set screw wrenches.

Tool No.	of Flutes	For Size Set Screw	Dim. "A"	Dim. "B"	Dim. "C"
294	4	1/4"	2-5/16"	7/8"	.125"
295	4	5/16"	2-19/32"	31/32"	.172"
296	6	3/8"	2-55/64"	1-1/16"	.219"

The No. 294 tool is for use on reciprocating bar-type interrupters.

The No. 295 tool is for general use.

The No. 296 tool is for use on gear reduction and friction roll drives.

TOOL, 297 Manufacture Discontinued.
Replaced by the No. 431A tool.

TOOL, 298 AT&TCo Standard
Replaced for central office and PBX use by the No. 411A tool with a No. 893 cord, 2 360 type tools and 1 No. 364 tool.