


NONCODED TOOLS


PULLERS AND PULLER ATTACHMENTS

PULLER, BEARING, D-160806



For replacing bearings in KS-7664 and KS-7781 controllers.

PULLER, FUSE, IDEAL INDUSTRIES, INC.
 (OR EQUIVALENT)
 (In ordering, specify size and Catalog No. desired.)



Size	Cat. No.	Fuse Diam.	Fuse Cap.	
			Amp.	Volts
Midget 5" lg.	34-001	1/4" to 1/2"	-	-
Pocket 7-1/2" lg.	34-002	1/2" to 1-1/2"	(1-200 1-100)	250 600
Giant 12" lg.	34-003	1" to 2-1/2"	(100-600 60-400)	250 600

For use in removing and replacing cartridge type fuses.

PULLER, BEARING, OWATONNA TOOL CO.
 NO. 1000-1/2-L.


The No. 1000-1/2-L puller is equipped with single end arms having a spread of 0" to 4" and with a forcing screw which is 4-7/8" long.

For use in removing inseparable ball bearings of small motors and generators.

PULLER, BEARING, OWATONNA TOOL CO. NO. 1001.


Replaced by Puller, Bearing, Owatonna Tool Co. No. 1002 equipped with No. 1002-L1 single-end arms.

PULLER, BEARING, OWATONNA TOOL CO. NO. 1002
 EQUIPPED WITH NO. 1002-L1 SINGLE-END ARMS.




Also, see Bearing Pulling Attachment below.
 For general use.

ATTACHMENT, PULLING, BEARING, OWATONNA TOOL
 CO. NO. 950




For use with No. 1002 Bearing Puller in removing bearings which cannot be gripped satisfactorily by the puller jaws.

PULLER, BEARING, PILOT, OWATONNA TOOL CO.
NO. MD-955




For use in removing ball bearing race from end bell of blower motor used in the KS-16001 Dehydrator. Capacity 1/2" to 1-1/2."

PULLER, GEAR AND PULLEY, OWATONNA TOOL CO.
NO. 515A




For use with Owatonna Tool Co. No. 950 Bearing Pulling Attachment to remove ball bearing race from shaft of blower motor used in the KS-16001 Dehydrator.

→ PULLER, KS-16998 L1



For use in removing ball bearings from rotor of the KS-15609 motor.

PULLER, ROTOR, KS-5331




*Bar slotted to provide differences in center spacing of screws.

For use in removing rotors of tone alternators.

PULLER, TUBE

See Also EXTRACTOR, TUBE AND TOOLS

PULLER, TUBE, GENERAL CEMENT MANUFACTURING
CO. AMO NO. 5093



For use in extracting and inserting 7-pin
miniature tubes.


PULLER, TUBE, M. P. KING CO. RUBBER TIP,
SURE GRIP

Replaced by Extractor, Tube, Insuline
Corp. No. 1001

PULLER, WHEEL, J. S. POPPER CO. 166

A special purpose wheel puller especially
designed for removing the fan from the
KS-8038 exhauster set.

PULLER, WIRE, LOOP, R-2257



For use in sewing cable (PBX installation
only)