


NONCODED TOOLS

WRENCHES (BOX, SPANNER AND MISCELLANEOUS)

WRENCH (In ordering specify number of wrench, and manufacturer's name when given)



12-point offset box wrench


	Dim "A"	Dim "B"	Dim "C"
J. H. Williams & Co. No. 8725	7/16"	1/2"	8-1/4"
KS-8097	7/16"	5/8"	6-1/2"

The J. H. Williams & Co. No. 8725 wrench is for use on some clutches when the KS-8097 wrench is unsatisfactory.

The KS-8097 wrench replaces the No. 305 tool and partially replaces the KS-6367 open-end wrench.

For general use.

WRENCH (In ordering specify number of wrench, and manufacturer's name when given.)




12-point box wrench

	Dim "A"	Dim "B"	Dim "C"
J. H. Williams & Co. No. 7731A	3/4"	7/8"	12"
R-2702	1"	1-1/8"	17-1/4"

The J. H. Williams & Co. No. 7731A wrench is for use on friction roll drives.

The R-2702 wrench is for use on No. 28A valves of pneumatic ticket distributing systems.


WRENCH, J. H. WILLIAMS & CO. NO. 1160 (OR EQUIVALENT)



3/8" 12-point offset box and 3/8" open-end wrench

For use on KS-13834 perforators.


WRENCH, KS-14334



3/4" 12-point box wrench

For use on KS-13834 perforators


WRENCH, KS-14335



7/16" open offset box wrench

For use on KS-13834 perforators.

WRENCH, R-1952




Ratchet tap wrench

Takes up to 5/16" taps and 3/8" taps with shanks smaller than root diameter of threads.

For general use.


→ WRENCH, PLIER, R-2718



An adjustable 0 to 1-3/4" slip joint plier-type wrench with thin narrow jaws for use in close spaces.

For use on locknuts of lamp housings of the KS-14778 Photo Processor.


WRENCH, R-2895



Adjustable hook spanner wrench, 3/4" to 2" diameter

For use on No. 659A tools.


WRENCH, R-6440



3/8" square box wrench


For use on gear reduction and friction roll drives, No. 155A interrupters, and 153-type interrupters.

WRENCH, SPANNER, AMERICAN INSTRUMENT CO. CATALOG #4-4896A



For use on compressor-dehydrators, dehydrators and air dryers.


WRENCH, J. H. WILLIAMS & CO. NO. 482 (OR EQUIVALENT)



Adjustable face spanner wrench, Max. 2" diam.

For use on mercury-type interrupters.

WRENCH, WIPER, AECO. H-7057



Wiper-shaft aligning wrench

For use on 197- and 198-type switches.