


NONCODED TOOLS
 WRENCHES (SOCKET TYPES)

→ WRENCH

<u>Discontinued Wrench</u>	<u>Size</u>	<u>Replaced By</u>
R-1977	9/32"	KS-6263 Wrench
AECo H-10053-1	5/16"	R-1681 Wrench
AECo H-7058	3/8"	KS-6257 Wrench
Billings & Spencer Co. No. 752C	7/16"	KS-14220 Wrench
KS-7784	9/16"	KS-14220 Wrench
AECo H-11841	9/16"	KS-14220 Wrench

WRENCH

(In ordering, specify number of wrench, and manufacturer's name when given)




Offset hex. socket wrench

<u>Number</u>	<u>Dim. "A"</u>	<u>Dim. "B"</u>	<u>Dim. "C"</u>
KS-2630	5/16"	1/2"	3-1/4"
J.H. Williams & Co. No. 264A	1/2"	3/4"	5-1/8"

The KS-2630 wrench is for use on line finder elevator apparatus.

The J.H. Williams & Co. No. 264A wrench is for use on operators' chairs and A- and B-type sequence switches.


WRENCH, R-1317



5/8" Offset hex. socket wrench

For use on precision type interrupters, gear reduction drives and friction roll drives.

WRENCH, KS-6263



9/32" Screwdriver-handle hex. socket wrench


Replaces R-1977 wrench

For use on 157-type interrupters, A- and B-type sequence switches and spring driven sequence switches.

SECTION A707.188

→WRENCH

(In ordering specify number of wrench, and manufacturer's name when given.)




Screwdriver-handle hex. socket wrench

Number	Dim. "A"	Dim. "B"
Stevens Walden, Inc. No. 3410	5/16"	6"
R-2874	7/16"	7"

The Stevens Walden, Inc. No. 3410 wrench is for use on KS-13834 perforators.

The R-2874 wrench is for use on crossbar switches and l-type translators.

WRENCH, KS-8237



+ WHEN ORDERING PARTS STATE THAT THEY ARE FOR KS-8237 WRENCH


5/16" hex. socket ratchet wrench.

The KS-8237 wrench consists of the
 ES-628134 Det. 2 ratchet handle
 ES-628134 Det. 3 5/16" socket (7/8" long)
 ES-628134 Det. 4 5/16" socket (2" long)

For replacing insulators on step-by-step banks (except on 40-, 41-, 42-, 50-, 51-, and 52-type banks).

→WRENCH

(In ordering specify number of wrench, and manufacturer's name when given)



Tee-handle hex. socket wrench.

Number	Dim. "A"	Dim. "B"	Dim. "C"
R-1681	5/16"	4-1/4"	4"
KS-6257	3/8"	4-7/16"	4-1/2"
J.H. Williams & Co. No. 968D	13/16"	7"	6-3/4"

The R-1681 wrench replaces the AECO H-10053-1 wrench.


The KS-6257 wrench replaces the AECO H-7058 wrench.

The R-1681 and KS-6257 wrenches are for use on 197- and 198-type switches.


The J.H. Williams & Co. No. 968D wrench is for use on pneumatic ticket distributing systems.

WRENCHES, KS-14220


(In ordering specify KS-14220 and the list numbers of the wrenches desired.)




LIST 1



LIST 7



LIST 14



LIST 18

KS-14220, List 1 - Sliding Tee handle
 KS-14220, List 7 - 6" long extension bar;
 one end engages the KS-14220, list 1
 handle and the other end engages either
 the KS-14220, list 14 or list 18 socket
 KS-14220, List 14 - 7/16" 12-point socket
 KS-14220, List 18 - 9/16" 12-point socket

The KS-14220, Lists 1, 7 and 14 wrenches
 replace the No. 367 tool and the Billings
 and Spencer No. 752C wrench.

The KS-14220, Lists 1, 7 and 18 wrenches
 replace the KS-7784 and AECO H-11841
 wrenches.

For general use.