



ATIS-0300052

Non-Geographic 5XX-NXX Code Assignment Guidelines

Reissued with the resolution of Issue 939.

December 30, 2022

Copyright © 2022 by the Alliance for Telecommunications Industry Solutions, Inc.
All rights reserved.

The Non-Geographic 5XX-NXX Code Assignment Guidelines dated December 30, 2022, is copyrighted, published and distributed by ATIS on behalf of the Industry Numbering Committee (INC). Except as expressly permitted, no part of this publication may be reproduced or distributed in any form, including electronic media or otherwise, without the prior express written permission of ATIS.

Participants in the INC and other parties are hereby authorized to reproduce this document and distribute it within their own business organizations for business purposes, provided that this notice continues to appear in the reproduced documentation. Resale is prohibited.

For ordering information, please contact:

ATIS
1200 G Street N.W., Suite 500
Washington, DC 20005
(202) 628-6380
inc@atis.org

A complete listing of INC Documents is available on the ATIS Web Site at:
<https://www.atis.org/committees-forums/inc/documents/>.

Trademark Acknowledgements

iconectiv® and Common Language® are registered trademarks and CLCI™, CLLI™, LERG™ Routing Guide and TPM™ Data Source are trademarks and the Intellectual Property of as iconectiv®, LLC.



As a leading technology and solutions development organization, the Alliance for Telecommunications Industry Solutions (ATIS) brings together the top global ICT companies to advance the industry's most pressing business priorities. ATIS' nearly 200 member companies are currently working to address the All-IP transition, network functions virtualization, big data analytics, cloud services, device solutions, emergency services, M2M, cyber security, network evolution, quality of service, billing support, operations, and much more. These priorities follow a fast-track development lifecycle — from design and innovation through standards, specifications, requirements, business use cases, software toolkits, open source solutions, and interoperability testing.

ATIS is accredited by the American National Standards Institute (ANSI). The organization is the North American Organizational Partner for the 3rd Generation Partnership Project (3GPP), a founding Partner of the oneM2M global initiative, a member of and major U.S. contributor to the International Telecommunication Union (ITU), as well as a member of the Inter-American Telecommunication Commission (CITEL). For more information, visit www.atis.org.

The Industry Numbering Committee (INC) provides an open forum to address and resolve industry-wide issues associated with planning, administration, allocation, assignment and use of North American Numbering Plan (NANP) numbering resources within the NANP area.

This document is maintained under the direction of ATIS and the INC. Suggestions for improvement of this document are welcome. They should be sent to the Alliance for Telecommunications Industry Solutions, INC Staff, 1200 G Street NW, Suite 500, Washington, DC 20005. All changes to this document shall be made through the INC issue resolution process and adopted by the INC as set forth in the *ATIS Operating Procedures*.

Notice of Disclaimer & Limitation of Liability

The information provided in this document is directed solely to professionals who have the appropriate degree of experience to understand and interpret its contents in accordance with generally accepted engineering or other professional standards and applicable regulations. No recommendation as to products or vendors is made or should be implied.

NO REPRESENTATION OR WARRANTY IS MADE THAT THE INFORMATION IS TECHNICALLY ACCURATE OR SUFFICIENT OR CONFORMS TO ANY STATUTE, GOVERNMENTAL RULE OR REGULATION, AND FURTHER, NO REPRESENTATION OR WARRANTY IS MADE OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR AGAINST INFRINGEMENT OF INTELLECTUAL PROPERTY RIGHTS. ATIS SHALL NOT BE LIABLE, BEYOND THE AMOUNT OF ANY SUM RECEIVED IN PAYMENT BY ATIS FOR THIS DOCUMENT, AND IN NO EVENT SHALL ATIS BE LIABLE FOR LOST PROFITS OR OTHER INCIDENTAL OR CONSEQUENTIAL DAMAGES. ATIS EXPRESSLY ADVISES THAT ANY AND ALL USE OF OR RELIANCE UPON THE INFORMATION PROVIDED IN THIS DOCUMENT IS AT THE RISK OF THE USER.

<p>NOTE - The user's attention is called to the possibility that compliance with this standard may require use of an invention covered by patent rights. By publication of this standard, no position is taken with respect to whether use of an invention covered by patent rights will be required, and if any such use is required no position is taken regarding the validity of this claim or any patent rights in connection therewith. Please refer to [http://www.atis.org/legal/patentinfo.asp] to determine if any statement has been filed by a patent holder indicating a willingness to grant a license either without compensation or on reasonable and non-discriminatory terms and conditions to applicants desiring to obtain a license.</p>
--

Foreword

The Alliance for Telecommunications Industry Solutions (ATIS) serves the public through improved understanding between carriers, customers, and manufacturers. The Industry Numbering Committee provides an open forum to address and resolve industry-wide issues associated with planning, administration, allocation, assignment and use of the North American Numbering Plan (NANP) numbering resources within the NANP area.

The mandatory requirements are designated by the word *shall* and *must*, and recommendations by the word *should*. Where both a mandatory requirement and a recommendation are specified for the same criterion, the recommendation represents a goal currently identifiable as having distinct compatibility or performance advantages. The word *may* denotes an optional capability that could augment the standard. The standard is fully functional without the incorporation of this optional capability.

Suggestions for improvement of this document are welcome. They should be sent to the Alliance for Telecommunications Industry Solutions, INC, 1200 G Street NW, Suite 500, Washington, DC 20005.

At the time of consensus on this document, INC, which was responsible for its development, had the following leadership:

Allyson Blevins, Twilio

Natalie McNamer, iconectiv

Table of Contents

1. Purpose and Scope.....	1
1.1	1
1.2	1
1.3	1
1.4	1
1.5	1
2. Assumptions and Constraints	1
2.1	2
2.2	2
2.3	2
2.4	2
2.5	2
2.6	2
2.7	3
2.8	3
2.9	3
2.10.....	3
2.11.....	3
3. Assignment Principles	3
3.1	3
3.2	3
3.3	4
3.4	4
3.5	4
3.6	4
3.7	4
3.8	4
3.9	4
4. Criteria for Assignment	4
4.1	4
4.2	5
4.3 CODE ASSIGNMENT CRITERIA FOR INITIAL CODE REQUESTS.....	5
4.4	7
4.5	7
4.6	8
4.7	8
4.8	8
4.9	8
4.10 CODE ASSIGNMENT CRITERIA FOR GROWTH CODE REQUESTS	8
5. Responsibilities of Code Applicants and Holders	9
5.1	9
5.2	9
5.3	9

5.4 9

6. Responsibilities of Code Administrator.....11

6.1 11

6.2 11

6.3 11

6.4 11

6.5 12

6.6 12

6.7 12

6.8 12

6.9 12

7. Code Reclamation Procedures13

7.1 13

7.2 13

8. Code Conservation14

9. Code Relief Planning14

9.1 14

9.2 14

9.3 14

10. Maintenance of Guidelines.....14

11. Appeals Process14

12. Definitions, Acronyms, & Abbreviations16

12.1 DEFINITIONS 16

12.2 ACRONYMS & ABBREVIATIONS 18

Non-Geographic 5XX-NXX Code Forms.....19

Non-Geographic 5XX-NXX Code Forms Part A.....20

Non-Geographic 5XX-NXX Code Forms Part B.....23

Non-Geographic 5XX-NXX Code Forms Part C.....25

ATIS Standard on –

Non-Geographic 5XX-NXX Code Assignment Guidelines

1. Purpose and Scope

This document specifies guidelines for the assignment of NXX codes within a 5XX non-geographic Service Access Code (SAC) used for non-geographic 5XX-NXX services

1.1

For the purpose of these assignment guidelines, the 5XX-NXX codes are to be used for applications which are non-geographic in nature, are not assigned to Rate Centers and may or may not traverse the PSTN, but do require an E.164 addressing scheme. Calls to 5XX-NXX codes may not be dialable from the PSTN and route only within the assignee's network. The use of this NANP numbering resource is to communicate with both fixed and mobile devices, some of which may be unattended. This resource may be used for applications enabling machines, which would include but not be limited to wireless devices and appliances, the ability to share information with back-office control and database systems and with the people that use these. Service is limited only by terminal and network capabilities and restrictions imposed by the service provider.

1.2

These assignment guidelines do not apply to an environment where number portability exists, but do not preclude the implementation of Personal Communications Services (PCS) and non-geographic 5XX-NXX number portability in the future. The INC provided the FCC with a report which did not recommend PCS number portability (see ATIS-0300062, 500/900 Report on LEC Number Portability). The INC Report on PCS N00 Portability, ATIS-0300053, provides a potential implementation plan if regulatory directive is given in the future to proceed with 5XX-NXX portability.

1.3

These guidelines were developed by the industry consensus process under the auspices of the Industry Numbering Committee (INC).

1.4

These guidelines are expected to apply throughout the NANP area subject to procedures and constraints of the NANP area Administrations unless the affected Administrations direct otherwise.

1.5

These guidelines do not supersede appropriate North American Numbering Plan (NANP) area governmental or regulatory principles, procedures and requirements.

2. Assumptions and Constraints

The development of these guidelines include the following assumptions and constraints:

2.1

NANP resources, including those covered in these guidelines, are collectively managed by the North American Telecommunications industry with oversight of the North American federal regulatory authorities. The NANP and the NANP resources are developed in conformance with the International Telecommunication Union Telecommunications Standardization Sector (ITU-T) recommendations including E.164 “The international public telecommunication numbering plan.”¹

The NANP resources are considered a public resource and are not owned by the assignees. Consequently, the resources cannot be sold, brokered, bartered or leased by the assignee for a fee or other consideration.

If a resource is sold, brokered, bartered, or leased for a fee, the resource is subject to reclamation by the Code Administrator.

2.2

These guidelines are intended to apply to 5XX-NXX code(s) that are assigned to non-geographic 5XX-NXX services.

2.3

These assignment guidelines do not apply to an environment where number portability exists. In the event of the implementation of 5XX-NXX number portability, these Guidelines will be modified.

2.4

The allocation and assignment of 5XX-NXX codes, as set forth in these guidelines, remains in effect until there is industry consensus and/or regulatory policy direction to change these assignment guidelines.

2.5

The North American Numbering Plan Administrator (NANPA) initially assigned the 500 code for use with personal communications service, and the INC subsequently designated the 533, 544, 566, 577, 588, 522, 521, 523, 524, 525, 526, 527, 528, 529, 532, 538, 542, 543, 545, 547, 549, 552, 553, 554, 556, 569, 578, 589, 550, 535, 546, and 558 NPA codes for future personal communications service and other non-geographic services.² It has been recognized the potential exists that the demand for these resources may exceed the 5XX-NXX codes already allocated for these applications. Therefore, code applicants/holders should be aware that additional NXX codes have been designated from non-geographic NPAs which are not in the 5XX-NXX format. The designation of additional NPA codes for these applications is under the purview of the INC.

2.6

Audits of the Code Administrator and code applicants/holders may be performed to: 1) ensure uniformity in application of these guidelines by the Code Administrator to all code requests received, 2) ensure compliance with these guidelines by code applicants/holders and the Code Administrator, and 3) ensure the efficient and effective use of numbering resources by code applicants/holders and the efficient management of numbering resources by Code Administrator.

¹ <http://www.itu.int/rec/T-REC-E.164/en>

² See www.nanpa.com for more information on the assignment history.

2.7

These guidelines do not address the issue of who will fill the role of the Code Administrator. The guidelines described herein were developed by the industry without any assumption on who should be the Code Administrator.

2.8

The applicant/holder of the 5XX-NXX code must have authorization from the appropriate applicable regulatory authority(s) to operate in the area in which it intends to provide non-geographic 5XX-NXX services.

2.9

The guidelines should provide the greatest latitude to those providing non-geographic 5XX-NXX services while effectively permitting management of a finite resource.

2.10

5XX-NXX code(s) are a public resource and administrative assignment of the codes does not imply ownership of the resource by the entity performing the administrative function, nor does it imply ownership by the entity to which it is assigned. The assignment of a 5XX-NXX code(s) by the Code Administrator implies the use of that code(s) by the code recipient/holder for non-geographic 5XX-NXX services.

2.11

SPs and numbering resource administrators are responsible for managing numbering resources in accordance with these guidelines and the orders of applicable regulatory authorities. Both SPs and numbering resource administrators are subject to audits. Further information may be found in FCC 00-104 ¶ 62, FCC 00-429 ¶ 81-99, FCC 01-362 ¶ 95-111, and 47 CFR § 52.15 (k).

The NANP Resources assigned in this guideline are expected to be used in conformance with this guideline and the related ITU-T recommendations. Misuse of a resource either as defined in this guideline or as defined in ITU-T E.156 "Guidelines for ITU-T action on reported misuse of E.164 number resources" should be reported to the NANPA.³ See Section 10 for contact information.

3. Assignment Principles

To allow the entities the greatest possible latitude in providing services, the following assignment principles apply to all aspects of the Non-Geographic 5XX-NXX Code Assignment Guidelines:

3.1

All 5XX-NXX applicants will be required to provide a completed Part A – Assignment Request/Return Notification/Information Change Form. The applicant should retain a copy of quantitative support information in the event of an audit or regulatory initiative (See Section 2.11).

3.2

5XX-NXX codes shall be assigned in a fair, timely and impartial manner to any applicant which meets the criteria for assignment as detailed in Section 4.

³ <http://www.itu.int/rec/T-REC-E.156/en>

3.3

Applicants for 5XX-NXX codes must comply with all applicable local governmental, state, federal and the NANP area governmental regulations relative to the service they wish to provide. When a service provider's jurisdictional certification, license, or authorization to operate has been revoked, the appropriate regulatory authority should provide written direction and supporting documentation to the NANPA to deny applications for the company name associated with the revoked jurisdictional certification, license, or authorization.⁴ NANPA will remove any current NRUF Form 502 forecasts associated with the SP's OCN(s).

3.4

These 5XX-NXX codes will be assigned and used only for non-geographic 5XX-NXX services (See Section 1.1).

3.5

5XX-NXX codes are a finite resource that should be used in the most effective and efficient manner possible.

3.6

Information that is requested of applicants in support of a code assignment shall be uniform and kept to a minimum. Information received by the Code Administrator shall be treated on a proprietary and confidential basis, adequately safeguarded and not shared with non-code administrator personnel.

3.7

An entity which is denied the assignment of one or more codes, under these guidelines, has the right to appeal that decision as described in Section 11 (Appeals Process).

3.8

NXX codes will be assigned on a first come, first serve basis from the available pool of unassigned codes. However, the Code Administrator will attempt to match a code assignment with a specific code request.

3.9

These Guidelines do not impose a limit on the total number of NXX codes assigned to each entity, provided that codes already assigned are used as specified in these Guidelines.

4. Criteria for Assignment

The assignment criteria in the following section shall be used by the Code Administrator in reviewing a 5XX-NXX code assignment request for an initial and/or growth code(s):

4.1

5XX-NXX codes shall only be assigned to applicants for non-geographic 5XX-NXX services, as described in Section 1.1, upon approval of a completed code request form, see Part A. Applicants who choose to submit their Part A

⁴ See FCC 00-429 ¶ 122 and FCC 15-70 ¶ 53.

applications and/or Part C confirmations via facsimile or mailed copies shall be charged a fee. See the NANPA website at www.nanpa.com for specific details regarding the associated fee structure.

4.2

To obtain an NXX within a 5XX NPA, the applicant shall submit a completed Part A of the Non-Geographic 5XX-NXX Code Forms (see Part A). In addition, the applicant shall certify that it will be providing services consistent with applications which are non-geographic in nature, are not assigned to rate centers and may or may not traverse the PSTN, but do require an E.164 addressing scheme. Calls to 5XX-NXX codes may not be dialable from the PSTN and route only within the assignee's network. The applicant shall demonstrate that it has secured the necessary authorization, from the federal, state, or other regulatory authority within the NANP area in which it intends to provide such service (See Section 4.3.1).

In order to obtain a 5XX-NXX code, an applicant shall submit or have submitted a North American Numbering Plan Numbering Resource Utilization/Forecast (NRUF) Report. See NRUF Reporting Guidelines and NANPA Non-Geographic NRUF Job Aid at www.nanpa.com for instructions on completing the report.

The FCC's "Red Light Rule" mandates that any organization delinquent in debts owed to the FCC is barred from receiving numbering resources from the NANPA until the delinquency has been resolved.⁵ If the applicant's FCC Registration Number (FRN), associated with its OCN(s), is appearing in the FCC's Red Light Display System (<http://www.fcc.gov/redlight>) at the time the NANPA is processing the application, the application shall be denied.

The OCN provided on the Part A must be associated with a NECA Company Code (OCN) Category Type that has been determined to be appropriate for the direct assignment of numbering resources. The following is the list of permitted Company Code Category Types for numbering resources:

Incumbent Local Exchange Carrier	ILEC
Regional Bell Operating Company	RBOC
Competitive Local Exchange Carrier	CLEC
Personal Communications Service	PCS
Unbundled Local Exchange Carrier	ULEC
Wireless Carriers	WIRE
Internet Provider Enabled Services	IPES (only interconnected VoIP)

NANPA will deny all numbering applications from SPs with an OCN category that is not permissible for numbering assignments.

4.3 Code Assignment Criteria for Initial Code Requests

Applicants for an initial code assignment shall provide the Code Administrator with the following information:

- Projected monthly demand for new TNs in the next 12 months, substantiating the need for the NXX(s) requested.
- A commitment to place all code(s) allocated into service within six months from the date of assignment.
- A commitment that the applicant is or will be capable of providing service within sixty (60) days of the numbering resources activation date.⁶

⁵ See FCC Order 04-72 released April 13, 2004 and FCC Public Notice DA 12-1192 released July 25, 2012.

⁶ 47 CFR § 52.15 (g) (2)

ATIS-0300052

- In the case where an SP needs more than 10 NXXs (but no more than 25), the SP shall provide evidence that demonstrates this need via a letter(s) from the customer/agent. A letter shall be on the customer's/agent's letterhead and shall be signed by a party within the customer's/agent's organization with the authority to make such a request (e.g., officer of the company). An SP may request a maximum of 25 NXXs on an initial request.

The Code Administrator shall limit an initial code request to no more than 10 NXXs unless the applicant substantiates the need for more than 10 NXXs via a request on letterhead from a customer/agent as noted above. The Code Administrator shall not allow more than 25 NXXs on an initial request.

For an initial 5XX-NXX code request, an applicant must provide one form of documentation from both Sections 4.3.1 and 4.3.2 below:

4.3.1 License and/or Certification

An applicant shall provide evidence that demonstrates the SP has a license or authorization issued by the FCC or a Certificate of Public Convenience and Necessity (CPCN) issued by a State Regulatory Body to provide service in the area for which the 5XX-NXX code is being requested. The SP shall email to the code administrator a copy of the FCC license or authorization⁷ or CPCN that is appropriate for the Company Code Category Type of the OCN⁸ provided on the SP's application:

- 4.3.1.1 An OCN with a Company Code Category Type of ILEC, RBOC, ULEC, or CLEC shall provide evidence that demonstrates the SP has a CPCN issued by a State Regulatory Body to provide service in the area the 5XX-NXX code is being requested.
- 4.3.1.2 An OCN with a Company Code Category Type of WIRE or PCS shall provide evidence that demonstrates the SP has a license issued by the FCC to provide service in the area the 5XX-NXX code is being requested.
- 4.3.1.3 An OCN with a Company Code Category Type of IPES shall provide evidence that demonstrates the SP has a national authorization issued by the FCC.

In the case that the name on the license or authorization issued by the FCC or CPCN does not match the SP's name on the application, the applicant shall provide documentation linking the name on the application with the name on the license or authorization issued by the FCC or CPCN.

4.3.2 Facilities Readiness

An applicant shall provide appropriate evidence that facilities are in place or will be in place to provide service within 60 days of the numbering resources activation date (i.e., the LERGTM Routing Guide effective date) is required. Evidence shall be provided via email to the code administrator with the Part A application.

4.3.2.1 Interconnected VoIP Providers

Interconnected VoIP providers shall demonstrate proof of facilities readiness by (1) providing a combination of an agreement between the interconnected VoIP provider and its carrier partner and an interconnection agreement between that carrier and the relevant local exchange carrier (LEC), or (2) proof that the interconnected VoIP provider obtains interconnection with the Public Switched Telephone Network (PSTN) pursuant to a tariffed offering or a commercial arrangement that provides access to the PSTN.⁹

⁷ See 47 CFR §52.15 (g) (3).

⁸ See Section 5.2 for a list of permitted Company Code Category Types.

⁹ FCC 15-70, ¶ 37.

When providing such documentation, the applicant shall provide only the relevant pages or indicate in the email to the code administrator the page numbers for the relevant pages if providing entire agreements or documents. For interconnection agreements, the relevant pages are the cover page, area covered, the expiration date and the signature page from the interconnection agreements. For tariffed offering or commercial arrangement documents, the relevant pages are the cover page, pages that describe how traffic will be exchanged, term of the contract or expiration date, and the signature page. The code administrator shall deny any application when the relevant pages are not provided or the applicant does not indicate the page numbers of the relevant pages when providing entire documents via email. In the case that the name on an agreement does not match the applicant's name on the application, the applicant shall provide documentation linking the name on the application with the name on the documents.

4.3.2.2 SPs Other Than Interconnected VoIP Providers

For applicants other than interconnected VoIP providers, facilities readiness evidence may be provided by emailing to the code administrator a copy of any one of the following document(s) the SP selects:

- 1) A current executed interconnection agreement between a Local Exchange Carrier and the SP requesting numbering resources. The relevant pages are the cover page, area covered, the expiration date and the signature page from the interconnection agreement. The SP shall provide only the relevant pages or indicate in the email the page numbers for the relevant pages if providing the entire interconnection agreement. The code administrator shall deny any application when the relevant pages are not provided or the SP does not indicate the page numbers of the relevant pages when providing the entire interconnection agreement via email. In the case that the name on the interconnection agreement does not match the SP's name on the application, the applicant shall provide documentation linking the name on the application with the name on the interconnection agreement.
- 2) Documentation of the state commission approval of the current interconnection agreement. In the case that the name on the state commission documentation does not match the SP's name on the application, the applicant shall provide documentation linking the name on the application with the name on the state commission documentation.
- 3) A confirmation letter or letter of intent provided by the LEC with which the requesting SP will interconnect. Interconnecting LECs are encouraged, but not required, to provide such letters. In the case that the name on the letter does not match the SP's name on the application, the applicant shall provide documentation linking the name on the application with the name on the confirmation letter.
- 4) A letter from the applicant identifying a geographic block/code in service that uses the same facilities and CLLI Code that will be used to serve the initial 5XX-NXX code being requested and reflected on the application. In the case that the OCN name associated with the switch CLLI Code serving the existing block/code does not match the SP's name on the application, the applicant shall provide documentation linking the name on the application with the OCN name associated with the switch CLLI Code referenced in the letter.

All documentation submitted will be held confidential pursuant to FCC confidentiality rules.¹⁰

4.4

All information provided on or with Part A of the Non-Geographic 5XX-NXX Code Forms shall be considered proprietary and confidential.

4.5

NXX codes will be assigned to applicants who plan on placing the codes into service within six months after the date of their initial and/or additional NXX code(s) assignment(s). If a code has not been placed in service within six

¹⁰ 47 CFR § 52.13 (c) (7)

ATIS-0300052

months of assignment, the code holder may seek an extension from the appropriate regulatory authority (See Section 7). Such an extension request must include the reason for the delay and a new in-service time commitment.

4.6

5XX-NXX codes shall be assigned on a first come, first serve basis and each applicant requesting a code(s) will be assigned a unique code(s).

4.7

The following codes will not be assigned as 5XX-NXX codes:

- 4.7.1 5XX-911 because of its widespread use for access to public emergency services.
- 4.7.2 5XX-555 will be reserved to avoid potential routing conflicts for Directory Assistance.
- 4.7.3 There are no 5XX-NXX codes specifically set aside to be used as standard test codes.

4.8

The applicant's preference for a specific 5XX-NXX code(s) will be honored to the extent possible. In the event that the applicant's preferred code(s) is unavailable, or if the applicant does not indicate a preference for a specific code, the Code Administrator shall assign the next available code sequentially.

4.9

If two applicants request the same NXX code simultaneously (i.e., their written requests are received by the Code Administrator with the same time and date stamp) one of the applicants would be randomly selected to receive the NXX code.

4.10 Code Assignment Criteria for Growth Code Requests

Assignment of additional code(s) (growth codes) shall be made by satisfying the criteria in section 3c on the Part A Form. The information submitted shall demonstrate that all of the numbers assigned to the code holder will exhaust within six months. In the Months To Exhaust calculation and Utilization Level calculations, an SP shall include every 5XX-NXX code assigned to the SP. For additional codes for growth, each code holder shall supply supporting data in section 3C of the Part A which covers:

- Telephone Number (TNs) Available for Assignment;
- Growth history for the previous six months
- Projected demand for the coming 12 months; and
- The applicants shall demonstrate that existing numbering resources will exhaust within 6 months.

All applicants for growth numbering resources shall achieve a 75% utilization threshold, calculated in accordance with the below calculation.

The numbering resource utilization threshold shall be calculated by dividing all assigned numbers by the total numbering resources in the applicant's inventory and multiplying the result by 100.

In the case where 100 or more 5XX-NXXs are assigned to a single OCN in a calendar month, the NANPA shall report to the appropriate regulator(s) the OCN(s) to which the codes were assigned.

5. Responsibilities of Code Applicants and Holders

SPs requesting new 5XX-NXX code assignments as well as SPs already assigned PCS 5YY-NXX codes shall comply with the following:

5.1

The code applicant shall review a current copy of the Non-Geographic 5XX-NXX Code Assignment Guidelines.

5.2

The code applicant/holder is responsible for meeting all conditions of these guidelines.

5.3

The application process for initial and/or additional 5XX-NXX assignments shall include the following:

5.3.1

Apply to the Code Administrator and complete all required entries on the Non-Geographic 5XX-NXX Code Forms that are in these guidelines to the best of his/her ability. Applicants who choose to submit their Part A and/or Part C via facsimile or mailed copies will be charged a fee. See the NANPA website at www.nanpa.com for specific details regarding the associated fee structure.

5.3.2

When requesting growth codes, applicants shall meet the requirements as described in Section 4.10 and conform to the conditions contained therein. On the Part A form, applicants must provide (1) information that provides utilization for the preceding six months and projected monthly utilization for the next twelve months; and (2) the applicant's current numbering utilization level.

5.3.3

Provide, if desired, requests for specific and alternative NXX code assignments in order of preference. The Code Administrator will try to satisfy such requests but cannot guarantee specific requests will be satisfied, see Section 6.4.1.1.

5.3.4

When requesting an initial 5XX-NXX code, an applicant shall provide to the Code Administrator with the Part A of the "Non-Geographic 5XX-NXX Code Forms" documentation demonstrating that the required regulatory authorization has been obtained for which the code is being requested (See Section 4.3.1).

5.3.5

Agree to abide by sound code conservation practices and the reclamation procedures (see Sections 8 and 7).

5.4

5XX-NXX code holder responsibilities shall include the following:

5.4.1

Assume the responsibility for the assignment of the last four digits of the 5XX-NXX-XXXX numbers and the maintenance of up-to-date assignment records that match 5XX-NXX-XXXX numbers to subscribers/devices for all allocated NXX code(s). These records will be required for audit purposes.

5.4.2

Changes in the information associated with a code assignment shall immediately be made known to the Code Administrator using Part A of the Non-Geographic 5XX-NXX Code Forms. Such changes may occur because of the transfer of a code, through merger or acquisition, to a different company. The code holder of the NXX code acquired by merger, acquisition or other means must immediately inform the Code Administrator when the change becomes effective. This change information is required to ensure that an accurate record of the entity responsible for the code and the data associated with the code is maintained. If there are 50 or more codes that need modifications on intra-company OCN changes, or inter-company OCN changes, a mass modification spreadsheet can be sent to NANPA. Contact NANPA for the most recent spreadsheet.

5.4.3

The resulting SP in a merger/acquisition must revise and provide a new, consolidated NRUF forecast for numbering resources. The holder of a code assigned by the Administrator or acquired by other means such as transfer (e.g., by merger or acquisition) must use the code consistent with these guidelines. Additionally, the new Code Holder must participate in an audit process, as necessary.

5.4.4

In order to retain a 5XX-NXX code assignment, it is a requirement of these guidelines and the responsibility of the code holder to cooperate/participate in the audit process. The purpose of an audit is to verify compliance with provisions set forth in these Guidelines. See Section 2.11.

5.4.5

A code(s) assigned to an entity, either directly by the Code Administrator or through transfer from another entity, shall be placed in service within six months after the original date of assignment by the Code Administrator for an initial and/or growth code application. See Section 7 and Part C of Non-Geographic 5XX-NXX Code Forms.

5.4.6

If the Code Administrator determines that a code is not placed in service within six months from the date of assignment, the Code Administrator shall initiate the reclamation procedures (See Section 7).

5.4.7

All code holders shall provide forecasted code requirements and utilization data to the Code Administrator via semi-annual NRUF reporting (see Section 4.2). Any 5XX-NXXs that are not reported on are subject to reclamation. All NRUF data shall be treated on a proprietary and confidential basis.

5.4.8

Code holders shall immediately return 5XX-NXX code(s) for the reasons stated in Section 7.

5.4.9

Code Holders shall maintain sufficient and auditable data to demonstrate compliance with these guidelines.

6. Responsibilities of Code Administrator

The Code Administrator shall:

6.1

Provide general information on the structure and limitations of 5XX-NXX assignments and, on request, copies of the Non-Geographic 5XX-NXX Code Assignment Guidelines, including timely notification of changes.

6.2

Provide code applicants/holders assistance in completing the Non-Geographic 5XX-NXX Code Forms.

6.3

Track NXX code requests and make NXX code assignments on a first come, first served basis.

6.4

Upon receipt of a Part A, the Code Administrator shall process the application for 5XX-NXX codes and should follow these steps:

6.4.1

Determine if the request is in compliance with code assignment principles and criteria as set forth in these guidelines.

6.4.1.1

Based on the availability of the codes, an attempt will be made to assign the preferred code as listed on the Part A. If two applicants request the same NXX code simultaneously (i.e., the requests are received by the Code Administrator with the same time and date stamp) one of the applicants would be randomly selected to receive the NXX code.

6.4.1.2

An analysis will be performed to determine if any one code is more appropriate than any other code due to a technical requirement or constraint.

6.4.1.3

The Code Administrator may discuss with the applicant if one of the current codes from the existing resource pool is appropriate and select an unassigned code for assignment.

6.4.1.4

Provide a disposition on a NXX code request (See Part B of the Non-Geographic 5XX-NXX Code Forms). There are three possible dispositions; i.e., assigned, denied and requires further information. The Code Administrator shall respond via the Part B within 14 calendar days from receipt of the assignment request form. The response shall include:

ATIS-0300052

- 1) When assigned: The NXX code(s) actually assigned.
- 2) When denied: The reason(s) for denial and instructions on how and where to make an appeal of the decision.
- 3) Requires additional information: The specific additional information required.

6.4.2

If the application is approved and a code(s) is assigned, the Code Administrator shall immediately notify the iconectiv® Telecom Routing Administration (TRA) of the assigned NXX code(s) and the code holder's identification information for publication; e.g., in the iconectiv LERG Routing Guide. The TRA shall input the 5XX-NXXs in BIRRDs within five business days of receiving the notification.

6.4.3

Records on codes assignments and resource availability shall be updated on the NANPA website.

6.4.4

In the case where 100 or more 5XX-NXXs are assigned to a single OCN in a calendar month, the NANPA shall report to the appropriate regulator(s) the OCN(s) to which the codes were assigned.

6.5

Ensure applicant has a current North American Numbering Plan Numbering Resource Utilization/Forecast (NRUF) Report (See NRUF Reporting Guidelines) on file with the NANPA for the non-geographic 5XX NPA(s). If an NRUF Report is not on file, the Code Administrator shall deny future 5XX code requests from that delinquent SP until a current NRUF Report has been submitted.

6.6

Use historical code assignment data and semi-annual NRUF forecast data to monitor the rate and level of 5XX-NXX code assignments, predict the exhaust of the currently implemented non-geographic 5XX NPAs, and also predict the overall exhaust of all designated non-geographic 5XX NPAs. Report these findings, on a semi-annual basis, to the industry (see Section 9.0).

6.7

If one or more NXX codes have not been placed in service within six months from the date of assignment or returned to the Code Administrator, the Code Administrator shall begin the reclamation procedures.

6.8

In the performance of its duties and in meeting its responsibilities, the Code Administrator may encounter situations that may alert them to a possible non-compliance with the industry guidelines which warrants the need for a for cause audit. In these situations, the Code Administrator will inform and forward relevant information which contains the details of the possible infraction to the designated auditor or appropriate regulatory agency for disposition.

In addition, the Code Administrator may be required to provide SP-specific data to an auditor in order to facilitate the audit process.

6.9

Perform reclamation procedures outlined in Section 7, as needed.

7. Code Reclamation Procedures

Reclamation refers to the process by which SPs are required to return numbering resources to the NANPA. For applications within the United States, the FCC Wireline Competition Bureau (FCC) has the authority to investigate and determine whether 5XX-NXX code holders have placed into service the 5XX-NXX codes assigned to them within the applicable time frames. Such circumstances are under the direction of the FCC, and the Code Administrator shall abide by the FCC's determination. Service providers shall have an opportunity to explain the circumstances causing the delay in commencing assignment of their numbering resources to the FCC prior to reclamation of the 5XX-NXX code(s).

7.1

A 5XX-NXX code holder shall return the resource to the Code Administrator if the 5XX-NXX code:

- is no longer needed for the purpose for which it was originally assigned,
- was assigned for a service that has been discontinued, or
- was not placed in service within six months from the date of assignment.

In the latter case, the assignee may apply to the FCC for an extension date. Such an extension request must include the reason for the delay and a new in service time commitment.

7.2

The Code Administrator shall contact any resource assignee(s) identified as not having returned to the Code Administrator for reassignment of any 5XX-NXX resource:

- Assigned, but no longer in use by the assignee(s),
- Assigned to a service no longer offered,
- Assigned, but not in service within six months from the date of assignment, or
- Assigned but not used in conformance with these assignment guidelines.

If a Part C has not been received by the Code Administrator during the first five months following the assignment date returned on the Part B, then the Code Administrator will send via email a reminder notice to the code assignee.

If the Code Administrator has not received a Part C from the assignee by the due date, the assignee is no longer able to submit the Part C via the NANP Administration System (NAS). The Code Administrator shall then send, via email, a notice to the assignee regarding the delinquent Part C. The notice shall be sent one day after the Part C due date, and shall direct the assignee to do one of the following immediately:

- If the 5XX-NXX code is in service, submit a manual Part C to the FCC.
- If the 5XX-NXX code is no longer needed or not in service, return the 5XX-NXX code by submitting a Part A.
- Request an extension from the FCC.

The Code Administrator will make all returned resources available for assignment after 45 days.

In the case where a 5XX-NXX code is abandoned, NANPA may not have prior knowledge of the situation. Further, NANPA may be unable to contact the incumbent code holder concerning the status of the 5XX-NXX code. Often, customer complaints or information provided by SPs are the way that NANPA learns of these abandoned 5XX-NXX code situations. NANPA shall work closely with regulatory authorities to obtain timely information about SPs abandoning service. Such circumstances are under the direction of a regulatory authority or court. NANPA will seek guidance from the appropriate regulatory authority concerning the return of the abandoned 5XX-NXX code(s). In the event, that NANPA is able to reclaim the codes into the 5XX inventory, NANPA will also request the iconectiv TRA to remove the record(s) from BIRRDS.

8. Code Conservation

Assignment of the 5XX-NXX numbering resource is undertaken with the following conservation objectives:

- To efficiently and effectively administer/manage the NANP resource; and
- To delay the exhaust of the 5XX-NXX code resources.

For 5XX-NXX code holders, the Code Administrator shall examine each NRUF data submission for inconsistencies or anomalies. If the Code Administrator identifies any significant inconsistencies or anomalies in a Service Provider's data, the Code Administrator shall inform the submitting SP of its findings, after which the SP shall have five business days to explain the inconsistencies or anomalies, or to resubmit the data. All information provided by the SP will be treated as proprietary and confidential by the Code Administrator. If, after the discussions with the SP, the Code Administrator preliminarily concludes that the SP's data are insufficient, then the Code Administrator shall report that preliminary conclusion to the FCC. The FCC may make a determination on the validity of the data and may instruct the SP on how any deficiencies should be remedied. The Code Administrator shall assign no additional 5XX-NXX resources to that SP until the FCC has resolved all questions regarding the inconsistency or anomaly.

9. Code Relief Planning

The Code Administrator's responsibilities for code relief planning shall include the following:

9.1

5XX-NXX code assignments will be tracked and monitored, and when the projected exhaust is within four (4) years relief planning activities will be initiated within the industry.

9.2

When the assigned 5XX NPAs are projected to exhaust within four (4) years, the Code Administrator will examine the available options and in consultation with the Industry Numbering Committee will assign another NPA code.

9.3

The Code Administrator, six (6) months prior to the exhaust of the 5XX NPA resource, shall notify the industry of the next 5XX NPA to be made available after 100% of the assignable codes are assigned. All existing 5XX-NXXs must be assigned from the currently assignable 5XX NPA inventory before any newly available 5XX-NXXs will be assigned.

10. Maintenance of Guidelines

It may be necessary to modify the guidelines periodically to meet changing and unforeseen circumstances. Questions regarding the maintenance of the guidelines may be directed to the North American Numbering Plan Administration at https://www.nationalnanpa.com/contact_us/index.html.

Requests for changes to these guidelines should be directed to the appropriate industry forum, currently the INC.

11. Appeals Process

Disagreements may arise between the Code Administrator and code applicants/holders in the context of the administration of these guidelines. In all cases, the Code Administrator and code applicants/holders will make

ATIS-0300052

reasonable, good faith efforts to resolve such disagreements among themselves consistent with the guidelines prior to pursuing any appeal. Appeals may include but are not limited to one or more of the following options:

- The code applicant/holder will have the opportunity to resubmit the matter to the administrator for reconsideration with or without additional input.
- Guidelines interpretation/clarification questions may be referred to the body responsible for maintenance of the guidelines. Unless otherwise mutually agreed to by the parties, these questions will be submitted in a generic manner protecting the identity of the appellant.
- The Code Administrator and code applicant/holder may pursue the disagreement with the appropriate governmental/regulatory authority.

Reports on any resolution resulting from the above options, the content which will be mutually agreed upon by the involved parties, will be kept on file by the Code Administrator. At minimum, the report will contain the final disposition of the appeal; e.g., whether or not a code was assigned.

12. Definitions, Acronyms, & Abbreviations

For a list of common communications terms and definitions, please visit the *ATIS Telecom Glossary*, which is located at < <https://glossary.atis.org/> >.

12.1 Definitions

Assigned Numbers: Assigned numbers are numbers working in the PSTN under an agreement such as a contract or tariff at the request of specific end users or customers for their use, or numbers not yet working but having a customer service order pending. Numbers that are not yet working and have a service order pending for more than five calendar days shall not be classified as assigned numbers (47 CFR § 52.15 (f) (1) (iii)). Note: in the current context of these Non-Geographic 5XX-NXX Code Assignment Guidelines, working in the PSTN means using a NANP (E.164) addressing scheme.

Audit: The accumulation and evaluation of evidence about documented information of an auditee to determine and report on the degree of compliance with INC industry guidelines.

Auditee: The SP/NANPA/PA that is the subject of an audit.

Auditor: The FCC Common Carrier Bureau's Audits Branch of the Accounting Safeguards Division or its other designated agents perform audits of US numbering resources. (FCC 00-429 ¶ 90). State Commissions also may conduct audits. (FCC 01-362 ¶101).

Authorized Representative: The person from the applicant's/holder's organization or of code applicant/holder its agent that has the legal authority to take action on behalf of the applicant/holder.

Available Numbers: Available numbers are numbers that are available for assignment to subscriber access lines, or their equivalents, within a switching entity or point of interconnection and are not classified as assigned, intermediate, administrative, aging, or reserved. Available numbers is a residual category that can be calculated by subtracting a sum of numbers in the assigned, reserved, intermediate, aged, and administrative primary categories from the total of numbers in the inventory of a code holder. See also 47 CFR § 52.15 (f) (1) (iv).

Code Administrator: Entity(ies) responsible for the administration of the NXXs within an NPA. In the United States and its territories, this is currently the NANPA. See also 47 CFR §52.15. Current contact information for 5XX-NXX administration is the North American Numbering Plan Administration at

https://www.nationalnanpa.com/contact_us/index.html.

Code Holder: An assignee of a full NXX which is not in a pool.

Conservation: Consideration given to the efficient and effective use of a finite numbering resource in order to minimize the cost and need to expand its availability in the introduction of new services, capabilities and features.

INC: Industry Numbering Committee, a standing committee of the Alliance for Telecommunications Industry Solutions (ATIS) that provides an open forum to address and resolve industry-wide issues associated with the planning, administration, allocation, assignment and use of numbering resources and related dialing considerations for public telecommunications within the North American Numbering Plan (NANP) area.

Initial Code: NXX code(s) assigned to a service provider upon its first NANPA-approved 5XX-NXX application.

In Service: A code that appears in the LERG Routing Guide and one or more telephone numbers from the NXX code are assigned to end users or customers. Numbers that are categorized as Administrative, Aging, Intermediate, Reserved or Available cannot also be Assigned and do not satisfy the In Service requirement.

Interconnected Voice over Internet Protocol (VoIP) Service Provider: An entity that provides interconnected VoIP service, as that term is defined in 47 U.S.C. § 153(25) (47 CFR § 52.5 (b)).

Interconnected VoIP providers are providers of a service that (1) enables real-time, two way voice communications, (2) requires a broadband connection from the user's location, (3) requires Internet protocol-compatible customer premises equipment, and (4) permits users generally to receive calls that originate on the public switched telephone network and to terminate calls to the public switched telephone network (47 CFR § 9.3).

FCC Registration Number (FRN): A ten-digit number assigned by the Federal Communications Commission (FCC) to an entity that does business with the FCC. A filer, licensee, certificate holder, or any entity sending payments to the FCC is considered to be doing business with the FCC. The FCC uses the FRN to determine if all

ATIS-0300052

of an entity's fees have been paid. The FRN is the same number used by entities on FCC Form 499-A and FCC Form 502 (NRUF Report). More information about FRNs can be obtained by calling the FRN Help Line (877-480-3201) or from the following website:

<https://fjallfoss.fcc.gov/coresWeb/publicHome.do>.

LERG™ Routing Guide: The iconectiv® LERG™ Routing Guide contains information about the local routing data obtained from the Business Integrated Routing & Rating Database System (BIRRRDS). This information reflects the current network configuration and scheduled network changes for all entities originating or terminating PSTN calls within the NANP.

Months to Exhaust (MTE): A calculation that is used by SPs to document the need for an additional code as follows: TNs Available for Assignment divided by Average Monthly Forecast

NANP (North American Numbering Plan): A numbering architecture in which every station in the NANP area is identified by a unique ten-digit address consisting of a three-digit NPA code, a three digit central office code of the form NNX/NXX, and a four-digit line number of the form XXXX, where N represents the digits 2-9 and X represents the digits 0-9.

It is the basic numbering scheme for the telecommunications networks located in Anguilla, Antigua, Bahamas, Barbados, Bermuda, British Virgin Islands, Canada, Cayman Islands, Dominica, Dominican Republic, Grenada, Jamaica, Montserrat, Sint Maarten, St. Kitts & Nevis, St. Lucia, St. Vincent, Turks & Caicos Islands, Trinidad & Tobago, and the United States (including American Samoa, Puerto Rico, the U.S. Virgin Islands, Guam, and the Commonwealth of the Northern Mariana Islands) [See also 47 CFR § 52.5 (d)].

NANPA (North American Numbering Plan Administration): The NANPA is responsible for the neutral administration of NANP numbering resources, subject to directives from regulatory authorities in the NANP member countries. (See also 47 CFR § 52.7 (e).) The NANPA is an impartial non-governmental entity that is not aligned with any particular telecommunications industry segment.¹¹ Under contract to the FCC, NANPA's responsibilities include assignment of NANP resources, and, in the U.S. and its territories, coordination of area code relief planning and collection of utilization and forecast data. See also 47 CFR § 52.13.

NECA: NECA or the National Exchange Carrier Association administers the FCC's Access Charge Plan. Administration of the plan includes but is not limited to the filing of access charge tariffs with the FCC, the collection and validation of cost and revenue data and the processing of FCC Regulatory fees. Access charges are the fees long distance companies pay to access the local phone network to complete calls and ensure that telephone service remains available and affordable in all parts of the country.

North American Numbering Plan Numbering Resource Utilization/Forecasting (NRUF) Report: The NANPA gathers forecast and utilization information to monitor and project exhaust in individual NPAs/area codes as well as in the NANP overall. This semi-annual report includes number utilization information as well as a five-year forecast of demand by year. For more detailed information, see the NRUF Reporting Guidelines.

A Numbering Plan Area (NPA) is also called an area code. An NPA is the 3-digit code that occupies the A, B, and C positions in the 10-digit North American Numbering Plan (NANP) format that applies throughout the NANP area. NPAs are of the form NXX, where N represents the digits 2-9 and X represents any digit 0-9. In the NANP, NPAs are classified as either geographic or non-geographic.

- A) Geographic NPAs are NPAs which correspond to discrete geographic areas within the NANP area.
- B) Non-geographic NPAs are NPAs that do not correspond to discrete geographic areas, but which are instead assigned for services with attributes, functionalities, or requirements that transcend specific geographic boundaries. The common examples are NPAs in the NYY format, e.g., 800.

Operating Company Number (OCN): An Operating Company Number (OCN) is a four place alphanumeric code that uniquely identifies providers of local telecommunications service. OCN assignments are required of all SPs in their submission of utilization and forecast data (FCC 00-104, ¶ 41 and Public Notice DA 00-1549). Relative to CO Code assignments, NECA assigned Company Codes may be used as OCNs. Companies with no prior CO Code or Company Code assignments contact NECA (www.neca.org ; 800-228-8597) to be assigned a Company Code(s).

¹¹Administration of the North American Numbering Plan, Report and Order, CC Docket No. 92-237, 11 FCC Rcd 2588, 2608 (1995) (NANP Order).

ATIS-0300052

Since multiple OCNs and/or Company Codes may be associated with a given company, companies with prior assignments should direct questions regarding appropriate OCN usage to the iconectivTelecom Routing Administration (TRA) (www.trainfo.com; 866-672-6997).

Public Switched Telephone Network (PSTN): The PSTN is comprised of all transmission and switching facilities and signal processors supplied and operated by all telecommunications common carriers for use by the public. Every station on the PSTN is capable of being accessed from every other station on the PSTN via the use of NANP E.164 numbers.

Reclamation: Reclamation refers to the process by which Service Providers are required to return numbering resources to the North American Numbering Plan Administration (NANPA). (See also 47 CFR § 52.15 (i) (1).)

Service Provider: The term “service provider” refers to a telecommunications carrier or other entity that receives numbering resources from the NANPA, a Pooling Administrator or a telecommunications carrier for the purpose of providing or establishing telecommunications service. For the purposes of this part, the term “service provider” includes an interconnected VoIP service provider (47 CFR § 52.5 (e)).

12.2 Acronyms & Abbreviations

ATIS	Alliance for Telecommunications Industry Solutions
FRN	FCC Registration Number
INC	Industry Numbering Committee
MTE	Months to Exhaust
NANP	North American Numbering Plan
NANPA	North American Numbering Plan Administration
NECA	National Exchange Carrier Association
NPA	Numbering Plan Area
NRUF	Numbering Resource Utilization/Forecast
OCN	Operating Company Number
PSTN	Public Switched Telephone Network
SP	Service Provider
VoIP	Voice over Internet Protocol

Non-Geographic 5XX-NXX Code Forms

These forms consist of three parts*:

- Part A To be completed by Applicant/Code Holder:
- 1 – Initial 5XX-NXX Code(s) Request (3b)
 - 2 – Additional 5XX-NXX Code(s) Request (3c)
 - 3 – 5xx-NXX Code Return Notification (3d)
 - 4 – 5XX-NXX Code Information Change (3e)
- Part B To be completed by the Code Administrator in response to receipt of Part A above.
- Part C To be completed by the Code Holder to confirm implementation of the assigned codes.

Send to: The North American Numbering Plan Administration at
https://www.nationalnanpa.com/contact_us/index.html

Date of Submission**: [Click here to enter a date.](#)

*Code applicants/holders can obtain assistance in completing the Non-Geographic 5XX-NXX Code Forms from the Code Administrator (see above for contact information).

**The above date of submission will serve as the key tracking mechanism for this transaction. Please submit complete form (Cover sheet, Part A, Part B and Part C) to the Code Administrator. Forms may be reproduced locally as required.

Non-Geographic 5XX-NXX Code Forms Part A

Assignment Request/Return Notification/Information Change Form

The applicant and the Code Administrator acknowledge that the information contained on this request form is sensitive and will be treated as proprietary and confidential. The information in this form shall only be shared with Code Administrator personnel and/or appropriate regulators.

1. Name of entity requesting code assignment/return notification/information change: [Click here to enter text.](#)

2. Applicant contact information:

Name: [Click here to enter text.](#)

Address: [Click here to enter text.](#)

Room: [Click here to enter text.](#)

City: [Click here to enter text.](#) **State:** [Click here to enter text.](#) **ZIP:** [Click here to enter text.](#)

Country: [Click here to enter text.](#)

Phone: [Click here to enter text.](#) **E-mail:** [Click here to enter text.](#)

Fax: [Click here to enter text.](#)

Company Name: [Click here to enter text.](#)

Operating Company Number (OCN)¹²: [Click here to enter text.](#)

3. 5XX-NXX Code Request

3a. Type of Request (*check one*)

- Initial 5XX-NXX code(s) for service provider (also complete section 3b).
- Growth 5XX-NXX code(s) for service provider (also complete section 3c).
- 5XX-NXX Code return (also complete section 3d).
- 5XX-NXX Code information change (also complete section 3e).
- OCN change due to merger/acquisition.
- OCN change due to transfer.

NOTE: It is the responsibility of the applicant to arrange with other entities code activation, deactivation, and changes.

3b. Initial 5XX-NXX Code(s) Request

Quantity of initial 5XX-NXX(s) being requested¹³: [Click here to enter text.](#)

Initial 5XX-NXX(s) Assignment Preference in order of priority¹⁴: [Click here to enter text.](#)

¹² Required per 47 CFR § Section 52.15 (g).

¹³ See Section 4.3.

¹⁴ Please indicate the full six digit (e.g., 500-234) in order of preference.

Projected monthly forecast for new TNs in the next 12 months:

	Month 1	Month 2	Month 3	Month 4	Month 5	Month 6	Month 7	Month 8	Month 9	Month 10	Month 11	Month 12
Forecast – Next 12 months¹⁵	Click here to enter text.											

Sum of months 1-6 above: Click here to enter text.

3c. Growth 5XX-NXX code request

Quantity of growth 5XX-NXX(s) being requested: Click here to enter text.

Growth 5XX-NXX(s) Assignment Preference in order of priority¹⁶: Click here to enter text.

A. Telephone Numbers (TNs) Available for Assignment: Click here to enter text.

B. Monthly growth history for last 6 months:

	Month 1	Month 2	Month 3	Month 4	Month 5	Month 6
Growth History – Previous 6 months¹⁷	Click here to enter text.					

C. Projected monthly forecast for new TNs in the next 12 months:

	Month 1	Month 2	Month 3	Month 4	Month 5	Month 6	Month 7	Month 8	Month 9	Month 10	Month 11	Month 12
Forecast – Next 12 months¹⁸	Click here to enter text.											

¹⁵ Forecast of TNs needed in each following month, starting with the most recent month as Month 1.

¹⁶ Please indicate the full six digit (e.g., 500-234) in order of preference.

¹⁷ Net change in TNs no longer available for assignment in each previous month, starting with the most distant month as Month 1, and Month 6 as the current month.

¹⁸ Forecast of TNs needed in each following month, starting with the most recent month as Month 1.

D. Average Monthly Forecast (Sum of months 1-6 Part C above divided by 6): [Click here to enter text.](#)

E. Months to Exhaust¹⁹ = $\frac{\text{Telephone Numbers (TNs) Available for Assignment (A)}}{\text{Average Monthly Forecast (D)}}$ = [Click here to enter text.](#)

F. Utilization Level²⁰ = $\frac{\text{Telephone Numbers (TNs) Assigned}}{\text{Total Numbering Resources in Applicant's Inventory}} \times 100$ = [Click here to enter text.](#)

3d. Code return notification

The following 5XX-NXX code(s) are being returned: [Click here to enter text.](#)

3e. Code information change

5XX-NXX(s) affected: [Click here to enter text.](#)

Reason for change:

- Merger/Acquisition
- Company Name Change
- Contact Information Change
- Other

Explanation: [Click here to enter text.](#)

Effective date: [Click here to enter a date.](#)

These 5XX-NXX code(s) were formerly administered by:

Company Name: [Click here to enter text.](#)

Contact Name: [Click here to enter text.](#) **OCN:** [Click here to enter text.](#)

Address: [Click here to enter text.](#)

Room: [Click here to enter text.](#)

City: [Click here to enter text.](#) **State:** [Click here to enter text.](#) **ZIP:** [Click here to enter text.](#)

Country: [Click here to enter text.](#)

Phone: [Click here to enter text.](#) **E-mail:** [Click here to enter text.](#)

Fax: [Click here to enter text.](#)

It is understood that the applicant will return the 5XX-NXX code(s) to the Code Administrator for reassignment if the resource is no longer in use by the applicant, no longer required for the service for which it was intended, not placed into service by the timeframe specified in these guidelines (an extension can be requested), or not used in conformance with these assignment guidelines.

I hereby certify that the above information is true and accurate to the best of my knowledge, that the assigned 5XX-NXX codes will be used in the provision of non-geographic 5XX-NXX services, and that this application has been prepared in accordance with the Non-Geographic 5XX-NXX Code Assignment Guidelines.

Signature of Authorized Representative of Code Applicant/Holder

Name/Title: [Click here to enter text.](#)

Date: [Click here to enter a date.](#)

¹⁹ To be assigned an additional 5XX-NXX for growth, "Months to Exhaust" must be less than or equal to 6 months.

²⁰ Assigned numbers divided by the total numbering resources, multiplied by 100.

Non-Geographic 5XX-NXX Code Forms Part B

5XX-NXX Code Assignment Confirmation Form

Applicant

Name: Click here to enter text.

Address: Click here to enter text.

Room: Click here to enter text.

City: Click here to enter text. **State:** Click here to enter text. **ZIP:** Click here to enter text.

Country: Click here to enter text.

Phone: Click here to enter text. **E-mail:** Click here to enter text.

Fax: Click here to enter text.

Company Name: Click here to enter text.

Operating Company Number (OCN): Click here to enter text.

Date of Application: Click here to enter a date.

Date of Receipt of Request: Click here to enter a date.

Date of Response to Request: Click here to enter a date.

Code(s) Assigned:

Code(s) Returned:

Will be removed/re-assigned effective:

Form incomplete

Additional information required in the following section(s):

Form complete, code request denied.

Explanation: Click here to enter text.

Other: Click here to enter text.

Explanation: Click here to enter text.

Code Information Change Confirmed:

Merger/Acquisition

Company Name Change

Contact Information Change

Other

Explanation: Click here to enter text.

Signature of Code Administrator Representative

Click here to enter text.

Date

ATIS-0300052

Name/Title: Click here to enter text.

Address: Click here to enter text.

Room: Click here to enter text.

City: Click here to enter text. **State:** Click here to enter text. **ZIP:** Click here to enter text.

Country: Click here to enter text.

Phone: Click here to enter text. **E-mail:** Click here to enter text.

Fax: Click here to enter text.

Non-Geographic 5XX-NXX Code Forms Part C

Confirmation of 5XX-NXX Code in Service

By signing below, I certify that the 5XX code(s) specified below are in service (i.e., one or more telephone numbers from the code are assigned to end users or customers) and that the NXX code(s) are being used for the purpose specified in the original application (see Section 5.0, "Responsibilities of Code Applicants and Holders" in the current Non-Geographic 5XX-NXX Code Assignment Guidelines).

[Click here to enter text.](#)

Authorized Representative of Code Holder (Print)

Signature

Operating Company Number (OCN): [Click here to enter text.](#)

Title: [Click here to enter text.](#)

Date: [Click here to enter a date.](#)

5XX-NXX Code	Date of Assignment	In-Service Date
Click here to enter text.	Click here to enter text.	Click here to enter a date.
Click here to enter text.	Click here to enter text.	Click here to enter a date.
Click here to enter text.	Click here to enter text.	Click here to enter a date.
Click here to enter text.	Click here to enter text.	Click here to enter a date.
Click here to enter text.	Click here to enter text.	Click here to enter a date.
Click here to enter text.	Click here to enter text.	Click here to enter a date.
Click here to enter text.	Click here to enter text.	Click here to enter a date.