



A-		
ENGR	—	—
DRAWN	—	—
ISSUE /	11-22-54	—
SUPERSEDES 1551 WITH THE FOLLOWING: ADDED: 333B EQUALIZER.		
SA	R.H.P.	V.L.B. C.L.B.
ISSUE 2		9-6-55



- NOTES:**
1. ALL WIRES ARE LEADS OF THE INDIVIDUAL APPARATUS UNLESS OTHERWISE SPECIFIED.
 2. ALL LEADS SHALL BE AS SHORT AS PRACTICABLE, BUT SHALL HAVE SUFFICIENT SLACK SO THAT THEY WILL NOT BE UNDER TENSION.
 3. WHEN SOLDERING LEADS OF CAPACITOR (C2), A HEAT SINK SUCH AS A PAIR OF FLAT NOSE PLIERS SHALL BE APPLIED TO THE LEADS BETWEEN THE CONNECTIONS AND THE CAPACITOR.

**WIRING DIAGRAM
333 TYPE EQUALIZERS**

SCALE
WESTERN ELECTRIC COMPANY, INC
ENGINEER OF MANUFACTURE
BELL TELEPHONE LABORATORIES, INC

B-908171
A-
SHEET
NO. OF SHEETS PER SET SEE SHEET 1

DIMENSIONS UP TO AND INCLUDING 72 INCHES EXPRESSED IN INCHES.
NON-LIMITED DIMENSIONS, OTHER THAN SIZE OF RAW MATERIAL, SHALL
BE HELD WITHIN FRACTIONAL DECIMAL

PWG SIZE
2S

10 1/4