

MOUNTING OF HAND SET HANGERS

This addendum supplements Section B502.321, Issue 2, as follows:

1. GENERAL

1.07 Nos. 4A and 5A hand set hangers may be installed on non-multiple cord P.B.X. switchboards and order turrets when these equipments are provided with hand sets as operators' instruments.

1.08 Installation of Nos. 4A and 5A hand set hangers at station locations should be handled as follows:


(a) Installers: Refer to the dispatcher requests by customers for the installation of hand set hangers at station locations. Do not make the installation until a service order or a correction has been issued on a rate-to-follow basis or bearing the approval of the General Commercial Engineer. Likewise, do not execute service orders calling for the installation of these hangers at station locations unless the order bears the notation RTF (rate-to-follow) or the approval of the General Commercial Engineer.

(b) Repairmen: Refer customers to the business office who request the installation of hand set hangers at station locations.

3. REQUIREMENTS AND METHODS

Preparation and Mounting on 200A Order Turrets

3.07 Drill end of order turret and mount as indicated by Fig. 1 of the section and Fig. 5 of this addendum.




4-A HAND SET HANGER ON
EITHER END OF 200-A ORDER TURRET

FIG. 5
MOUNTING INFORMATION

Preparation and Mounting on 200B Order Turrets

3.08 Drill end panel of order turret and mount as indicated by Fig. 6 of this addendum.




LOCATION OF N°5-A HAND SET
HANGER DRILLINGS
200-B ORDER TURRET

FIG. 6

Preparation and Mounting on 80B Order Turrets

3.09 Drill end panel of order turret and mount as indicated by Fig. 7 of this addendum.



LOCATION OF N°5-A HAND SET
HANGER DRILLINGS
80-B ORDER TURRET

FIG. 7