

BELL SYSTEM PRACTICES
Station Installation and Maintenance

SECTION C34.101
Issue 6, Feb., 1955
AT&T Co Standard

STATION DIALS

DESCRIPTION AND USE


1. GENERAL

1.01 This section is reissued to include the 6D, 7C, 7D, and 7E dials and to give general information pertaining to the description and use of station dials. Due to extensive changes, marginal arrows have been omitted.


2. DESCRIPTION AND USE

2.01 Figs. 1 through 3 illustrate the 7-, 6-, 5-, and 4-type dials.

2.02 Table A gives uses of the 7-, 6-, 5-, and 4-type dials.




FRONT VIEW




REAR VIEW

Fig. 1—7-type Dia




FRONT VIEW




REAR VIEW

Fig. 2—6-type Dial



FRONT VIEW



REAR VIEW

Fig. 3—4- and 5-type Dials

TABLE A

Dial Code	500 Series Telephone Sets					All Other Series Telephone Sets				
	Earlier Type Equipped with 3-legged Dial Mounting Bracket	Later Type Equipped with 2-legged Dial Mounting Bracket	Illuminated Dial	Distant Talking Set	Colored Sets		General Station Use	Colored Sets	Coin Collectors	Superseded By
					Full	Two-tone				
7A-3 (Black)	X	X				X				7D-3
7C-3 (Black)			X							
7C-50 (Ivory)					X					
7C-51 (Green)					X					
7C-52 (Gray)					X					
7C-53 (Red)					X					
7C-54 (Brown)					X					
7C-55 (Beige)					X					
7C-56 (Yellow)					X					
7C-57 (Blue)					X					
7D-3 (Black)	X	X				X				
7E-3 (Black)				X						
6A							X			
6D								X		
6C*									X	
5H							X			6A
5J								X		6D
5HH**									X	6C
4H							X			5H
4J								X		5J
4HH**									X	5HH

* Used in conjunction with No. 158B number plate and No. 63A dial adapter.

** Used in conjunction with No. 147B number plate and No. 56A dial adapter.


3. PLASTIC FINGER WHEELS

3.01 A transparent finger wheel (P-19B524) may be used with the 6D and 7C dials, and the 4J and 5J dials that are equipped with the one-piece finger-wheel clamp (P-347999).


3.02 A limited number of modified finger-wheel clamps (GB-178387) similar to the clamp (P-347999) used on 4- and 5-type dials, may be found on 6- and 7-type dials. Fig. 4A illustrates the finger-wheel clamp (GB-178387).

3.03 A finger-wheel clamp (P-13A106) equipped with two additional arms is for use with the finger wheel (P-19B524) on the 6- and 7-type dials. Fig. 4B illustrates the finger-wheel clamp (P-13A106).

3.04 Fig. 4 illustrates finger-wheel clamps that may be used with the plastic finger wheel (P-19B524) on 6- and 7-type dials.



A



B

**INTERMEDIATE DESIGN
CLAMP PLATE
GB-178387**

**NEW DESIGN
CLAMP PLATE
P-13A106**

Fig. 4—Clamp Plates for 6- and 7-type Dials

4. NUMBER PLATES

4.01 A number plate 164A has been made available for use with 2-, 4-, 5-, and 6-type dials. It is intended for general station use. A blank number plate 164B is available for use with coin collectors. Fig. 5 shows comparison of the universal number plate 164A with the 150B and P-340016 number plates.




Fig. 5—Number Plates