

ALPHABETICAL INDEX

- A**
- Amplifier telephone sets**
connections
 332A,C C38.571
 334C C38.573
 532A,B,C C38.629
 533A,B,C C38.631
 535A,B C38.633
 536A,B C38.635
- Apparatus** See Combination of apparatus
Apparatus blanks See Telephone sets:
 combination of apparatus
 "As furnished," meaning C38.081, ¶3.01
Associated apparatus See Subscriber sets;
 Telephone sets
- B**
- Bells** See Subscriber sets: ringers only
Blanks, apparatus See Telephone sets:
 combination of apparatus
- C**
- Capacitors** See Subscriber sets:
 combination of apparatus;
 Telephone sets:
 combination of apparatus
Circuit diagrams See Subscriber sets;
 Telephone sets
Combination of apparatus See Subscriber sets;
 Telephone sets
Combined sets See Telephone sets
Common battery subscriber sets
 See Subscriber sets
Components See Combination of apparatus
Connections See Subscriber sets;
 Telephone sets
Cord, handset See Telephone sets:
 combination of apparatus
- D**
- Deaf, set for the** See Telephone sets
Desk Sets See Telephone sets
Dial See Telephone sets:
 combination of apparatus
Dial, illuminated See Telephone sets
Dial mounting See Telephone sets:
 combination of apparatus
Dial telephone sets See Telephone sets
Dial telephone sets, illuminated See Illumi-
 nated dial telephone sets
- E**
- Extension bells** See Subscriber sets:
 ringers only
- F**
- Filter connections** See Telephone sets:
 connections
- G**
- Gongs, extension** See Subscriber sets:
 ringers only
- H**
- Hand telephone sets** See Telephone sets
Handset See Telephone sets:
 combination of apparatus
Handset cord See Telephone sets:
 combination of apparatus
Handset mounting See Telephone sets:
 combination of apparatus
Hanging handset See Telephone sets
Hard of hearing sets See Telephone sets
- I**
- Illuminated dial telephone sets**
connections
 500H C38.607; C38.621
 500P C38.611
 500U C38.613
 501P C38.625
 501U C38.627
- Induction**
 average, severe See Subscriber sets;
 Telephone sets
Induction coil See Subscriber sets:
 combination of apparatus;
 Telephone sets:
 combination of apparatus
Induction coil type subscriber sets See
 Subscriber sets
- K**
- Keys, illuminated, 6040D**
 connections with 502B telephone set... C38.851
Key telephone sets See C70.000; C71.000
- L**
- Local battery subscriber sets** See Subscriber
 sets
Loop resistance (coin lines)
 Subscriber sets C38.123, ¶2.01, Table C
Loud ringing bells See Subscriber sets:
 ringers only
- M**
- Magneto subscriber sets** See Subscriber sets
 "Modified," meaning C38.081, ¶3.03
Mounting dial See Telephone sets:
 combination of apparatus
Mounting handset See Telephone sets:
 combination of apparatus
- N**
- Network type subscriber sets** See Subscriber sets
Noise, inductive (coin lines)
 reduction C38.123, ¶2.02, Table B
Nonpolarized ringers See Subscriber sets

SECTION C38.000

Outdoor ringers—Subscriber sets

O

Outdoor ringers See Subscriber sets:
ringers only

P

PBX See Private Branch Exchange
Polarized ringers See Subscriber sets
Private Branch Exchange, 755A dial
connections for telephone sets used with . . . C38.851

R

"Rewired," meaning C38.081, ¶3.03
Ringers See Subscriber sets:
combination of apparatus;
Telephone sets:
combination of apparatus

S

Subscriber sets

299F, magneto, connections C38.293
392L
common battery, connections C38.227
local battery, connections C38.227
magneto, connections C38.289
400A,K, magneto, connections C38.301
400CD, magneto, connections C38.305
415CD, magneto, connections C38.313
415E, magneto, connections C38.309
415H,CD, magneto, connections C38.313
531A
common battery, connections C38.227
local battery, connections C38.227
magneto, connections C38.289
531C, local battery, connections C38.229
534DE,DF
common battery, connections C38.227
local battery, connections C38.227
534DT, local battery, connections C38.229
584DE,DF
common battery, connections C38.227
local battery, connections C38.227
magneto, connections C38.289
592A
common battery, connections C38.227
local battery, connections C38.227
592A,B, magneto, connections C38.289
592C
common battery, connections C38.229
local battery, connections C38.229
600 series, common battery,
connections C38.171; C38.081
634A,BA,C (684A,BA,C), common battery,
connections C38.083
634AT, common battery, connections C38.093
634BB, local battery, connections C38.233
634BC (684BC), common battery,
connections C38.103
634CE, common battery, connections C38.113
634CG,CH,CK,CL (684CK,CL), common
battery, connections C38.123
634Y, local battery, connections C38.243
634YD, local battery, connections C38.253
634YDT, local battery, connections C38.283
634YE, local battery, connections C38.263
634YT, local battery, connections C38.273

Subscriber sets—contd

684A,BA,C, common battery, connections . C38.083
684BC, common battery, connections . . . C38.103
684BT
common battery, connections C38.227
local battery, connections C38.227
684CK,CL, common battery, connections . . C38.123
685A, common battery, connections C38.173
685B, common battery, connections C38.175
686A, common battery, connections C38.193
687A
common battery, connections C38.227
local battery, connections C38.227
magneto, connections C38.289
687B
common battery, connections C38.229
local battery, connections C38.229
D-176680-type, magneto, connections . . . C38.293

common battery, induction coil type

600 series
connections, general C38.081, ¶5.00
634A,BA,C (684A,BA,C)
associated apparatus C38.083, Table C
circuit diagrams
coin C38.083, ¶5.03
noncoin C38.083, ¶4.00
combination of apparatus . . C38.083, Table A
connections C38.083
coin C38.083, Table D
noncoin C38.083, Table B
634AT
associated apparatus C38.093, Table B
circuit diagram C38.093, ¶4.00
combination of apparatus . . C38.093, Table A
connections C38.093, ¶3.00, Table C
634BC (684BC)
associated apparatus C38.103, Table C
circuit diagrams
coin C38.103, ¶5.03
noncoin C38.103, ¶4.00
combination of apparatus . . C38.103, Table A
connections
coin C38.103, Table D
noncoin C38.103, Table B
634CE
associated apparatus C38.113, Tables B,D
circuit diagram C38.113, ¶4.00
with message rate or tip party
identification C38.113, ¶6.00
combination of apparatus . . C38.113, Table A
connections C38.113, Tables C,E
with message rate or tip party
identification C38.113, Table E
634CG,CH,CK,CL (684CK,CL)
associated apparatus C38.123, Tables B,C
circuit diagram C38.123, ¶4.00
combination of apparatus . . C38.123, Table A
connections C38.123, Tables B,C
long loops C38.123, Table C
(for) inductive noise reduction
C38.123, Table B
684A,BA,C See 634A
684BC See 634BC
684CK,CL See 634CG

Subscriber sets—contd

common battery, network type

- 600 series
 - connections, general C38.171, ¶5.00
- 685A
 - associated apparatus . . . C38.173, Tables B,D
 - circuit diagrams C38.173, ¶4.00
 - coin C38.173, ¶7.02
 - message rate or tip party
 - identification C38.173, ¶6.00
 - combination of apparatus . . C38.173, Table A
 - connections C38.173, ¶3.00, Table C
 - coin C38.173, ¶7.00, Table F
 - message rate or tip party
 - identification C38.173, ¶5.00, Table E
- 685B
 - circuit diagram C38.175, ¶4.00
 - combination of apparatus . . C38.175, Table A
 - connections C38.175
 - coin C38.175, ¶3.00, Table B
- 686A
 - associated apparatus C38.193, Table C
 - circuit diagram C38.193, ¶4.00
 - combination of apparatus . . C38.193, Table A
 - connections C38.193, Table B

common battery, ringer and relay type

- connections C38.227; C38.229

local battery

- connections, general C38.231
- ringer and relay type
 - connections C38.227; C38.229
- 634BB
 - associated apparatus C38.233, Table B
 - circuit diagram C38.233, ¶2.06
 - combination of apparatus . . C38.233, Table A
 - connections C38.233, Table C
- 634Y
 - associated apparatus . . . C38.243, Tables B,D
 - circuit diagrams
 - transmitter battery, common
 - C38.243, ¶3.04
 - transmitter battery, individual
 - C38.243, ¶3.03
 - combination of apparatus . . C38.243, Table A
 - connections C38.243, ¶3.00
 - transmitter battery, common
 - C38.243, Table E
 - transmitter battery, individual
 - C38.243, Table C
- 634YD
 - associated apparatus C38.253, Tables B,D,F,H,J,L
 - circuit diagrams
 - coin C38.253, ¶3.05-¶3.08
 - noncoin C38.253, ¶3.03, ¶3.04
 - transmitter battery, common C38.253, ¶3.04
 - transmitter battery, individual
 - C38.253, ¶3.03
 - combination of apparatus . . C38.253, Table A
 - connections C38.253, ¶3.00
 - coin C38.253, Tables G,I,K,M
 - noncoin C38.253, Tables C,E

Subscriber sets—contd

local battery

- 634YD
 - connections
 - transmitter battery, common
 - C38.253, Table E
 - transmitter battery, individual
 - C38.253, Table C
- 634YDT
 - associated apparatus C38.283, Tables B,D
 - circuit diagrams C38.283
 - transmitter battery, common
 - C38.283, ¶3.04
 - transmitter battery, individual
 - C38.283, ¶3.03
 - combination of apparatus . . C38.283, Table A
 - connections C38.283, ¶3.00
 - average induction C38.283, Table F
 - severe induction C38.283, Table G
 - transmitter battery, common
 - C38.283, Table E
 - transmitter battery, individual
 - C38.283, Table C
- 634YE
 - associated apparatus C38.263, Table B
 - circuit diagram, coin C38.263, ¶3.03, ¶3.04
 - combination of apparatus . . C38.263, Table A
 - connections
 - coin C38.263, Table C
 - long loops C38.263, ¶2.00
- 634YT
 - associated apparatus C38.273, Tables B,D
 - circuit diagrams C38.273
 - transmitter battery C38.273, ¶3.04
 - transmitter battery, individual
 - C38.273, ¶3.03
 - combination of apparatus . . C38.273, Table A
 - connections C38.273, ¶3.00
 - average induction C38.273, Table F
 - severe induction C38.273, Table G
 - transmitter battery, common
 - C38.273, Table E
 - transmitter battery, individual
 - C38.273, Table C

magneto

- connections, general C38.291
- off-hook receiver C38.305, ¶2.05
- ringers only, connections C38.289
- 299F
 - circuit diagram C38.293, Fig. 3
 - combination of apparatus . . C38.293, Table A
 - connections C38.293, ¶3.00
- 400A,K
 - circuit diagram C38.301, ¶3.04, ¶3.06
 - combination of apparatus . . C38.301, Table A
 - connections C38.301, ¶3.00
 - capacitor C38.301, Tables B-D
- 400CD
 - associated apparatus C38.305, Tables E,G
 - circuit diagrams C38.305
 - coin C38.305, ¶3.06
 - noncoin C38.305, ¶3.04
 - combination of apparatus . . C38.305, Table A
 - connections C38.305, ¶3.00
 - capacitor C38.305, Tables B-D

SECTION C38.000

Subscriber sets—Telephone sets

Subscriber sets—contd

magneto

400CD

connections

coin C38.305, ¶3.05, Table H

noncoin C38.305, ¶3.03, Table F

415E

associated apparatus C38.309, Table E

circuit diagrams C38.309, ¶4.00

combination of apparatus .. C38.309, Table A

connections C38.309, ¶3.00, Table F

capacitor C38.309, Tables B-D

415H,CD

associated apparatus C38.313, Tables E,G

circuit diagrams C38.313

coin C38.313, ¶3.06

noncoin C38.313, ¶3.04

combination of apparatus .. C38.313, Table A

connections C38.313

capacitor C38.313, Tables B-D

coin C38.313, Table H

noncoin C38.313, Table F

D-176680-type

circuit diagram C38.293, Fig. 3

combination of apparatus .. C38.293, Table A

connections C38.293, ¶3.00

ringer and relay types, nonpolarized ringing

392L

combination of apparatus .. C38.227, Table A

connections, common and local

battery C38.227, Fig. 5

531A

combination of apparatus .. C38.227, Table A

connections, common and local

battery C38.227, Fig. 6

534DE,DF

combination of apparatus .. C38.227, Table A

connections, common and local

battery C38.227, Fig. 7

584DE,DF

combination of apparatus .. C38.227, Table A

connections, common and local

battery C38.227, Fig. 7

592A

combination of apparatus .. C38.227, Table A

connections, common and local

battery C38.227, Fig. 5

684BT

combination of apparatus .. C38.227, Table A

connections, common and local

battery C38.227, Fig. 11

687A

combination of apparatus .. C38.227, Table A

connections, common and local

battery C38.227, Fig. 10

ringer and relay types, polarized ringing

531C

combination of apparatus .. C38.229, Table A

connections, common and local

battery C38.229, Figs. 3-7, 12

534DT

combination of apparatus .. C38.229, Table A

connections, common and local

battery C38.229, Fig. 10

Subscriber sets—contd

ringer and relay types, polarized ringing

592C

combination of apparatus .. C38.229, Table A

connections, common and local

battery C38.229, Fig. 11

687B

combination of apparatus .. C38.229, Table A

connections, common and local

battery C38.229, Figs. 3-7, 12

ringers only

magneto, nonpolarized

circuit diagrams C38.289

combination of apparatus .. C38.289, Table B

connections C38.289

magneto connection, nonpolarized

392L C38.289, Fig. 5

531A C38.289, Fig. 6

584DE,DF C38.289, Fig. 7

592A,B C38.289, Figs. 5,10

687A C38.289, Fig. 11

sidetone C38.081, ¶4.02

T

Telephone sets

200 series

common battery, connections C38.331

local battery, connections C38.431

magneto, connections C38.511

201A, magneto, connections C38.513

201A,B,C,D

common battery, connections

(with) induction coil type subscriber

sets C38.333

(with) network type subscriber sets. C38.335

local battery, connections C38.433

202A,B,C,D

common battery, connections

(with) induction coil type subscriber

sets C38.403

(with) network type subscriber sets. C38.405

202E,F,G,H

local battery, connections C38.443

magneto, connections C38.519

202H, magneto, connections C38.519

203A,B,C,D,E,F

common battery, connections

(with) induction coil type subscriber

sets C38.407

(with) network type subscriber sets. C38.409

206A,B,C,D, local battery, connections .. C38.453

207A,B,C,D, local battery, connections .. C38.463

211A,B,C,D

common battery, connections

(with) induction coil type subscriber

sets C38.337

(with) network type subscriber sets. C38.339

211E, magneto, connections C38.525

211E,F,G,H

local battery, connections C38.473

magneto, connections C38.525

Telephone sets—contd

211J,L	common battery, connections	
	(with) induction coil type subscriber sets	C38.341
	(with) network type subscriber sets	C38.343
212A,B,C	common battery, connections	
	(with) induction coil type subscriber sets	C38.351
	(with) network type subscriber sets	C38.353
212L	common battery, connections	
	(with) induction coil type subscriber sets	C38.355
	(with) network type subscriber sets	C38.357
	local battery, connections	C38.483
213A,B,C,E	common battery, connections	
	(with) induction coil type subscriber sets	C38.365
	(with) network type subscriber sets	C38.367
	local battery, connections	C38.493
	magneto, connections	C38.531
213E, magneto, connections		C38.531
215A, magneto, connections		C38.537
215A,B,C,D	common battery, connections	
	(with) induction coil type subscriber sets	C38.417
	(with) network type subscriber sets	C38.419
	local battery, connections	C38.503
	magneto, connections	C38.537
302AA,AC, common battery, connections		C38.553
302E,G, common battery, connections		C38.551
304A,C, common battery, connections		C38.555
305E,G, common battery, connections		C38.557
306A,C (tube sets), common battery, connections		C38.559
306G (tube set), common battery, connections		C38.561
307A, magneto, connections		C38.565
307A,C, local battery, connections		C38.563
309A, magneto, connections		C38.569
309A,C, local battery, connections		C38.567
332A,C (amplifier sets), common battery, connections		C38.571
334C (amplifier set), common battery, connections		C38.573
354A,C, common battery, connections		C38.575
356A,C (tube sets), common battery, connections		C38.577
357A, magneto, connections		C38.581
357A,C, local battery, connections		C38.579
462AC, connections with 755A dial PBX		C38.851
466AC, connections with 755A dial PBX		C38.851
500A,B, common battery, connections		C38.601
500C,D, common battery, connections		C38.603
500E,F, common battery, connections		C38.605
500H (illuminated dial), common battery, connections		C38.607
500H (tube set, illuminated dial), common battery, connections		C38.621
500J,K, common battery, connections		C38.609

Telephone sets—contd

500P (illuminated dial), common battery, connections		C38.611
500U (illuminated dial), common battery, connections		C38.613
501A,B, common battery, connections		C38.615
501C,D, common battery, connections		C38.617
501F, common battery, connections		C38.619
501J,K, common battery, connections		C38.623
501P (illuminated dial), common battery, connections		C38.625
501U (illuminated dial), common battery, connections		C38.627
502B, connections with 755A dial PBX		C38.851
532A,B (amplifier sets), common battery, connections		C38.629
533A,B (amplifier sets), common battery, connections		C38.631
535A,B (amplifier sets), common battery, connections		C38.633
536A,B (amplifier sets), common battery, connections		C38.635
554A,B, common battery, connections		C38.637
556A,B, common battery, connections		C38.639
566FB, connections with 755A dial PBX		C38.851
566MB, connections with 755A dial PBX		C38.851
755A dial PBX (used with), connections		C38.851
5302G, common battery, connections		C38.551
5304C, common battery, connections		C38.555
5306C (tube set), common battery, connections		C38.559
<u>amplifier sets</u>		
332A,C, connections		C38.571
334C, connections		C38.573
532A,B,C, connections		C38.629
533A,B,C, connections		C38.631
535A,B, connections		C38.633
536A,B, connections		C38.635
<u>common battery</u>		
200 series, connections, general		C38.331
201A,B,C,D (hang-up type)		
associated apparatus	C38.333, Tables B,C,D;	
	C38.335, Table B	
circuit diagrams		
subscriber set, induction coil type		C38.333, ¶3.00
subscriber set, network type		C38.335, ¶3.00
combination of apparatus	C38.333, Table A;	
	C38.335, Table A	
connections with induction coil type		
subscriber sets		C38.333
connections with network type		
subscriber sets		C38.335
filter connections	C38.333, Fig. 7;	
	C38.335, Fig. 6	
202A,B,C,D (desk type)		
associated apparatus	C38.403, Tables B,C,D;	
	C38.405, Table B	
combination of apparatus	C38.403, Table A;	
	C38.405, Table A	
connections with induction coil type		
subscriber sets		C38.403
circuit diagram		C38.403, ¶3.00

SECTION C38.000

Telephone Sets

Telephone sets—contd

common battery

- 202A,B,C,D (desk type)
 - connections with network type subscriber sets C38.405
 - circuit diagram C38.405, ¶3.00
 - filter connections C38.403, Fig. 7; C38.405, Fig. 5
- 203A,B,C,D,E,F (desk type)
 - associated apparatus.. C38.407, Tables B,C,D; C38.409, Tables B,C
 - combination of apparatus .. C38.407, Table A; C38.409, Table A
 - connections with induction coil type
 - subscriber sets C38.407
 - circuit diagram C38.407, ¶3.00
 - connections with network type
 - subscriber sets C38.409
 - circuit diagram C38.409, ¶3.00
 - filter connections C38.407, Fig. 6; C38.409, Fig. 5
- 211A,B,C,D (hang-up type)
 - associated apparatus.. C38.337, Tables B,C,D; C38.339, Table B
 - combination of apparatus.. C38.337, Table A; C38.339, Table A
 - connections with induction coil type
 - subscriber sets C38.337
 - circuit diagram C38.337, ¶3.00
 - connections with network type subscriber sets C38.339
 - circuit diagram C38.339, ¶3.00
 - filter connections C38.337, Fig. 7; C38.339, Fig. 7
- 211J,L (hang-up type)
 - associated apparatus.. C38.341, Tables B,C,D; C38.343, Table B
 - combination of apparatus.. C38.341, Table A; C38.343, Table A
 - connections with induction coil type
 - subscriber sets C38.341
 - circuit diagram C38.341, ¶3.00
 - connections with network type subscriber sets C38.343
 - circuit diagram C38.343, ¶3.00
 - filter connections C38.341, Fig. 6; C38.343, Fig. 7
- 212A,B,C (hang-up type)
 - associated apparatus.. C38.351, Tables B,C,D; C38.353, Tables B,C
 - combination of apparatus.. C38.351, Table A; C38.353, Table A
 - connections with induction coil type
 - subscriber sets C38.351
 - circuit diagram C38.351, ¶3.00
 - connections with network type subscriber sets C38.353
 - circuit diagram C38.353, ¶3.00
 - filter connections C38.351, Fig. 6; C38.353, Fig. 6
- 212L (hang-up type)
 - associated apparatus.. C38.355, Tables B,C,D; C38.357, Tables B,C
 - combination of apparatus.. C38.355, Table A; C38.357, Table A

Telephone sets—contd

common battery

- 212L (hang-up type)
 - connections with induction coil type
 - subscriber sets C38.355
 - circuit diagram C38.355, ¶3.00
 - connections with network type subscriber sets C38.357
 - circuit diagram C38.357, ¶3.00
 - filter connections C38.355, Fig. 5; C38.357, Fig. 5
- 213A,B,C,E (hang-up type)
 - associated apparatus.. C38.365, Tables B,C,D; C38.367, Table B
 - combination of apparatus.. C38.365, Table A; C38.367, Table A
 - connections with induction coil type
 - subscriber sets C38.365
 - circuit diagram C38.365, ¶3.00
 - connections with network type subscriber sets C38.367
 - circuit diagram C38.367, ¶3.00
 - filter connections C38.365, Fig. 7; C38.367, Fig. 6
- 215A,B,C,D (desk type)
 - associated apparatus.. C38.417, Tables B,C,D; C38.419, Table B
 - combination of apparatus .. C38.417, Table A; C38.419, Table A
 - connections with induction coil type
 - subscriber sets C38.417
 - circuit diagram C38.417, ¶3.00
 - connections with network type subscriber sets C38.419
 - circuit diagram C38.419, ¶3.00
 - filter connections C38.417, Fig. 7; C38.419, Fig. 6
- 302AA,AC
 - circuit diagram C38.553, Fig. 3
 - combination of apparatus .. C38.553, Table A
 - connections C38.553
 - ringer connections C38.553, Table B
- 302E,G
 - circuit diagram C38.551, Fig. 3
 - combination of apparatus.. C38.551, Table A
 - connections C38.551
 - filter connections C38.551, Fig. 4
 - ringer connections C38.551, Table B
- 304A,C
 - circuit diagram C38.555, Figs. 3-5
 - combination of apparatus.. C38.555, Table A
 - connections C38.555
 - filter connections C38.555, Fig. 6
 - ringer connections C38.555, Table B
- 305E,G
 - circuit diagram C38.557, Fig. 3
 - combination of apparatus.. C38.557, Table A
 - connections C38.557
 - filter connections C38.557, Fig. 4
 - ringer connections C38.557, Table B
- 306A,C (tube sets)
 - circuit diagram C38.559, Fig. 3
 - combination of apparatus.. C38.559, Table A
 - connections C38.559
 - filter connections C38.559, Fig. 4

Telephone sets—contd

common battery

- 306A,C (tube sets)
ringer connections C38.559, Table B
- 306G (tube set)
circuit diagram C38.561, Fig. 3
combination of apparatus... C38.561, Table A
connections C38.561
ringer connections C38.561, Table B
- 332A,C (amplifier sets)
circuit diagram C38.571, Fig. 3
combination of apparatus... C38.571, Table A
connections C38.571
filter connections C38.571, Fig. 4
ringer connections C38.571, Table B
- 334C (amplifier set)
circuit diagram C38.573, Figs. 3-5
combination of apparatus... C38.573, Table A
connections C38.573
filter connections C38.573, Fig. 6
ringer connections C38.573, Table B
- 354A,C
circuit diagram C38.575, Figs. 3-5
combination of apparatus... C38.575, Table A
connections C38.575
filter connections C38.575, Fig. 6
ringer connections C38.575, Table B
- 356A,C (tube sets)
circuit diagram C38.577, Fig. 3
combination of apparatus... C38.577, Table A
connections C38.577
average induction C38.577, Table C
severe induction C38.577, Table C
filter connections C38.577, Fig. 4
ringer connections C38.577, Table B
- 500A,B
circuit diagram C38.601, Figs. 3-5
combination of apparatus... C38.601, Table A
connections C38.601
ringer connections C38.601, Tables B,C
- 500C,D
circuit diagram C38.603, Figs. 3-5
combination of apparatus... C38.603, Table A
connections C38.603
ringer connections C38.603, Tables B,C
- 500E,F
circuit diagram C38.605, Fig. 3
combination of apparatus... C38.605, Table A
connections C38.605
ringer connections C38.605, Tables B,C
- 500H (illuminated dial)
circuit diagram C38.607, Fig. 3
combination of apparatus... C38.607, Table A
connections C38.607
ringer connections C38.607, Tables B,C
- 500H (tube set, illuminated dial)
circuit diagram C38.621, Figs. 3,4
combination of apparatus... C38.621, Table A
connections C38.621
ringer connections C38.621, Tables B,C
- 500J,K
circuit diagram C38.609, Figs. 3-5
combination of apparatus... C38.609, Table A
connections C38.609
ringer connections C38.609, Tables B,C

Telephone sets—contd

common battery

- 500P (illuminated dial)
circuit diagram C38.611, Figs. 3-5
combination of apparatus... C38.611, Table A
connections C38.611
ringer connections C38.611, Tables B,C
- 500U (illuminated dial)
circuit diagram C38.613, Figs. 3-5
combination of apparatus... C38.613, Table A
connections C38.613
ringer connections C38.613, Tables B,C
- 501A,B (tube sets)
circuit diagram C38.615, Figs. 3,4
combination of apparatus... C38.615, Table A
connections C38.615
ringer connections C38.615, Tables B-E
- 501C,D (tube sets)
circuit diagram C38.617, Figs. 3,4
combination of apparatus... C38.617, Table A
connections C38.617
ringer connections C38.617, Tables B-E
- 501F (tube set)
circuit diagram C38.619, Figs. 3,4
combination of apparatus... C38.619, Table A
connections C38.619
ringer connections C38.619, Tables B,C
- 501J,K (tube sets)
circuit diagram C38.623, Figs. 3,4
combination of apparatus... C38.623, Table A
connections C38.623
ringer connections C38.623, Tables B-E
- 501P (illuminated dial, tube set)
circuit diagram C38.625, Figs. 3,4
combination of apparatus... C38.625, Table A
connections C38.625
ringer connections C38.625, Tables B,C
- 501U (illuminated dial, tube set)
circuit diagram C38.627, Figs. 3,4
combination of apparatus... C38.627, Table A
connections C38.627
ringer connections C38.627, Tables B,C
- 532A,B (amplifier sets)
circuit diagram C38.629, Figs. 3-5
combination of apparatus... C38.629, Table A
connections C38.629
ringer connections C38.629, Tables B,C
- 533A,B (amplifier sets)
circuit diagram C38.631, Figs. 3,4
combination of apparatus... C38.631, Table A
connections C38.631
ringer connections C38.631, Tables B,C
- 535A,B (amplifier sets)
circuit diagram C38.633, Figs. 3-5
combination of apparatus... C38.633, Table A
connections C38.633
ringer connections C38.633, Tables B,C
- 536A,B (amplifier sets)
circuit diagram C38.635, Figs. 3-5
combination of apparatus... C38.635, Table A
connections C38.635
ringer connections C38.635, Tables B,C
- 554A,B
circuit diagram C38.637, Figs. 3-5
combination of apparatus... C38.637, Table A

SECTION C38.000

Telephone Sets

Telephone sets—contd

common battery

- 554A,B
 - connections C38.637
 - ringer connections C38.637, Tables B,C
- 556A,B
 - circuit diagram C38.639, Figs. 3,4
 - combination of apparatus... C38.639, Table A
 - connections C38.639
 - ringer connections C38.639, Tables B,C
- 5302G
 - circuit diagram C38.551, Fig. 3
 - combination of apparatus... C38.551, Table A
 - connections C38.551
 - filter connections C38.551, Fig. 4
 - ringer connections C38.551, Table B
- 5304C
 - circuit diagram C38.555, Figs. 3-5
 - combination of apparatus .. C38.555, Table A
 - connections C38.555
 - filter connections C38.555, Fig. 6
 - ringer connections C38.555, Table B
- 5306C (tube set)
 - circuit diagram C38.559, Fig. 3
 - combination of apparatus... C38.559, Table A
 - connections C38.559
 - filter connections C38.559, Fig. 4
 - ringer connections C38.559, Table B

hard of hearing sets See Amplifier telephone sets

local battery

- 200 series, connections, general..... C38.431
- 201A,B,C,D (hang-up type)
 - associated apparatus C38.433, Table B
 - circuit diagram C38.433, ¶3.00
 - combination of apparatus... C38.433, Table A
 - connections C38.433
 - filter connections C38.433, Fig. 6
- 202E,F,G,H (desk type)
 - associated apparatus C38.443, Table B
 - circuit diagram C38.443, ¶3.00
 - combination of apparatus... C38.443, Table A
 - connections C38.443
 - filter connections C38.443, Fig. 6
- 206A,B,C,D (desk type)
 - associated apparatus C38.453, Table B
 - circuit diagram C38.453, ¶3.00
 - combination of apparatus... C38.453, Table A
 - connections C38.453
 - filter connections C38.453, Fig. 6
- 207A,B,C,D (desk type)
 - associated apparatus C38.463, Table B
 - circuit diagram C38.463, ¶3.00
 - combination of apparatus... C38.463, Table A
 - connections C38.463
 - filter connections C38.463, Fig. 6
- 211E,F,G,H (hang-up type)
 - associated apparatus C38.473, Tables B,C
 - circuit diagram C38.473, ¶3.00
 - combination of apparatus... C38.473, Table A
 - connections C38.473
 - filter connections C38.473, Fig. 6

Telephone sets—contd

local battery

- 212L (hang-up type)
 - associated apparatus C38.483, Table B
 - circuit diagram C38.483, ¶3.00
 - combination of apparatus... C38.483, Table A
 - connections C38.483
 - filter connections C38.483, Fig. 6
- 213A,B,C,E (hang-up type)
 - associated apparatus C38.493, Table B
 - circuit diagram C38.493, ¶3.00
 - combination of apparatus... C38.493, Table A
 - connections C38.493
 - filter connections C38.493, Fig. 6
- 215A,B,C,D (desk type)
 - associated apparatus C38.503, Table B
 - circuit diagram C38.503, ¶3.00
 - combination of apparatus... C38.503, Table A
 - connections C38.503
 - filter connections C38.503, Fig. 6
- 307A,C
 - circuit diagram C38.563, Fig. 3
 - combination of apparatus... C38.563, Table A
 - connections C38.563
 - ringer connections C38.563, Table B
- 309A,C
 - circuit diagram C38.567, Fig. 3
 - combination of apparatus... C38.567, Table A
 - connections C38.567
 - average induction C38.567, Table C
 - severe induction C38.567, Table C
 - filter connections C38.567, Fig. 4
 - ringer connections C38.567, Table B
- 357A,C
 - circuit diagram C38.579, Fig. 3
 - combination of apparatus... C38.579, Table A
 - connections C38.579
 - filter connections C38.579, Fig. 4
 - ringer connections C38.579, Table B

magneto

- 200 series, connections, general C38.511
- 201A
 - associated apparatus C38.513, Table B
 - circuit diagram C38.513, ¶3.00
 - combination of apparatus... C38.513, Table A
 - connections C38.513
- 202H
 - associated apparatus C38.519, Table B
 - circuit diagram C38.519, ¶3.00
 - combination of apparatus... C38.519, Table A
 - connections C38.519
- 211E
 - associated apparatus C38.525, Table B
 - circuit diagram C38.525, ¶3.00
 - combination of apparatus... C38.525, Table A
 - connections C38.525
- 213E
 - associated apparatus C38.531, Table B
 - circuit diagram C38.531, ¶3.00
 - combination of apparatus... C38.531, Table A
 - connections C38.531
- 215A
 - associated apparatus C38.537, Table B
 - circuit diagram C38.537, ¶3.00

Telephone sets—contd

magneto

- 215A
 - combination of apparatus . . . C38.537, Table A
 - connections C38.537
- 307A
 - circuit diagram C38.565, Fig. 5
 - combination of apparatus . . . C38.565, Table A
 - connections C38.565
 - ringer connections C38.565, Table B
- 309A
 - circuit diagram C38.569, Fig. 5
 - combination of apparatus . . . C38.569, Table A
 - connections C38.569
 - average induction C38.569, Table C
 - severe induction C38.569, Table C
 - ringer connections C38.569, Table B
- 357A
 - circuit diagram C38.581, Fig. 5
 - combination of apparatus . . . C38.581, Table A
 - connections C38.581
 - ringer connections C38.581, Table B

PBX, 755 dial (used with)

- 462AC
 - circuit diagram C38.851, Fig. 1
 - connections C38.851, ¶2.00
 - features C38.851, Table B
 - ringer limitations C38.851, Table A
- 466AC
 - circuit diagram C38.851, Fig. 2
 - connections C38.851, ¶2.00

Telephone sets—contd

PBX, 755 dial (used with)

- 466AC
 - features C38.851, Table B
 - ringer limitations C38.851, Table A
- 502B (with) 6040D key
 - circuit diagram C38.851, Fig. 5
 - connections C38.851, ¶2.00
 - features C38.851, Table B
 - ringer limitations C38.851, Table B
- 566FB
 - circuit diagram C38.851, Fig. 3
 - connections C38.851, ¶2.00
 - features C38.851, Table B
 - ringer limitations C38.851, Table A
- 566MB
 - circuit diagram C38.851, Fig. 4
 - connections C38.851, ¶2.00
 - features C38.851, Table B
 - ringer limitations C38.851, Table A

Tube telephone sets

connections

- 306A,C C38.559
- 306G C38.561
- 356A,C C38.577
- 500H C38.621
- 5306C C38.559

W

Wall sets See Telephone sets