

CIRCUIT DESCRIPTION

CD-1A277-01
ISSUE 3B
APPENDIX 1D
DWG ISSUE 11D
DISTN CODE 1T99

5

ELECTRONIC SWITCHING SYSTEMS

COMMON

DIAL TONE DELAY ALARM

CIRCUIT

CHANGES

D. Description of Changes

D.1 Changed FS1 and CAD 10; added CAD 11 to correctly show the connections required to interface with 5ESS.

AT&T BELL LABORATORIES

AT&T TECHNOLOGIES DEPT 11NW520110-GJS-EBH

NOTICE

This document is either
AT&T - Proprietary, or WESTERN
ELECTRIC - Proprietary

Pursuant to Judge Greene's Order of August 5, 1983,
beginning on January 1, 1984, AT&T will cease to use
"Bell" and the Bell symbol, with the exceptions as set
forth in that Order. Pursuant thereto, any reference to
"BELL" and/or the BELL symbol in this document is here-
by deleted and "expunged"

NOTICE

This document contains proprietary information of AT&T Bell Laboratories and is not to be disclosed, reproduced, or published without written consent. This document must be rendered illegible when being discarded.

Printed in U.S.A.

Page 1
1 Page

NOTICE

This document is either
 AT&T - Proprietary, or WESTERN
 ELECTRIC - Proprietary

Pursuant to Judge Greene's Order of August 5, 1983,
 beginning on January 1, 1984, AT&T will cease to use
 "Bell" and the Bell symbol, with the exceptions as set
 forth in that Order. Pursuant thereto, any reference to
 "BELL" and/or the BELL symbol in this document is here-
 by deleted and "expunged"

ELECTRONIC SWITCHING SYSTEMS
 COMMON
 DIAL TONE DELAY ALARM
 CIRCUIT

TABLE OF CONTENTS	PAGE
SECTION I - GENERAL DESCRIPTION	1
1. PURPOSE OF CIRCUIT	1
2. GENERAL DESCRIPTION OF OPERATION . .	1
SECTION II - DETAILED DESCRIPTION . . .	2
1. DIAL TONE SIGNAL	2
2. PURPOSE OF CIRCUIT COMPONENTS . . .	2
SECTION III - REFERENCE DATA	2
1. WORKING LIMITS	2
2. FUNCTIONAL DESIGNATIONS	3
3. FUNCTIONS	3
4. CONNECTING CIRCUITS	3
5. MANUFACTURING TESTING REQUIREMENTS	4
6. ALARM INFORMATION	4
SECTION IV - REASONS FOR REISSUE	4

SECTION I - GENERAL DESCRIPTION

1. PURPOSE OF CIRCUIT

1.01 The dial tone delay alarm (DTDA) circuit is assigned a line terminal location with an originating-only class of service. The DTDA is completely autonomous and has the capability of originating a call at intervals of time adjustable between limits of 20 and 60 seconds. The circuit, upon going off-hook, checks for the presence of 2 seconds of dial tone. If dial tone is recognized within 9 ± 1 second, the test line is released. No dial tone or delayed dial tone in excess of 9 ± 1 second results in failure. The circuit, having recognized the presence of dial tone, also checks that dial tone is disconnected upon cycling to the on-hook state. If dial tone is still present after a 9 ± 1 second interval, a failure indication is given.

1.02 When a failure condition exists, the test circuit is arranged to sound an alarm. Two alarm features are provided by the DTDA. The circuit has a self-contained alarm comprised of a 1000-Hz tone that is sounded if a failure is encountered. The circuit alarm is interfaced with the

office's regular alarm system. If failure is encountered, a major alarm is sounded. The major alarm sounded by the external alarm circuit can be retired at the master control center. The internal alarm, which is also activated, may be retired at the DTDA by operation of the reset (RST) key or under system control via the signal distributor applique circuit. Retirement of the internal alarm will cause the test sequence to be recycled by the DTDA circuit. The circuit also provides the means by which the system may inhibit the alarms via the signal distributor applique circuit.

2. GENERAL DESCRIPTION OF OPERATION

2.01 The DTDA circuit connects to a single test line having an originating class of service (denied-terminating). Since only one line is used to test for dial tone, a trouble peculiar to the test line could activate the alarm. The extent of the trouble causing the alarm should be determined before remedial actions are taken.

2.02 The line location to which the test line is assigned should be changed at intervals of 2 months. The new assignment may be in any frame, but it should not be associated with the same first stage as the previous assignment. Rotation of the test line assignment will distribute the test-call load more equitably.

2.03 The DTDA circuit tests for the presence of dial tone by initialing an off-hook condition on the test line. This off-hook condition is detected as an origination by the system. The system attempts to connect the test line to a customer dial pulse receiver. If dial tone is returned within 9 ± 1 seconds the DTDA circuit will check that the dial tone is continually present for 2 seconds. Upon successful detection of dial tone, the DTDA circuit will restore the test line to an on-hook condition. If dial tone is removed from the test line within 9 ± 1 seconds the test is successful and the test sequence is recycled.

2.04 The DTDA sounds an alarm when dial tone is not detected within 9 ± 1 seconds after the test line goes off-hook or dial tone is not present for at least 2 seconds. If 2 seconds of dial tone is detected after the alarm is sounded, the alarm is automatically retired and the circuit recycles.

NOTICE

Not for use or disclosure outside the Bell System except under written agreement.

2.05 The circuit will time for 9 ± 1 seconds for the test line to release from dial tone. If dial tone is still present at the end of the 9 ± 1 second release interval, an alarm will sound. If dial tone is released after the alarm is sounded, the alarm is automatically retired and the circuit is recycled.

logic circuit used for recognition of dial tone frequencies. To provide added protection against dial tone simulation, the detector does not deliver a signal-present output until the signal is present for approximately 2 seconds (timing interval 2). If the validity check fails after the 2-second timing interval has begun, the detector timer is recycled and must start over again.

SECTION II - DETAILED DESCRIPTION

1. DIAL TONE SIGNAL

1.01 Dial tone, as used in ESS offices, is composed of 2 frequencies in the speech band. A valid dial tone signal consists of 350 and 440 Hz at a level of $-10 \text{ dBm} \pm 3 \text{ dBm}$ when tip and ring are terminated in 900 ohms.

1.02 The DTDA is designed to differentiate between valid dial tone signals and noise without responding to special out-of-band signals.

2. PURPOSE OF CIRCUIT COMPONENTS

2.01 The DTDA is made up of three printed wire boards and associated components which include three timing circuits. The purpose of each device will be described in the order in which the timing circuits are utilized.

2.02 The dial tone alarm timer (CP A802) has the capability of originating a call at intervals of time adjustable between limits of 20 and 60 seconds. This adjustment is controlled by the setting of the TIME potentiometer. At the end of the origination timing interval (timing interval 1), the timer output signal activates the OR relay driver on CP A803. Operation of the OR relay performs three functions.

- (a) Resets the dial tone alarm timer CP A802
- (b) Changes the logic function of CP A802 to perform the 9 ± 1 second timing interval (timing interval 3)
- (c) Closes the loop through repeat coil RC1 and, if option Z is used, causes closure of contacts E and EG, thus creating an off-hook condition.

2.03 The off-hook condition is detected as an origination by the system. The system attempts to connect the test line to a customer dial pulse receiver. If present, dial tone enters T and R of the DTDA circuit and is connected to the dial tone detector (CP A801) through repeat coil RC1. The detector amplifies the signal and applies it to the filter and the monitor. The filter consists of a twin-T network and

2.04 If a valid signal persists for the required period, the detector timer delivers a signal to the DT relay driver on CP A803. Operation of the DT relay resets the dial tone alarm timer (CP A802) and start timing interval 3 (9 ± 1 seconds) again to check for the release of dial tone. When dial tone is released, the circuit is recycled to start a new origination.

2.05 No dial tone or delayed dial tone in excess of 9 ± 1 seconds results in operation of the T0 relay by the dial tone alarm timer and relay driver on CP A802 and A803, respectively. Operation of the T0 relay connects the square wave generator (CP A802) to the amplifier and monitor speaker to provide the internal alarm. The external alarm is initiated by saturating ferroids through T0 relay contacts. Option Z is used in No. 1 ESS, 4-wire systems. The T0 relay will remain operated until released by operation of the DT relay or operation of the RST key.

2.06 When option Y is provided, this circuit has the capability of being reset from a remote location by the operation and release of a signal distributor applique point via the RST leads. In addition, option Y provides the ability to disable the alarm by releasing the T0 relay via the ALM leads.

2.07 When used in No. 5 ESS (Option T), terminals T and R connect to a direct connect termination denied line. Terminals T2 and R2 terminate an origination denied line. When the OR relay activates, the circuit originates a call on the direct connect line. The system scanner detects the off-hook and connects power ringing to terminals T2 and R2, and an audible ringing tone to terminals T and R. If no audible ringing tone is returned within 15 seconds of going off-hook, relay T0 operates closing contacts 9 and 12 which signals the 3B IOP scanner of the test failure.

SECTION III - REFERENCE DATA

1. WORKING LIMITS

1.01 The output from terminal 11 of the T0 relay shall be connected to scanner D-type ferrod sensors with 100 ohms maximum external circuit resistance.

NOTICE

Not for use or disclosure outside the Bell System except under written agreement.

2. FUNCTIONAL DESIGNATIONS**2.01 Circuit Packs**

Designation	Meaning
DTD	Dial Tone Detector
DTAT	Dial Tone Alarm Timer
DTNRD	Dial Tone Monitor and Relay Driver

2.02 Keys

Designation	Meaning
PWR OFF	Power Off
TST	Test
RST	Reset

2.03 Potentiometer

Designation	Meaning
VOL	Volume
TIME	Time

2.04 Relays

Designation	Meaning
DT	Dial Tone Detector
OR	Origination
TO	Time-Out

3. FUNCTIONS

- 3.01 Tests for the presence of dial tone by simulating an off-hook call origination to the central office.
- 3.02 Presents a 900-ohm plus 2.15 UF termination to the line being tested.
- 3.03 Responds to valid dial tone signals whose duration is greater than 2 seconds.
- 3.04 Responds to dial tone signals whose amplitude is -10 dBm \pm 3 dB across 900 ohms.
- 3.05 Is able to differentiate between valid dial tone signals and noise without responding to special out-of-band signals.
- 3.06 Provides protection against false operation due to noise by providing a fast recycling timer which forces a valid-looking signal to persist uninterrupted for a required time interval before the DT relay is operated.
- 3.07 Provides accurate origination timing intervals that are adjustable between the limits of 20 through 60 seconds.
- 3.08 Provides an accurate time-out timing interval of 9 \pm 1 second.
- 3.09 Provides an internal alarm which consists of the output of a

square-wave generator amplified and fed at a high level to a monitor speaker.

3.10 Provides external alarm terminals which supply the correct electrical conditions to saturate ferroids.

3.11 Provides a dial tone monitor consisting of a level adjustable audio amplifier coupled to a loudspeaker.

3.12 Provides a locking pushbutton switch (TST) which will open the test line so that system will not detect the off-hook condition. This feature is used to test the sequencing of the DTDA.

3.13 Provides a momentary pushbutton which will retire the alarm circuit. Retirement of the internal alarm will cause the test sequence to be recycled.

3.14 Operates solely from standard +24 volt central office battery supplies. Before working on the circuit or removing circuit packs, the associated power removal switch must be operated to disconnect battery.

3.15 Provides the means by which the system can inhibit and/or reset the alarm circuitry.

3.16 Provides a loop closure to the master control center (MCC) when the TO relay operates.

4. CONNECTING CIRCUITS

4.01 When this circuit is listed on a key sheet, the connecting information thereon is to be followed.

- (a) Line Switching Circuit - SD-1A106-01.
- (b) Master Control Center Circuit - SD-1A122-02.
- (c) Miscellaneous Circuit for All Frames - SD-1A129-01.
- (d) Master Scanner Applique Circuit - SD-1A133-01.
- (e) Line Switching Circuit - SD-1A134-01.
- (f) Universal Coupling Circuit - SD-2A014-01.
- (g) Master Scanner Applique Circuit - SD-2A028-01.
- (h) Office Status Display Circuit - SD-2A055-01.
- (i) 15A Grid Circuit - SD-3B120-01.
- (j) Master Scanner Applique Circuit - SD-1A210-01.

NOTICE

Not for use or disclosure outside the Bell System except under written agreement.

- (k) No. 3ESS P.D. Applique Circuit - SD-3H911-01.
- (l) Maintenance Frame Circuit - SD-1C912-01.
- (m) Remreed Switching Network Circuit - SD-2H211-01.
- (n) No. 5 ESS Line Unit Circuit - SD-5D046-01.
- (o) No. 5 ESS IOP Scanner CKT - SD-5D007-01.
- (p) Line and/or Trunk Switching Circuit - SD-2H163-01.
- (q) Master Scanner Applique Circuit - SD-1A133-01.
- (r) Trunk Peripheral Decoder Applique Circuit - SD-2H117-01.
- (s) Maintenance Center - SD-2H009-01.

6.05 In this message, XX equals the member number assigned by the operating company to the alarm-off ferrod (alarm retired conditions).

6.06 The external alarm feature provides dial tone protection for unattended offices. The messages are printed on the remote maintenance teletypewriter and the remote alarm is sounded when alarms are transferred.

6.07 The teletypewriter message RC-MSNCPDN-, described in 10.01 of BSP 231-118-30, is used by the operating company to assign the appropriate scan points to the DTDA circuit.

6.08 The parameters required for the RC-MSNCPDN- message which assigns ferrods can be found in Table A.

TABLE A

PARAMETERS

DESIGNATION	FOR FERRODS	
	ALARM-ON	ALARM-OFF
NPI-Nontrunk Program Index	39	32
UTY-Unit Type	44	45
MEMN-Member Number	Assigned by Operating Company	

5. MANUFACTURING TESTING REQUIREMENTS

5.01 The manufacturing testing requirements are specified in the X-77996 specification.

6. ALARM INFORMATION

6.01 The alarm internal to the DTDA consists of the output of a multivibrator amplifier and fed at a high level to monitor speaker.

6.02 The external alarm terminals provide the electrical conditions to saturate ferrods. These terminals can be connected to two master scanner applique points assigned by the operating company. One ferrod is used to detect the alarm-on condition while the other ferrod detects the alarm-off condition. If the external alarm is connected in this manner, any failure detected by the DTDA circuit will produce a major alarm and the maintenance teletypewriter message:

**AR01 MISC ALM NJ SPL XX

6.03 In this message, XX equals the member number assigned by the operating company to the alarm-on ferrod (failure condition).

6.04 Retirement of the internal alarm either automatically (by restoration of dial tone) or manually will result in the teletypewriter output message:

** AR01 MISC ALM MN SPL XX

6.09 This office alarm feature can be activated or deactivated by the appropriate recent change teletypewriter message (see 10 of BSP 231-118-30).

6.10 The major alarm sounded by the external alarm circuit can be retired at the master control center. The internal alarm which also is activated may be retired at the DTDA circuit by operating the RST key momentarily or retired remotely by the system controlled signal distributor applique circuit. Retirement of the internal alarm will cause the test sequence to be recycled by the DTDA circuit.

SECTION IV - REASONS FOR REISSUE

B. Changes in Apparatus

B.1 Added
C1-535CB - Fig 1

D. Description of Changes

D.1 Options T and U were added to permit application of the circuit to No. 5 ESS.

BELL TELEPHONE LABORATORIES, INCORPORATED
DEPT 55556-GJS-GH

NOTICE
Not for use or disclosure outside the Bell System except under written agreement.