

ISSUE NOTES (CONTINUED)				
DWG REISSUED TO CORRECT SHEET INDEX. ORIG ISS: 01/18/93 CHANGE CLASS: ME				
DRAFT: CWM	ENGR: JLK	SUPV: CDH	CERTIFIED: 02/18/99	ISSUE: 16
A6060 IN TABLE A, GPS. 50, 56, 57, 58 & 64 X-DIM. MAX LENGTH CHANGED TO 200 FT, 250 FT, 250 FT, 250 FT & 100 FT RESPECTIVELY. GROUPS 56A, 57A & 58A RATED DA. GRAPHIC SHEETS C17 & C18 MODIFIED CHANGE LOGO TO LUCENT SHEETS B1, C1, C2, C4-C9, C11-C13, C15, C16, C20, C23, C35 & C36. SL ITEM 7277 ADDED, SL ITEMS 7280 THRU 7300 MODIFIED PER OC POINT ISSUE 16.1. ORIG ISS: 01/18/93 NDD NBR: 3T061NW-73 CHANGE CLASS: B				
DRAFT: CWM	ENGR: JLK	SUPV: CDH	CERTIFIED: 05/24/99	ISSUE: 17
GRAPHICS SHEETS C17 & C18 REISSUED TO CORRECT PRINTOUT ORIENTATION. ORIG ISS: 01/18/93 CHANGE CLASS: ME				
DRAFT: CWM	ENGR: JLK	SUPV: CDH	CERTIFIED: 06/15/99	ISSUE: 18
(A6085) IN TABLE A, GPS 62 & 64 MAX LENGTH READ 100 FT. SL ITEMS 6105, 6125, 6190, 6110 & 6855 LINED OUT. ITEMS 6106, 6107, 6126, 6191, 6192, 6211 & 6856 ADDED. GRAPHICS SHTS. C13, C16, C19, C20, C23, & C35 MODIFIED. ORIG ISS: 01/18/93 NDD NBR: 3T061NW-90 CHANGE CLASS: B				
DRAFT: CWM	ENGR: JLK	SUPV: CDH	CERTIFIED: 11/19/99	ISSUE: 19
(A06200) IN TABLE A, GPS. 17U, 17V AND 17W ADDED, GP 51 MODIFIED. SL ITEMS 1880 THRU 1896 ADDED. GRAPHIC SHEETS B2 & C10 MODIFIED. (WIRELESS SCSD APPLICATION) ORIG ISS: 01/18/93 NDD NBR: WS0000012 CHANGE CLASS: B				
DRAFT: CES	ENGR: JLK	SUPV: CDH	CERTIFIED: 02/25/00	ISSUE: 20
(A06205) IN TBL A GRP 9A, 9B, 41A, SL ITEM 970 T HRU 995, 7305 THRU 7345, C46, C47, C48 MFG NOTE 6 ADDED. GRAPHIC SHEETS B2, B3, C20, C23, C35, C42 & C43 MODIFIED. SL ITEMS 6107, 6192 & 6856 LINED OUT. SL ITEM 6860 QTY READ 13. GRPS 6,6A & 52A RATED DA. ORIG ISS: 01/18/93 NDD NBR: NDD087 CHANGE CLASS: B				
DRAFT: JES	ENGR: JES	SUPV: FNG	CERTIFIED: 04/09/01	ISSUE: 21

ISSUE NOTES (CONTINUED)				
IN TABLE A, GROUP 62 CHANGED. OCW PT. ISSUE 8.1 INCLUDED IN THIS ISSUE. ORIG ISS: 01/18/93 NDD NBR: NDD3T061NW-69 CHANGE CLASS: ME				
DRAFT: JLK	ENGR: JLK	SUPV: CDH	CERTIFIED: 02/09/98	ISSUE: 10
IN TABLE A, GPS 17M THRU 17T ADDED. SL ITEMS 1820 THRU 1875 ADDED. TIM 046 ALSO ADDED. (963T CONN. COVERS) COORDINATE WITH NDD3T061NW-63, CASE A6049. ORIG ISS: 01/18/93 NDD NBR: NDD3T061NW-67 CHANGE CLASS: B				
DRAFT: JLK	ENGR: JLK	SUPV: CDH	CERTIFIED: 02/16/98	ISSUE: 11
IN TABLE A, GP 8C, 8D, 63, 64, & 65 ADDED. SL ITEMS 6900 THRU 7105 ADDED. PT. ISS 11.1 INCLUDED & ALL A/R ENTRIES UPDATED TO INCLUDE LENGTHS. ORIG ISS: 01/18/93 NDD NBR: NDD3T061NW-54 CHANGE CLASS: B				
DRAFT: CWM	ENGR: JLK	SUPV: CDH	CERTIFIED: 07/23/98	ISSUE: 12
IN TABLE A, GPS 66A-E, 67A-E, & 68A-E ADDED. SL ITEMS 7150 THRU 7260 ADDED. NOTE ADDED TO C20 TO USE CABLE TIE AS REQUIRED AS PER PT. ISS. 11.2. PROVIDES ADDITIONAL EXTERNAL INTERFACE CABLES FOR PCC UN582. ORIG ISS: 01/18/93 NDD NBR: 3T061NW-74 CHANGE CLASS: B				
DRAFT: CWM	ENGR: JLK	SUPV: CDH	CERTIFIED: 12/03/98	ISSUE: 13
IN TABLE A, GP 8E & 8F ADDED. SL ITEMS 7275 THRU 7340 ADDED. PROVIDES ANGLED CONNECTORS FOR DCI/PCI CABLES. (ASM APPLICATION) ORIG ISS: 01/18/93 NDD NBR: 3T061NW-79 CHANGE CLASS: B				
DRAFT: CWM	ENGR: JLK	SUPV: CDH	CERTIFIED: 02/08/99	ISSUE: 14
DWG. REISSUED TO CORRECT PRO-E VERSION 20 GRAPHICS AVAILABILITY. ORIG ISS: 01/18/93 CHANGE CLASS: ME				
DRAFT: CWM	ENGR: JLK	SUPV: CDH	CERTIFIED: 02/16/99	ISSUE: 15

ISSUE NOTES				
ORIG ISS: 01/18/93 NDD NBR: 3T061IH-1 CHANGE CLASS: NEW				
DRAFT: JAS	ENGR: JAS	SUPV: PCF	CERTIFIED: 01/18/93	ISSUE: 1
IN TBL A LISTS 7H THRU 7M ADDED; LISTS 7B THRU 7G RATED "DA". ORIG ISS: 01/18/93 NDD NBR: 3T061IH-7 CHANGE CLASS: B				
DRAFT: RJP	ENGR: RJP	SUPV: PCF	CERTIFIED: 10/18/93	ISSUE: 2
IN TBL A GROUP 30 ADDED. ***** SL ITEMS 710,712,745,747,780,782,815,817,845,850,885 & 890 CHGD. PER OCW PT. ISSUE 2.1. ORIG ISS: 01/18/93 NDD NBR: 3T061IH-20 CHANGE CLASS: B				
DRAFT: RJB	ENGR: RJB	SUPV: PCF	CERTIFIED: 06/28/94	ISSUE: 3
SL ITEM 2320 READ "105772800 & SL ITEM 2330 READ "105772792". ORIG ISS: 01/18/93 CHANGE CLASS: M				
DRAFT: RJB	ENGR: RJB	SUPV: PCF	CERTIFIED: 07/20/94	ISSUE: 4
GPS 8,8A & 8B & SL ITEMS 1000 THRU 1100 ADDED. ENG. NOTE 52 CHGD. ORIG ISS: 01/18/93 NDD NBR: 3T061IH-25 CHANGE CLASS: B				
DRAFT: JAS	ENGR: JAS	SUPV: PCF	CERTIFIED: 04/07/95	ISSUE: 5
GROUPS 2D-2G, 33,33A,34,34A,50 THRU 62 ADDED. ORIG ISS: 01/18/93 NDD NBR: 3T061IH-26 CHANGE CLASS: B				
DRAFT: JAS	ENGR: JAS	SUPV: PCF	CERTIFIED: 07/03/95	ISSUE: 6
STAMPING INFORMATION MOVED ON SHEETS C27 THRU C30. ORIG ISS: 01/18/93 CHANGE CLASS: M				
DRAFT: JLK	ENGR: JLK	SUPV: CDH	CERTIFIED: 10/29/96	ISSUE: 7
DWG UPDATED PER OCW PT. CHANGES 6.1 THRU 6.3. ORIG ISS: 01/18/93 CHANGE CLASS: M				
DRAFT: JK	ENGR: JK	SUPV: CDH	CERTIFIED: 05/20/97	ISSUE: 8
IN TBL A GP 51 CHGD. OCW PT ISSUE 8.6 INCORPORATED IN THIS ISSUE. ORIG ISS: 01/18/93 NDD NBR: 3T061WN-66 CHANGE CLASS: ME				
DRAFT: JLK	ENGR: JLK	SUPV: CDH	CERTIFIED: 01/30/98	ISSUE: 9

SHEET INDEX											
SHT NBR	A1 THRU A8 ISSUE 22										
ISSUE											
SHT NBR	D1 THRU D14 ISSUE 22										
ISSUE											
SHT NBR	B1	B2	B3								
ISSUE	17	22	22								
SHT NBR	C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11
ISSUE	17	17	13	17	17	17	17	17	17	20	17
SHT NBR	C12	C13	C14	C15	C16	C17	C18	C19	C20	C21	C22
ISSUE	17	19	12	17	19	18	18	19	22	8	8
SHT NBR	C23	C24	C25	C26	C27	C28	C29	C30	C31	C32	C33
ISSUE	22	8	8	8	8	8	8	8	8	8	8
SHT NBR	C34	C35	C36	C37	C38	C39	C40	C41	C42	C43	C44
ISSUE	8	22	17	12	12	12	12	22	22	13	
SHT NBR	C45	C46	C47	C48							
ISSUE	16	21	21	21							
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											

TABLE OF CONTENTS	
DESCRIPTION	SHT
SHEET INDEX	A1
ISSUE NOTES	A1
ENGINEERING-NOTES	A2
TABLE A	A2
B SECTION GRAPHICS	B1
C SECTION GRAPHICS	C1
MANUFACTURING NOTES	D1
STOCKLIST	D1

LUCENT TECHNOLOGIES- PROPRIETARY  
THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION OF  
LUCENT TECHNOLOGIES AND IS NOT TO BE DISCLOSED OR USED  
EXCEPT IN ACCORDANCE WITH APPLICABLE AGREEMENTS.

COPYRIGHT © 2001 LUCENT TECHNOLOGIES  
UNPUBLISHED & NOT FOR PUBLICATION  
ALL RIGHTS RESERVED

RN98	
COMMON SYSTEMS 3B21D COMPUTER SPECIFICATION FOR CONNECTORIZED SWITCHBOARD CABLE ASSEMBLY	
DWG SIZE C2	ISSUE 22
LUCENT TECHNOLOGIES INC ED3T076-20	
SHEET A1 OF 73	

TABLE A-FEATURES											
EQUIPMENT		EQUIPMENT OR CIRCUIT DATA						SD EQUIVALENT			
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED DSCH CABLE BETWEEN PROC-0/DFC0 AND PROC-0/DMA0. (J3T060A-1) (SHEET C1)			1								
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED DSCH CABLE BETWEEN PROC-1/DFC1 AND PROC-0/DMA0 (J3T060A-1) (SHEET C1)			1A								
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED DSCH CABLE BETWEEN PROC-0/IOP0 AND PROC-0/DMA0. (J3T060A-1) (SHEET C1)			1B								
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED DSCH CABLE BETWEEN PROC-1/IOP1 AND PROC-0/DMA0. (J3T060A-1) (SHEET C1)			1C								
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED DSCH CABLE BETWEEN PROC-0/DFC0 AND PROC-1/DMA0. (J3T060A-1) (SHEET C1)			1D								
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED DSCH CABLE BETWEEN PROC-1/DFC1 AND PROC-1/DMA0. (J3T060A-1) (SHEET C1)			1E								
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED DSCH CABLE BETWEEN PROC-0/IOP0 AND PROC-1/DMA0. (J3T060A-1) (SHEET C1)			1F								
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED DSCH CABLE BETWEEN PROC-1/IOP1 AND PROC-1/DMA0. (J3T060A-1) (SHEET C1)			1G								
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED DSCH CABLE BETWEEN IOP2-SPU/IOP2 AND PROC-0/DMA0. (J3T060A-1) (SHEET C1)			1H								
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED DSCH CABLE BETWEEN IOP2-SPU/IOP2 AND PROC-1/DMA0. (J3T060A-1) (SHEET C1)			1J								
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED DSCH CABLE BETWEEN IOP3-SPU/IOP3 AND PROC-0/DMA0. (J3T060A-1) (SHEET C1)			1K								
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED DSCH CABLE BETWEEN IOP3-SPU/IOP3 AND PROC-1/DMA0. (J3T060A-1) (SHEET C1)			1L								
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED DSCH CABLE BETWEEN PROC-0/DMA0 AND IOP2-SPU/DFC2. (J3T060A-1) (SHEET C1)			1M								

TABLE-A CONTINUED

ED3T076-20

ENGINEERING NOTES

52. THIS DRAWING ARRANGED FOR J3T060A-1, J3T061A-1 AND ED3T083-30.

ISSUE NOTES (CONTINUED)

DWG REISSUED TO CORRECT SHT INDEX. SHT B2,B3,C20,C23,C35,C42 AND C43 SHOULD READ ISSUE 22.

ORIG ISS: 01/18/93

CHANGE CLASS: M

DRAFT: JES	ENGR: JES	SUPV: FNG	CERTIFIED: 04/11/01	ISSUE: 22
------------	-----------	-----------	---------------------	-----------

SEE PROPRIETARY NOTICE ON SHEET ONE  
 COPYRIGHT © 2001 LUCENT TECHNOLOGIES  
 UNPUBLISHED & NOT FOR PUBLICATION  
 ALL RIGHTS RESERVED

RN98

COMMON SYSTEMS  
 3B21D COMPUTER  
 SPECIFICATION FOR  
 CONNECTORIZED SWITCHBOARD  
 CABLE ASSEMBLY

DWG SIZE C2	ISSUE 22
----------------	-------------

LUCENT TECHNOLOGIES INC ED3T076-20

SHEET A2  
OF 73

TABLE A-FEATURES (CONTINUED)											
EQUIPMENT		EQUIPMENT OR CIRCUIT DATA							SD EQUIVALENT		
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED DSCH CABLE BETWEEN PROC-1/DMA0 AND IOP2-SPU /DFC2. (J3T060A-1) (SHEET C1)			1N								
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED MTTY (MAINTENANCE TERMINAL) CONTROL CABLE BETWEEN PROC-0/PC00 AND THE PORT SWITCH PROC-1/PSSD. (J3T060A-1) (SHEET C2)			2								
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED ROP (READ ONLY PRINTER) CONTROL CABLE BETWEEN PROC-0/PC00 AND PORT SWITCH PROC-1/PSSD. (J3T060A-1) (SHEET C2)			2A								
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED MTTY (MAINTENANCE TERMINAL) CONTROL CABLE BETWEEN PROC-1/PC00 AND PORT SWITCH PROC-1/PSSD. (J3T060A-1) (SHEET C2)			2B								
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED ROP (READ ONLY PRINTER) CONTROL CABLE BETWEEN PROC-1/PC00 AND PORT SWITCH PROC-1/PSSD. (J3T060A-1) (SHEET C2)			2C								
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED MTTY (MAINTENANCE TERMINAL) CONTROL CABLE BETWEEN PROC-0/PC00 AND THE PORT SWITCH PROC-1/PSSD. USED WITH UN583. (J3T060A-1) (SHEET C2)			2D								
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED ROP (READ ONLY PRINTER) CONTROL CABLE BETWEEN PROC-0/PC00 AND PORT SWITCH PROC-1/PSSD. USE WITH UN583. (J3T060A-1) (SHEET C2)			2E								
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED MTTY (MAINTENANCE TERMINAL) CONTROL CABLE BETWEEN PROC-1/PC00 AND PORT SWITCH PROC-1/PSSD. USE WITH UN583. (J3T060A-1) (SHEET C2)			2F								
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED ROP (READ ONLY PRINTER) CONTROL CABLE BETWEEN PROC-1/PC00 AND PORT SWITCH PROC-1/PSSD. USE WITH UN583. (J3T060A-1) (SHEET C2)			2G								
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED EAI (EMERGENCY ACTION INTERFACE) CABLE BETWEEN PROC-0/PC00 AND PROC-0/CC. (J3T060A-1) (SHEET C3)			3								
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED EAI (EMERGENCY ACTION INTERFACE) CABLE BETWEEN PROC-0/PC00 AND PROC-1/CC. (J3T060A-1) (SHEET C3)			3A								

TABLE-A CONTINUED

ED3T076-20

TABLE A-FEATURES (CONTINUED)											
EQUIPMENT		EQUIPMENT OR CIRCUIT DATA							SD EQUIVALENT		
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED EAI (EMERGENCY ACTION INTERFACE) CABLE BETWEEN PROC-1/PC00 AND PROC-1/CC. (J3T060A-1) (SHEET C3)			3B								
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED EAI (EMERGENCY ACTION INTERFACE) CABLE BETWEEN PROC-1/PC00 AND PROC-0/CC. (J3T060A-1) (SHEET C3)			3C								
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED BOUNDARY SCAN CABLE BETWEEN PROC-0/CC AND PROC-1/IOPPS. (J3T060A-1) (SHEET C4)			4								
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED BOUNDARY SCAN CABLE BETWEEN PROC-1/CC AND PROC-0/IOPPS. (J3T060A-1) (SHEET C4)			4A								
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED MCH (MAINTENANCE CHANNEL) CABLE BETWEEN PROC-0/CC AND PROC-1/CC. (J3T060A-1) (SHEET C5)			5								
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED BOUNDARY SCAN CABLE BETWEEN IOP2-SPU/IOPPS AND PROC-0/IOPPS. (J3T060A-1) (SHEET C6) DA EFF: FE/RA:NONE		DA	6								
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED BOUNDARY SCAN CABLE BETWEEN IOP3-SPU/IOPPS AND PROC-1/IOPPS. (J3T060A-1) (SHEET C6) DA EFF: FE/RA:NONE		DA	6A								
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED MTTY (MAINTENANCE TERMINAL) CABLE BETWEEN PROC-1/PSSD AND THE VIDEO TERMINAL. (50 FT.) (J3T061A-1) (SHEET C7) DA EFF:10/18/93 FE:ED3T076-20,G7H		DA	7B								

TABLE-A CONTINUED

SEE PROPRIETARY NOTICE ON SHEET ONE  
COPYRIGHT © 2001 LUCENT TECHNOLOGIES  
UNPUBLISHED & NOT FOR PUBLICATION  
ALL RIGHTS RESERVED

RN98

COMMON SYSTEMS  
3B21D COMPUTER  
SPECIFICATION FOR  
CONNECTORIZED SWITCHBOARD  
CABLE ASSEMBLY

DWG SIZE  
C2

ISSUE  
22

LUCENT TECHNOLOGIES INC ED3T076-20

SHEET A3  
OF 73

TABLE A-FEATURES (CONTINUED)											
EQUIPMENT		EQUIPMENT OR CIRCUIT DATA							SD EQUIVALENT		
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED ROP (READ ONLY PRINTER) CABLE BETWEEN PROC-1/PSSD AND THE ROP. (50 FT.) (J3T061A-1) (SHEET C7) DA EFF:10/18/93 FE:ED3T076-20,G7J		DA	7C								
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED MTTY (MAINTENANCE TERMINAL) CABLE BETWEEN PROC-1/PSSD AND THE VIDEO TERMINAL. (100 FT.) (J3T061A-1) (SHEET C7) DA EFF:10/18/93 FE:ED3T076-20,G7K		DA	7D								
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED ROP (READ ONLY PRINTER) CABLE BETWEEN PROC-1/PSSD AND THE ROP. (100 FT.) (J3T061A-1) (SHEET C7) DA EFF:10/18/93 FE:ED3T076-20,G7L		DA	7E								
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED MTTY (MAINTENANCE TERMINAL) CABLE BETWEEN PROC-1/PSSD AND THE VIDEO TERMINAL. (250 FT.) (J3T061A-1) (SHEET C7) DA EFF:10/18/93 FE:ED3T076-20,G7M		DA	7F								
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED ROP (READ ONLY PRINTER) CABLE BETWEEN PROC-1/PSSD AND THE ROP. (250 FT.) (J3T061A-1) (SHEET C7) DA EFF:10/18/93 FE:ED3T076-20,G7N		DA	7G								
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED MTTY (MAINTENANCE TERMINAL) CABLE BETWEEN PROC-1/PSSD AND THE VIDEO TERMINAL. (50 FT.) (J3T061A-1) (SHEET C12) REPL:ED3T076-20,G7B			7H								
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED ROP (READ ONLY PRINTER) CABLE BETWEEN PROC-1/PSSD AND THE ROP. (50 FT.) (J3T061A-1) (SHEET C12) REPL:ED3T076-20,G7C			7J								
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED MTTY (MAINTENANCE TERMINAL) CABLE BETWEEN PROC-1/PSSD AND THE VIDEO TERMINAL. (100 FT.) (J3T061A-1) (SHEET C12) REPL:ED3T076-20,G7D			7K								
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED ROP (READ ONLY PRINTER) CABLE BETWEEN PROC-1/PSSD AND THE ROP. (100 FT.) (J3T061A-1) (SHEET C12) REPL:ED3T076-20,G7E			7L								
TABLE-A CONTINUED											

ED3T076-20

TABLE A-FEATURES (CONTINUED)											
EQUIPMENT		EQUIPMENT OR CIRCUIT DATA							SD EQUIVALENT		
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED MTTY (MAINTENANCE TERMINAL) CABLE BETWEEN PROC-1/PSSD AND THE VIDEO TERMINAL. (250 FT.) (J3T061A-1) (SHEET C12) REPL:ED3T076-20,G7F			7M								
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED ROP (READ ONLY PRINTER) CABLE BETWEEN PROC-1/PSSD AND THE ROP. (250 FT.) (J3T061A-1) (SHEET C12) REPL:ED3T076-20,G7G			7N								
APPARATUS, WIRING AND ASSEMBLY FOR ONE 50 FT. CONNECTORIZED DCI (DSCH COMPUTER INTERCONNECT) CABLE BETWEEN THE DMA IN PROC-0 OR PROC-1 AND THE SUN DCI BOARD. (ED3T083-30) (SHEET C14)			8								
APPARATUS, WIRING AND ASSEMBLY FOR ONE 75 FT. CONNECTORIZED DCI (DSCH COMPUTER INTERCONNECT) CABLE BETWEEN THE DMA IN PROC-0 OR PROC-1 AND THE SUN DCI BOARD. (ED3T083-30) (SHEET C14)			8A								
APPARATUS, WIRING AND ASSEMBLY FOR ONE 100 FT. CONNECTORIZED DCI (DSCH COMPUTER INTERCONNECT) CABLE BETWEEN THE DMA IN PROC-0 OR PROC-1 AND THE SUN DCI BOARD. (ED3T083-30) (SHEET C14)			8B								
APPARATUS, WIRING AND ASSEMBLY FOR ONE 100 FT. CONNECTORIZED DCI (DSCH COMPUTER INTERCONNECT) CABLE BETWEEN THE DMA IN PROC-1 AND THE SUN DCI BOARD. OSDE APPLICATION. (ED3T083-30) (100 FT LG) (SHEET C14)			8C								
APPARATUS, WIRING AND ASSEMBLY FOR ONE 100 FT. CONNECTORIZED DCI (DSCH COMPUTER INTERCONNECT) CABLE BETWEEN THE DMA IN PROC-0 AND THE SUN DCI BOARD. OSDE APPLICATION. (ED3T083-30) (100 FT LG) (SHEET C14)			8D								
TABLE-A CONTINUED											

SEE PROPRIETARY NOTICE ON SHEET ONE  
 COPYRIGHT © 2001 LUCENT TECHNOLOGIES  
 UNPUBLISHED & NOT FOR PUBLICATION  
 ALL RIGHTS RESERVED

RN98

COMMON SYSTEMS  
 3B21D COMPUTER  
 SPECIFICATION FOR  
 CONNECTORIZED SWITCHBOARD  
 CABLE ASSEMBLY

DWG SIZE C2 ISSUE 22

LUCENT TECHNOLOGIES INC ED3T076-20 SHEET A4 OF 73

TABLE A-FEATURES (CONTINUED)											
EQUIPMENT		EQUIPMENT OR CIRCUIT DATA							SD EQUIVALENT		
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
APPARATUS, WIRING AND ASSEMBLY FOR ONE 50 FT. CONNECTORIZED DCI (DSCH COMPUTER INTERCONNECT) CABLE BETWEEN THE DMA IN PROC-0 OR PROC-1 AND THE SUN DCI/PCI BOARD. (ASM APPLICATION) (ED3T083-30) (SHEET C45)			8E								
APPARATUS, WIRING AND ASSEMBLY FOR ONE 100 FT. CONNECTORIZED DCI (DSCH COMPUTER INTERCONNECT) CABLE BETWEEN THE DMA IN PROC-0 OR PROC-1 AND THE SUN DCI/PCI BOARD. (ASM APPLICATION) (ED3T083-30) (SHEET C45)			8F								
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED MTT (MAINTENANCE TERMINAL) CABLE BETWEEN PROC-1/PSSD AND FIBER OPTIC MODEMS. (3T061A-1) (SHEET C47)			9A								
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED ROP (READ ONLY PRINTER) CABLE BETWEEN PROC-1/PSSD AND FIBER OPTIC MODEMS. (J3T061A-1) (SHEET C47)			9B								
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED SCSD CABLE BETWEEN PROC-0/PC02 AND COOLING UNIT 0. (J3T060A-1) (SHEET C8)			14								
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED SCSD CABLE BETWEEN PROC-1/PC02 AND COOLING UNIT 1. (J3T060A-1) (SHEET C8)			14A								
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED SCSD CABLE BETWEEN PROC-0/PC02 AND PROC-1/IOPPS. (J3T060A-1) (SHEET C9)			15A								
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED SCSD CABLE BETWEEN PROC-1/PC02 AND PROC-0/IOPPS. (J3T060A-1) (SHEET C9)			15D								
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED SCSD CABLE BETWEEN PROC-0/PC02 AND PROC-0/SPU4. (J3T060A-1) (SHEET C10)			17								
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED SCSD CABLE BETWEEN PROC-1/PC02 AND PROC-1/SPU5. (J3T060A-1) (SHEET C10)			17A								
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED SCSD CABLE BETWEEN PROC-0/PC30 AND IOP2-SPU/SPU18. (J3T060A-1) (SHEET C10)			17B								
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED SCSD CABLE BETWEEN PROC-0/PC30 AND IOP3-SPU/SPU19. (J3T060A-1) (SHEET C10)			17C								
TABLE-A CONTINUED											

ED3T076-20

TABLE A-FEATURES (CONTINUED)											
EQUIPMENT		EQUIPMENT OR CIRCUIT DATA							SD EQUIVALENT		
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED SCSD CABLE BETWEEN PROC-0/PC30 AND IOP2-SPU/SPU20. (J3T060A-1) (SHEET C10)			17D								
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED SCSD CABLE BETWEEN PROC-0/PC30 AND IOP3-SPU/SPU21. (J3T060A-1) (SHEET C10)			17E								
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED SCSD CABLE BETWEEN PROC-0/PC30 AND IOP2-SPU/SPU22. (J3T060A-1) (SHEET C10)			17F								
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED SCSD CABLE BETWEEN PROC-0/PC30 AND IOP3-SPU/SPU23. (J3T060A-1) (SHEET C10)			17G								
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED SCSD CABLE BETWEEN PROC-0/PC30 AND IOP2-SPU/SPU24. (J3T060A-1) (SHEET C10)			17H								
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED SCSD CABLE BETWEEN PROC-0/PC30 AND IOP3-SPU/SPU25. (J3T060A-1) (SHEET C10)			17J								
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED SCSD CABLE BETWEEN PROC-0/PC30 AND IOP2-SPU/SPU26. (J3T060A-1) (SHEET C10)			17K								
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED SCSD CABLE BETWEEN PROC-0/PC30 AND IOP3-SPU/SPU27. (J3T060A-1) (SHEET C10)			17L								
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED SCSD CABLE BETWEEN PROC-0/PC30 AND IOP2-SPU/SPU18. (4ESS APPLICATION) (J3T060A-1) (SHEET C10)			17M								
TABLE-A CONTINUED											

SEE PROPRIETARY NOTICE ON SHEET ONE  
 COPYRIGHT © 2001 LUCENT TECHNOLOGIES  
 UNPUBLISHED & NOT FOR PUBLICATION  
 ALL RIGHTS RESERVED

RN98

COMMON SYSTEMS  
 3B21D COMPUTER  
 SPECIFICATION FOR  
 CONNECTORIZED SWITCHBOARD  
 CABLE ASSEMBLY

DWG SIZE C2    ISSUE 22

LUCENT TECHNOLOGIES INC    ED3T076-20    SHEET A5 OF 73

TABLE A-FEATURES (CONTINUED)												
EQUIPMENT			EQUIPMENT OR CIRCUIT DATA							SD EQUIVALENT		
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT	
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED SCSD CABLE BETWEEN PROC-1/PC30 AND IOP3-SPU /SPU19. (4ESS APPLICATION) (J3T060A-1) (SHEET C10)			17N									
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED SCSD CABLE BETWEEN PROC-0/PC30 AND IOP2-SPU /SPU20. (4ESS APPLICATION) (J3T060A-1) (SHEET C10)			17P									
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED SCSD CABLE BETWEEN PROC-1/PC30 AND IOP3-SPU /SPU21. (4ESS APPLICATION) (J3T060A-1) (SHEET C10)			17R									
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED SCSD CABLE BETWEEN PROC-0/PC02 AND IOP2-SPU /SPU 24. (4ESS APPLICATION) (J3T060A-1) (SHEET C10)			17S									
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED SCSD CABLE BETWEEN PROC-1/PC02 AND IOP3-SPU /SPU25. (4ESS APPLICATION) (J3T060A-1) (SHEET C10)			17T									
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED SCSD CABLE BETWEEN PROC-0/PC02 AND IOP2-SPU /SPU20. (WIRELESS APPLICATION) (J3T060A-1) (SHEET C10)			17U									
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED SCSD CABLE BETWEEN PROC-1/PC02 AND IOP3-SPU /SPU21. (WIRELESS APPLICATION) (J3T060A-1) (SHEET C10)			17V									
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED SCSD CABLE BETWEEN PROC-1/PC02 AND PROC-1/SPU5. (WIRELESS APPLICATION) (J3T060A-1) (SHEET C10)			17W									
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED SCSD CABLE BETWEEN PROC-0/PC02 AND IOP2-SPU /IOPPS. (J3T060A-1) (SHEET C11)			18									
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED SCSD CABLE BETWEEN PROC-1/PC02 AND IOP3-SPU /IOPPS. (J3T060A-1) (SHEET C11)			18A									
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED DFC2 SCSD CABLE BETWEEN PROC-0/PC30 AND IOP2-SPU/DFC2. (J3T060A-1) (SHEET C11)			18B									
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED ALARM CABLE BETWEEN PORT SW (UN377) AND SCSD (UN33D) PROC-0/PROC-1. (J3T060A-1) (SHEET C13)			30									
TABLE-A CONTINUED												

ED3T076-20

TABLE A-FEATURES (CONTINUED)												
EQUIPMENT			EQUIPMENT OR CIRCUIT DATA							SD EQUIVALENT		
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT	
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED EAI (EMERGENCY ACTION INTERFACE) CABLE BETWEEN PROC-0/PC00 AND PROC-0/CC. USE WITH UN583. (J3T060A-1) (SHEET C15)			33									
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED EAI (EMERGENCY ACTION INTERFACE) CABLE BETWEEN PROC-1/PC00 AND PROC-1/CC. USE WITH UN583. (J3T060A-1) (SHEET C15)			33A									
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED EAI (EMERGENCY ACTION INTERFACE) CABLE BETWEEN PROC-0/PC00 AND PROC-1/CC. USE WITH UN583. (J3T060A-1) (SHEET C16)			34									
APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED EAI (EMERGENCY ACTION INTERFACE) CABLE BETWEEN PROC-1/PC00 AND PROC-0/CC. USE WITH UN583. (J3T060A-1) (SHEET C16)			34A									
APPARATUS, WIRING AND ASSEMBLY FOR A PERIPHERAL CONTROL CABLE TO CONNECT A 202T DATA SET TO A UN582 CP PROVIDING AN RS232C ASYNCHRONOUS DATA LINK. (X DIM. 250 FT MAX LENGTH) (J3T061A-1) (SHEET C20) REPL:ED3T076-20,G52A			41A									
APPARATUS, WIRING AND ASSEMBLY FOR ONE PERIPHERAL CONTROL CABLE TO CONNECT A 201C OR 212AR DATA SET TO A UN582 CP PROVIDING AN RS232C SYNCHRONOUS DATA LINK. (X DIM. 200 FT MAX LENGTH) (J3T061A-1) (SHEET C17)			50									
APPARATUS, WIRING AND ASSEMBLY FOR ONE PERIPHERAL CONTROL CABLE TO CONNECT A 201C DATA SET OR A IP-DSU TO A UN583 CP/ UN597 CP PROVIDING AN RS232C SCC (SWITCHING CONTROL CENTER) SYNCHRONOUS DATA LINK. (X DIM. 200 FT MAX LENGTH) (J3T061A-1) (SHEET C18)			51									
TABLE-A CONTINUED												

SEE PROPRIETARY NOTICE ON SHEET ONE  
 COPYRIGHT © 2001 LUCENT TECHNOLOGIES  
 UNPUBLISHED & NOT FOR PUBLICATION  
 ALL RIGHTS RESERVED

RN98

COMMON SYSTEMS  
 3B21D COMPUTER  
 SPECIFICATION FOR  
 CONNECTORIZED SWITCHBOARD  
 CABLE ASSEMBLY

DWG SIZE  
C2

ISSUE  
22

LUCENT TECHNOLOGIES INC ED3T076-20

SHEET A6  
OF 73

PRINTED IN U.S.A.

TABLE A-FEATURES (CONTINUED)											
EQUIPMENT		EQUIPMENT OR CIRCUIT DATA							SD EQUIVALENT		
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
APPARATUS, WIRING AND ASSEMBLY FOR A PERIPHERAL CONTROL CABLE TO CONNECT A 202T DATA SET TO A UN582 CP PROVIDING AN RS232C ASYNCHRONOUS DATA LINK. (X DIM. 50 FT MAX LENGTH) (J3T061A-1) (SHEET C19)			52								
APPARATUS, WIRING AND ASSEMBLY FOR A PERIPHERAL CONTROL CABLE TO CONNECT A 202T DATA SET TO A UN582 CP PROVIDING AN RS232C ASYNCHRONOUS DATA LINK. (X DIM. 250 FT MAX LENGTH) (J3T061A-1) (SHEET C20) DA EFF:12/01/99 FE:ED3T076-20,G41A		DA	52A								
APPARATUS, WIRING AND ASSEMBLY FOR A PERIPHERAL CONTROL CABLE TO CONNECT A GANDALF 3309 DATA SET TO A UN582 CP PROVIDING AN RS232C ASYNCHRONOUS DATA LINK. (X DIM. 50 FT MAX LENGTH) (J3T061A-1) (SHEET C22)			53								
APPARATUS, WIRING AND ASSEMBLY FOR A PERIPHERAL CONTROL CABLE TO CONNECT A GANDALF 3309 DATA SET TO A UN582 CP PROVIDING AN RS232C ASYNCHRONOUS DATA LINK. (X DIM. 250 FT MAX LENGTH) (J3T061A-1) (SHEET C23)			53A								
APPARATUS, WIRING AND ASSEMBLY FOR A PERIPHERAL CONTROL CABLE TO CONNECT A 212AR DATA SET TO A UN582 CP PROVIDING AN RS232C ASYNCHRONOUS DATA LINK. (X DIM. 100 FT MAX LENGTH) (J3T061A-1) (SHEET C25)			54								
APPARATUS, WIRING AND ASSEMBLY FOR A PERIPHERAL CONTROL CABLE TO CONNECT A AT&T STU-II SECURE (MODEL 1900) DATA SET TO A UN582 CP PROVIDING AN RS232C ASYNCHRONOUS DATA LINK. (X DIM. 50 FT MAX LENGTH) (J3T061A-1) (SHEET C26)			55								
APPARATUS, WIRING AND ASSEMBLY FOR A PERIPHERAL CONTROL CABLE TO CONNECT A ROP TO A UN582 CP PROVIDING A NULL MODEM RS232C ASYNCHRONOUS DATA LINK. (X DIM. 250 FT MAX LENGTH) (J3T061A-1) (SHEET C27)			56								
APPARATUS, WIRING AND ASSEMBLY FOR A PERIPHERAL CONTROL CABLE TO CONNECT A ROP TO A UN582 CP PROVIDING A NULL MODEM RS232C ASYNCHRONOUS DATA LINK. (X DIM. 250 FT MAX LENGTH) (J3T061A-1) (SHEET C28) DA EFF:12/01/99 FE:ED3T076-20,G56		DA	56A								
APPARATUS, WIRING AND ASSEMBLY FOR A PERIPHERAL CONTROL CABLE TO CONNECT A VT100 TO A UN582 CP PROVIDING A NULL MODEM RS232C ASYNCHRONOUS DATA LINK. (X DIM. 250 FT MAX LENGTH) (J3T061A-1) (SHEET C27)			57								
TABLE-A CONTINUED											

ED3T076-20

TABLE A-FEATURES (CONTINUED)											
EQUIPMENT		EQUIPMENT OR CIRCUIT DATA							SD EQUIVALENT		
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
APPARATUS, WIRING AND ASSEMBLY FOR A PERIPHERAL CONTROL CABLE TO CONNECT A VT100 TO A UN582 CP PROVIDING A NULL MODEM RS232C ASYNCHRONOUS DATA LINK. (X DIM. 250 FT MAX LENGTH) (J3T061A-1) (SHEET C28) DA EFF:12/01/99 FE:ED3T076-20,G57		DA	57A								
APPARATUS, WIRING AND ASSEMBLY FOR A PERIPHERAL CONTROL CABLE TO CONNECT A COLOR VT TO A UN582 CP PROVIDING AN RS232C ASYNCHRONOUS DATA LINK. (X DIM. 250 FT MAX LENGTH) (J3T061A-1) (SHEET C29)			58								
APPARATUS, WIRING AND ASSEMBLY FOR A PERIPHERAL CONTROL CABLE TO CONNECT A COLOR VT TO A UN582 CP PROVIDING AN RS232C ASYNCHRONOUS DATA LINK. (X DIM. 250 FT MAX LENGTH) (J3T061A-1) (SHEET C30) DA EFF:12/01/99 FE:ED3T076-20,G58		DA	58A								
APPARATUS, WIRING AND ASSEMBLY FOR A PERIPHERAL CONTROL CABLE TO CONNECT A HARDWARE FLOW CONTROL DATA SET TO A UN582 CP PROVIDING AN RS232C ASYNCHRONOUS DATA LINK. (X DIM. 50 FT MAX LENGTH) (J3T061A-1) (SHEET C31)			59								
APPARATUS, WIRING AND ASSEMBLY FOR A PERIPHERAL CONTROL CABLE TO CONNECT A HARDWARE FLOW CONTROL DATA SET TO A UN582 CP PROVIDING A NULL MODEM RS232C ASYNCHRONOUS DATA LINK. (X DIM. 50 FT MAX LENGTH) (J3T061A-1) (SHEET C32)			60								
APPARATUS, WIRING AND ASSEMBLY FOR A PERIPHERAL CONTROL CABLE TO CONNECT A 2024A, 2048A OR 2096A DATA SET TO A UN582 CP PROVIDING A RS449 DATA LINK. (X DIM. 50 FT MAX LENGTH) (J3T061A-1) (SHEET C33)			61								
TABLE-A CONTINUED											

SEE PROPRIETARY NOTICE ON SHEET ONE  
 COPYRIGHT © 2001 LUCENT TECHNOLOGIES  
 UNPUBLISHED & NOT FOR PUBLICATION  
 ALL RIGHTS RESERVED

RN98

COMMON SYSTEMS  
 3B21D COMPUTER  
 SPECIFICATION FOR  
 CONNECTORIZED SWITCHBOARD  
 CABLE ASSEMBLY

DWG SIZE  
C2

ISSUE  
22

LUCENT TECHNOLOGIES INC

ED3T076-20

SHEET A7  
OF 73

PRINTED IN U.S.A.


TABLE A-FEATURES (CONTINUED)												
EQUIPMENT		EQUIPMENT OR CIRCUIT DATA							SD EQUIVALENT			
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT	
APPARATUS, WIRING AND ASSEMBLY FOR A PERIPHERAL CONTROL CABLE TO CONNECT A 2556B DATA SET TO A UN582 CP PROVIDING A V.35 DATA LINK. (X DIM. 150 FT MAX LENGTH) (J3T061A-1) (SHEET C35)			62									
APPARATUS, WIRING AND ASSEMBLY FOR A PERIPHERAL CONTROL CABLE TO CONNECT A VT100 TO A UN582 CIRCUIT PACK PROVIDING A NULL MODEM RS232C ASYNCHRONOUS DATA LINK. OSDE APPLICATION. (100 FT LG) (SHEET C37)			63									
APPARATUS, WIRING AND ASSEMBLY FOR A PERIPHERAL CONTROL CABLE TO CONNECT A DATA SET TO A UN582 CP PROVIDING A V.36 DATA LINK. (X DIM. 150 FT MAX LENGTH) (J3T061A-1) (SHEET C38)			64									
APPARATUS, WIRING AND ASSEMBLY FOR A PERIPHERAL CONTROL CABLE TO CONNECT A 2024A, 2048A OR 2096A DATA SET TO A UN582 CP PROVIDING A RS449 DATA LINK. (X DIM. 150 FT MAX LENGTH) (J3T061A-1) (SHEET C40)			65									
APPARATUS, WIRING AND ASSEMBLY FOR A PERIPHERAL CONTROL CABLE TO CONNECT ECP TO SERIAL SMART DEMARCATION PANEL. (25 FT. LONG) (HA-OMP APPLICATION)			66A									
APPARATUS, WIRING AND ASSEMBLY FOR A PERIPHERAL CONTROL CABLE TO CONNECT ECP TO SERIAL SMART DEMARCATION PANEL. (50 FT. LONG) (HA-OMP APPLICATION)			66B									
APPARATUS, WIRING AND ASSEMBLY FOR A PERIPHERAL CONTROL CABLE TO CONNECT ECP TO SERIAL SMART DEMARCATION PANEL. (75 FT. LONG) (HA-OMP APPLICATION)			66C									
APPARATUS, WIRING AND ASSEMBLY FOR A PERIPHERAL CONTROL CABLE TO CONNECT ECP TO SERIAL SMART DEMARCATION PANEL. (100 FT. LONG) (HA-OMP APPLICATION)			66D									
APPARATUS, WIRING AND ASSEMBLY FOR A PERIPHERAL CONTROL CABLE TO CONNECT ECP TO SERIAL SMART DEMARCATION PANEL. (200 FT. LONG) (HA-OMP APPLICATION)			66E									
APPARATUS, WIRING AND ASSEMBLY FOR A PERIPHERAL CONTROL CABLE TO CONNECT DCS TO SERIAL SMART DEMARCATION PANEL. (25 FT. LONG) (HA-OMP APPLICATION)			67A									
APPARATUS, WIRING AND ASSEMBLY FOR A PERIPHERAL CONTROL CABLE TO CONNECT DCS TO SERIAL SMART DEMARCATION PANEL. (50 FT. LONG) (HA-OMP APPLICATION)			67B									
APPARATUS, WIRING AND ASSEMBLY FOR A PERIPHERAL CONTROL CABLE TO CONNECT DCS TO SERIAL SMART DEMARCATION PANEL. (75 FT. LONG) (HA-OMP APPLICATION)			67C									
APPARATUS, WIRING AND ASSEMBLY FOR A PERIPHERAL CONTROL CABLE TO CONNECT DCS TO SERIAL SMART DEMARCATION PANEL. (100 FT. LONG) (HA-OMP APPLICATION)			67D									
TABLE-A CONTINUED												

ED3T076-20

TABLE A-FEATURES (CONTINUED)												
EQUIPMENT		EQUIPMENT OR CIRCUIT DATA							SD EQUIVALENT			
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT	
APPARATUS, WIRING AND ASSEMBLY FOR A PERIPHERAL CONTROL CABLE TO CONNECT DCS TO SERIAL SMART DEMARCATION PANEL. (200 FT. LONG) (HA-OMP APPLICATION)			67E									
APPARATUS, WIRING AND ASSEMBLY FOR A PERIPHERAL CONTROL CABLE TO CONNECT ECP TO SERIAL SPLITTER. (25 FT. LONG) (HA-OMP APPLICATION)			68A									
APPARATUS, WIRING AND ASSEMBLY FOR A PERIPHERAL CONTROL CABLE TO CONNECT AN ECP TO SERIAL SPLITTER. (50 FT. LONG) (HA-OMP APPLICATION)			68B									
APPARATUS, WIRING AND ASSEMBLY FOR A PERIPHERAL CONTROL CABLE TO CONNECT AN ECP TO SERIAL SPLITTER. (75 FT. LONG) (HA-OMP APPLICATION)			68C									
APPARATUS, WIRING AND ASSEMBLY FOR A PERIPHERAL CONTROL CABLE TO CONNECT AN ECP TO SERIAL SPLITTER. (100 FT. LONG) (HA-OMP APPLICATION)			68D									
APPARATUS, WIRING AND ASSEMBLY FOR A PERIPHERAL CONTROL CABLE TO CONNECT AN ECP TO SERIAL SPLITTER. (200 FT. LONG) (HA-OMP APPLICATION)			68E									
END OF TABLE-A												


SEE PROPRIETARY NOTICE ON SHEET ONE COPYRIGHT © 2001 LUCENT TECHNOLOGIES UNPUBLISHED & NOT FOR PUBLICATION ALL RIGHTS RESERVED	
RN98	
COMMON SYSTEMS 3B21D COMPUTER SPECIFICATION FOR CONNECTORIZED SWITCHBOARD CABLE ASSEMBLY	
DWG SIZE C2	ISSUE 22
LUCENT TECHNOLOGIES INC ED3T076-20	
SHEET A8 OF 73	

TABLE S								
GROUP	CABLE CODE	CABLE DESIG	CABLE	"B" DIM	"FB" DIM	"UB" DIM	REMOVE CABLE SHEATH	
							END A	END B
							"D" DIM	"E" DIM
I	816AS			2-6	1-5-1/4	1-8	0-6	0-6-3/4
IA				4-7	3-6-1/4	3-9		
IB				2-4	1-3-1/4	1-6		
IC				3-2	2-1-1/4	2-4		
ID				4-5	3-4-1/4	3-7		
IE				2-5	1-4-1/4	1-7		
IF				4-6	3-5-1/4	3-8		
IG				2-4	1-3-1/4	1-6		
IH				3-7	2-6-1/4	2-9		
IJ				5-8	4-7-1/4	4-10		
IK				5-2	4-1-1/4	4-4		
IL				3-2	2-1-1/4	2-4		
IM				4-5	3-4-1/4	3-7		
IN				6-6	5-5-1/4	5-8		
2	812A			4-8	3-8	3-10	0-6	0-6
2A				4-7	3-7	3-9		
2B				2-9	1-9	1-11		
2C				2-8	1-8	1-10		
2D				4-8	3-8	3-10	0-6	0-6
2E				4-7	3-7	3-9		
2F				2-9	1-9	1-11		
2G				2-8	1-8	1-10		
3	812AS			2-2	1-1-1/4	1-4	0-6-3/4	0-6
3A				4-5	3-4-1/4	3-7		
3B				2-3	1-2-1/4	1-5		
3C				4-7	3-6-1/4	3-9		
4	816AS			4-2	3-1-1/4	3-4	0-6	0-6-3/4
4A	816AS			4-2	3-1-1/4	3-4	0-6	0-6-3/4
5	816AS			4-8	3-7-1/4	3-10	0-6	0-6-3/4
6	816AS			3-0	1-11-1/4	2-2	0-6	0-6-3/4
6A	816AS			2-10	1-9-1/4	2-0	0-6	0-6-3/4




THE "B" DIM IS THE OVERALL LENGTH OF CABLE, EXCLUDING SHINERS.  
 THE SHINER MUST BE ADDED BY THE INDIVIDUAL MANUFACTURING LOCATIONS.  
 THE "FB" DIM IS FOR SWITCHBOARD CABLE BUTT TO BUTT.  
 THE "D" AND "E" DIM INCLUDE THE SKINNER LENGTHS.  
 THE "UB" DIM IS FOR UNFORMED SWITCHBOARD CABLE EDGE OF CONN TO EDGE OF CONN.

SK A  
(SEE TABLE S)



GROUP 1 THRU 1N, 4 & 4A, 5 AND 6 & 6A



GROUP 3, 3A, 3B OR 3C

PROJ-EGEDFORM.FRM-FEB-96


ED3T076-20

PRO/PDM FILE COMMON HARDWARE/APPLICATIONS/PPD\_PHY\_DES/3B21/ED3T076-20.DRW


CERTIFIED ISSUE 17; 05-24-99

CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES		THIRD ANGLE PROJ	
DWG SIZE	ISSUE		
C2	17		
LUCENT TECHNOLOGIES		ED3T076-20	SHEET NO. B1
		MODEL NAME	

TABLE S							
GROUP	CABLE CODE	CABLE DESIG	CABLE	"B" DIM	"FB" DIM	"UB" DIM	REMOVE CABLE SHEATH
							END A "D" DIM
7B	812A			50-0	49-9-3/4		0-1 0-1-1/4
7C				50-0	49-9-3/4		0-1
7D				100-0	99-9-3/4		0-1
7E				100-0	99-9-3/4		0-1
7F				250-0	249-9-3/4		0-1
7G				250-0	249-9-3/4		0-1
7H	812A			50-0	49-9-3/4		0-1 0-1-1/4
7J				50-0	49-9-3/4		0-1
7K				100-0	99-9-3/4		0-1
7L				100-0	99-9-3/4		0-1
7M				250-0	249-9-3/4		0-1
7N				250-0	249-9-3/4		0-1
8	8336			50-2-1/4	50-0		0-1 0-1-1/4
8A	8336			75-2-1/4	75-0		0-1 0-1-1/4
8B	8336			100-2-1/4	100-0		0-1 0-1-1/4
8C	8336			100-2-1/4	100-0		0-1 0-1-1/4
8D	8336			100-2-1/4	100-0		0-1 0-1-1/4
8E	8336			50-2-1/4	50-0		0-1 0-1-1/4
8F	8336			100-2-1/4	100-0		0-1 0-1-1/4
9A	812A			3-0	1-6	2-0	0-9 0-9
9B	812A			3-0	1-6	2-0	0-9 0-9
14	812A			4-4	3-4	3-6	0-6 0-6
14A	812A			2-9	1-9	1-11	0-6 0-6
15A	816A			4-4	3-4	3-6	0-6 0-6
15D	816A			4-8	3-8	3-10	0-6 0-6
17	812A			2-7	1-7	1-9	0-6 0-6
17A				2-7	1-7	1-9	
17B				3-5	2-5	2-7	
17C				4-10	3-10	4-0	
17D				3-5	2-5	2-7	
17E				4-11	3-11	4-1	
17F				3-2	2-2	2-4	
17G				4-9	3-9	3-11	
17H				2-11	1-11	2-1	
17J				4-6	3-6	3-8	
17K				3-0	2-0	2-2	
17L				4-6	3-6	3-8	
17M				3-10	2-10	3-0	
17N				3-1	2-1	2-3	
17P				3-10	2-10	3-0	
17R				2-11	1-11	2-1	
17S				2-10	1-10	2-0	
17T				3-6	2-6	2-8	
17U				2-9	1-9	1-11	
17V				4-3	3-3	3-5	
17W				2-7	1-7	1-9	
18	812A			3-4	2-4	2-6	0-6 0-6
18A	812A			4-1	3-1	3-3	0-6 0-6
18B	812A			4-0	3-0	3-2	0-6 0-6
30	812A		CA1	5-0	4-0	4-2	0-6 0-6
	812A		CA2	2-7	1-7	1-9	0-6 0-6



THE "B" DIM IS THE OVERALL LENGTH OF CABLE, EXCLUDING SHINERS.  
 THE SHINER MUST BE ADDED BY THE INDIVIDUAL MANUFACTURING LOCATIONS.  
 THE "FB" DIM IS FOR SWITCHBOARD CABLE BUTT TO BUTT.  
 THE "D" AND "E" DIM INCLUDE THE SKINNER LENGTHS.  
 THE "UB" DIM IS FOR UNFORMED SWITCHBOARD CABLE EDGE OF CONN TO EDGE OF CONN.



GROUP 8, 8A, 8C, 8D, 8E AND 8F


PROJ-EGEDFORM.FRM-FEB-96

ED3T076-20

PRO/PDM FILE COMMON HARDWARE/APPLICATIONS/PPD\_PHY\_DES/3B21/ED3T076-20.DRW

CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES		THIRD ANGLE PROJN	
		DWG SIZE	ISSUE
		C2	22
LUCENT TECHNOLOGIES		ED3T076-20	SHEET NO. B2
		MODEL NAME	

TABLE S								
GROUP	CABLE CODE	CABLE DESIG	CABLE	"B" DIM	"FB" DIM	"UB" DIM	REMOVE CABLE SHEATH	
							END A	END B
							"D" DIM	"E" DIM
66A	812A			25-0	24-9-3/4		0-1	0-1-1/4
66B	812A			50-0	49-9-3/4			
66C	812A			75-0	74-9-3/4			
66D	812A			100-0	99-9-3/4			
66E	812A			200-0	199-9-3/4			
67A	812A			25-0	24-9-3/4		0-1	0-1-1/4
67B	812A			50-0	49-9-3/4			
67C	812A			75-0	74-9-3/4			
67D	812A			100-0	99-9-3/4			
67E	812A			200-0	199-9-3/4			
68A	812A			25-0	24-9-3/4		0-1	0-1-1/4
68B	812A			50-0	49-9-3/4			
68C	812A			75-0	74-9-3/4			
68D	812A			100-0	99-9-3/4			
68E	812A			200-0	199-9-3/4			
33	812AS			2-2	1-1-1/4	1-4	0-6	0-6-3/4
33A				2-3	1-2-1/4	1-5		
34				4-5	3-4-1/4	3-7		
34A				4-7	3-6-1/4	3-9		
41A	408457257			X DIM + 2-3/4			0-1-1/2	0-1-1/4
50	816A			+ 7-1/4			0-6	
51	816A			+ 7-1/4			0-6	
52	812A			+ 7-1/4			0-6	
52A	1246004C			+ 2-3/4			0-1-1/2	
53	812A			+ 7-1/4			0-6	
53A	1246004C			+ 2-3/4			0-1-1/2	
54	812A			+ 7-1/4			0-6	
55	812A			+ 7-1/4			0-6	
56	812AS			+ 2-7/8			0-1-5/8	
56A	812A			+ 2-3/4			0-1-1/2	
57	812AS			X DIM + 2-7/8			0-1-5/8	0-1-1/4
57A	812A			+ 2-3/4			0-1-1/2	
58	812AS			+ 2-7/8			0-1-5/8	
58A	812A			+ 2-3/4			0-1-1/2	
59	816A			+ 7-1/4			0-6	
60	812AS			+ 2-7/8			0-1-5/8	
61	807A			+ 1-4			0-10	0-6
62	811AS			+ 9-1/4			0-7	0-2-1/4
63	1246004C			100-2 3/4	100-0		0-1-1/2	0-1-1/4
64	807AS			X DIM + 1-4			0-10	0-6
65	807AS			+ 1-4			0-10	0-6








THE "B" DIM IS THE OVERALL LENGTH OF CABLE, EXCLUDING SHINERS.

THE SHINER MUST BE ADDED BY THE INDIVIDUAL MANUFACTURING LOCATIONS.

THE "FB" DIM IS FOR SWITCHBOARD CABLE BUTT TO BUTT.

THE "D" AND "E" DIM INCLUDE THE SKINNER LENGTHS.

THE "UB" DIM IS FOR UNFORMED SWITCHBOARD CABLE EDGE OF CONN TO EDGE OF CONN.




PROJ-EGEDFORM.FRM-FEB-96

ED3T076-20


PRO/PDM FILE COMMON HARDWARE/APPLICATIONS/PPD\_PHY\_DES/3B21/ED3T076-20.DRW

CERTIFIED ISSUE 14W0; XX-XX-XX

CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES		THIRD ANGLE PROJ	
		DWG SIZE	ISSUE
		C2	22
LUCENT TECHNOLOGIES		ED3T076-20	
		SHEET NO. B3	
MODEL NAME			




CUT R-BL & BL-R LEADS FLUSH WITH CABLE JACKET AT BOTH ENDS



843743170  
26GA DP3 BK WIRE  
QTY 1

CONNECTING TABLE			
WIRING SIDE 963T-12			
COLOR	TERM	TERM	COLOR
	AA	BA	W-S
S-W	AB	BB	W-BR
BR-W	AC	BC	W-G
G-W	AD	BD	W-O
O-W	AE	BE	W-BL
BL-W	AF	BF	


CODED SIDE OF CONN



CONNECTING TABLE			
WIRING SIDE 963T-12			
COLOR	TERM	TERM	COLOR
BK/GRD	AA	BA	W-BR
BR-W	AB	BB	W-S
S-W	AC	BC	W-G
G-W	AD	BD	W-O
O-W	AE	BE	W-BL
BL-W	AF	BF	BK/GRD

CODED SIDE OF CONN

STAMPING TABLE									
GROUP	CABLE DESIG	CONN 1			CONN 2				
		TERM		EQL	CAB.	TERM		EQL	CAB.
		A	B			A	B		
I		106		028-178	PROC	338		028-075	PROC
IA		106		053-178	PROC	306		028-075	PROC
IB		506		019-065	PROC	351		028-075	PROC
IC		506		045-065	PROC	319		028-075	PROC
ID		119		028-178	PROC	338		053-075	PROC
IE		119		053-178	PROC	306		053-075	PROC
IF		706		019-065	PROC	351		053-075	PROC
IG		706		045-065	PROC	319		053-075	PROC
IH		506		011-011	PROC	345		028-075	PROC
IJ		706		011-011	PROC	345		053-075	PROC
IK		506		062-011	PROC	313		028-075	PROC
IL		706		062-011	PROC	313		053-075	PROC
IM		106		011-180	PROC	332		028-075	PROC
IN		119		011-180	PROC	332		053-075	PROC



STAMP PER TABLE

CABLE LENGTH TABLE	
GROUP	LENGTH
I	2-6
IA	4-7
IB	2-4
IC	3-2
ID	4-5
IE	2-5
IF	4-6
IG	2-4
IH	3-7
IJ	5-8
IK	5-2
IL	3-2
IM	4-5
IN	6-6

GROUPS I, IA THRU IN

PROJ-EGEDFORM.FRM-FEB-96

ED3T076-20

PRO/PDM FILE COMMON HARDWARE/APPLICATIONS/PPD\_PHY\_DES/3B21/ED3T076-20.DRW

CERTIFIED ISSUE 17; 05-24-99

CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES	THIRD ANGLE PROJ ⊕	
	DWG SIZE C2	ISSUE 17
LUCENT TECHNOLOGIES	ED3T076-20	SHEET NO. C1



MODEL NAME

CONNECTING TABLE			
WIRING SIDE 963T-24			
COLOR	TERM	TERM	COLOR
W-BL	AA	BA	
	AB	BB	
	AC	BC	
	AD	BD	
	AE	BE	BL-W
	AF	BF	W-O
	AH	BH	O-W
G-W	AJ	BJ	W-G
	AK	BK	W-BR
	AL	BL	
	AM	BM	BR-W
	AN	BN	


CODED SIDE OF CONN

CONNECTING TABLE			
WIRING SIDE 963T-12			
COLOR	TERM	TERM	COLOR
	AA	BA	
W-BL	AB	BB	BR-W
	AC	BC	W-BR
BL-W	AD	BD	G-W
W-O	AE	BE	W-G
O-W	AF	BF	

CODED SIDE OF CONN



CABLE LENGTH TABLE	
GROUP	LENGTH
2	4-8
2A	4-7
2B	2-9
2C	2-8
2D	4-8
2E	4-7
2F	2-9
2G	2-8



STAMP PER TABLE

STAMPING TABLE									
GROUP	CABLE DESIG	CONN 1			CONN 2				
		TERM		EQL	CAB.	TERM		EQL	CAB.
		A	B			A	B		
2		345		019-094	PROC	345		045-186	PROC
2A		132		019-094	PROC	145		045-186	PROC
2B		345		045-094	PROC	351		045-186	PROC
2C		132		045-094	PROC	151		045-186	PROC
2D		132		019-094	PROC	345		045-186	PROC
2E		332		019-094	PROC	145		045-186	PROC
2F		132		045-094	PROC	351		045-186	PROC
2G		332		045-094	PROC	151		045-186	PROC

GROUPS 2 THRU 2G

CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES	THIRD ANGLE PROJ	
	DWG SIZE C2	ISSUE 17
LUCENT TECHNOLOGIES	ED3T076-20	SHEET NO. C2



MODEL NAME

PROJ-EGEDFORM.FRM-FEB-96

ED3T076-20


PRO/PDM FILE COMMON HARDWARE/APPLICATIONS/PPD\_PHY\_DES/3B21/ED3T076-20.DRW

CERTIFIED ISSUE 17; 05-24-99




CONNECTING TABLE			
WIRING SIDE 963T-8			
COLOR	TERM	TERM	COLOR
BK/GRD	AA	BA	BK/GRD
G-W	AB	BB	W-G
O-W	AC	BC	W-O
BL-W	AD	BD	W-BL

CONNECTING TABLE			
WIRING SIDE 963T-12			
COLOR	TERM	TERM	COLOR
	AA	BA	
BL-W	AB	BB	W-BL
O-W	AC	BC	W-O
G-W	AD	BD	W-G
	AE	BE	
	AF	BF	



STAMPING TABLE									
GROUP	CABLE DESIG	CONN 1				CONN 2			
		TERM		EQL	CAB.	TERM		EQL	CAB.
		A	B			A	B		
3		153		019-094	PROC	500		019-038	PROC
3A		149		019-094	PROC	500		045-038	PROC
3B		149		045-094	PROC	300		045-038	PROC
3C		153		045-094	PROC	300		019-038	PROC





CABLE LENGTH TABLE	
GROUP	LENGTH
3	2-2
3A	4-5
3B	2-3
3C	4-7

STAMP PER TABLE

GROUPS 3 - 3C


SEE PROPRIETARY NOTICE ON SHEET A1		
COPYRIGHT © 1998 LUCENT TECHNOLOGIES UNPUBLISHED & NOT FOR PUBLICATION ALL RIGHTS RESERVED		
CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES		DWG SIZE c2
		ISSUE 13
LUCENT TECHNOLOGIES INC	ED3T076-20	SHEET C3

ED3T076-20



CONNECTING TABLE			
WIRING SIDE 963T-12			
COLOR	TERM	TERM	COLOR
S-W	AA	BA	W-S
BR-W	AB	BB	W-BR
G-W	AC	BC	W-G
O-W	AD	BD	W-O
BL-W	AE	BE	W-BL
	AF	BF	


CONNECTING TABLE			
WIRING SIDE 963T-12			
COLOR	TERM	TERM	COLOR
BK/GRD	AA	BA	BK/GRD
W-S	AB	BB	S-W
W-BR	AC	BC	BR-W
W-G	AD	BD	G-W
W-O	AE	BE	O-W
W-BL	AF	BF	BL-W



CODED SIDE OF CONN

CODED SIDE OF CONN

STAMPING TABLE									
GROUP	CABLE DESIG	CONN 1			CONN 2				
		TERM		EQL	CAB.	TERM		EQL	CAB.
		A	B			A	B		
4		506		019-038	PROC	132		045-080	PROC
4A		506		045-038	PROC	132		019-080	PROC




STAMP PER TABLE

CABLE LENGTH TABLE	
GROUP	LENGTH
4	4-2
4A	4-2

GROUPS 4 & 4A

CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES	THIRD ANGLE PROJ	
	DWG SIZE C2	ISSUE 17
LUCENT TECHNOLOGIES	ED3T076-20	SHEET NO. C4

MODEL NAME




CUT R-BL & BL-R LEADS FLUSH WITH CABLE JACKET AT BOTH ENDS

CONNECTING TABLE			
WIRING SIDE 963T-12			
COLOR	TERM	TERM	COLOR
	AA	BA	W-BR
BR-W	AB	BB	W-S
S-W	AC	BC	W-G
G-W	AD	BD	W-O
O-W	AE	BE	W-BL
BL-W	AF	BF	


CODED SIDE OF CONN

CONNECTING TABLE			
WIRING SIDE 963T-12			
COLOR	TERM	TERM	COLOR
BK/GRD	AA	BA	W-S
S-W	AB	BB	W-BR
BR-W	AC	BC	W-G
G-W	AD	BD	W-O
O-W	AE	BE	W-BL
BL-W	AF	BF	BK/GRD

CODED SIDE OF CONN



STAMPING TABLE									
GROUP	CABLE DESIG	CONN 1			CONN 2				
		TERM		EQL	CAB.	TERM		EQL	CAB.
		A	B			A	B		
5	100			045-038	PROC	100		019-038	PROC



STAMP PER TABLE

CABLE LENGTH TABLE	
GROUP	LENGTH
5	4-8

GROUP 5

CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES	THIRD ANGLE PROJ ⊕	
	DWG SIZE C2	ISSUE 17
LUCENT TECHNOLOGIES	ED3T076-20	SHEET NO. C5


MODEL NAME

PROJ-EGEDFORM.FRM-FEB-96


ED3T076-20

PRO/PDM FILE COMMON HARDWARE/APPLICATIONS/PPD\_PHY\_DES/3B21/ED3T076-20.DRW

CERTIFIED ISSUE 17; 05-24-99




CUT R-BL & BL-R LEADS FLUSH WITH CABLE JACKET AT BOTH ENDS



843743170  
26GA DP3 BK WIRE  
QTY 1

CONNECTING TABLE			
WIRING SIDE 963T-12			
COLOR	TERM	TERM	COLOR
	AA	BA	
S-W	AB	BB	W-S
BR-W	AC	BC	W-BR
G-W	AD	BD	W-G
O-W	AE	BE	W-O
BL-W	AF	BF	W-BL


CODED SIDE OF CONN



CONNECTING TABLE			
WIRING SIDE 963T-12			
COLOR	TERM	TERM	COLOR
BK/GRD	AA	BA	BK/GRD
S-W	AB	BB	W-S
BR-W	AC	BC	W-BR
G-W	AD	BD	W-G
O-W	AE	BE	W-O
BL-W	AF	BF	W-BL

CODED SIDE OF CONN

STAMPING TABLE									
GROUP	CABLE DESIG	CONN 1				CONN 2			
		TERM		EQL	CAB.	TERM		EQL	CAB.
		A	B			A	B		
6		132		011-026	PROC	151		019-080	PROC
6A		132		062-026	PROC	151		045-080	PROC




STAMP PER TABLE

CABLE LENGTH TABLE	
GROUP	LENGTH
6	3-0
6A	2-10

GROUPS 6 & 6A

CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES	THIRD ANGLE PROJN	
	DWG SIZE C2	ISSUE 17
LUCENT TECHNOLOGIES	ED3T076-20	SHEET NO. C6

MODEL NAME



GROUP	LENGTH
7B	50-0
7C	50-0
7D	100-0
7E	100-0
7F	250-0
7G	250-0



GROUP	CONN TYPE
7B, 7D 7F	997082151 KS19087, L2 FEMALE TYPE
7C, 7E 7G	997082144 KS19088, L2 MALE TYPE

CONN POS 1						
982AC CONN						
TERM						
ROW	A	B	C	D	E	F
A	W-G, G-W	W-O				
B		W-BL	BL-W	O-W		

CUT W-BR, BR-W LEADS FLUSH WITH CABLE JACKET.

● DENOTES KS22247, L4 26GA BK WIRE STRAP 403697519.

CONN POS 2			
GROUP 7B, 7D & 7F KS19087, L2 CONN			
GROUP 7C, 7E & 7G KS19088, L2 CONN			
TERM	COLOR	TERM	COLOR
1		14	
2	W-O	15	
3	O-W	16	
4		17	
5		18	
6	W-BL	19	
7	W-G, G-W	20	BL-W
8		21	
9		22	
10		23	
11		24	
12		25	
13			

CUT W-BR, BR-W LEADS FLUSH WITH CABLE JACKET.

● DENOTES KS22247, L4 26GA BK WIRE STRAP 403697519.

STAMPING TABLE									
GROUP	CABLE DESIG	CONN 1			CONN 2				
		TERM		EQL	CAB.	TERM		EQL	CAB.
		A	B			A	B		
7B		332		045-186	PROC			MTTY	
7C		132		045-186	PROC			ROP	
7D		332		045-186	PROC			MTTY	
7E		132		045-186	PROC			ROP	
7F		332		045-186	PROC			MTTY	
7G		132		045-186	PROC			ROP	

GROUPS 7B - 7G


CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES		THIRD ANGLE PROJN	
		DWG SIZE C2	ISSUE 17
LUCENT TECHNOLOGIES		ED3T076-20	SHEET NO. C7
		MODEL NAME	

PROJ-EGEDFORM.FRM-FEB-96

ED3T076-20

PRO/PDM FILE COMMON HARDWARE/APPLICATIONS/PPD\_PHY\_DES/3B21/ED3T076-20.DRW


CERTIFIED ISSUE 17; 05-24-99



CUT W-O, O-W, W-BR & BR-W LEADS FLUSH WITH CABLE JACKET AT BOTH ENDS

CONNECTING TABLE			
WIRING SIDE 963T-6			
COLOR	TERM	TERM	COLOR
G-W	AA	BA	W-G
	AB	BB	
BL-W	AC	BC	W-BL

CODED SIDE OF CONN




GROUP 14			
CONNECTING TABLE			
WIRING SIDE 963T-6			
COLOR	TERM	TERM	COLOR
BL-W	AA	BA	
W-BL	AB	BB	
G-W	AC	BC	W-G

CODED SIDE OF CONN

GROUP 14A			
CONNECTING TABLE			
WIRING SIDE 963T-6			
COLOR	TERM	TERM	COLOR
	AA	BA	BL-W
	AB	BB	W-BL
W-G	AC	BC	G-W

CODED SIDE OF CONN



STAMP PER TABLE

CABLE LENGTH TABLE	
GROUP	LENGTH
14	4-4
14A	2-9

STAMPING TABLE									
GROUP	CABLE DESIG	CONN 1			CONN 2				
		TERM		EQL	CAB.	TERM		EQL	CAB.
		A	B			A	B		
14		333		019-110	PROC	200		036-011	PROC
14A		333		045-110	PROC	300		036-011	PROC


GROUPS 14 & 14A

CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES	THIRD ANGLE PROJ ⊕	
	DWG SIZE C2	ISSUE 17
LUCENT TECHNOLOGIES	ED3T076-20	SHEET NO. C8

MODEL NAME


PROJ-EGEDFORM.FRM-FEB-96

ED3T076-20




CONNECTING TABLE			
WIRING SIDE 963T-12			
COLOR	TERM	TERM	COLOR
S-W	AA	BA	W-S
BR-W	AB	BB	W-BR
G-W	AC	BC	W-G
O-W	AD	BD	W-O
BL-W	AE	BE	W-BL
	AF	BF	

CODED SIDE OF CONN



CONNECTING TABLE			
WIRING SIDE 963T-12			
COLOR	TERM	TERM	COLOR
S-W	AA	BA	W-S
BR-W	AB	BB	W-BR
G-W	AC	BC	W-G
O-W	AD	BD	W-O
BL-W	AE	BE	W-BL
	AF	BF	

CODED SIDE OF CONN



STAMP PER TABLE


CABLE LENGTH TABLE	
GROUP	LENGTH
15A	4-4
15D	4-8

STAMPING TABLE									
GROUP	CABLE DESIG	CONN 1			CONN 2				
		TERM		EQL	CAB.	TERM		CAB.	
		A	B			A	B		
15A		550		019-110	PROC	306		045-080	PROC
15D		550		045-110	PROC	306		019-080	PROC

GROUPS 15A & 15D



CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES	THIRD ANGLE PROJN	
	DWG SIZE C2	ISSUE 17
LUCENT TECHNOLOGIES	ED3T076-20	SHEET NO. C9

MODEL NAME



CONNECTING TABLE			
WIRING SIDE 963T-8			
COLOR	TERM	TERM	COLOR
BR-W	AA	BA	W-BR
G-W	AB	BB	W-G
O-W	AC	BC	W-O
BL-W	AD	BD	W-BL


CODED SIDE OF CONN



CONNECTING TABLE			
WIRING SIDE 963T-8			
COLOR	TERM	TERM	COLOR
BR-W	AA	BA	W-BR
G-W	AB	BB	W-G
O-W	AC	BC	W-O
BL-W	AD	BD	W-BL

CODED SIDE OF CONN

STAMPING TABLE									
GROUP	CABLE DESIG	CONN 1			CONN 2				
		TERM		EQL	CAB.	TERM		EQL	CAB.
		A	B			A	B		
17		537		019-110	PROC	539		028-146	PROC
17A		537		045-110	PROC	539		053-146	PROC
17B		337		028-130	PROC	539		011-180	PROC
17C		133		028-130	PROC	539		062-180	PROC
17D		346		028-130	PROC	539		011-164	PROC
17E		137		028-130	PROC	539		062-164	PROC
17F		350		028-130	PROC	539		011-148	PROC
17G		146		028-130	PROC	539		062-148	PROC
17H		533		028-130	PROC	539		011-132	PROC
17J		150		028-130	PROC	539		062-132	PROC
17K		537		028-130	PROC	539		011-116	PROC
17L		333		028-130	PROC	539		062-116	PROC
17M		733		028-130	PROC	539		011-180	PROC
17N		733		053-130	PROC	539		062-180	PROC
17P		737		028-130	PROC	539		011-164	PROC
17R		737		053-130	PROC	539		062-164	PROC
17S		546		019-110	PROC	539		011-132	PROC
17T		546		045-110	PROC	539		062-132	PROC
17U		537		019-110	PROC	539		011-164	PROC
17V		537		045-110	PROC	539		062-164	PROC
17W		133		045-110	PROC	539		053-146	PROC




STAMP PER TABLE

CABLE LENGTH TABLE	
GROUP	LENGTH
17	2-7
17A	2-7
17B	3-5
17C	4-10
17D	3-5
17E	4-11
17F	3-2
17G	4-9
17H	2-11
17J	4-6
17K	3-0
17L	4-6
17M	3-10
17N	3-1
17P	3-10
17R	2-11
17S	2-10
17T	3-6
17U	2-9
17V	4-3
17W	2-7

GROUPS 17 THRU 17W


CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES	THIRD ANGLE PROJN	
	DWG SIZE C2	ISSUE 20
LUCENT TECHNOLOGIES	ED3T076-20	SHEET NO. C10

MODEL NAME




CONNECTING TABLE			
WIRING SIDE 963T-8			
COLOR	TERM	TERM	COLOR
BR-W	AA	BA	W-BR
G-W	AB	BB	W-G
O-W	AC	BC	W-O
BL-W	AD	BD	W-BL

CODED SIDE OF CONN



CONNECTING TABLE			
WIRING SIDE 963T-8			
COLOR	TERM	TERM	COLOR
BR-W	AA	BA	W-BR
G-W	AB	BB	W-G
O-W	AC	BC	W-O
BL-W	AD	BD	W-BL

CODED SIDE OF CONN



STAMP PER TABLE


CABLE LENGTH TABLE	
GROUP	LENGTH
18	3-4
18A	4-1
18B	4-0

STAMPING TABLE									
GROUP	CABLE DESIG	CONN 1			CONN 2				
		TERM		EQL	CAB.	TERM		EQL	CAB.
		A	B			A	B		
18		546		019-110	PROC	306		011-026	PROC
18A		546		045-110	PROC	306		062-026	PROC
18B		546		028-130	PROC	539		011-180	PROC


GROUPS 18 - 18B

CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES	THIRD ANGLE PROJ 	
	DWG SIZE C2	ISSUE 17
LUCENT TECHNOLOGIES	ED3T076-20	SHEET NO. C11

MODEL NAME



CABLE LENGTH TABLE	
GROUP	LENGTH
7H	50-0
7J	50-0
7K	100-0
7L	100-0
7M	250-0
7N	250-0



GROUP	CONN TYPE
7H, 7K 7M	997082151 KSI9087, L2 FEMALE TYPE
7J, 7L 7N	997082144 KSI9088, L2 MALE TYPE


CONN POS 1						
982AC CONN						
TERM						
ROW	A	B	C	D	E	F
A	W-G, G-W	W-O				
B		W-BL	BL-W	O-W		

CUT W-BR, BR-W LEADS FLUSH WITH CABLE JACKET.

• DENOTES KS22247, L4 26GA BK WIRE STRAP 403697519.

CONN POS 2			
GROUP 7H, 7K & 7M KSI9087, L2 CONN			
GROUP 7J, 7L & 7N KSI9088, L2 CONN			
TERM	COLOR	TERM	COLOR
1		14	
2	W-O	15	
3	O-W	16	
4		17	
5		18	
6	W-BL	19	
7	W-G, G-W	20	BL-W
8		21	
9		22	
10		23	
11		24	
12		25	
13			

• DENOTES KS22247, L4 26GA BK WIRE STRAP 403697519.




STAMPING TABLE									
GROUP	CABLE DESIG	CONN 1			CONN 2				
		TERM		EQL	CAB.	TERM		EQL	CAB.
		A	B			A	B		
7H		332		045-186	PROC				MTTY
7J		132		045-186	PROC				ROP
7K		332		045-186	PROC				MTTY
7L		132		045-186	PROC				ROP
7M		332		045-186	PROC				MTTY
7N		132		045-186	PROC				ROP


GROUPS 7H - 7N

CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES	THIRD ANGLE PROJ	
	DWG SIZE C2	ISSUE 17
LUCENT TECHNOLOGIES	ED3T076-20	SHEET NO. C12

CABLE LENGTH TABLE		
GROUP	CABLE	LENGTH
30	CA1	5-0
30	CA2	2-7




CONNECTING TABLE			
WIRING SIDE 963T-24			
COLOR	TERM	TERM	COLOR
	AA	BA	
BR-W	AB	BB	W-BR
G-W	AC	BC	W-G
O-W	AD	BD	W-O
BL-W	AE	BE	W-BL
BR-W	AF	BF	W-BR
G-W	AH	BH	W-G
O-W	AJ	BJ	W-O
BL-W	AK	BK	W-BL
	AL	BL	
	AM	BM	
	AN	BN	



CONNECTING TABLE			
WIRING SIDE 963T-16			
COLOR	TERM	TERM	COLOR
BR-W	AA	BA	W-BR
G-W	AB	BB	W-G
	AC	BC	
	AD	BD	
O-W	AE	BE	W-O
BL-W	AF	BF	W-BL
	AH	BH	
	AJ	BJ	

CONNECTING TABLE			
WIRING SIDE 963T-16			
COLOR	TERM	TERM	COLOR
BR-W	AA	BA	W-BR
G-W	AB	BB	W-G
	AC	BC	
	AD	BD	
O-W	AE	BE	W-O
BL-W	AF	BF	W-BL
	AH	BH	
	AJ	BJ	

STAMPING TABLE													
GROUP	CABLE DESIG	CONN 1			CONN 2			CONN 3					
		TERM		EQL	CAB.	TERM		EQL	CAB.	TERM		EQL	CAB.
		A	B			A	B			A	B		
30		300		045-186	PROC	346		019-110	PROC	346		045-110	PROC



GROUP 30

CONNECTORIZED SWITCHBOARD CABLE ASSEMBLY		THIRD ANGLE PROJ ⊕	
DWG SIZE C2	ISSUE 19	SHEET NO. C13	
LUCENT TECHNOLOGIES		ED3T076-20	
MODEL NAME			

PROJ-EGEDFORM.FRM-FEB-96


ED3T076-20

PRO/PDM FILE COMMON HARDWARE APPLICATIONS/PPD.PHY\_DES/3B21/ED3T076-20.DRW

STAMP PER TABLE

CERTIFIED ISSUE 19: 11-19-99


CABLE LENGTH TABLE	
GROUP	LENGTH
8	50-2-1/4
8A	75-2-1/4
8B	100-2-1/4
8C	100-2-1/4
8D	100-2-1/4




SHEET NOTES:

- BEFORE TERMINATING CONNECTOR 2, SLIDE TIGHTEST FITTING COMPRESSION INSERT OVER CABLE JACKET EVEN WITH END OF JACKET THEN FOLD SHIELD BACK OVER INSERT AND TRIM EXCESS. REMOVE FOIL BACK TO JACKET THEN INSTALL CONNECTOR AND BACKSHELLS CAPTURING SHIELD.
- EQL AND TERM NUMBER TO BE STAMPED PER THE JOB CABLE SPECS.

CONN POS 1						
982AC CONN						
TERM						
ROW	A	B	C	D	E	F
A		BR-W	S-W	G-W	O-W	BL-W
B	W-BR	W-S	W-G	W-O	W-BL	



STAMPING TABLE							
GROUP	CABLE DESIG	CONN 1			CONN 2		
		TERM	EQL	CAB.	TERM	EQL	CAB.
		A	B		A	B	
8		SEE SHEET NOTE 2		PROC			
8A		SEE SHEET NOTE 2		PROC			
8B		SEE SHEET NOTE 2		PROC			
8C		332		53-075	PROC		
8D		332		28-075	PROC		





CONNECTING TABLE					
WIRING SIDE CONN 2					
TERM	COLOR	TERM	COLOR	TERM	COLOR
1		6	G-W	11	W-S
2	BL-W	7	W-G	12	
3	W-BL	8	BR-W	13	
4	O-W	9	W-BR	14	
5	W-O	10	S-W	15	

STAMP PER TABLE

GROUPS 8-8D

SEE PROPRIETARY NOTICE ON SHEET A1		
CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES		DWG SIZE c2
		ISSUE 12
LUCENT TECHNOLOGIES INC	ED3T076-20	SHEET C14




SHINER THIS SIDE ONLY THEN SOLDER TO SHIELD.

843743170  
26GA DP3 BK WIRE  
USED FOR SHIELD GROUND  
AND STRAP ON CONN 1

● DENOTES 843743170  
26GA DP3 BK WIRE

CONNECTING TABLE			
WIRING SIDE 963T-16			
COLOR	TERM	TERM	COLOR
	AA	BA	●
	AB	BB	
BR-W	AC	BC	W-BR
●	AD	BD	
G-W	AE	BE	W-G
O-W	AF	BF	W-O
BL-W	AH	BH	W-BL
	AJ	BJ	




CONNECTING TABLE			
WIRING SIDE 963T-12			
COLOR	TERM	TERM	COLOR
	AA	BA	
BL-W	AB	BB	W-BL
O-W	AC	BC	W-O
G-W	AD	BD	W-G
BR-W	AE	BE	W-BR
	AF	BF	BK-GRD

CODED SIDE OF CONN

CODED SIDE OF CONN

STAMPING TABLE									
GROUP	CABLE DESIG	CONN 1				CONN 2			
		TERM		EQL	CAB.	TERM		EQL	CAB.
		A	B			A	B		
33		317		019-094	PROC	500		019-038	PROC
33A		117		045-094	PROC	300		045-038	PROC



CABLE LENGTH TABLE	
GROUP	LENGTH
33	2-2
33A	2-3

STAMP PER TABLE

GROUPS 33, 33A

PROJ-EGEDFORM.FRM-FEB-96


ED3T076-20

PRO/PDM FILE COMMOMN HARDWARE APPLICATIONS/PPD\_PHY\_DES/3B21/ED3T076-20.DRW


CERTIFIED ISSUE 17; 05-24-99

CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES	THIRD ANGLE PROJN	
	DWG SIZE C2	ISSUE 17
LUCENT TECHNOLOGIES	ED3T076-20	SHEET NO. C15

MODEL NAME



CUT W-BR & BR-W LEADS FLUSH WITH CABLE JACKET AT BOTH ENDS




843743170  
26GA DP3 BK WIRE  
USE FOR SHIELD GROUND

SHINER THIS SIDE ONLY THEN SOLDER TO SHIELD.

CONNECTING TABLE			
WIRING SIDE 963T-8			
COLOR	TERM	TERM	COLOR
	AA	BA	
G-W	AB	BB	W-G
O-W	AC	BC	W-O
BL-W	AD	BD	W-BL


CODED SIDE OF CONN



CONNECTING TABLE			
WIRING SIDE 963T-12			
COLOR	TERM	TERM	COLOR
	AA	BA	
BL-W	AB	BB	W-BL
O-W	AC	BC	W-O
G-W	AD	BD	W-G
	AE	BE	
	AF	BF	BK-GRD

CODED SIDE OF CONN


STAMPING TABLE									
GROUP	CABLE DESIG	CONN 1				CONN 2			
		TERM		EQL	CAB.	TERM		EQL	CAB.
		A	B			A	B		
34		120		019-094	PROC	500		045-038	PROC
34A		320		045-094	PROC	300		019-038	PROC



STAMP PER TABLE


CABLE LENGTH TABLE	
GROUP	LENGTH
34	4-5
34A	4-7

GROUPS 34, 34A




GROUP	LENGTH
50	"X" DIM.

CONN POS 1			
WIRING SIDE 963T-24			
COLOR	TERM	TERM	COLOR
BL-W	AA	BA	
	AB	BB	O-W
	AC	BC	
	AD	BD	
	AE	BE	W-BR
	AF	BF	W-O
	AH	BH	W-S
BR-W	AJ	BJ	S-W
G-W	AK	BK	W-BL
	AL	BL	
BL-R	AM	BM	R-BL
	AN	BN	





105772826  
CONNECTOR  
963T-24



STAMP PER TABLE

407326099  
KS19196, L25  
HOOD  
996512786  
GROMMET 374  
(SEE NOTE 5)



STAMP PER TABLE  
ALL ON SAME SIDE

CONN POS 2			
KS19088, L2 CONN			
TERM	COLOR	TERM	COLOR
1		14	
2	W-BL	15	BL-R
3	W-O	16	
4	BR-W	17	G-W
5	W-BR	18	
6	W-S	19	
7	BL-W/O-W	20	R-BL
8	S-W	21	
9		22	
10		23	
11		24	
12		25	
13			

STAMPING TABLE							
GROUP	CABLE DESIG	CONN 1			CONN 2		
		TERM A	TERM B	EQL	CAB	TERM A	TERM B
50	( )	( )	( )	( )	( )	( )	( )


( ) INDICATES DESIGNATIONS PROVIDED PER JOB CABLE SPECS.

GROUP 50

CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES	THIRD ANGLE PROJ ⊕	
	DWG SIZE C2	ISSUE 18
LUCENT TECHNOLOGIES	ED3T076-20	SHEET NO. C17



ED3T076-20

PROJ-EGEDFORM.FRM-FEB-96





CABLE LENGTH TABLE	
GROUP	LENGTH
51	"X" DIM.

CONN POS 1			
WIRING SIDE 963T-24			
COLOR	TERM	TERM	COLOR
	AA	BA	S-W
	AB	BB	
	AC	BC	
	AD	BD	
	AE	BE	W-S
	AF	BF	BR-W
	AH	BH	W-BR
G-W	AJ	BJ	O-W
W-G	AK	BK	W-O
	AL	BL	
W-BL	AM	BM	BL-W
	AN	BN	



CONN POS 2			
TBS-25PT PLUG			
TERM	COLOR	TERM	COLOR
1		14	
2	W-O	15	W-BL
3	BR-W	16	
4	G-W	17	W-G
5	W-S	18	
6	W-BR	19	
7	S-W	20	BL-W
8	O-W	21	
9		22	
10		23	
11		24	
12		25	
13			



CODED SIDE OF CONN

● DENOTES 843743170 26GA DP3 BK WIRE STRAP

STAMPING TABLE									
GROUP	CABLE DESIG	CONN 1		CONN 2					
		TERM A	TERM B	EQL	CAB.	TERM A	TERM B	EQL	CAB.
51	( )	( )	( )	( )	( )				( )

( ) INDICATES DESIGNATIONS PROVIDED PER JOB CABLE SPECS.

GROUP 51


CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES	THIRD ANGLE PROJ	
	DWG SIZE C2	ISSUE 18
LUCENT TECHNOLOGIES	ED3T076-20	SHEET NO. C18
MODEL NAME		

PROJ-EGEDFORM.FRM-FEB-96

ED3T076-20




PRO/PDM FILE COMMON HARDWARE APPLICATIONS/PPD\_PHY\_DES/3B21/ED3T076-20.DRW

CERTIFIED ISSUE 18; 6-15-99



GROUP	LENGTH
52	"X" DIM.

CONN POS 1			
WIRING SIDE 963T-24			
COLOR	TERM	TERM	COLOR
○-W	AA	BA	
	AB	BB	W-BL
	AC	BC	
	AD	BD	
	AE	BE	●
	AF	BF	W-O
	AH	BH	G-W
●	AJ	BJ	W-G
	AK	BK	BL-W
	AL	BL	
	AM	BM	W-BR
	AN	BN	



CONN POS 2			
KSI9088, L2 CONN			
TERM	COLOR	TERM	COLOR
1		14	
2	BL-W	15	
3	W-O	16	
4	●	17	
5	●	18	
6	G-W	19	
7	W-BL/O-W	20	W-BR
8	W-G	21	
9		22	
10		23	
11		24	
12		25	
13			

● DENOTES 843743170 26GA DP3 BK WIRE STRAP

● DENOTES 843743170 26GA DP3 BK WIRE STRAP

GROUP	CABLE DESIG	CONN 1				CONN 2			
		TERM		EQL	CAB	TERM		EQL	CAB
		A	B			A	B		
52	( )	( )		( )	( )			( )	

( ) INDICATES DESIGNATIONS PROVIDED PER JOB CABLE SPECS.

STAMP PER TABLE ALL ON SAME SIDE

STAMP PER TABLE

GROUP 52

CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES	THIRD ANGLE PROJ ⊕	
	DWG SIZE C2	ISSUE 19
LUCENT TECHNOLOGIES	ED3T076-20	SHEET NO. C19


MODEL NAME

PROJ-EGEDFORM.FRM-FEB-96

ED3T076-20



PRO/PDM FILE COMMON HARDWARE APPLICATIONS/PPD\_PHY\_DES/3B21/ED3T076-20.DRW

CERTIFIED ISSUE 19; 11-19-99



MODIFY W & BK LEADS AS SHOWN. TWIST AND SOLDER TO DRAIN WIRE, THEN ENCLOSE IN 406672402 3/32" X 4" LG. HEAT SHRINK TUBING BEFORE CONNECTING DRAIN WIRE. PULL THE HEAT SHRINK TUBING AS CLOSE AS POSSIBLE TO TERMINAL BB BEFORE APPLYING HEAT.

SK. A



THE BK LEAD AND DRAIN WIRE SHALL BE CUT FLUSH WITH CABLE JACKET BEFORE SLEEVING.

GROUP	LENGTH
52A	"X" DIM.

407326099 KSI9196, L25 HOOD

997082144 KSI9088, L2 CONNECTOR, PLUG

CONN 2

CONN POS 2			
KSI9088, L2 CONN			
TERM	COLOR	TERM	COLOR
1		14	
2	O	15	
3	BR	16	
4	●	17	
5	●	18	
6	Y	19	
7	R, W	20	BL
8	G	21	
9		22	
10		23	
11		24	
12		25	
13			

● DENOTES 843743170 26GA DP3 BK WIRE STRAP


CONN POS 1												
982AE												
ROW	TERMINALS											
	A	B	C	D	E	F	H	J	K	L	M	N
A	R							●				
B		DRAIN WIRE			●	BR	Y	G	O		BL	

● DENOTES 843743170 26GA DP3 BK WIRE STRAP


GROUP 52A  
CONTINUED ON NEXT SHEET

CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES	THIRD ANGLE PROJ	
	DWG SIZE C2	ISSUE 22
LUCENT TECHNOLOGIES	ED3T076-20	SHEET NO. C20

MODEL NAME



CONN 1  
STAMP PER TABLE




CONN 2  
STAMP PER TABLE  
ALL ON SAME SIDE

STAMPING TABLE									
GROUP	CABLE DESIG	CONN 1				CONN 2			
		TERM		EQL	CAB	TERM		EQL	CAB
		A	B			A	B		
52A	( )	( )	( )	( )	( )			( )	

( ) INDICATES DESIGNATIONS PROVIDED PER JOB CABLE SPECS.

GROUP 52A

SEE PROPRIETARY NOTICE ON SHEET A1		
CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES		DWG SIZE C2
		ISSUE 8
LUCENT TECHNOLOGIES INC	ED3T076-20	SHEET C21




CABLE LENGTH TABLE	
GROUP	LENGTH
53	"X" DIM.

CUT BR-W LEAD FLUSH WITH CABLE JACKET AT BOTH ENDS


CONN POS 1			
WIRING SIDE 963T-24			
COLOR	TERM	TERM	COLOR
O-W	AA	BA	
	AB	BB	W-BL
	AC	BC	
	AD	BD	
	AE	BE	•
	AF	BF	W-O
	AH	BH	G-W
•	AJ	BJ	W-G
	AK	BK	BL-W
	AL	BL	
	AM	BM	W-BR
	AN	BN	

CODED SIDE



407326099 KS19196,L25 HOOD  
996512786 GROMMET #374 (SEE NOTE 5)


997082144 KS19088,L2 CONNECTOR, PLUG




CONN POS 2			
KS19088,L2 CONN			
TERM	COLOR	TERM	COLOR
1		14	
2	BL-W	15	
3	W-O	16	
4	•	17	
5		18	
6	G-W	19	
7	W-BL/O-W	20	• W-BR
8	W-G	21	
9		22	
10		23	
11		24	
12		25	
13			

CODED SIDE OF CONN

• DENOTES 843743170 26GA DP3 BK WIRE STRAP



STAMP PER TABLE



STAMP PER TABLE ALL ON SAME SIDE

• DENOTES 843743170 26GA DP3 BK WIRE STRAP


STAMPING TABLE									
GROUP	CABLE DESIG	CONN 1				CONN 2			
		TERM		EQL	CAB	TERM		EQL	CAB
		A	B			A	B		
53	( ) ( )	( )	( )	( )	( )			( )	

( ) INDICATES DESIGNATIONS PROVIDED PER JOB CABLE SPECS.

ED3T076-20


GROUP 53

SEE PROPRIETARY NOTICE ON SHEET A1		
CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES		DWG SIZE C2
LUCENT TECHNOLOGIES INC		ISSUE 8
ED3T076-20		SHEET C22




MODIFY W & BK LEADS AS SHOWN. TWIST AND SOLDER TO DRAIN WIRE, THEN ENCLOSE IN 406672402 3/32" X 4" LG. HEAT SHRINK TUBING BEFORE CONNECTING DRAIN WIRE. PULL THE HEAT SHRINK TUBING AS CLOSE AS POSSIBLE TO TERMINAL BB BEFORE APPLYING HEAT.

SK. A



THE BK LEAD AND DRAIN WIRE SHALL BE CUT FLUSH WITH CABLE JACKET BEFORE SLEEVING.


GROUP	LENGTH
53A	"X" DIM.



407326099 KSI9196, L25 HOOD

997082144 KSI9088, L2 CONNECTOR, PLUG

CONN 2



KSI9088, L2 CONN			
TERM	COLOR	TERM	COLOR
1		14	
2	O	15	
3	BR	16	
4		17	
5		18	
6	Y	19	
7	R, W	20	BL
8	G	21	
9		22	
10		23	
11		24	
12		25	
13			

●● DENOTES 843743170 26GA DP3 BK WIRE STRAP


CONN POS 1												
982AE												
ROW	TERMINALS											
	A	B	C	D	E	F	H	J	K	L	M	N
A	R							●				
B		DRAIN WIRE			●	BR	Y	G	O		BL	

●● DENOTES 843743170 26GA DP3 BK WIRE STRAP


GROUP 53A  
CONTINUED ON NEXT SHEET

CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES	THIRD ANGLE PROJ	
	DWG SIZE C2	ISSUE 22
LUCENT TECHNOLOGIES	ED3T076-20	SHEET NO. C23

MODEL NAME



CONN 1  
STAMP PER TABLE



CONN 2  
STAMP PER TABLE  
ALL ON SAME SIDE


STAMPING TABLE									
GROUP	CABLE DESIG	CONN 1				CONN 2			
		TERM		EQL	CAB	TERM		EQL	CAB
		A	B			A	B		
53A	( )	( )	( )	( )	( )			( )	

( ) INDICATES DESIGNATIONS PROVIDED PER JOB CABLE SPECS.

GROUP 53A

SEE PROPRIETARY NOTICE ON SHEET A1		
CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES		DWG SIZE
		C2
LUCENT TECHNOLOGIES INC		ISSUE
		8
ED3T076-20		SHEET C24

ED3T076-20




CABLE LENGTH TABLE	
GROUP	LENGTH
54	"X" DIM.

CUT BL-W, BR-W LEADS FLUSH WITH CABLE JACKET AT BOTH ENDS


CONN POS 1			
WIRING SIDE 963T-24			
COLOR	TERM	TERM	COLOR
O-W	AA	BA	
	AB	BB	G-W
	AC	BC	
	AD	BD	
	AE	BE	●
	AF	BF	W-G
	AH	BH	W-BL
●	AJ	BJ	
	AK	BK	W-O
	AL	BL	
	AM	BM	W-BR
	AN	BN	

CODED SIDE



105772826 CONNECTOR 963T-24

TERM BA THIS SIDE



997082144 KS19088, L2 CONNECTOR, PLUG

996512786 GROMMET #374 (SEE NOTE 5)


407326099 KS19196, L25 HOOD

STAYBAND


CONN 2

CONN POS 2			
KS19088, L2 CONN			
TERM	COLOR	TERM	COLOR
1		14	
2	W-O	15	
3	W-G	16	
4	●	17	
5	●	18	
6		19	●
7	O-W, G-W	20	W-BR
8	W-BL	21	●
9		22	
10		23	
11		24	
12		25	
13			

● DENOTES 843743170 26GA DP3 BK WIRE STRAP



STAMP PER TABLE



STAMP PER TABLE ALL ON SAME SIDE

CODED SIDE OF CONN

● DENOTES 843743170 26GA DP3 BK WIRE STRAP


STAMPING TABLE									
GROUP	CABLE DESIG	CONN 1				CONN 2			
		TERM		EQL	CAB	TERM		EQL	CAB
		A	B			A	B		
54	( ) ( )	( )	( )	( )	( )			( )	

( ) INDICATES DESIGNATIONS PROVIDED PER JOB CABLE SPECS.

ED3T076-20


GROUP 54

SEE PROPRIETARY NOTICE ON SHEET A1		
CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES		DWG SIZE C2
LUCENT TECHNOLOGIES INC		ISSUE 8
ED3T076-20		SHEET C25




CABLE LENGTH TABLE	
GROUP	LENGTH
55	"X" DIM.

CONN POS 1			
WIRING SIDE 963T-24			
COLOR	TERM	TERM	COLOR
O-W	AA	BA	
	AB	BB	W-BL
	AC	BC	
	AD	BD	
	AE	BE	•
	AF	BF	W-O
	AH	BH	G-W
•	AJ	BJ	W-G
	AK	BK	BL-W
	AL	BL	
	AM	BM	W-BR
	AN	BN	



CODED SIDE OF CONN

• DENOTES 843743170 26GA DP3 BK WIRE STRAP




STAMP PER TABLE

STAMPING TABLE									
GROUP	CABLE DESIG	CONN 1				CONN 2			
		TERM		EQL	CAB	TERM		EQL	CAB
		A	B			A	B		
55	( ) ( )	( )	( )	( )	( )			( )	


( ) INDICATES DESIGNATIONS PROVIDED PER JOB CABLE SPECS.

ED3T076-20



STAYBAND

CONN 2




STAMP PER TABLE ALL ON SAME SIDE

CONN POS 2			
KS19088,L2 CONN			
TERM	COLOR	TERM	COLOR
1		14	
2	BL-W	15	
3	W-O	16	
4		17	
5		18	
6	G-W	19	
7	W-BL/O-W	20	W-BR
8	W-G	21	
9		22	
10		23	
11		24	
12		25	
13			

GROUP 55



SEE PROPRIETARY NOTICE ON SHEET A1		
CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES		DWG SIZE C2
LUCENT TECHNOLOGIES INC		ISSUE 8
ED3T076-20		SHEET C26

UNUSED LEADS BL-W,  
O-W,G-W & BR-W  
SHALL BE LOOPED BACK AND  
SOLDERED TO CABLE BRAID  
ALONG WITH 2 INCH LONG  
GRD WIRE



UNUSED BL-W, BR-W  
LEADS SHALL BE  
CUT FLUSH WITH  
CABLE JACKET BEFORE  
SLEEVING

CABLE LENGTH TABLE	
GROUP	LENGTH
56	"X" DIM.
57	"X" DIM.



CONN POS 2			
KS19087,L2 CONN			
TERM	COLOR	TERM	COLOR
14		1	
15		2	W-O
16		3	W-G
17		4	•
18		5	•
19		6	• W-BL
20	W-BR	7	• O-W,G-W
21		8	•
22		9	
23		10	
24		11	
25		12	
		13	


•• DENOTES 843743170 26GA DP3 BK WIRE STRAP

CONN POS 1												
982AE												
ROW	TERMINALS											
	A	B	C	D	E	F	H	J	K	L	M	N
A	BK				•			•				
B					•	W-O	W-BR	X-X	W-G		W-BL	

•• DENOTES 843743170 26GA DP3 BK WIRE STRAP  
X-X DENOTES 814667119 26GA BARE STRAP

STAMPING TABLE							
GROUP	CABLE DESIG	CONN 1				CONN 2	
		TERM A	TERM B	EQL	CAB	TERM A	TERM B
56	( ) ( )			( )	( )		( )
57	( ) ( )			( )	( )		( )


( ) INDICATES DESIGNATIONS PROVIDED PER JOB CABLE SPECS.




GROUP 56,57

SEE PROPRIETARY NOTICE ON SHEET A1	
CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES	
DWG SIZE C2	ISSUE 8
LUCENT TECHNOLOGIES INC	ED3T076-20 SHEET C27

ED3T076-20





ENCLOSE END OF CABLE IN 900664939 1/2"X1-1/2" LG. HEAT SHRINK TUBING, CAPTURING T-HANDLE STRAIN RELIEF.



UNUSED G, BK AND DRAIN WIRE SHALL BE CUT FLUSH WITH CABLE JACKET BEFORE SLEEVING.

CABLE LENGTH TABLE	
GROUP	LENGTH
56A	"X" DIM.
57A	"X" DIM.

MODIFY W,R,G & BK LEADS AS SHOWN. TWIST AND SOLDER TO DRAIN WIRE, THEN ENCLOSE IN 401272612 3/16" X 1-1/4" LG. HEAT SHRINK TUBING BEFORE CONNECTING DRAIN WIRE. PULL THE HEAT SHRINKING TUBING AS CLOSE AS POSSIBLE TO TERMINAL BB BEFORE APPLYING HEAT.



CONN POS 2			
KS19087, L2 CONN			
TERM	COLOR	TERM	COLOR
14		1	
15		2	O
16		3	BR
17		4	●
18		5	●
19		6	● Y
20	BL	7	● R, W
21		8	●
22		9	
23		10	
24		11	
25		12	
		13	

CONN POS 1												
982AE												
ROW	TERMINALS											
	A	B	C	D	E	F	H	J	K	L	M	N
A					●			●				
B		DRAIN WIRE			●	O	BL X-X		BR		Y	


STAMP PER TABLE ALL ON SAME SIDE

● DENOTES 843743170 26GA DP3 BK WIRE STRAP  
 X-X DENOTES 814667119 26GA BARE STRAP

● DENOTES 843743170 26GA DP3 BK WIRE STRAP

STAMPING TABLE							
GROUP	CABLE DESIG	CONN 1				CONN 2	
		TERM A	TERM B	EQL	CAB	TERM A	EQL
56A	( ) ( )	( )	( )	( )	( )	( )	( )
57A	( ) ( )	( )	( )	( )	( )	( )	( )

( ) INDICATES DESIGNATIONS PROVIDED PER JOB CABLE SPECS.



CABLE DESIG GROUP 56A, 57A


SEE PROPRIETARY NOTICE ON SHEET A1

CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES

DWG SIZE C2 ISSUE 8

LUCENT TECHNOLOGIES INC ED3T076-20 SHEET C28


UNUSED LEADS BL-W,  
O-W,G-W & BR-W  
SHALL BE LOOPED BACK AND  
SOLDERED TO CABLE BRAID  
ALONG WITH 2 INCH LONG  
GRD WIRE



UNUSED BL-W,BR-W  
LEADS SHALL BE  
CUT FLUSH WITH  
CABLE JACKET BEFORE  
SLEEVING

CABLE LENGTH TABLE	
GROUP	LENGTH
58	"X" DIM.

TERM BN  
TERM AN



842923773  
STRAIN RELIEF

900404732  
3/8" X 2" LG. BK  
HEAT SHRINKABLE  
TUBING

996344800  
KS-19195,L1 22GA  
BK GRD WIRE SOLDERED  
TO EXPOSED CABLE BRAID  
ROUTED OVER STRAIN RELIEF

407326099  
KS19196,L25  
HOOD

996512786  
GROMMET #374  
(SEE NOTE 5)

997082144  
KS19088,L2  
CONNECTOR, PLUG


CONN POS 2			
KS19088,L2 CONN			
TERM	COLOR	TERM	COLOR
1		14	
2	W-O	15	
3	W-G	16	
4	•	17	
5	•	18	
6	W-BL	19	
7	O-W,G-W	20	W-BR
8		21	
9		22	
10		23	
11		24	
12		25	
13			

CONN POS 1												
982AE												
ROW	TERMINALS											
	A	B	C	D	E	F	H	J	K	L	M	N
A	BK				•			•				
B					•	W-O	W-BR	X-X	W-G		W-BL	

• DENOTES 843743170 26GA DP3 BK WIRE STRAP  
X-X DENOTES 814667119 26GA BARE STRAP

STAMPING TABLE							
GROUP	CABLE DESIG	CONN 1				CONN 2	
		TERM A	TERM B	EQL	CAB	TERM A	TERM B
58	( ) ( )	( )	( )	( )	( )	( )	( )

( ) INDICATES DESIGNATIONS PROVIDED PER JOB CABLE SPECS.




CONN 1  
STAMP PER TABLE


GROUP 58

SEE PROPRIETARY NOTICE ON SHEET A1		
CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES		DWG SIZE C2
LUCENT TECHNOLOGIES INC		ISSUE 8
ED3T076-20		SHEET C29

ED3T076-20





ENCLOSE END OF CABLE IN 900664939 1/2" X 1-1/2" LG. HEAT SHRINK TUBING, CAPTURING T-HANDLE STRAIN RELIEF.



CABLE LENGTH TABLE	
GROUP	LENGTH
58A	"X" DIM.

MODIFY W, R, G & BK LEADS AS SHOWN. TWIST AND SOLDER TO DRAIN WIRE, THEN ENCLOSE IN 401272612 3/16" X 1-1/4" LG. HEAT SHRINK TUBING BEFORE CONNECTING DRAIN WIRE. PULL THE HEAT SHRINKING TUBING AS CLOSE AS POSSIBLE TO TERMINAL BB BEFORE APPLYING HEAT.



CONN POS 2			
KS19088, L2 CONN			
TERM	COLOR	TERM	COLOR
1		14	
2	O	15	
3	BR	16	
4	•	17	
5	•	18	
6	Y	19	
7	R, W	20	BL
8		21	
9		22	
10		23	
11		24	
12		25	
13			

CONN POS 1												
982AE												
ROW	TERMINALS											
	A	B	C	D	E	F	H	J	K	L	M	N
A								•				
B		DRAIN WIRE			•	O	BL	X-X	BR		Y	


STAMP PER TABLE ALL ON SAME SIDE

• DENOTES 843743170 26GA DP3 BK WIRE STRAP  
 X-X DENOTES 814667119 26GA BARE STRAP

• DENOTES 843743170 26GA DP3 BK WIRE STRAP

STAMPING TABLE							
GROUP	CABLE DESIG	CONN 1				CONN 2	
		TERM		EQL	CAB	TERM	
		A	B			A	B
58A	( ) ( )	( )	( )	( )	( )	( )	( )


( ) INDICATES DESIGNATIONS PROVIDED PER JOB CABLE SPECS.



STAMP PER TABLE


GROUP 58A

SEE PROPRIETARY NOTICE ON SHEET A1		
CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES		DWG SIZE C2
LUCENT TECHNOLOGIES INC		ISSUE 8
ED3T076-20		SHEET C30




CABLE LENGTH TABLE	
GROUP	LENGTH
59	"X" DIM.


CONN POS 1			
WIRING SIDE 963T-24			
COLOR	TERM	TERM	COLOR
O-W	AA	BA	
	AB	BB	W-BL
	AC	BC	
	AD	BD	
	AE	BE	W-BR
	AF	BF	W-O
	AH	BH	G-W
BR-W	AJ	BJ	W-G
	AK	BK	BL-W
	AL	BL	
	AM	BM	R-BL
	AN	BN	




CUT W-S, S-W, BL-R LEADS FLUSH WITH CABLE JACKET AT BOTH ENDS



CONN POS 2			
KS19088, L2 CONN			
TERM	COLOR	TERM	COLOR
1		14	
2	BL-W	15	
3	W-O	16	
4	BR-W	17	
5	W-BR	18	
6	G-W	19	
7	W-BL/O-W	20	R-BL
8	W-G	21	
9		22	
10		23	
11		24	
12		25	
13			



STAMP PER TABLE



STAMP PER TABLE ALL ON SAME SIDE

STAMPING TABLE									
GROUP	CABLE DESIG	CONN 1				CONN 2			
		TERM		EQL	CAB	TERM		EQL	CAB
		A	B			A	B		
59	( ) ( )	( )	( )	( )	( )			( )	


( ) INDICATES DESIGNATIONS PROVIDED PER JOB CABLE SPECS.

ED3T076-20



GROUP 59

SEE PROPRIETARY NOTICE ON SHEET A1		
CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES		DWG SIZE C2
LUCENT TECHNOLOGIES INC		ISSUE 8
ED3T076-20		SHEET C31

UNUSED LEADS O-W,G-W SHALL BE LOOPED BACK AND SOLDERED TO CABLE BRAID ALONG WITH 2 INCH LONG GRD WIRE



CABLE LENGTH TABLE	
GROUP	LENGTH
60	"X" DIM.





CONN POS 2			
KS19088, L2 CONN			
TERM	COLOR	TERM	COLOR
1		14	
2	W-O	15	
3	W-G	16	
4	BL-W	17	
5	BR-W	18	
6	W-BL	19	
7	O-W,G-W	20	W-BR
8		21	
9		22	
10		23	
11		24	
12		25	
13			

CONN POS 1												
982AE												
ROW	TERMINALS											
	A	B	C	D	E	F	H	J	K	L	M	N
A	* BK							BR-W				
B				BL-W	W-O	W-BR	X-X	W-G		W-BL		

\* DENOTES BK WIRE TO CABLE SHIELD  
X-X DENOTES 814667119 26GA BARE STRAP

STAMPING TABLE							
GROUP	CABLE DESIG	CONN 1				CONN 2	
		TERM A	TERM B	EQL	CAB	TERM A	TERM B
60	( ) ( )			( )	( )		( )

( ) INDICATES DESIGNATIONS PROVIDED PER JOB CABLE SPECS.



● DENOTES 843743170 26GA DP3 BK WIRE STRAP

GROUP 60


SEE PROPRIETARY NOTICE ON SHEET A1

CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES

DWG SIZE C2	ISSUE 8
----------------	------------

LUCENT TECHNOLOGIES      ED3T076-20      SHEET C32

ED3T076-20




CABLE LENGTH TABLE	
GROUP	LENGTH
61	"X" DIM.

CUT O-BK, BK-G/G-BK, BK-BR/BR-BK, BK-S/S-BK & Y-BL/BL-Y LEADS FLUSH WITH CABLE JACKET AT BOTH ENDS.

CONN POS 1 (TOP TERM EQL POS)			
WIRING SIDE 963T-24			
COLOR	TERM	TERM	COLOR
	AA	BA	
BL-BK	AB	BB	BK-BL
W-O	AC	BC	O-W
W-G	AD	BD	G-W
W-BR	AE	BE	BR-W
	AF	BF	
	AH	BH	
R-O	AJ	BJ	O-R
R-S	AK	BK	S-R
R-G	AL	BL	G-R
R-BR	AM	BM	BR-R
	AN	BN	

CODED SIDE



CONN POS 3 #TCS-37PT PLUG			
TERM	COLOR	TERM	COLOR
1		20	O-R
2		21	
3		22	BL-BK
4	BK-BL	23	G-W
5	W-G	24	O-W
6	W-O	25	BL-R
7	R-BL	26	BR-W
8	W-BR	27	BR-R
9	R-BR	28	
10		29	G-R
11	R-G	30	S-W
12	W-S	31	S-R
13	R-S	32	BK-O
14		33	
15		34	
16		35	
17		36	BL-W
18		37	W-BL
19	R-O		




CODED SIDE OF CONN

CONN POS 2 (BOTTOM TERM EQL POS)												
982AE												
R O W	TERMINALS											
	A	B	C	D	E	F	H	J	K	L	M	N
A	W-BL BL-R		BL-W					R-BL				
B		S-W	BK-O								W-S	

GROUP 61  
CONTINUED ON NEXT SHEET

SEE PROPRIETARY NOTICE ON SHEET A1		
CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES		DWG SIZE C2
LUCENT TECHNOLOGIES INC		ISSUE 8
ED3T076-20		SHEET C33

ED3T076-20



STAMPING TABLE													
GROUP	CABLE DESIG	CONN 1 (TOP)				CONN 2 (BOTTOM)				CONN 3			
		TERM		EQL	CAB.	TERM		EQL	CAB.	TERM		EQL	CAB.
		A	B			A	B			A	B		
61	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	

( ) INDICATES DESIGNATIONS PROVIDED PER JOB CABLE SPECS.



ED3T076-20

GROUP 61

SEE PROPRIETARY NOTICE ON SHEET A1		
CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES		DWG SIZE C2
LUCENT TECHNOLOGIES INC		ISSUE 8
ED3T076-20		SHEET C34


CONN POS 1 (TOP TERM EQL POS)												
982AE CONN												
TERMINALS												
R	A	B	C	D	E	F	H	J	K	L	M	N
O												
W	A	B	C	D	E	F	H	J	K	L	M	N
A		G-W	BR-W	BL-R	S-W			O-R	W-O	O-W	R-O	
B		W-G	W-BR	R-BL	W-S			X	X	X	X	X

X-X DENOTES 814667119 26GA BARE STRAP P46F711




CONN POS 2 (BOTTOM TERM EQL POS)												
982AE CONN												
TERMINALS												
R	A	B	C	D	E	F	H	J	K	L	M	N
O												
W	A	B	C	D	E	F	H	J	K	L	M	N
A	* BK							BL-W				
B			R-G		G-R						W-BL	

\* DENOTES BK WIRE TO CABLE SHIELD.



CABLE LENGTH TABLE	
GROUP	LENGTH
62	"X" DIM.

843743170  
26GA DP3 BK  
WIRE SOLDERED  
TO CABLE BRAID




843743170  
26GA DP3 BK  
WIRE SOLDERED  
TO CABLE BRAID

402803597  
FEMALE JACKSCREW  
201414-1, INC.  
(SEE NOTE 4)

900404732  
3/8" X 2" LG  
BK TUBING

900404732  
3/8" X 2" LG. BK  
TUBING  
(SEE NOTE 5)

402804272  
MALE JACKSCREW  
201413-1, AMP INC.  
(SEE NOTE 4)



CONN POS 3 KS21303, L9 CONNECTOR BLOCK			
	A	D	B O-R *BK
C	BL-W	E	R-O
H	W-BL	J	F W-O
M		K	L
S	W-G	N	R BR-W
W		P	G-W
AA	R-BL	T	W-BR
EE		U	X W-S
KK		Y	BL-R
		BB	V S-W
		CC	Z
		FF	DD
		HH	JJ
		LL	NN



(SEE NOTE 6)

403302458  
KS21303, L8  
CONTACT PIN  
(14 REQD)

\* DENOTES BK WIRE TO CABLE SHIELD.

GROUP 62  
CONTINUED ON NEXT SHEET

CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES	THIRD ANGLE PROJ	
	DWG SIZE C2	ISSUE 22
LUCENT TECHNOLOGIES	ED3T076-20	SHEET NO. C35



STAMPING TABLE													
GROUP	CABLE DESIG	CONN 1 (TOP)				CONN 2 (BOTTOM)				CONN 3			
		TERM		EQL	CAB.	TERM		EQL	CAB.	TERM		EQL	CAB.
		A	B			A	B			A	B		
62	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	

( ) INDICATES DESIGNATIONS PROVIDED PER JOB CABLE SPECS.

PROJ-EGEDFORM.FRM-FEB-96


ED3T076-20

PRO/PDM FILE COMMON HARDWARE APPLICATIONS/PPD\_PHY\_DES/3B21/ED3T076-20.DRW


CERTIFIED ISSUE 17; 05-24-99

GROUP 62

CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES		THIRD ANGLE PROJN	
DWG SIZE C2		ISSUE 17	
LUCENT TECHNOLOGIES	ED3T076-20	SHEET NO. C36	
MODEL NAME			




MODIFY W,R,G & BK LEADS AS SHOWN. TWIST AND SOLDER TO DRAIN WIRE, THEN ENCLOSE IN 401272612 3/16" X 1-1/4" LG. HEAT SHRINK TUBING BEFORE CONNECTING DRAIN WIRE. PULL THE HEAT SHRINKING TUBING AS CLOSE AS POSSIBLE TO TERMINAL BB BEFORE APPLYING HEAT.



GROUP	LENGTH
63	100 FT

UNUSED G,BK AND DRAIN WIRE SHALL BE CUT FLUSH WITH CABLE JACKET BEFORE SLEEVING.




CONN POS 1		982AE											
ROW		TERMINALS											
		A	B	C	D	E	F	H	J	K	L	M	N
A													
B			DRAIN WIRE				O		BL X-X	BR		Y	

● DENOTES 843743170 26GA DP3 BK WIRE STRAP  
 X-X DENOTES 814667119 26GA BARE STRAP


GROUP	CABLE DESIG	CONN 1				CONN 2		
		TERM A	TERM B	EQL	CAB	TERM A	EQL	CAB
63	( ) ( )			( )	PROC			SER B

( ) INDICATES DESIGNATIONS PROVIDED PER JOB CABLE SPECS.

ED3T076-20



STAMP PER TABLE ALL ON SAME SIDE



STAMP PER TABLE

CONN POS 2			
KS19088,L2 CONN			
TERM	COLOR	TERM	COLOR
1		14	
2	O	15	
3	BR	16	
4	●	17	
5	●	18	
6	Y	19	
7	R,W	20	BL
8		21	
9		22	
10		23	
11		24	
12		25	
13			


● DENOTES 843743170 26GA DP3 BK WIRE STRAP

SEE PROPRIETARY NOTICE ON SHEET A1

CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES

DWG SIZE	ISSUE
C2	12

LUCENT TECHNOLOGIES INC      ED3T076-20      SHEET C37



CABLE LENGTH TABLE	
GROUP	LENGTH
64	"X" DIM.

CONN POS 1 (TOP TERM EQL POS)			
WIRING SIDE 963T-24			
COLOR	TERM	TERM	COLOR
	AA	BA	
BL-BK	AB	BB	BK-BL
W-O	AC	BC	O-W
W-G	AD	BD	G-W
W-BR	AE	BE	BR-W
S-W	AF	BF	W-S
BL-R	AH	BH	R-BL
R-O	AJ	BJ	O-R
R-S	AK	BK	S-R
R-G	AL	BL	G-R
R-BR	AM	BM	BR-R
	AN	BN	




CONN POS 3			
#TCS-37PT PLUG			
TERM	COLOR	TERM	COLOR
1	W-BL	20	O-R
2		21	
3		22	BL-BK
4	BK-BL	23	G-W
5	W-G	24	O-W
6	W-O	25	BL-R
7	R-BL	26	BR-W
8	W-BR	27	BR-R
9	R-BR	28	
10		29	G-R
11	R-G	30	S-W
12	W-S	31	S-R
13	R-S	32	
14		33	
15		34	
16		35	
17		36	
18		37	
19	R-O		

CONN POS 2 (BOTTOM TERM EQL POS)												
982AE												
R O W	TERMINALS											
	A	B	C	D	E	F	H	J	K	L	M	N
A	W-BL BK*											
B		BK-O	O-BK	BK-G	G-BK	BK-BR	BR-BK	BK-S	S-BK	Y-BL	BL-Y	BL-W

\* DENOTES BK WIRE TO CABLE SHIELD

GROUP 64  
CONTINUED ON NEXT SHEET

SEE PROPRIETARY NOTICE ON SHEET A1		
CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES		DWG SIZE C2
LUCENT TECHNOLOGIES INC		ISSUE 12
ED3T076-20		SHEET C38




STAMPING TABLE													
GROUP	CABLE DESIG	CONN 1 (TOP)				CONN 2 (BOTTOM)				CONN 3			
		TERM		EQL	CAB.	TERM		EQL	CAB.	TERM		EQL	CAB.
		A	B			A	B			A	B		
64	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	

( ) INDICATES DESIGNATIONS PROVIDED PER JOB CABLE SPECS.

ED3T076-20

GROUP 64

SEE PROPRIETARY NOTICE ON SHEET A1		
CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES		DWG SIZE c2
LUCENT TECHNOLOGIES INC		ISSUE 12
ED3T076-20		SHEET C39



CABLE LENGTH TABLE	
GROUP	LENGTH
65	"X" DIM.

CONN POS 1 (TOP TERM EQL POS)			
WIRING SIDE 963T-24			
COLOR	TERM	TERM	COLOR
	AA	BA	
BL-BK	AB	BB	BK-BL
W-O	AC	BC	O-W
W-G	AD	BD	G-W
W-BR	AE	BE	BR-W
	AF	BF	
	AH	BH	
R-O	AJ	BJ	O-R
R-S	AK	BK	S-R
R-G	AL	BL	G-R
R-BR	AM	BM	BR-R
	AN	BN	




CONN POS 3 #TCS-37PT PLUG			
TERM	COLOR	TERM	COLOR
1		20	O-R
2		21	
3		22	BL-BK
4	BK-BL	23	G-W
5	W-G	24	O-W
6	W-O	25	BL-R
7	R-BL	26	BR-W
8	W-BR	27	BR-R
9	R-BR	28	
10		29	G-R
11	R-G	30	S-W
12	W-S	31	S-R
13	R-S	32	BK-O
14		33	
15		34	
16		35	
17		36	BL-W
18		37	W-BL
19	R-O		

CONN POS 2 (BOTTOM TERM EQL POS)												
982AE												
R O W	TERMINALS											
	A	B	C	D	E	F	H	J	K	L	M	N
A	W-BL BK*		BL-W					R-BL				
B		BL-R S-W	BK-O								W-S	

\* DENOTES BK WIRE TO CABLE SHIELD

GROUP 65  
CONTINUED ON NEXT SHEET

SEE PROPRIETARY NOTICE ON SHEET A1		
CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES		DWG SIZE c2
LUCENT TECHNOLOGIES INC		ISSUE 12
ED3T076-20		SHEET C40




STAMPING TABLE												
GROUP	CABLE DESIG	CONN 1 (TOP)				CONN 2 (BOTTOM)				CONN 3		
		TERM		EQL	CAB.	TERM		EQL	CAB.	TERM		EQL
A	B	A	B			A	B					
65	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )

( ) INDICATES DESIGNATIONS PROVIDED PER JOB CABLE SPECS.

ED3T076-20

GROUP 65


SEE PROPRIETARY NOTICE ON SHEET A1		
CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES		DWG SIZE c2
LUCENT TECHNOLOGIES INC		ISSUE 12
ED3T076-20		SHEET C41



GROUP	LENGTH
66A	25'
66B	50'
66C	75'
66D	100'
66E	200'

COLOR	TERM	TERM	COLOR
GND	AA	BA	GND
	AB	BB	
	AC	BC	
	AD	BD	
	AE	BE	
	AF	BF	W-O
	AH	BH	W-BR
	AJ	BJ	
	AK	BK	W-G
	AL	BL	
	AM	BM	W-BL BL-W
	AN	BN	



TERM BN  
TERM AN



TERM	COLOR
1	W-BL
2	BL-W
3	W-BR
4	O-W
5	W-G
6	W-O
7	BR-W
8	G-W

DSR  
DCD  
DTR  
GND  
RXD  
TXD

● DENOTES 843743170 26GA DP3 BK WIRE STRAP



GROUP	CABLE DESIG	CONN 1				CONN 2			
		TERM		EQL	CAB	TERM		EQL	CAB
		A	B			A	B		
66*	( ) ( )	( )	( )	( )	( )			( )	

( ) INDICATES DESIGNATIONS PROVIDED PER JOB CABLE SPECS.  
\* INDICATES INDIVIDUAL GROUP CABLE LENGTHS.

GROUP 66A THRU 66E

CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES	THIRD ANGLE PROJN	
	DWG SIZE C2	ISSUE 22
LUCCENT TECHNOLOGIES	ED3T076-20	SHEET NO. C42


PROJ-EGEDFORM.FRM-FEB-96

ED3T076-20


PRO/PDM FILE COMMON HARDWARE/APPLICATIONS/PPD\_PYS\_DES/3B21/ED3T076-20.DRW

CERTIFIED ISSUE 13W12; XX-XX-XX

MODEL NAME



CABLE LENGTH TABLE	
GROUP	LENGTH
67A	25'
67B	50'
67C	75'
67D	100'
67E	200'




CONN POS 1			
WIRING SIDE 982AE			
COLOR	TERM	TERM	COLOR
GND	O-W	AA	BA
		AB	BB
		AC	BC
		AD	BD
		AE	BE
		AF	BF
		AH	BH
RTS	BR-W	AJ	BJ
		AK	BK
		AL	BL
		AM	BM
		AN	BN

CONN POS 2	
TERM	COLOR
1	O-W
2	BR-W
3	W-G
4	W-BR
5	W-O
6	W-BL
7	BL-W
8	G-W

NULL MODEM CONFIGURATION



● DENOTES 843743170 26GA DP3 BK WIRE STRAP



CONN 1  
STAMP PER TABLE

STAMPING TABLE							
GROUP	CABLE DESIG	CONN 1				CONN 2	
		TERM		EQL	CAB	TERM	
		A	B			A	B
67*	( )	( )	( )	( )	( )	( )	( )

( ) INDICATES DESIGNATIONS PROVIDED PER JOB CABLE SPECS.  
\* INDICATES INDIVIDUAL GROUP CABLE LENGTHS.

GROUP 67A THRU 67E

CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES	THIRD ANGLE PROJ	
	DWG SIZE C2	ISSUE 22
LUCENT TECHNOLOGIES	ED3T076-20	SHEET NO. C43


PROJ-EGEDFORM.FRM-FEB-96

ED3T076-20

PRO/PDM FILE COMMON HARDWARE/APPLICATIONS/PPD\_PYS\_DES/3B21/ED3T076-20.DRW

CERTIFIED ISSUE 13W12; XX-XX-XX

MODEL NAME



CABLE LENGTH TABLE	
GROUP	LENGTH
68A	25'
68B	50'
68C	75'
68D	100'
68E	200'

CAB. NO.  
(STAMP ON REVERSE SIDE)

HORIZ EQL

VERT EQL

103125357  
982AC CONN

TERM A

CONN 1


842923708  
STRAIN RELIEF

RJ45 MODULAR PLUG  
406671495

CONN 2

ENCLOSE END OF CABLE  
IN 900664939  
1/2" X 1 1/2" LG HEAT SINK  
TUBING, CAPTURING STRAIN RELIEF

CABLE DESIG  
(STAMP ON REVERSE SIDE)




WIRING SIDE

CONN POS 2		
TERM	COLOR	
1	O-W	GND
2	BL-W	RTS
3	W-O	TXD
4	G-W	DTR
5	W-G	RXD
6	W-BL	DSR/CD
7	W-BR	
8	BR-W	

CONN POS 1						
982AC CONN						
TERM						
ROW	A	B	C	D	E	F
A	O-W	W-O	W-BL	BL-W		
B			G-W	W-G		

CUT W-BR, BR-W LEADS FLUSH  
WITH CABLE JACKET



● DENOTES 843743170 26GA DP3  
BK WIRE STRAP

STAMPING TABLE									
GROUP	CABLE DESIG	CONN 1				CONN 2			
		TERM		EQL	CAB	TERM		EQL	CAB
		A	B			A	B		
68*	( )	( )		( )	( )			( )	


( ) INDICATES DESIGNATIONS PROVIDED PER JOB CABLE SPECS.

GROUP 68A THRU 68E

SEE PROPRIETARY NOTICE ON SHEET A1		
CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES		DWG SIZE C2
LUCENT TECHNOLOGIES INC		ISSUE 13
ED3T076-20		SHEET C44


ED3T076-20

CABLE LENGTH TABLE	
GROUP	LENGTH
8E	50-2-1/4
8F	100-2-1/4



SHEET NOTES:


- BEFORE TERMINATING CONNECTOR 2, SLIDE TIGHTEST FITTING COMPRESSION INSERT OVER CABLE JACKET EVEN WITH END OF JACKET THEN FOLD SHIELD BACK OVER INSERT AND TRIM EXCESS. REMOVE FOIL BACK TO JACKET THEN INSTALL CONNECTOR AND BACKSHELLS CAPTURING SHIELD.
- EQL AND TERM NUMBER TO BE STAMPED PER THE JOB CABLE SPECS.



CONN POS 1						
982AC CONN						
TERM						
ROW	A	B	C	D	E	F
A		BR-W	S-W	G-W	O-W	BL-W
B	W-BR	W-S	W-G	W-O	W-BL	

STAMPING TABLE							
GROUP	CABLE DESIG	CONN 1			CONN 2		
		TERM	EQL	CAB.	TERM	EQL	CAB.
		A	B		A	B	
8E		SEE SHEET NOTE 2			PROC		
8F		SEE SHEET NOTE 2			PROC		

CONNECTING TABLE					
WIRING SIDE CONN 2					
TERM	COLOR	TERM	COLOR	TERM	COLOR
1		6	G-W	11	W-S
2	BL-W	7	W-G	12	
3	W-BL	8	BR-W	13	
4	O-W	9	W-BR	14	
5	W-O	10	S-W	15	





GROUPS 8E, 8F

SEE PROPRIETARY NOTICE ON SHEET A1		
CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES		DWG SIZE C2
LUCENT TECHNOLOGIES INC		ISSUE 16
ED3T076-20		SHEET C45

STAMP PER TABLE

ED3T076-20



CONN. POS. 2

TERM.	COLOR	TERM.	COLOR
1		14	
2	W-G	15	
3	BL-W	16	
4	G-W	17	
5	W-BL	18	
6	W-O	19	
7	BR-W	20	
8	O-W	21	
9		22	
10		23	
11		24	
12		25	
13			

CONN. POS. 1  
982 CONN.  
TERM.

ROW	A	B	C	D	E	F
A	BR-W	BL-W	O-W *	* G-W		
B		W-BL	W-O	W-G		

\* → DENOTES 26 AWG BARE WIRE STRAP


STAMPING TABLE

GROUP	CABLE DESIG	CONN. 1				CABLE DESIG	CONN. 2			
		TERM.		EQL	CAB.		TERM.		EQL	CAB.
		A	B				A	B		
9A		332		045-186	PROC				MTTY	
9B		132		045-186	PROC				ROP	

GROUP 9A, 9B


CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES	THIRD ANGLE PROJN	
	DWG SIZE C2	ISSUE 21
LUCENT TECHNOLOGIES	ED3T076-20	SHEET NO. C46

MODEL NAME




MODIFY W & BK LEADS AS SHOWN. TWIST AND SOLDER TO DRAIN WIRE, THEN ENCLOSE IN 406672402 3/32" X 4" LG. HEAT SHRINK TUBING BEFORE CONNECTING DRAIN WIRE. PULL THE HEAT SHRINK TUBING AS CLOSE AS POSSIBLE TO TERMINAL BB BEFORE APPLYING HEAT.

SK. A




THE BK LEAD AND DRAIN WIRE SHALL BE CUT FLUSH WITH CABLE JACKET BEFORE SLEEVING.

GROUP	LENGTH
41A	"X" DIM.



997082144 KS19088, L2 CONNECTOR, PLUG



KS19088, L2 CONN			
TERM	COLOR	TERM	COLOR
1		14	
2	O	15	
3	BR	16	
4		17	
5		18	
6	Y	19	
7	R, W	20	BL
8	G	21	
9		22	
10		23	
11		24	
12		25	
13			

●● DENOTES 843743170 26GA DP3 BK WIRE STRAP


CONN POS 1												
982AE												
TERMINALS												
ROW	A	B	C	D	E	F	H	J	K	L	M	N
A	R							●				
B		DRAIN WIRE			●	BR	Y	G	O		BL	

●● DENOTES 843743170 26GA DP3 BK WIRE STRAP


GROUP 41A  
CONTINUED ON NEXT SHEET

CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES	THIRD ANGLE PROJ	
	DWG SIZE C2	ISSUE 21
LUCENT TECHNOLOGIES	ED3T076-20	SHEET NO. C47

MODEL NAME



CONN 1  
STAMP PER TABLE



CONN 2  
STAMP PER TABLE  
ALL ON SAME SIDE

STAMPING TABLE									
GROUP	CABLE DESIG	CONN 1				CONN 2			
		TERM		EQL	CAB	TERM		EQL	CAB
		A	B			A	B		
41A	( )	( )		( )	( )			( )	

( ) INDICATES DESIGNATIONS PROVIDED PER JOB CABLE SPECS.

GROUP 41A

CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES	THIRD ANGLE PROJN	
LUCENT TECHNOLOGIES	DWG SIZE C2	ISSUE 21
	SHEET NO. C48	

ED3T076-20



STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
225	1F	1	843743170		WIRE 26GA DP 3 BK (1 FT. -3-1/4 IN. LONG)			
230	1F	2	900664939		TUBING,HEAT SHRINKABLE 1/2 IN. ID. X 1 1/2 IN. LG. BLACK #RT876			
235	1F	2	105772800	963T-12	CONNECTOR			
236	1F	4	106904915	TCOV-NS12G	COVER,PROTECTIVE			
239	1G	4	106904915	TCOV-NS12G	COVER,PROTECTIVE			
240	1G	1	105419519	816AS6/26	CABLE 26GA 6 PR SHIELED UL LISTED TYPE CMR (2 FT. - 4 IN. LG)			
241	1G	1	843743170		WIRE 26GA DP 3 BK (1 FT. -3-1/4 IN. LONG)			
242	1G	2	900664939		TUBING,HEAT SHRINKABLE 1/2 IN. ID. X 1 1/2 IN. LG. BLACK #RT876			
243	1G	2	105772800	963T-12	CONNECTOR			
244	1H	1	105419519	816AS6/26	CABLE 26GA 6 PR SHIELED UL LISTED TYPE CMR (3 FT. -7 IN. LONG)			
245	1H	1	843743170		WIRE 26GA DP 3 BK (1 FT. -3-1/4 IN. LONG)			
246	1H	2	900664939		TUBING,HEAT SHRINKABLE 1/2 IN. ID. X 1 1/2 IN. LG. BLACK #RT876			
247	1H	2	105772800	963T-12	CONNECTOR			
248	1J	1	105419519	816AS6/26	CABLE 26GA 6 PR SHIELED UL LISTED TYPE CMR (5 FT. -8 IN. LONG)			
249	1J	1	843743170		WIRE 26GA DP 3 BK (1 FT. -3-1/4 IN. LONG)			
250	1J	2	900664939		TUBING,HEAT SHRINKABLE 1/2 IN. ID. X 1 1/2 IN. LG. BLACK #RT876			
251	1J	2	105772800	963T-12	CONNECTOR			
252	1K	1	105419519	816AS6/26	CABLE 26GA 6 PR SHIELED UL LISTED TYPE CMR (5 FT. -2 IN. LONG)			
253	1K	1	843743170		WIRE 26GA DP 3 BK (1 FT. -3-1/4 IN. LONG)			
254	1K	2	900664939		TUBING,HEAT SHRINKABLE 1/2 IN. ID. X 1 1/2 IN. LG. BLACK #RT876			
255	1K	2	105772800	963T-12	CONNECTOR			
256	1L	1	105419519	816AS6/26	CABLE 26GA 6 PR SHIELED UL LISTED TYPE CMR (3 FT. -2 IN. LONG)			
257	1L	1	843743170		WIRE 26GA DP 3 BK (1 FT. -3-1/4 IN. LONG)			
258	1L	2	900664939		TUBING,HEAT SHRINKABLE 1/2 IN. ID. X 1 1/2 IN. LG. BLACK #RT876			
259	1L	2	105772800	963T-12	CONNECTOR			
260	1M	1	105419519	816AS6/26	CABLE 26GA 6 PR SHIELED UL LISTED TYPE CMR (4 FT. -5 IN. LONG)			
261	1M	1	843743170		WIRE 26GA DP 3 BK (1 FT. -3-1/4 IN. LONG)			

\*\*\*\*\* STOCKLIST CONTINUED AT RIGHT \*\*\*\*\*

ED3T076-20

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
262	1M	2	900664939		TUBING,HEAT SHRINKABLE 1/2 IN. ID. X 1 1/2 IN. LG. BLACK #RT876			
263	1M	2	105772800	963T-12	CONNECTOR			
264	1M	4	106904915	TCOV-NS12G	COVER,PROTECTIVE			
265	1H	4	106904915	TCOV-NS12G	COVER,PROTECTIVE			
266	1J	4	106904915	TCOV-NS12G	COVER,PROTECTIVE			
267	1K	4	106904915	TCOV-NS12G	COVER,PROTECTIVE			
268	1L	4	106904915	TCOV-NS12G	COVER,PROTECTIVE			
270	1N	1	105419519	816AS6/26	CABLE 26GA 6 PR SHIELED UL LISTED TYPE CMR (6 FT. -6 IN. LONG)			
271	1N	1	843743170		WIRE 26GA DP 3 BK (1 FT. -3-1/4 IN. LONG)			
272	1N	2	900664939		TUBING,HEAT SHRINKABLE 1/2 IN. ID. X 1 1/2 IN. LG. BLACK #RT876			
273	1N	2	105772800	963T-12	CONNECTOR			
274	1N	4	106904915	TCOV-NS12G	COVER,PROTECTIVE			
288	2	2	106904956	TCOV-NS24G	COVER,PROTECTIVE			
289	2	2	106904915	TCOV-NS12G	COVER,PROTECTIVE			
290	2A	2	106904956	TCOV-NS24G	COVER,PROTECTIVE			
291	2A	2	106904915	TCOV-NS12G	COVER,PROTECTIVE			
292	2B	2	106904956	TCOV-NS24G	COVER,PROTECTIVE			
293	2B	2	106904915	TCOV-NS12G	COVER,PROTECTIVE			
294	2C	2	106904956	TCOV-NS24G	COVER,PROTECTIVE			
295	2C	2	106904915	TCOV-NS12G	COVER,PROTECTIVE			
296	2D	2	106904956	TCOV-NS24G	COVER,PROTECTIVE			
297	2D	2	106904915	TCOV-NS12G	COVER,PROTECTIVE			
298	2E	2	106904956	TCOV-NS24G	COVER,PROTECTIVE			
299	2E	2	106904915	TCOV-NS12G	COVER,PROTECTIVE			
300	2	1	105412530	812A-4/26	CABLE 26 GAGE (4 FT. -8 IN. LG)			
301	2	1	105772826	963T-24	CONNECTOR			
302	2	1	105772800	963T-12	CONNECTOR			
303	2A	1	105412530	812A-4/26	CABLE 26 GAGE (4 FT. -7 IN. LONG)			
304	2A	1	105772826	963T-24	CONNECTOR			
305	2A	1	105772800	963T-12	CONNECTOR			

STOCKLIST CONTINUED ON SHEET D3

SEE PROPRIETARY NOTICE ON SHEET ONE	
COPYRIGHT © 2001 LUCENT TECHNOLOGIES UNPUBLISHED & NOT FOR PUBLICATION ALL RIGHTS RESERVED	
RN98	
COMMON SYSTEMS 3B21D COMPUTER SPECIFICATION FOR CONNECTORIZED SWITCHBOARD CABLE ASSEMBLY	
DWG SIZE C2	ISSUE 22
LUCENT TECHNOLOGIES INC ED3T076-20	
SHEET D2 OF 73	

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
306	2B	1	105412530	812A-4/26	CABLE 26 GAGE (2 FT. -9 IN. LONG)			
307	2B	1	105772826	963T-24	CONNECTOR			
308	2B	1	105772800	963T-12	CONNECTOR			
309	2C	1	105412530	812A-4/26	CABLE 26 GAGE (2 FT. -8 IN. LONG)			
310	2C	1	105772826	963T-24	CONNECTOR			
311	2C	1	105772800	963T-12	CONNECTOR			
312	2D	1	105412530	812A-4/26	CABLE 26 GAGE (4 FT. -8 IN. LONG)			
313	2D	1	105772826	963T-24	CONNECTOR			
314	2D	1	105772800	963T-12	CONNECTOR			
315	2E	1	105412530	812A-4/26	CABLE 26 GAGE (4 FT. -7 IN. LONG)			
316	2E	1	105772826	963T-24	CONNECTOR			
317	2E	1	105772800	963T-12	CONNECTOR			
318	2F	1	105412530	812A-4/26	CABLE 26 GAGE (2 FT. -9 IN. LONG)			
319	2F	1	105772826	963T-24	CONNECTOR			
320	2F	1	105772800	963T-12	CONNECTOR			
321	2G	1	105412530	812A-4/26	CABLE 26 GAGE (2 FT. -8 IN. LONG)			
322	2G	1	105772826	963T-24	CONNECTOR			
323	2G	1	105772800	963T-12	CONNECTOR			
324	3	1	105419477	812AS-4/26	CABLE 4 PR SHIELDED UL LISTED TYPE CMR 26GA (2 FT. -2 IN. LONG)			
325	3	1	843743170		WIRE 26GA DP 3 BK (1 FT. -3-1/4 IN. LONG)			
326	2F	2	106904956	TCOV-NS24G	COVER,PROTECTIVE			
327	2F	2	106904915	TCOV-NS12G	COVER,PROTECTIVE			
328	2G	2	106904956	TCOV-NS24G	COVER,PROTECTIVE			
329	2G	2	106904915	TCOV-NS12G	COVER,PROTECTIVE			
330	3	2	900664939		TUBING,HEAT SHRINKABLE 1/2 IN. ID. X 1 1/2 IN. LG. BLACK #RT876			
335	3	1	105772792	963T-8	CONNECTOR			
336	3	2	106904907	TCOV-NS8G	COVER,PROTECTIVE			
340	3	1	105772800	963T-12	CONNECTOR			
341	3	2	106904915	TCOV-NS12G	COVER,PROTECTIVE			
345	3A	1	105419477	812AS-4/26	CABLE 4 PR SHIELDED UL LISTED TYPE CMR 26GA (4 FT. - 5 IN. LG)			
350	3A	1	843743170		WIRE 26GA DP 3 BK (1 FT. -3-1/4 IN. LONG)			
355	3A	2	900664939		TUBING,HEAT SHRINKABLE 1/2 IN. ID. X 1 1/2 IN. LG. BLACK #RT876			
360	3A	1	105772792	963T-8	CONNECTOR			
361	3A	2	106904907	TCOV-NS8G	COVER,PROTECTIVE			

\*\*\*\*\* STOCKLIST CONTINUED AT RIGHT \*\*\*\*\*

ED3T076-20

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
365	3A	1	105772800	963T-12	CONNECTOR			
366	3A	2	106904915	TCOV-NS12G	COVER,PROTECTIVE			
370	3B	1	105419477	812AS-4/26	CABLE 4 PR SHIELDED UL LISTED TYPE CMR 26GA (2 FT. - 3 IN. LG)			
375	3B	1	843743170		WIRE 26GA DP 3 BK (1 FT. -3-1/4 IN. LONG)			
380	3B	2	900664939		TUBING,HEAT SHRINKABLE 1/2 IN. ID. X 1 1/2 IN. LG. BLACK #RT876			
385	3B	1	105772792	963T-8	CONNECTOR			
386	3B	2	106904907	TCOV-NS8G	COVER,PROTECTIVE			
387	3B	2	106904915	TCOV-NS12G	COVER,PROTECTIVE			
390	3B	1	105772800	963T-12	CONNECTOR			
395	3C	1	105419477	812AS-4/26	CABLE 4 PR SHIELDED UL LISTED TYPE CMR 26GA (4 FT. - 7 IN. LG)			
400	3C	1	843743170		WIRE 26GA DP 3 BK (1 FT. -3-1/4 IN. LONG)			
405	3C	2	900664939		TUBING,HEAT SHRINKABLE 1/2 IN. ID. X 1 1/2 IN. LG. BLACK #RT876			
410	3C	1	105772792	963T-8	CONNECTOR			
411	3C	2	106904907	TCOV-NS8G	COVER,PROTECTIVE			
415	3C	1	105772800	963T-12	CONNECTOR			
416	3C	2	106904915	TCOV-NS12G	COVER,PROTECTIVE			
420	4	1	105419519	816AS6/26	CABLE 26GA 6 PR SHIELDED UL LISTED TYPE CMR (4 FT. - 2 IN. LG)			
425	4	1	843743170		WIRE 26GA DP 3 BK (1 FT. -3-1/4 IN. LONG)			
430	4	2	900664939		TUBING,HEAT SHRINKABLE 1/2 IN. ID. X 1 1/2 IN. LG. BLACK #RT876			
435	4	2	105772800	963T-12	CONNECTOR			
436	4	4	106904915	TCOV-NS12G	COVER,PROTECTIVE			
440	4A	1	105419519	816AS6/26	CABLE 26GA 6 PR SHIELDED UL LISTED TYPE CMR (4 FT. - 2 IN. LG)			
445	4A	1	843743170		WIRE 26GA DP 3 BK (1 FT. -3-1/4 IN. LONG)			
450	4A	2	900664939		TUBING,HEAT SHRINKABLE 1/2 IN. ID. X 1 1/2 IN. LG. BLACK #RT876			
455	4A	2	105772800	963T-12	CONNECTOR			

STOCKLIST CONTINUED ON SHEET D4

SEE PROPRIETARY NOTICE ON SHEET ONE	
COPYRIGHT © 2001 LUCENT TECHNOLOGIES UNPUBLISHED & NOT FOR PUBLICATION ALL RIGHTS RESERVED	
RN98	
COMMON SYSTEMS 3B21D COMPUTER SPECIFICATION FOR CONNECTORIZED SWITCHBOARD CABLE ASSEMBLY	
DWG SIZE C2	ISSUE 22
LUCENT TECHNOLOGIES INC ED3T076-20	
SHEET D3 OF 73	

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
456	4A	4	106904915	TCOV-NS12G	COVER,PROTECTIVE			
500	5	1	105419519	816AS6/26	CABLE 26GA 6 PR SHIELDED UL LISTED TYPE CMR (4 FT. - 8 IN. LG)			
505	5	1	843743170		WIRE 26GA DP 3 BK (1 FT. -3-1/4 IN. LONG)			
510	5	2	900664939		TUBING,HEAT SHRINKABLE 1/2 IN. ID. X 1 1/2 IN. LG. BLACK #RT876			
515	5	2	105772800	963T-12	CONNECTOR			
516	5	4	106904915	TCOV-NS12G	COVER,PROTECTIVE			
600	6	1	105419519	816AS6/26	CABLE 26GA 6 PR SHIELDED UL LISTED TYPE CMR (3 FT. -0 IN. LONG)			
605	6	1	843743170		WIRE 26GA DP 3 BK (1 FT. -3-1/4 IN. LONG)			
610	6	2	900664939		TUBING,HEAT SHRINKABLE 1/2 IN. ID. X 1 1/2 IN. LG. BLACK #RT876			
615	6	2	105772800	963T-12	CONNECTOR			
616	6	4	106904915	TCOV-NS12G	COVER,PROTECTIVE			
625	6A	1	105419519	816AS6/26	CABLE 26GA 6 PR SHIELDED UL LISTED TYPE CMR (2 FT. -10 IN. LONG)			
630	6A	1	843743170		WIRE 26GA DP 3 BK (1 FT. -3-1/4 IN. LONG)			
635	6A	2	900664939		TUBING,HEAT SHRINKABLE 1/2 IN. ID. X 1 1/2 IN. LG. BLACK #RT876			
640	6A	2	105772800	963T-12	CONNECTOR			
641	6A	4	106904915	TCOV-NS12G	COVER,PROTECTIVE			
700	7B	1	105412530	812A-4/26	CABLE 26 GAGE (50 FT - 0 IN. LG)			
707	7B	1	403697519	KS22247L4	WIRE 26GA BK (4 IN. LONG)			
710	7B	1	401308085		SLEEVE,HEAT SHRINKABLE 1/4 IN.DIA.X.750 IN. BLACK #RT876			
712	7B	1	900422494		TUBING,HEAT SHRINKABLE 1/4 IN ID. X 1 IN LG.BK #RT876			
715	7B	1	103125357	982AC	CONNECTOR, BACKPLANE			
720	7B	1	842923708		RELIEF, STRAIN			
725	7B	1	997082151	KS19087L2	CONNECTOR, RECEPTACLE,FEMALE			
730	7B	1	996975918	KS19196L2	HOOD			
735	7C	1	105412530	812A-4/26	CABLE 26 GAGE (50 FT - 0 IN. LG)			
742	7C	1	403697519	KS22247L4	WIRE 26GA BK (4 IN. LONG)			
745	7C	1	401308085		SLEEVE,HEAT SHRINKABLE 1/4 IN.DIA.X.750 IN. BLACK #RT876			
747	7C	1	900422494		TUBING,HEAT SHRINKABLE 1/4 IN ID. X 1 IN LG.BK #RT876			
750	7C	1	103125357	982AC	CONNECTOR, BACKPLANE			

\*\*\*\*\* STOCKLIST CONTINUED AT RIGHT \*\*\*\*\*

ED3T076-20

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
755	7C	1	842923708		RELIEF, STRAIN			
760	7C	1	997082144	KS19088L2	CONNECTOR, PLUG MALE			
765	7C	1	996975918	KS19196L2	HOOD			
770	7D	1	105412530	812A-4/26	CABLE 26 GAGE (100 FT - 0 IN. LG)			
777	7D	1	403697519	KS22247L4	WIRE 26GA BK (4 IN. LONG)			
780	7D	1	401308085		SLEEVE,HEAT SHRINKABLE 1/4 IN.DIA.X.750 IN. BLACK #RT876			
782	7D	1	900422494		TUBING,HEAT SHRINKABLE 1/4 IN ID. X 1 IN LG.BK #RT876			
785	7D	1	103125357	982AC	CONNECTOR, BACKPLANE			
790	7D	1	842923708		RELIEF, STRAIN			
795	7D	1	997082151	KS19087L2	CONNECTOR, RECEPTACLE,FEMALE			
800	7D	1	996975918	KS19196L2	HOOD			
805	7E	1	105412530	812A-4/26	CABLE 26 GAGE (100 FT - 0 IN. LG)			
812	7E	1	403697519	KS22247L4	WIRE 26GA BK (4 IN. LONG)			
815	7E	1	401308085		SLEEVE,HEAT SHRINKABLE 1/4 IN.DIA.X.750 IN. BLACK #RT876			
817	7E	1	900422494		TUBING,HEAT SHRINKABLE 1/4 IN ID. X 1 IN LG.BK #RT876			
820	7E	1	103125357	982AC	CONNECTOR, BACKPLANE			
825	7E	1	842923708		RELIEF, STRAIN			
830	7E	1	997082144	KS19088L2	CONNECTOR, PLUG MALE			
835	7E	1	996975918	KS19196L2	HOOD			
840	7F	1	105412530	812A-4/26	CABLE 26 GAGE (250 FT - 0 IN. LG)			
842	7F	1	403697519	KS22247L4	WIRE 26GA BK (4 IN. LONG)			
845	7F	1	401308085		SLEEVE,HEAT SHRINKABLE 1/4 IN.DIA.X.750 IN. BLACK #RT876			
850	7F	1	900422494		TUBING,HEAT SHRINKABLE 1/4 IN ID. X 1 IN LG.BK #RT876			
860	7F	1	103125357	982AC	CONNECTOR, BACKPLANE			

STOCKLIST CONTINUED ON SHEET D5

SEE PROPRIETARY NOTICE ON SHEET ONE  
 COPYRIGHT © 2001 LUCENT TECHNOLOGIES  
 UNPUBLISHED & NOT FOR PUBLICATION  
 ALL RIGHTS RESERVED

RN98

COMMON SYSTEMS  
 3B21D COMPUTER  
 SPECIFICATION FOR  
 CONNECTORIZED SWITCHBOARD  
 CABLE ASSEMBLY

DWG SIZE  
C2

ISSUE  
22

LUCENT TECHNOLOGIES INC ED3T076-20

SHEET D4  
OF 73

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
865	7F	1	842923708		RELIEF, STRAIN			
870	7F	1	997082151	KS19087L2	CONNECTOR, RECEPTACLE, FEMALE			
875	7F	1	996975918	KS19196L2	HOOD			
880	7G	1	105412530	812A-4/26	CABLE 26 GAGE (250 FT - 0 IN. LG)			
882	7G	1	403697519	KS22247L4	WIRE 26GA BK (4 IN. LONG)			
885	7G	1	401308085		SLEEVE, HEAT SHRINKABLE 1/4 IN. DIA. X .750 IN. BLACK #RT876			
890	7G	1	900422494		TUBING, HEAT SHRINKABLE 1/4 IN ID. X 1 IN LG. BK #RT876			
900	7G	1	103125357	982AC	CONNECTOR, BACKPLANE			
905	7G	1	842923708		RELIEF, STRAIN			
910	7G	1	997082144	KS19088L2	CONNECTOR, PLUG MALE			
915	7G	1	996975918	KS19196L2	HOOD			
970	9A, 9B	1	105412530	812A-4/26	CABLE 26 GAGE (2 FEET LONG)			
975	9A, 9B	1	403694664	KS23146L5	PLUG			
980	9A, 9B	1	103125357	982AC	CONNECTOR, BACKPLANE			
985	9A, 9B	1	842923708		RELIEF, STRAIN			
990	9A, 9B	2	900664939		TUBING, HEAT SHRINKABLE 1/2 IN. ID. X 1 1/2 IN. LG. BLACK #RT876			
995	9A, 9B	1	814667119	P-46F711	WIRE 26GA BARE SOLID (1 INCH LONG)			
1000	8	1	407104702		CABLE, SHIELDED 24GA, 6 PAIR, 500FT LG #8336 (50 FT. -2 1/4 IN. LONG)			
1005	8	1	103125357	982AC	CONNECTOR, BACKPLANE			
1010	8	1	842923708		RELIEF, STRAIN			
1015	8	1	900664939		TUBING, HEAT SHRINKABLE 1/2 IN. ID. X 1 1/2 IN. LG. BLACK #RT876			
1020	8	1	407243310		CONNECTOR, D SUBMINIATURE #748364-1			
1025	8	10	405756370		PIN HIGH DENSITY MALE CRIMP CONTACT #748333-2			
1030	8	1	407139682		HOOD, CONNECTOR #DCH-E-001			
1035	8A	1	407104702		CABLE, SHIELDED 24GA, 6 PAIR, 500FT LG #8336 (75 FT. 2 1/4 IN. LONG)			
1040	8A	1	103125357	982AC	CONNECTOR, BACKPLANE			
1045	8A	1	842923708		RELIEF, STRAIN			
1050	8A	1	900664939		TUBING, HEAT SHRINKABLE 1/2 IN. ID. X 1 1/2 IN. LG. BLACK #RT876			
1055	8A	1	407243310		CONNECTOR, D SUBMINIATURE #748364-1			
1060	8A	10	405756370		PIN HIGH DENSITY MALE CRIMP CONTACT #748333-2			

\*\*\*\*\* STOCKLIST CONTINUED AT RIGHT \*\*\*\*\*

ED3T076-20

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1065	8A	1	407139682		HOOD, CONNECTOR #DCH-E-001			
1070	8B	1	407104702		CABLE, SHIELDED 24GA, 6 PAIR, 500FT LG #8336 (100 FT. -2 1/4 IN. LONG)			
1075	8B	1	103125357	982AC	CONNECTOR, BACKPLANE			
1080	8B	1	842923708		RELIEF, STRAIN			
1085	8B	1	900664939		TUBING, HEAT SHRINKABLE 1/2 IN. ID. X 1 1/2 IN. LG. BLACK #RT876			
1090	8B	1	407243310		CONNECTOR, D SUBMINIATURE #748364-1			
1095	8B	10	405756370		PIN HIGH DENSITY MALE CRIMP CONTACT #748333-2			
1100	8B	1	407139682		HOOD, CONNECTOR #DCH-E-001			
1400	14	1	105412530	812A-4/26	CABLE 26 GAGE (4 FT. - 4 IN. LG)			
1405	14	2	105772784	963T-6	CONNECTOR			
1406	14	4	106904899	TCOV-NS6G	COVER, PROTECTIVE			
1410	14A	1	105412530	812A-4/26	CABLE 26 GAGE (2 FT. - 9 IN. LG)			
1415	14A	2	105772784	963T-6	CONNECTOR			
1416	14A	4	106904899	TCOV-NS6G	COVER, PROTECTIVE			
1525	15A	1	105412563	816A-6/26	CABLE UL LISTED TYPE CMR 26GA (4 FT. - 4 IN. LG)			
1530	15A	2	105772800	963T-12	CONNECTOR			
1531	15A	4	106904915	TCOV-NS12G	COVER, PROTECTIVE			
1575	15D	1	105412563	816A-6/26	CABLE UL LISTED TYPE CMR 26GA (4 FT. - 8 IN. LG)			
1580	15D	2	105772800	963T-12	CONNECTOR			
1581	15D	4	106904915	TCOV-NS12G	COVER, PROTECTIVE			
1700	17	1	105412530	812A-4/26	CABLE 26 GAGE (2 FT. -7 IN. LONG)			
1705	17	2	105772792	963T-8	CONNECTOR			
1706	17	4	106904907	TCOV-NS8G	COVER, PROTECTIVE			
1710	17A	1	105412530	812A-4/26	CABLE 26 GAGE (2 FT. -7 IN. LONG)			
1715	17A	2	105772792	963T-8	CONNECTOR			
1716	17A	4	106904907	TCOV-NS8G	COVER, PROTECTIVE			

STOCKLIST CONTINUED ON SHEET D6

SEE PROPRIETARY NOTICE ON SHEET ONE  
 COPYRIGHT © 2001 LUCENT TECHNOLOGIES  
 UNPUBLISHED & NOT FOR PUBLICATION  
 ALL RIGHTS RESERVED

RN98

COMMON SYSTEMS  
 3B21D COMPUTER  
 SPECIFICATION FOR  
 CONNECTORIZED SWITCHBOARD  
 CABLE ASSEMBLY

DWG SIZE C2 ISSUE 22

LUCENT TECHNOLOGIES INC ED3T076-20

SHEET D5 OF 73

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1720	17B	1	105412530	812A-4/26	CABLE 26 GAGE (3 FT. -5 IN. LONG)			
1725	17B	2	105772792	963T-8	CONNECTOR			
1726	17B	4	106904907	TCOV-NS8G	COVER,PROTECTIVE			
1730	17C	1	105412530	812A-4/26	CABLE 26 GAGE (4 FT. -10 IN. LONG)			
1735	17C	2	105772792	963T-8	CONNECTOR			
1736	17C	4	106904907	TCOV-NS8G	COVER,PROTECTIVE			
1740	17D	1	105412530	812A-4/26	CABLE 26 GAGE (3 FT. -5 IN. LONG)			
1745	17D	2	105772792	963T-8	CONNECTOR			
1746	17D	4	106904907	TCOV-NS8G	COVER,PROTECTIVE			
1750	17E	1	105412530	812A-4/26	CABLE 26 GAGE (4 FT. -11 IN. LONG)			
1755	17E	2	105772792	963T-8	CONNECTOR			
1756	17E	4	106904907	TCOV-NS8G	COVER,PROTECTIVE			
1760	17F	1	105412530	812A-4/26	CABLE 26 GAGE (3 FT. -2 IN. LONG)			
1765	17F	2	105772792	963T-8	CONNECTOR			
1766	17F	4	106904907	TCOV-NS8G	COVER,PROTECTIVE			
1770	17G	1	105412530	812A-4/26	CABLE 26 GAGE (4 FT. -9 IN. LONG)			
1775	17G	2	105772792	963T-8	CONNECTOR			
1776	17G	4	106904907	TCOV-NS8G	COVER,PROTECTIVE			
1780	17H	1	105412530	812A-4/26	CABLE 26 GAGE (2 FT. -11 IN. LONG)			
1785	17H	2	105772792	963T-8	CONNECTOR			
1786	17H	4	106904907	TCOV-NS8G	COVER,PROTECTIVE			
1790	17J	1	105412530	812A-4/26	CABLE 26 GAGE (4 FT. -6 IN. LONG)			
1795	17J	2	105772792	963T-8	CONNECTOR			
1796	17J	4	106904907	TCOV-NS8G	COVER,PROTECTIVE			
1800	17K	1	105412530	812A-4/26	CABLE 26 GAGE (3 FT. -0 IN. LONG)			
1805	17K	2	105772792	963T-8	CONNECTOR			
1806	17K	4	106904907	TCOV-NS8G	COVER,PROTECTIVE			
1810	17L	1	105412530	812A-4/26	CABLE 26 GAGE (4 FT. -6 IN. LONG)			
1815	17L	2	105772792	963T-8	CONNECTOR			
1816	17L	4	106904907	TCOV-NS8G	COVER,PROTECTIVE			
1820	17M	1	105412530	812A-4/26	CABLE 26 GAGE (3 FT. - 10 IN. LG)			
1825	17M	2	105772792	963T-8	CONNECTOR			
1826	17M	4	106904907	TCOV-NS8G	COVER,PROTECTIVE			
1830	17N	1	105412530	812A-4/26	CABLE 26 GAGE (3 FT. - 1 IN. LG)			

\*\*\*\*\* STOCKLIST CONTINUED AT RIGHT \*\*\*\*\*

ED3T076-20

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1835	17N	2	105772792	963T-8	CONNECTOR			
1840	17P	1	105412530	812A-4/26	CABLE 26 GAGE (3 FT. - 10 IN. LG)			
1845	17P	2	105772792	963T-8	CONNECTOR			
1846	17P	4	106904907	TCOV-NS8G	COVER,PROTECTIVE			
1850	17R	1	105412530	812A-4/26	CABLE 26 GAGE (2 FT. - 11 IN. LG)			
1855	17R	2	105772792	963T-8	CONNECTOR			
1856	17R	4	106904907	TCOV-NS8G	COVER,PROTECTIVE			
1860	17S	1	105412530	812A-4/26	CABLE 26 GAGE (2 FT. - 10 IN. LG)			
1865	17S	2	105772792	963T-8	CONNECTOR			
1866	17S	4	106904907	TCOV-NS8G	COVER,PROTECTIVE			
1870	17T	1	105412530	812A-4/26	CABLE 26 GAGE (3 FT. - 6 IN. LG)			
1875	17T	2	105772792	963T-8	CONNECTOR			
1876	17T	4	106904907	TCOV-NS8G	COVER,PROTECTIVE			
1880	17U	1	105412530	812A-4/26	CABLE 26 GAGE (2 FT. - 9 IN. LG)			
1882	17U	2	105772792	963T-8	CONNECTOR			
1884	17U	4	106904907	TCOV-NS8G	COVER,PROTECTIVE			
1886	17V	1	105412530	812A-4/26	CABLE 26 GAGE (4 FT. - 3 IN. LG)			
1888	17V	2	105772792	963T-8	CONNECTOR			
1890	17V	4	106904907	TCOV-NS8G	COVER,PROTECTIVE			
1892	17W	1	105412530	812A-4/26	CABLE 26 GAGE (2 FT. - 7 IN. LG)			
1894	17W	2	105772792	963T-8	CONNECTOR			
1896	17W	4	106904907	TCOV-NS8G	COVER,PROTECTIVE			
1900	18	1	105412530	812A-4/26	CABLE 26 GAGE (3 FT. -4 IN. LONG)			
1905	18	2	105772792	963T-8	CONNECTOR			
1906	18	4	106904907	TCOV-NS8G	COVER,PROTECTIVE			
1910	18A	1	105412530	812A-4/26	CABLE 26 GAGE (4 FT. -1 IN. LONG)			
1915	18A	2	105772792	963T-8	CONNECTOR			
1916	18A	4	106904907	TCOV-NS8G	COVER,PROTECTIVE			

STOCKLIST CONTINUED ON SHEET D7

SEE PROPRIETARY NOTICE ON SHEET ONE	
COPYRIGHT © 2001 LUCENT TECHNOLOGIES UNPUBLISHED & NOT FOR PUBLICATION ALL RIGHTS RESERVED	
RN98	
COMMON SYSTEMS 3B21D COMPUTER SPECIFICATION FOR CONNECTORIZED SWITCHBOARD CABLE ASSEMBLY	
DWG SIZE C2	ISSUE 22
LUCENT TECHNOLOGIES INC	ED3T076-20
SHEET D6 OF 73	

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1920	18B	1	105412530	812A-4/26	CABLE 26 GAGE (4 FT. -0 IN. LONG)			
1925	18B	2	105772792	963T-8	CONNECTOR			
1926	18B	4	106904907	TCOV-NS8G	COVER,PROTECTIVE			
1930	7H	1	105412530	812A-4/26	CABLE 26 GAGE (50 FT. - 0 IN. LONG)			
1935	7H	1	403697519	KS22247L4	WIRE 26GA BK (4 IN. LONG)			
1940	7H	1	900452368		TUBING 1/2 IN ID X 3/4 IN LG BLK #RT876			
1945	7H	1	900664939		TUBING,HEAT SHRINKABLE 1/2 IN. ID. X 1 1/2 IN. LG. BLACK #RT876			
1950	7H	1	103125357	982AC	CONNECTOR,BACKPLANE			
1952	7H	1	406301887		FERRITE,EMI/RFI SUPPRESSOR SPLIT OVAL BEAD #28B2024-OAO			
1954	7H	1	901161133		TUBING 2IDX1-1/2 IN.,BLACK,HEAT SHRINKABLE,VERSAFIT UL(VW-1),CSA			
1955	7H	1	842923708		RELIEF,STRAIN			
1960	7H	1	997082151	KS19087L2	CONNECTOR, RECEPTACLE,FEMALE			
1965	7H	1	996975918	KS19196L2	HOOD			
1970	7J	1	105412530	812A-4/26	CABLE 26 GAGE (50 FT.-0IN. LONG)			
1975	7J	1	403697519	KS22247L4	WIRE 26GA BK (4 IN. LONG)			
1980	7J	1	900452368		TUBING 1/2 IN ID X 3/4 IN LG BLK #RT876			
1985	7J	1	900664939		TUBING,HEAT SHRINKABLE 1/2 IN. ID. X 1 1/2 IN. LG. BLACK #RT876			
1990	7J	1	842923708		RELIEF,STRAIN			
1995	7J	1	103125357	982AC	CONNECTOR,BACKPLANE			
2000	7J	1	997082144	KS19088L2	CONNECTOR,PLUG MALE			
2005	7J	1	996975918	KS19196L2	HOOD			
2010	7J	1	406301887		FERRITE,EMI/RFI SUPPRESSOR SPLIT OVAL BEAD #28B2024-OAO			
2015	7J	1	901161133		TUBING 2IDX1-1/2 IN.,BLACK,HEAT SHRINKABLE,VERSAFIT UL(VW-1),CSA			
2020	7K	1	105412530	812A-4/26	CABLE 26 GAGE (100 FT.-0IN. LONG)			
2025	7K	1	403697519	KS22247L4	WIRE 26GA BK (4 IN. LONG)			
2030	7K	1	900452368		TUBING 1/2 IN ID X 3/4 IN LG BLK #RT876			
2035	7K	1	900664939		TUBING,HEAT SHRINKABLE 1/2 IN. ID. X 1 1/2 IN. LG. BLACK #RT876			

\*\*\*\*\* STOCKLIST CONTINUED AT RIGHT \*\*\*\*\*

ED3T076-20

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
2040	7K	1	103125357	982AC	CONNECTOR,BACKPLANE			
2045	7K	1	842923708		RELIEF,STRAIN			
2050	7K	1	997082151	KS19087L2	CONNECTOR, RECEPTACLE,FEMALE			
2055	7K	1	996975918	KS19196L2	HOOD			
2060	7K	1	406301887		FERRITE,EMI/RFI SUPPRESSOR SPLIT OVAL BEAD #28B2024-OAO			
2065	7K	1	901161133		TUBING 2IDX1-1/2 IN.,BLACK,HEAT SHRINKABLE,VERSAFIT UL(VW-1),CSA			
2070	7L	1	105412530	812A-4/26	CABLE 26 GAGE (100 FT.-0IN. LONG)			
2075	7L	1	403697519	KS22247L4	WIRE 26GA BK (4 IN. LONG)			
2080	7L	1	900452368		TUBING 1/2 IN ID X 3/4 IN LG BLK #RT876			
2085	7L	1	900664939		TUBING,HEAT SHRINKABLE 1/2 IN. ID. X 1 1/2 IN. LG. BLACK #RT876			
2090	7L	1	103125357	982AC	CONNECTOR,BACKPLANE			
2095	7L	1	842923708		RELIEF,STRAIN			
2100	7L	1	997082144	KS19088L2	CONNECTOR,PLUG MALE			
2105	7L	1	996975918	KS19196L2	HOOD			
2110	7L	1	406301887		FERRITE,EMI/RFI SUPPRESSOR SPLIT OVAL BEAD #28B2024-OAO			
2115	7L	1	901161133		TUBING 2IDX1-1/2 IN.,BLACK,HEAT SHRINKABLE,VERSAFIT UL(VW-1),CSA			
2120	7M	1	105412530	812A-4/26	CABLE 26 GAGE (250 FT.-0IN. LONG)			
2125	7M	1	403697519	KS22247L4	WIRE 26GA BK (4 IN. LONG)			
2130	7M	1	900452368		TUBING 1/2 IN ID X 3/4 IN LG BLK #RT876			
2135	7M	1	900664939		TUBING,HEAT SHRINKABLE 1/2 IN. ID. X 1 1/2 IN. LG. BLACK #RT876			
2140	7M	1	103125357	982AC	CONNECTOR,BACKPLANE			
2145	7M	1	842923708		RELIEF,STRAIN			
2150	7M	1	997082151	KS19087L2	CONNECTOR, RECEPTACLE,FEMALE			
2155	7M	1	996975918	KS19196L2	HOOD			

STOCKLIST CONTINUED ON SHEET D8

SEE PROPRIETARY NOTICE ON SHEET ONE	
COPYRIGHT © 2001 LUCENT TECHNOLOGIES UNPUBLISHED & NOT FOR PUBLICATION ALL RIGHTS RESERVED	
RN98	
COMMON SYSTEMS 3B21D COMPUTER SPECIFICATION FOR CONNECTORIZED SWITCHBOARD CABLE ASSEMBLY	
DWG SIZE C2	ISSUE 22
LUCENT TECHNOLOGIES INC	ED3T076-20
SHEET D7 OF 73	

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
2160	7M	1	406301887		FERRITE,EMI/RFI SUPPRESSOR SPLIT OVAL BEAD #28B2024-OAO			
2165	7M	1	901161133		TUBING 2IDX1-1/2 IN.,BLACK,HEAT SHRINKABLE,VERSAFIT UL(VW-1),CSA			
2170	7N	1	105412530	812A-4/26	CABLE 26 GAGE (250 FT.-0IN. LONG)			
2175	7N	1	403697519	KS22247L4	WIRE 26GA BK (4 IN. LONG)			
2180	7N	1	900452368		TUBING 1/2 IN ID X 3/4 IN LG BLK #RT876			
2185	7N	1	900664939		TUBING,HEAT SHRINKABLE 1/2 IN. ID. X 1 1/2 IN. LG. BLACK #RT876			
2190	7N	1	103125357	982AC	CONNECTOR,BACKPLANE			
2195	7N	1	842923708		RELIEF,STRAIN			
2200	7N	1	997082144	KS19088L2	CONNECTOR,PLUG MALE			
2205	7N	1	996975918	KS19196L2	HOOD			
2210	7N	1	406301887		FERRITE,EMI/RFI SUPPRESSOR SPLIT OVAL BEAD #28B2024-OAO			
2215	7N	1	901161133		TUBING 2IDX1-1/2 IN.,BLACK,HEAT SHRINKABLE,VERSAFIT UL(VW-1),CSA			
2300	30	1	105412530	812A-4/26	CABLE 26 GAGE (5 FT. - 0 IN. LONG)			
2310	30	1	105412530	812A-4/26	CABLE 26 GAGE (2 FT. - 7 IN. LONG)			
2320	30	1	105772826	963T-24	CONNECTOR			
2321	30	2	106904956	TCOV-NS24G	COVER,PROTECTIVE			
2330	30	2	105772818	963T-16	CONNECTOR			
2331	30	4	106904923	TCOV-NS16G	COVER,PROTECTIVE			
4000	33	1	105419477	812AS-4/26	CABLE 4 PR SHIELDED UL LISTED TYPE CMR 26GA (2 FT. -2 IN. LONG)			
4005	33	1	843743170		WIRE 26GA DP 3 BK (1 FT. -0 IN. LONG)			
4010	33	2	900422494		TUBING,HEAT SHRINKABLE 1/4 IN ID. X 1 IN LG.BK #RT876			
4015	33	1	105772818	963T-16	CONNECTOR			
4016	33	2	106904923	TCOV-NS16G	COVER,PROTECTIVE			
4020	33	1	105772800	963T-12	CONNECTOR			
4021	33	2	106904915	TCOV-NS12G	COVER,PROTECTIVE			
4025	33A	1	105419477	812AS-4/26	CABLE 4 PR SHIELDED UL LISTED TYPE CMR 26GA (2 FT. -3 IN. LONG)			
4030	33A	1	843743170		WIRE 26GA DP 3 BK (1 FT. -0 IN. LONG)			
4035	33A	2	900422494		TUBING,HEAT SHRINKABLE 1/4 IN ID. X 1 IN LG.BK #RT876			
4040	33A	1	105772818	963T-16	CONNECTOR			
4041	33A	2	106904923	TCOV-NS16G	COVER,PROTECTIVE			

\*\*\*\*\* STOCKLIST CONTINUED AT RIGHT \*\*\*\*\*

ED3T076-20

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
4045	33A	1	105772800	963T-12	CONNECTOR			
4046	33A	2	106904915	TCOV-NS12G	COVER,PROTECTIVE			
4200	34	1	105419477	812AS-4/26	CABLE 4 PR SHIELDED UL LISTED TYPE CMR 26GA (4 FT. -5 IN. LONG)			
4205	34	1	843743170		WIRE 26GA DP 3 BK (0 FT -7 IN. LONG)			
4210	34	2	900422494		TUBING,HEAT SHRINKABLE 1/4 IN ID. X 1 IN LG.BK #RT876			
4215	34	1	105772792	963T-8	CONNECTOR			
4216	34	2	106904907	TCOV-NS8G	COVER,PROTECTIVE			
4220	34	1	105772800	963T-12	CONNECTOR			
4221	34	2	106904915	TCOV-NS12G	COVER,PROTECTIVE			
4225	34A	1	105419477	812AS-4/26	CABLE 4 PR SHIELDED UL LISTED TYPE CMR 26GA (4 FT. -7 IN. LONG)			
4230	34A	1	843743170		WIRE 26GA DP 3 BK (0 FT. -7 IN. LONG)			
4235	34A	2	900422494		TUBING,HEAT SHRINKABLE 1/4 IN ID. X 1 IN LG.BK #RT876			
4240	34A	1	105772792	963T-8	CONNECTOR			
4241	34A	2	106904907	TCOV-NS8G	COVER,PROTECTIVE			
4245	34A	1	105772800	963T-12	CONNECTOR			
4246	34A	2	106904915	TCOV-NS12G	COVER,PROTECTIVE			
6000	50	1	105412563	816A-6/26	CABLE UL LISTED TYPE CMR 26GA (X DIM.)			
6005	50	1	105772826	963T-24	CONNECTOR			
6006	50	2	106904956	TCOV-NS24G	COVER,PROTECTIVE			
6010	50	1	997082144	KS19088L2	CONNECTOR,PLUG MALE			
6015	50	1	407326099	KS19196L25	HOOD,CONNECTOR			
6020	50	1	803382415	P-338241	STAYBAND,WING			
6025	50	1	996512786		GROMMET 5/32 X 7/16 X 9/32 INCHES #374			
6030	51	1	105412563	816A-6/26	CABLE UL LISTED TYPE CMR 26GA (X DIM.)			
6035	51	1	105772826	963T-24	CONNECTOR			
6036	51	2	106904956	TCOV-NS24G	COVER,PROTECTIVE			

STOCKLIST CONTINUED ON SHEET D9

SEE PROPRIETARY NOTICE ON SHEET ONE	
COPYRIGHT © 2001 LUCENT TECHNOLOGIES UNPUBLISHED & NOT FOR PUBLICATION ALL RIGHTS RESERVED	
RN98	
COMMON SYSTEMS 3B21D COMPUTER SPECIFICATION FOR CONNECTORIZED SWITCHBOARD CABLE ASSEMBLY	
DWG SIZE C2	ISSUE 22
LUCENT TECHNOLOGIES INC	ED3T076-20
SHEET D8 OF 73	

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
6037	51	1	843743170		WIRE 26GA DP 3 BK (1 IN. LONG)			
6040	51	1	405189168		PLUG 25 CONTACT #TBS-25PT			
6045	51	1	405144262		HOOD,CONNECTOR #SDH-25GFCS			
6046	51	1	405184524		HOOD SUPER D ADAPTER SYSTEM, BLACK PLASTIC STRAIGHT WITH TWO CAPTIVE 4-40 SCREWS #SDH-25BFCS			
6050	51	1	996512786		GROMMET 5/32 X 7/16 X 9/32 INCHES #374			
6055	52	1	105412530	812A-4/26	CABLE 26 GAGE (X DIM.)			
6060	52	1	105772826	963T-24	CONNECTOR			
6061	52	2	106904956	TCOV-NS24G	COVER,PROTECTIVE			
6065	52	1	843743170		WIRE 26GA DP 3 BK (3 IN. LONG)			
6070	52	1	997082144	KS19088L2	CONNECTOR,PLUG MALE			
6075	52	1	407326099	KS19196L25	HOOD,CONNECTOR			
6080	52	1	803382415	P-338241	STAYBAND,WING			
6085	52	1	996512786		GROMMET 5/32 X 7/16 X 9/32 INCHES #374			
6095	52A	1	105411318	1246004C	CABLE,ELECTRONIC 26GA (X DIM.)			
6100	52A	1	103125373	982AE	CONNECTOR,ELECTRICAL			
6105	52A	1	842923757		RELIEF,STRAIN			
6106	52A	1	842923765		RELIEF,STRAIN			
6107	52A	1	900451410		TUBING, HEAT SHRINKABLE 3/8 IN.X 3/4 IN.LG.BLACK #RT876			
6110	52A	1	997082144	KS19088L2	CONNECTOR,PLUG MALE			
6115	52A	1	407326099	KS19196L25	HOOD,CONNECTOR			
6120	52A	1	900664939		TUBING,HEAT SHRINKABLE 1/2 IN. ID. X 1 1/2 IN. LG. BLACK #RT876			
6125	52A	1	401272612		SLEEVE,HEAT SHRINKABLE 3/16 IN. DIA. X 1-1/4 IN. LG. BLACK #RT876			
6126	52A	1	406672402		TUBING,HEAT SHRINKABLE EXPND ID 3/32 IN, RECOV ID 3/64 IN, 4" LG #RT-876			
6130	52A	1	900452368		TUBING 1/2 IN ID X 3/4 IN LG BLK #RT876			
6135	52A	1	843743170		WIRE 26GA DP 3 BK (2 IN. LONG)			
6140	53	1	105412530	812A-4/26	CABLE 26 GAGE (X DIM.)			
6145	53	1	105772826	963T-24	CONNECTOR			
6146	53	2	106904956	TCOV-NS24G	COVER,PROTECTIVE			

\*\*\*\*\* STOCKLIST CONTINUED AT RIGHT \*\*\*\*\*

ED3T076-20

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
6150	53	1	843743170		WIRE 26GA DP 3 BK (2 IN. LONG)			
6155	53	1	997082144	KS19088L2	CONNECTOR,PLUG MALE			
6160	53	1	407326099	KS19196L25	HOOD,CONNECTOR			
6165	53	1	803382415	P-338241	STAYBAND,WING			
6170	53	1	996512786		GROMMET 5/32 X 7/16 X 9/32 INCHES #374			
6180	53A	1	105411318	1246004C	CABLE,ELECTRONIC 26GA (X DIM.)			
6185	53A	1	103125373	982AE	CONNECTOR,ELECTRICAL			
6190	53A	1	842923757		RELIEF,STRAIN			
6191	53A	1	842923765		RELIEF,STRAIN			
6192	53A	1	900451410		TUBING, HEAT SHRINKABLE 3/8 IN.X 3/4 IN.LG.BLACK #RT876			
6195	53A	1	997082144	KS19088L2	CONNECTOR,PLUG MALE			
6200	53A	1	407326099	KS19196L25	HOOD,CONNECTOR			
6205	53A	1	900664939		TUBING,HEAT SHRINKABLE 1/2 IN. ID. X 1 1/2 IN. LG. BLACK #RT876			
6210	53A	1	401272612		SLEEVE,HEAT SHRINKABLE 3/16 IN. DIA. X 1-1/4 IN. LG. BLACK #RT876			
6211	53A	1	406672402		TUBING,HEAT SHRINKABLE EXPND ID 3/32 IN, RECOV ID 3/64 IN, 4" LG #RT-876			
6215	53A	1	900452368		TUBING 1/2 IN ID X 3/4 IN LG BLK #RT876			
6220	53A	1	843743170		WIRE 26GA DP 3 BK (2 IN. LONG)			
6230	54	1	105412530	812A-4/26	CABLE 26 GAGE (X DIM.)			
6235	54	1	105772826	963T-24	CONNECTOR			
6236	54	2	106904956	TCOV-NS24G	COVER,PROTECTIVE			
6240	54	1	997082144	KS19088L2	CONNECTOR,PLUG MALE			
6245	54	1	407326099	KS19196L25	HOOD,CONNECTOR			
6250	54	1	803382415	P-338241	STAYBAND,WING			
6255	54	1	996512786		GROMMET 5/32 X 7/16 X 9/32 INCHES #374			

STOCKLIST CONTINUED ON SHEET D10

SEE PROPRIETARY NOTICE ON SHEET ONE  
 COPYRIGHT © 2001 LUCENT TECHNOLOGIES  
 UNPUBLISHED & NOT FOR PUBLICATION  
 ALL RIGHTS RESERVED

RN98

COMMON SYSTEMS  
 3B21D COMPUTER  
 SPECIFICATION FOR  
 CONNECTORIZED SWITCHBOARD  
 CABLE ASSEMBLY

DWG SIZE C2 ISSUE 22

LUCENT TECHNOLOGIES INC ED3T076-20

SHEET D9 OF 73

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
6260	54	1	843743170		WIRE 26GA DP 3 BK (3 IN. LONG)			
6270	55	1	105412530	812A-4/26	CABLE 26 GAGE (X DIM.)			
6275	55	1	105772826	963T-24	CONNECTOR			
6276	55	2	106904956	TCOV-NS24G	COVER, PROTECTIVE			
6280	55	1	843743170		WIRE 26GA DP 3 BK (1 IN. LONG)			
6285	55	1	997082144	KS19088L2	CONNECTOR, PLUG MALE			
6290	55	1	407326099	KS19196L25	HOOD, CONNECTOR			
6295	55	1	803382415	P-338241	STAYBAND, WING			
6300	55	1	996512786		GROMMET 5/32 X 7/16 X 9/32 INCHES #374			
6305	56	1	105419477	812AS-4/26	CABLE 4 PR SHIELDED UL LISTED TYPE CMR 26GA (X DIM.)			
6310	56	1	103125373	982AE	CONNECTOR, ELECTRICAL			
6315	56	1	842923773		RELIEF, STRAIN			
6320	56	1	997082151	KS19087L2	CONNECTOR, RECEPTACLE, FEMALE			
6325	56	1	407326099	KS19196L25	HOOD, CONNECTOR			
6330	56	1	803382415	P-338241	STAYBAND, WING			
6335	56	1	814667119	P-46F711	WIRE 26GA BARE SOLID (1 IN. LONG)			
6340	56	1	900404732		TUBING, HEAT SHRINKABLE 3/8 IN. ID X 2 IN. LG. BLACK #RT876			
6341	56	1	900293283		TUBING, HEAT SHRINKABLE 3/8 IN. X 2 IN. BLACK #RT876			
6345	56	1	996344800	KS19195L1	WIRE 22GA SOLID BK (2 IN. LONG)			
6350	56	1	843743170		WIRE 26GA DP 3 BK (3 IN. LONG)			
6355	56	1	900452368		TUBING 1/2 IN ID X 3/4 IN LG BLK #RT876			
6360	56	1	996512786		GROMMET 5/32 X 7/16 X 9/32 INCHES #374			
6370	56A	1	105411318	1246004C	CABLE, ELECTRONIC 26GA (X DIM.)			
6375	56A	1	843743170		WIRE 26GA DP 3 BK (3 IN. LONG)			
6380	56A	1	814667119	P-46F711	WIRE 26GA BARE SOLID (1 IN. LONG)			
6385	56A	1	103125373	982AE	CONNECTOR, ELECTRICAL			
6390	56A	1	842923757		RELIEF, STRAIN			
6395	56A	1	900664939		TUBING, HEAT SHRINKABLE 1/2 IN. ID. X 1 1/2 IN. LG. BLACK #RT876			
6400	56A	1	401272612		SLEEVE, HEAT SHRINKABLE 3/16 IN. DIA. X 1-1/4 IN. LG. BLACK #RT876			

\*\*\*\*\* STOCKLIST CONTINUED AT RIGHT \*\*\*\*\*

ED3T076-20

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
6405	56A	1	900452368		TUBING 1/2 IN ID X 3/4 IN LG BLK #RT876			
6410	56A	1	997082151	KS19087L2	CONNECTOR, RECEPTACLE, FEMALE			
6415	56A	1	407326099	KS19196L25	HOOD, CONNECTOR			
6425	57	1	105419477	812AS-4/26	CABLE 4 PR SHIELDED UL LISTED TYPE CMR 26GA (X DIM.)			
6430	57	1	103125373	982AE	CONNECTOR, ELECTRICAL			
6435	57	1	842923773		RELIEF, STRAIN			
6440	57	1	997082151	KS19087L2	CONNECTOR, RECEPTACLE, FEMALE			
6445	57	1	407326099	KS19196L25	HOOD, CONNECTOR			
6450	57	1	803382415	P-338241	STAYBAND, WING			
6455	57	1	814667119	P-46F711	WIRE 26GA BARE SOLID (3 IN. LONG)			
6460	57	1	900404732		TUBING, HEAT SHRINKABLE 3/8 IN. ID X 2 IN. LG. BLACK #RT876			
6461	57	1	900293283		TUBING, HEAT SHRINKABLE 3/8 IN. X 2 IN. BLACK #RT876			
6465	57	1	996344800	KS19195L1	WIRE 22GA SOLID BK (2 IN. LONG)			
6470	57	1	843743170		WIRE 26GA DP 3 BK (1 IN. LONG)			
6475	57	1	900452368		TUBING 1/2 IN ID X 3/4 IN LG BLK #RT876			
6480	57	1	996512786		GROMMET 5/32 X 7/16 X 9/32 INCHES #374			
6490	57A	1	105411318	1246004C	CABLE, ELECTRONIC 26GA (X DIM.)			
6495	57A	1	843743170		WIRE 26GA DP 3 BK (3 IN. LONG)			
6500	57A	1	814667119	P-46F711	WIRE 26GA BARE SOLID (1 IN. LONG)			
6505	57A	1	103125373	982AE	CONNECTOR, ELECTRICAL			
6510	57A	1	842923757		RELIEF, STRAIN			
6515	57A	1	900664939		TUBING, HEAT SHRINKABLE 1/2 IN. ID. X 1 1/2 IN. LG. BLACK #RT876			
6520	57A	1	401272612		SLEEVE, HEAT SHRINKABLE 3/16 IN. DIA. X 1-1/4 IN. LG. BLACK #RT876			

STOCKLIST CONTINUED ON SHEET D11

SEE PROPRIETARY NOTICE ON SHEET ONE  
 COPYRIGHT © 2001 LUCENT TECHNOLOGIES  
 UNPUBLISHED & NOT FOR PUBLICATION  
 ALL RIGHTS RESERVED

RN98

COMMON SYSTEMS  
 3B21D COMPUTER  
 SPECIFICATION FOR  
 CONNECTORIZED SWITCHBOARD  
 CABLE ASSEMBLY

DWG SIZE C2 ISSUE 22

LUCENT TECHNOLOGIES INC ED3T076-20

SHEET D10 OF 73

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
6525	57A	1	900452368		TUBING 1/2 IN ID X 3/4 IN LG BLK #RT876			
6530	57A	1	997082151	KS19087L2	CONNECTOR, RECEPTACLE,FEMALE			
6535	57A	1	407326099	KS19196L25	HOOD,CONNECTOR			
6540	58	1	105419477	812AS-4/26	CABLE 4 PR SHIELDED UL LISTED TYPE CMR 26GA (X DIM.)			
6545	58	1	103125373	982AE	CONNECTOR,ELECTRICAL			
6550	58	1	842923773		RELIEF,STRAIN			
6555	58	1	900404732		TUBING,HEAT SHRINKABLE 3/8 IN.ID X 2 IN.LG. BLACK #RT876			
6556	58	1	900293283		TUBING,HEAT SHRINKABLE 3/8 IN.X 2 IN. BLACK #RT876			
6560	58	1	996344800	KS19195L1	WIRE 22GA SOLID BK (2 IN. LONG)			
6565	58	1	997082144	KS19088L2	CONNECTOR,PLUG MALE			
6570	58	1	407326099	KS19196L25	HOOD,CONNECTOR			
6575	58	1	996512786		GROMMET 5/32 X 7/16 X 9/32 INCHES #374			
6580	58	1	803382415	P-338241	STAYBAND,WING			
6585	58	1	900452368		TUBING 1/2 IN ID X 3/4 IN LG BLK #RT876			
6590	58	1	843743170		WIRE 26GA DP 3 BK (3 IN. LONG)			
6595	58	1	814667119	P-46F711	WIRE 26GA BARE SOLID (1 IN. LONG)			
6600	58A	1	105411318	1246004C	CABLE,ELECTRONIC 26GA (X DIM.)			
6605	58A	1	843743170		WIRE 26GA DP 3 BK (3 IN. LONG)			
6610	58A	1	814667119	P-46F711	WIRE 26GA BARE SOLID (1 IN. LONG)			
6615	58A	1	103125373	982AE	CONNECTOR,ELECTRICAL			
6620	58A	1	842923757		RELIEF,STRAIN			
6625	58A	1	900664939		TUBING,HEAT SHRINKABLE 1/2 IN. ID. X 1 1/2 IN. LG. BLACK #RT876			
6630	58A	1	401272612		SLEEVE,HEAT SHRINKABLE 3/16 IN. DIA. X 1-1/4 IN. LG. BLACK #RT876			
6635	58A	1	900452368		TUBING 1/2 IN ID X 3/4 IN LG BLK #RT876			
6640	58A	1	997082144	KS19088L2	CONNECTOR,PLUG MALE			
6645	58A	1	407326099	KS19196L25	HOOD,CONNECTOR			
6655	59	1	105412563	816A-6/26	CABLE UL LISTED TYPE CMR 26GA (X DIM.)			
6660	59	1	105772826	963T-24	CONNECTOR			
6661	59	2	106904956	TCOV-NS24G	COVER,PROTECTIVE			

\*\*\*\*\* STOCKLIST CONTINUED AT RIGHT \*\*\*\*\*

ED3T076-20

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
6665	59	1	997082144	KS19088L2	CONNECTOR,PLUG MALE			
6670	59	1	407326099	KS19196L25	HOOD,CONNECTOR			
6675	59	1	803382415	P-338241	STAYBAND,WING			
6680	59	1	996512786		GROMMET 5/32 X 7/16 X 9/32 INCHES #374			
6685	60	1	105419477	812AS-4/26	CABLE 4 PR SHIELDED UL LISTED TYPE CMR 26GA (X DIM.)			
6690	60	1	103125373	982AE	CONNECTOR,ELECTRICAL			
6695	60	1	842923773		RELIEF,STRAIN			
6700	60	1	900404732		TUBING,HEAT SHRINKABLE 3/8 IN.ID X 2 IN.LG. BLACK #RT876			
6701	60	1	900293283		TUBING,HEAT SHRINKABLE 3/8 IN.X 2 IN. BLACK #RT876			
6705	60	1	900452368		TUBING 1/2 IN ID X 3/4 IN LG BLK #RT876			
6710	60	1	996344800	KS19195L1	WIRE 22GA SOLID BK (2 IN. LONG)			
6715	60	1	814667119	P-46F711	WIRE 26GA BARE SOLID (1 IN. LONG)			
6720	60	1	843743170		WIRE 26GA DP 3 BK (1 IN. LONG)			
6725	60	1	997082144	KS19088L2	CONNECTOR,PLUG MALE			
6730	60	1	407326099	KS19196L25	HOOD,CONNECTOR			
6735	60	1	996512786		GROMMET 5/32 X 7/16 X 9/32 INCHES #374			
6740	60	1	803382415	P-338241	STAYBAND,WING			
6750	61	1	105412480	#807A 16/26	CABLE 26 GA UL LISTED TYPE CMR (X DIM.)			
6755	61	1	105772826	963T-24	CONNECTOR			
6756	61	2	106904956	TCOV-NS24G	COVER,PROTECTIVE			
6760	61	1	103125373	982AE	CONNECTOR,ELECTRICAL			
6765	61	1	842923773		RELIEF,STRAIN			
6770	61	1	405189234		PLUG 37 CONTACT BRIGHT TIN FINISH W/O INDENTATIONS W/O NOTCHES #TCS-37PT			

STOCKLIST CONTINUED ON SHEET D12

SEE PROPRIETARY NOTICE ON SHEET ONE	
COPYRIGHT © 2001 LUCENT TECHNOLOGIES UNPUBLISHED & NOT FOR PUBLICATION ALL RIGHTS RESERVED	
RN98	
COMMON SYSTEMS 3B21D COMPUTER SPECIFICATION FOR CONNECTORIZED SWITCHBOARD CABLE ASSEMBLY	
DWG SIZE C2	ISSUE 22
LUCENT TECHNOLOGIES INC ED3T076-20	
SHEET D11 OF 73	

STOCKLIST									
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE		
							SYM	NBR	
6775	61	1	405184516		HOOD SUPER D ADAPTER SYSTEM, BLACK PLASTIC STRAIGHT WITH TWO CAPTIVE 4-40 #SDH-37BFCS				
6780	61	1	996512786		GROMMET 5/32 X 7/16 X 9/32 INCHES #374				
6790	62	1	105419469	811AS	CABLE,ELECTRONIC 26GA, 8 PAIR SHIELDED (X DIM.)				
6795	62	1	402242580	KS21303L9	BLOCK,CONNECTOR				
6800	62	1	400583084		HOOD #200517-2				
6805	62	1	401863782		JACK SCREW, LONG MALE #200871-1		*	4	
6810	62	1	401863774		JACK SCREW, LONG FEMALE #200867-1		*	4	
6815	62	1	402804272		JACK SCREW, MALE #201413-1				
6820	62	1	402803597		JACK SCREW, FEMALE #201414-1				
6825	62	1	843743170		WIRE 26GA DP 3 BK (2-1/4 IN. LONG)				
6830	62	1	843743170		WIRE 26GA DP 3 BK (7 IN. LONG)				
6835	62	1	814667119	P-46F711	WIRE 26GA BARE SOLID (3 IN. LONG)				
6840	62	2	103125373	982AE	CONNECTOR, ELECTRICAL				
6845	62	2	842923773		RELIEF, STRAIN				
6850	62	2	900404732		TUBING, HEAT SHRINKABLE 3/8 IN. ID X 2 IN. LG. BLACK #RT876				
6851	62	2	900293283		TUBING, HEAT SHRINKABLE 3/8 IN. X 2 IN. BLACK #RT876				
6855	62	1	403302433	KS21303L6	CONTACT, CONNECTOR PIN ZU-24GA				
6856	62	1	402958169		CONTACT #66103-4				
6860	62	14	403302458	KS21303L8	CONTACT PIN TYPE III 26-30GA			6	
6900	63	1	105411318	1246004C	CABLE, ELECTRONIC 26GA (100 FT. -2 1/4 IN. LONG)				
6905	63	1	843743170		WIRE 26GA DP 3 BK (3 IN. LONG)				
6910	63	1	814667119	P-46F711	WIRE 26GA BARE SOLID (1 IN. LONG)				
6915	63	1	103125373	982AE	CONNECTOR, ELECTRICAL				
6920	63	1	842923757		RELIEF, STRAIN				
6925	63	1	900664939		TUBING, HEAT SHRINKABLE 1/2 IN. ID. X 1 1/2 IN. LG. BLACK #RT876				
6930	63	1	401272612		SLEEVE, HEAT SHRINKABLE 3/16 IN. DIA. X 1-1/4 IN. LG. BLACK #RT876				
6935	63	1	900452368		TUBING 1/2 IN ID X 3/4 IN LG BLK #RT876				

\*\*\*\*\* STOCKLIST CONTINUED AT RIGHT \*\*\*\*\*

ED3T076-20

STOCKLIST									
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE		
							SYM	NBR	
6940	63	1	997082144	KS19088L2	CONNECTOR, PLUG MALE				
6945	63	1	407326099	KS19196L25	HOOD, CONNECTOR				
6950	8C,8D	1	407104702		CABLE, SHIELDED 24GA, 6 PAIR, 500FT LG #8336 (100 FT. -2 1/4 IN. LONG)				
6955	8C,8D	1	103125357	982AC	CONNECTOR, BACKPLANE				
6960	8C,8D	1	842923708		RELIEF, STRAIN				
6965	8C,8D	1	900664939		TUBING, HEAT SHRINKABLE 1/2 IN. ID. X 1 1/2 IN. LG. BLACK #RT876				
6970	8C,8D	1	407243310		CONNECTOR, D SUBMINIATURE #748364-1				
6975	8C,8D	10	405756370		PIN HIGH DENSITY MALE CRIMP CONTACT #748333-2				
6980	8C,8D	1	407139682		HOOD, CONNECTOR #DCH-E-001				
7020	65	1	107087173	807AS	CABLE, ELECTRICAL 26GA, 16 PAIR, 500FT LG (X DIM.)				
7025	65	1	105772826	963T-24	CONNECTOR				
7026	65	2	106904956	TCOV-NS24G	COVER, PROTECTIVE				
7030	65	1	842923773		RELIEF, STRAIN				
7035	65	1	103125373	982AE	CONNECTOR, ELECTRICAL				
7040	65	1	405189234		PLUG 37 CONTACT BRIGHT TIN FINISH W/O INDENTATIONS W/O NOTCHES #TCS-37PT				
7045	65	1	405184516		HOOD SUPER D ADAPTER SYSTEM, BLACK PLASTIC STRAIGHT WITH TWO CAPTIVE 4-40 #SDH-37BFCS				
7050	65	1	996512786		GROMMET 5/32 X 7/16 X 9/32 INCHES #374				
7055	65	1	843743170		WIRE 26GA DP 3 BK (7 IN. LONG)				
7060	65	1	900293283		TUBING, HEAT SHRINKABLE 3/8 IN. X 2 IN. BLACK #RT876				
7065	64	1	107087173	807AS	CABLE, ELECTRICAL 26GA, 16 PAIR, 500FT LG (X DIM.)				
7070	64	1	405189234		PLUG 37 CONTACT BRIGHT TIN FINISH W/O INDENTATIONS W/O NOTCHES #TCS-37PT				

STOCKLIST CONTINUED ON SHEET D13

SEE PROPRIETARY NOTICE ON SHEET ONE  
 COPYRIGHT © 2001 LUCENT TECHNOLOGIES  
 UNPUBLISHED & NOT FOR PUBLICATION  
 ALL RIGHTS RESERVED

RN98

COMMON SYSTEMS  
 3B21D COMPUTER  
 SPECIFICATION FOR  
 CONNECTORIZED SWITCHBOARD  
 CABLE ASSEMBLY

DWG SIZE C2 ISSUE 22

LUCENT TECHNOLOGIES INC ED3T076-20

SHEET D12 OF 73

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
7075	64	1	405184516		HOOD SUPER D ADAPTER SYSTEM, BLACK PLASTIC STRAIGHT WITH TWO CAPTIVE 4-40 #SDH-37BFCS			
7080	64	1	996512786		GROMMET 5/32 X 7/16 X 9/32 INCHES #374			
7085	64	1	843743170		WIRE 26GA DP 3 BK (7 IN. LONG)			
7090	64	1	105772826	963T-24	CONNECTOR			
7091	64	2	106904956	TCOV-NS24G	COVER, PROTECTIVE			
7095	64	1	103125373	982AE	CONNECTOR, ELECTRICAL			
7100	64	1	842923773		RELIEF, STRAIN			
7105	64	1	900293283		TUBING, HEAT SHRINKABLE 3/8 IN. X 2 IN. BLACK #RT876			
7150	66A, 67A, 68A	1	105412530	812A-4/26	CABLE 26 GAGE (25 FT - 2-1/2 IN LONG)			
7155	66B, 67B, 68B	1	105412530	812A-4/26	CABLE 26 GAGE (50 FT - 2-1/2 IN LONG)			
7160	66C, 67C, 68C	1	105412530	812A-4/26	CABLE 26 GAGE (75 FT - 2-1/2 IN LONG)			
7165	66D, 67D, 68D	1	105412530	812A-4/26	CABLE 26 GAGE (100 FT - 2-1/2 IN LONG)			
7170	66E, 67E, 68E	1	105412530	812A-4/26	CABLE 26 GAGE (200 FT - 2-1/2 IN LONG)			
7175	66A, 66B, 66C, 66D, 66E	1	843743170		WIRE 26GA DP 3 BK (3 IN. LONG)			
7180	66A, 66B, 66C, 66D, 66E	1	814667119	P-46F711	WIRE 26GA BARE SOLID (1 IN. LONG)			
7185	66A, 66B, 66C, 66D, 66E	1	103125373	982AE	CONNECTOR, ELECTRICAL			
7190	66A, 66B, 66C, 66D, 66E	1	842923757		RELIEF, STRAIN			
7195	66A, 66B, 66C, 66D, 66E	1	900664939		TUBING, HEAT SHRINKABLE 1/2 IN. ID. X 1 1/2 IN. LG. BLACK #RT876			
7200	66A, 66B, 66C, 66D, 66E	1	406671495		PLUG, ELECTRONIC MODULAR 8-2PC, 8 CONTACTS, LOAD BAR PROVIDED FOR WIRETERMINATION #940-SP-014-308			
7205	67A, 67B, 67C, 67D, 67E	1	843743170		WIRE 26GA DP 3 BK (3 IN. LONG)			
7210	67A, 67B, 67C, 67D, 67E	1	814667119	P-46F711	WIRE 26GA BARE SOLID (1 IN. LONG)			
7215	67A, 67B, 67C, 67D, 67E	1	103125373	982AE	CONNECTOR, ELECTRICAL			
7220	67A, 67B, 67C, 67D, 67E	1	842923757		RELIEF, STRAIN			

\*\*\*\*\* STOCKLIST CONTINUED AT RIGHT \*\*\*\*\*

ED3T076-20

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
7225	67A, 67B, 67C, 67D, 67E	1	900664939		TUBING, HEAT SHRINKABLE 1/2 IN. ID. X 1 1/2 IN. LG. BLACK #RT876			
7230	67A, 67B, 67C, 67D, 67E	1	406671495		PLUG, ELECTRONIC MODULAR 8-2PC, 8 CONTACTS, LOAD BAR PROVIDED FOR WIRETERMINATION #940-SP-014-308			
7235	68A, 68B, 68C, 68D, 68E	1	843743170		WIRE 26GA DP 3 BK (3 IN. LONG)			
7240	68A, 68B, 68C, 68D, 68E	1	814667119	P-46F711	WIRE 26GA BARE SOLID (1 IN. LONG)			
7245	68A, 68B, 68C, 68D, 68E	1	103125357	982AC	CONNECTOR, BACKPLANE			
7250	68A, 68B, 68C, 68D, 68E	1	842923708		RELIEF, STRAIN			
7255	68A, 68B, 68C, 68D, 68E	1	900664939		TUBING, HEAT SHRINKABLE 1/2 IN. ID. X 1 1/2 IN. LG. BLACK #RT876			
7260	68A, 68B, 68C, 68D, 68E	1	406671495		PLUG, ELECTRONIC MODULAR 8-2PC, 8 CONTACTS, LOAD BAR PROVIDED FOR WIRETERMINATION #940-SP-014-308			
7275	8E	1	407104702		CABLE, SHIELDED 24GA, 6 PAIR, 500FT LG #8336 (50 FT. -2 1/4 IN. LONG)			
7277	8F	1	407104702		CABLE, SHIELDED 24GA, 6 PAIR, 500FT LG #8336 (100 FT. -2 1/4 IN. LONG)			
7280	8E, 8F	1	103125357	982AC	CONNECTOR, BACKPLANE			
7285	8E, 8F	1	842923708		RELIEF, STRAIN			
7290	8E, 8F	1	900664939		TUBING, HEAT SHRINKABLE 1/2 IN. ID. X 1 1/2 IN. LG. BLACK #RT876			
7295	8E, 8F	1	407243310		CONNECTOR, D SUBMINIATURE #748364-1			
7300	8E, 8F	1	405829425		SHELL #3357-6507			
7305	41A	1	408457257	8134	WIRE, COAXIAL			
7310	41A	1	103125373	982AE	CONNECTOR, ELECTRICAL			
7315	41A	1	842923765		RELIEF, STRAIN			
7320	41A	1	997082144	KS19088L2	CONNECTOR, PLUG MALE			
7325	41A	1	407326099	KS19196L25	HOOD, CONNECTOR			

STOCKLIST CONTINUED ON SHEET D14

SEE PROPRIETARY NOTICE ON SHEET ONE  
 COPYRIGHT © 2001 LUCENT TECHNOLOGIES  
 UNPUBLISHED & NOT FOR PUBLICATION  
 ALL RIGHTS RESERVED

RN98

COMMON SYSTEMS  
 3B21D COMPUTER  
 SPECIFICATION FOR  
 CONNECTORIZED SWITCHBOARD  
 CABLE ASSEMBLY

DWG SIZE C2 ISSUE 22

LUCENT TECHNOLOGIES INC ED3T076-20

SHEET OF D13 73

STOCKLIST

ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
7330	41A	1	408478659		TUBING 1/2X1.5 #RW-3009			
7335	41A	1	408478642		TUBING 3.32X4 #RW-3009			
7340	41A	1	407936319		TUBING 1/2 IN ID X 3/4 IN LG BLK #RW-3009			
7345	41A	1	843743170		WIRE 26GA DP 3 BK			
7350	41A	1	842923757		RELIEF, STRAIN			
7355	41A	1	408039121		TUBING 3/8 IN ID X 1 IN LG BLK #RW-3009			
7360	41A	1	401272612		SLEEVE, HEAT SHRINKABLE 3/16 IN. DIA. X 1-1/4 IN. LG. BLACK #RT876			

\*\*\*\*\* END OF STOCKLIST \*\*\*\*\*

SEE PROPRIETARY NOTICE ON SHEET ONE  
 COPYRIGHT © 2001 LUCENT TECHNOLOGIES  
 UNPUBLISHED & NOT FOR PUBLICATION  
 ALL RIGHTS RESERVED

RN98

COMMON SYSTEMS  
 3B21D COMPUTER  
 SPECIFICATION FOR  
 CONNECTORIZED SWITCHBOARD  
 CABLE ASSEMBLY

DWG SIZE C2 ISSUE 22

ED3T076-20

LUCENT TECHNOLOGIES INC ED3T076-20

SHEET D14 OF 73