

TABLE A-FEATURES											
EQUIPMENT		EQUIPMENT OR CIRCUIT DATA						SD EQUIVALENT			
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
APPARATUS, WIRING AND ASSEMBLY FOR ONE FORMED POWER CABLE BETWEEN THE FUSE UNIT, COOLING UNIT AND PROC-0. (J3T060A-1) (SHEET C1)			1								
APPARATUS, WIRING AND ASSEMBLY FOR ONE FORMED POWER CABLE BETWEEN THE FUSE UNIT, COOLING UNIT AND PROC-0. (J3T060A-1) (SHEET C3)			1A								
APPARATUS, WIRING AND ASSEMBLY FOR ONE FORMED POWER CABLE BETWEEN THE FUSE UNIT, COOLING UNIT & PROC-0, W/UN580B. (J3T060A-1) (SHEET C5)			1B								
APPARATUS, WIRING AND ASSEMBLY FOR ONE FORMED POWER CABLE BETWEEN THE FUSE UNIT, COOLING UNIT AND PROC-1. (J3T060A-1) (SHEET C2)			2								
APPARATUS, WIRING AND ASSEMBLY FOR ONE FORMED POWER CABLE BETWEEN THE FUSE UNIT AND PROC-1 (J3T060A-1) (SHEET C4)			2A								
APPARATUS, WIRING AND ASSEMBLY FOR ONE FORMED POWER CABLE BETWEEN THE FUSE UNIT & PROC-1, W/UN580B. (J3T060A-1) (SHEET C6)			2B								
APPARATUS, WIRING AND ASSEMBLY FOR ONE FORMED POWER CABLE BETWEEN THE FUSE UNIT AND THE IOP2-SPU UNIT. (J3T060A-1) (SHEET C3)			3								
TABLE-A CONTINUED											

ENGINEERING NOTES

52. THIS DRAWING IS ARRANGED FOR J3T060A-1.

ISSUE NOTES				
ORIG ISS: 01/18/93 NDD NBR: 3T061IH-1 CHANGE CLASS: NEW				
DRAFT: JAS	ENGR: JAS	SUPV: PCF	CERTIFIED: 01/18/93	ISSUE: 1
GROUPS 1 THRU 4 BRASS/TIN LUG'S 406697169, 402634760 & 401808654 CHANGED TO PHOS/BRONZE.				
ORIG ISS: 01/18/93 CHANGE CLASS: M				
DRAFT: JAS	ENGR: JAS	SUPV: PCF	CERTIFIED: 07/21/93	ISSUE: 2
GROUPS 1A AND 2A ADDED. OCW PT ISSUE 2.1 ADDED.				
ORIG ISS: 01/18/93 NDD NBR: 3T061IH-19 CHANGE CLASS: B				
DRAFT: JAS	ENGR: JAS	SUPV: PCF	CERTIFIED: 04/21/94	ISSUE: 3
SL ITEMS 100,105, 107, 138-140, 150, 155, 157, 188-190, 200, 205, 250, & 255 CHANGED, SL ITEMS 136, 137, 206, & 256 WERE ADDED. THE DESCRIPTION WAS CHANGED TO INCLUDE LENGTH PER OCW REQUEST.				
ORIG ISS: 01/18/93 NDD NBR: 3T061NW-57 CHANGE CLASS: B				
DRAFT: JLK	ENGR: JLK	SUPV: CDH	CERTIFIED: 06/25/97	ISSUE: 4

SHEET INDEX										
SHT NBR	A1 THRU A2			ISSUE 4						
SHT NBR	D1 THRU D3			ISSUE 4						
SHT NBR	C1	C2	C3	C4	C5	C6	C7			
ISSUE	4	4	4	4	4	4	4			
SHT NBR										
ISSUE										
SHT NBR										
ISSUE										
SHT NBR										
ISSUE										
SHT NBR										
ISSUE										
SHT NBR										
ISSUE										
SHT NBR										
ISSUE										
SHT NBR										
ISSUE										
SHT NBR										
ISSUE										
SHT NBR										
ISSUE										

TABLE D-LIST OF ASSOCIATED REFERENCES	
NUMBER	TITLE
=RLED3T076-50 =TCJ3T060A-1	RUNNING LIST TABULAR CONNECTING
=DENOTES NOT REQD BY INSTALLER	

TABLE OF CONTENTS	
DESCRIPTION	SHT
SHEET INDEX	A1
ASSOCIATED REFERENCES	A1
ISSUE NOTES	A1
ENGINEERING-NOTES	A1
TABLE A	A1
C SECTION GRAPHICS	C1
MANUFACTURING NOTES	D1
STOCKLIST	D1

AT&T - PROPRIETARY
THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION OF
AT&T AND IS NOT TO BE DISCLOSED OR USED EXCEPT IN
ACCORDANCE WITH APPLICABLE CONTRACTS OR AGREEMENTS

COPYRIGHT © 1997 AT&T
UNPUBLISHED & NOT FOR PUBLICATION
ALL RIGHTS RESERVED

RN98

COMMON SYSTEMS
3B21D COMPUTER
SPECIFICATION FOR
FORMED CABLE ASSEMBLY

	DWG SIZE C2
	ISSUE 4

AT&T ED3T076-50 SHEET A1 OF 12

TABLE A-FEATURES (CONTINUED)

EQUIPMENT		EQUIPMENT OR CIRCUIT DATA							SD EQUIVALENT		
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
APPARATUS, WIRING & ASSEMBLY FOR ONE FORMED POWER CABLE BETWEEN THE FUSE UNIT AND THE IOP2-SPU UNIT, W/UN580B. (J3T060A-1) (SHEET C5)			3A								
APPARATUS, WIRING AND ASSEMBLY FOR ONE FORMED POWER CABLE BETWEEN THE FUSE UNIT AND THE IOP3-SPU UNIT. (J3T060A-1) (SHEET C4)			4								
APPARATUS, WIRING AND ASSEMBLY FOR ONE FORMED POWER CABLE BETWEEN THE FUSE UNIT AND THE IOP3-SPU UNIT. (J3T060A-1) (SHEET C6)			4A								

END OF TABLE-A

SEE PROPRIETARY NOTICE ON SHEET ONE
 COPYRIGHT © 1997 AT&T
 UNPUBLISHED & NOT FOR PUBLICATION
 ALL RIGHTS RESERVED

RN98

COMMON SYSTEMS
 3B21D COMPUTER
 SPECIFICATION FOR
 FORMED CABLE ASSEMBLY


DWG SIZE C2
 ISSUE 4

ED3T076-50

AT&T

ED3T076-50

SHEET A2
 OF 12




SK LG A = 10
 SK LG B = 10
 SK LG C = 11 3/4
 SK LG D = 12 1/4

STITCH TERMINATION TABLE	
ARM AND STITCH	EQUIP THESE LEADS WITH
8N ALL	406919126 TERMINAL #154718-4 AMP INC. AND 406601062 RECEPTACLE #100100-1 AMP INC. PER SK. A SHEET C7
6G ALL	406919100 LUG #42452-5 AMP INC. AND COVER LUG WITH 900422494 TUBING, HEAT SHRINKABLE.
OE, 4C, ALL	406918912 LUG #41774 AMP INC. AND COVER LUG WITH 900422494 TUBING, HEAT SHRINKABLE.
8N059, OE050 26GA GREEN ONLY	105772784 963T-6 CONECTOR PER SK. B SHEET C7.

GROUP 1

SEE PROPRIETARY NOTICE ON SHEET A1		
COPYRIGHT © 1997 LUCENT TECHNOLOGIES UNPUBLISHED & NOT FOR PUBLICATION ALL RIGHTS RESERVED		
FORMED CABLE ASSEMBLY		
	DWG SIZE C2	ISSUE 4
LUCENT TECHNOLOGIES INC	ED3T076-50	SHEET C1

ED3T076-50



STITCH TERMINATION TABLE	
ARM AND STITCH	EQUIP THESE LEADS WITH
9N ALL	406919126 TERMINAL #154718-4 AMP INC. AND 406601062 RECEPTACLE #100100-1 AMP INC. PER SK. A SHEET C7
7G ALL	406919100 LUG #42452-5 AMP INC. AND COVER LUG WITH 900422494 TUBING, HEAT SHRINKABLE.
7H, 5K, ALL	406918912 LUG #41774 AMP INC. AND COVER LUG WITH 900422494 TUBING, HEAT SHRINKABLE.
9N 141 5K050 26GA GREEN ONLY	105772784 963T-6 CONECTOR PER SK. B SHEET C7.


- SK LG A = 10
- SK LG B = 10 3/4
- SK LG C = 11 1/2
- SK LG D = 12 1/4

G WIRE LV 1-8

GROUP 2

SEE PROPRIETARY NOTICE ON SHEET A1		
COPYRIGHT © 1997 LUCENT TECHNOLOGIES UNPUBLISHED & NOT FOR PUBLICATION ALL RIGHTS RESERVED		
FORMED CABLE ASSEMBLY		DWG SIZE C2
		ISSUE 4
LUCENT TECHNOLOGIES INC	ED3T076-50	SHEET C2

ED3T076-50



STITCH TERMINATION TABLE	
ARM AND STITCH	EQUIP THESE LEADS WITH
9N ALL	406919126 TERMINAL #154718-4 AMP INC. AND 406601062 RECEPTACLE #100100-1 AMP INC. PER SK. A SHEET C7
7H, 5K, 1M ALL	406918912 LUG #41774 AMP INC. AND COVER LUG WITH 900422494 TUBING, HEAT SHRINKABLE.
9N141 5K050 26GA GREEN ONLY	105772784 963T-6 CONECTOR PER SK. B SHEET C7.


- SK LG A = 10
- SK LG B = 10 3/4
- SK LG C = 11 1/2
- SK LG D = 12 1/4

G WIRE LV 1-8

GROUPS 2A, 4

SEE PROPRIETARY NOTICE ON SHEET A1		
COPYRIGHT © 1997 LUCENT TECHNOLOGIES UNPUBLISHED & NOT FOR PUBLICATION ALL RIGHTS RESERVED		
FORMED CABLE ASSEMBLY		DWG SIZE C2
		ISSUE 4
LUCENT TECHNOLOGIES INC	ED3T076-50	SHEET C4

ED3T076-50



STITCH TERMINATION TABLE	
ARM AND STITCH	EQUIP THESE LEADS WITH
9N ALL	406919126 TERMINAL #154718-4 AMP INC. AND 406601062 RECEPTACLE #100100-1 AMP INC. PER SK. A SHEET C7
7H, 5K, 1M ALL	406918912 LUG #41774 AMP INC. AND COVER LUG WITH 900422494 TUBING, HEAT SHRINKABLE.
9N141 5K050 26GA GREEN ONLY	105772784 963T-6 CONECTOR PER SK. B SHEET C7.

- SK LG A = 10
- SK LG B = 10 3/4
- SK LG C = 11 1/2
- SK LG D = 12 1/4

G WIRE LV 1-8

GROUP 4A

GROUPS 2B, 4A

SEE PROPRIETARY NOTICE ON SHEET A1		
COPYRIGHT © 1997 LUCENT TECHNOLOGIES UNPUBLISHED & NOT FOR PUBLICATION ALL RIGHTS RESERVED		
FORMED CABLE ASSEMBLY		DWG SIZE C2
		ISSUE 4
LUCENT TECHNOLOGIES INC	ED3T076-50	SHEET C6

ED3T076-50

GROUPS 1, 1A, 1B 8N059
GROUPS 2, 2A, 2B 9N141

GROUPS 1, 1A, 1B 0E050
GROUPS 2, 2A, 2B 5K050

CONNECTING TABLE			
WIRING SIDE 963T-6			
COLOR	TERM	TERM	COLOR
G	AA	BA	
	AB	BB	
	AC	BC	


CONNECTING TABLE			
WIRING SIDE 963T-6			
COLOR	TERM	TERM	COLOR
	AA	BA	
	AB	BB	G
	AC	BC	

105772784
CODED SIDE OF CONN


105772784
CODED SIDE OF CONN

MAINTAIN 15 INCHES OF WIRE BETWEEN CABLE ARM AND CONNECTOR AFTER TERMINATING.

MAINTAIN 4 INCHES OF WIRE BETWEEN CABLE ARM AND CONNECTOR AFTER TERMINATING.



SKETCH A



STAMP PER TABLE

STAMPING TABLE					
GROUP	ARM AND STITCH	CONN			
		TERM		EQL	CAB.
		A	B		
1, 1A, 1B	8N059	103		069-100	
1, 1A, 1B	0E050	316		028-060	
2, 2A, 2B	9N141	106		069-100	
2, 2A, 2B	5K050	316		053-060	

SKETCH B

GROUPS 1 THRU 4A

SEE PROPRIETARY NOTICE ON SHEET A1		
COPYRIGHT © 1997 LUCENT TECHNOLOGIES UNPUBLISHED & NOT FOR PUBLICATION ALL RIGHTS RESERVED		
FORMED CABLE ASSEMBLY		DWG SIZE C2
LUCENT TECHNOLOGIES INC		ISSUE 4
ED3T076-50		SHEET C7

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
100	1	1	996384863	KS13385L1	WIRE 14GA STRANDED S/S-BK A DIMENSION 34 FEET 0 INCHES			
105	1	1	996340956	KS13385L1	WIRE, GROUND 16 GA, STRANDED, R-R/BK A DIMENSION 109 FEET 0 INCHES			
107	1	1	403697543	KS22247L4	WIRE 26GA SOLID G A DIMENSION 7 FEET 0 INCHES			
110	1	36	406918912		RECEPTACLE #41774 AMP INC.			
115	1	21	406601062		RECEPTACLE, PARALLEL HOUSING #100100-1 2 CONTACTS, FEMALE, NYLON 6.6 AMP INC.			
120	1	42	406919126		RECEPTACLE, FAST-ON #154718-4 AMP INC.			
125	1	42	900422494		TUBING, HEAT SHRINKABLE #RTS76 1/4 IN ID. X 1 IN LG.BK RAYCHEM CORP.			
130	1	2	105772784	963T-6	CONNECTOR			
135	1	6	406919100		RECEPTACLE #42452-5 AMP INC.			
136	1B	1	996384863	KS13385L1	WIRE 14GA STRANDED S/S-BK A DIMENSION 26 FEET 0 INCHES			
137	1B	34	406918912		RECEPTACLE #41774 AMP INC.			
138	1A	1	996384863	KS13385L1	WIRE 14GA STRANDED S/S-BK A DIMENSION 34 FEET 0 INCHES			
139	1A	1	996340956	KS13385L1	WIRE, GROUND 16 GA, STRANDED, R-R/BK A DIMENSION 127 FEET 0 INCHES			
140	1A,1B	1	403697543	KS22247L4	WIRE 26GA SOLID G A DIMENSION 7 FEET 0 INCHES			
141	1A	36	406918912		RECEPTACLE #41774 AMP INC.			
142	1A	24	406601062		RECEPTACLE, PARALLEL HOUSING #100100-1 2 CONTACTS, FEMALE, NYLON 6.6 AMP INC.			
143	1A	48	406919126		RECEPTACLE, FAST-ON #154718-4 AMP INC.			
144	1A	48	900422494		TUBING, HEAT SHRINKABLE #RTS76 1/4 IN ID. X 1 IN LG.BK RAYCHEM CORP.			
145	1A,1B	2	105772784	963T-6	CONNECTOR			
146	1A,1B	12	406919100		RECEPTACLE #42452-5 AMP INC.			
147	1B	23	406601062		RECEPTACLE, PARALLEL HOUSING #100100-1 2 CONTACTS, FEMALE, NYLON 6.6 AMP INC.			
148	1B	46	406919126		RECEPTACLE, FAST-ON #154718-4 AMP INC.			
149	1B	46	900422494		TUBING, HEAT SHRINKABLE #RTS76 1/4 IN ID. X 1 IN LG.BK RAYCHEM CORP.			
150	2	1	996384863	KS13385L1	WIRE 14GA STRANDED S/S-BK A DIMENSION 23 FEET 0 INCHES			

STOCKLIST CONTINUED ON SHEET D2

ED3T076-50

SHOP
IN
ST

MANUFACTURING NOTES

1. X PARTS REQUIRED FOR INSTALLATION.

X/ PARTS REQUIRED FOR MANUFACTURE WHEN EQUIPMENT IS SHOP MOUNTED OR BY THE INSTALLER WHEN THE EQUIPMENT IS TO BE FIELD MOUNTED.

* PARTS THAT ARE TO BE SHIPPED ATTACHED TO OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED ASSEMBLED ITEM.

*/ PARTS (A) REQUIRED FOR MANUFACTURE WHEN EQUIPMENT INVOLVED IS SHOP MOUNTED OR (B) TO BE SHIPPED ATTACHED TO, OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED ASSEMBLED ITEM WHEN FIELD MOUNTED.

() INDICATES DESIGNATIONS TO BE STAMPED IN ACCORDANCE WITH JOB INFORMATION.

{ } INDICATES DESIGNATIONS SHOWN FOR INFORMATION ONLY AND ARE NOT TO BE STAMPED.

< > INDICATES DESIGNATIONS AND/OR INFORMATION PROVIDED IN ACCORDANCE WITH OTHER INFORMATION.

"W" PARTS ASSEMBLED AT THE SAME TIME THE EQUIPMENT IS MOUNTED.

"W*" PARTS TO BE (A) SHOP ASSEMBLED, BUT WHICH CANNOT BE ASSEMBLED UNTIL THE ASSOCIATED EQUIPMENT IS BEING MOUNTED, OR (B) SHIPPED ATTACHED TO, OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED EQUIPMENT WHEN FIELD MOUNTED.

"S" PARTS NOT ASSEMBLED, SHIPPED SEPARATELY.

A/R AS REQUIRED.

"B" PARTIAL ASSEMBLIES ON OTHER DRAWINGS WITH STOCKLISTS.

X 12. ALL DIMENSIONS OVER ONE FOOT ARE IN FEET AND INCHES.

SEE PROPRIETARY NOTICE ON SHEET ONE

COPYRIGHT © 1997 AT&T
UNPUBLISHED & NOT FOR PUBLICATION
ALL RIGHTS RESERVED

RN98

COMMON SYSTEMS
3B21D COMPUTER
SPECIFICATION FOR
FORMED CABLE ASSEMBLY

DWG SIZE C2 ISSUE 4

AT&T

ED3T076-50

SHEET D1 OF 12

PRINTED IN U.S.A.

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
155	2	1	996340956	KS13385L1	WIRE, GROUND 16 GA, STRANDED, R-R/BK A DIMENSION 71 FEET 0 INCHES			
157	2	1	403697543	KS22247L4	WIRE 26GA SOLID G A DIMENSION 6 FEET 0 INCHES			
160	2	36	406918912		RECEPTACLE #41774 AMP INC.			
165	2	21	406601062		RECEPTACLE, PARALLEL HOUSING #100100-1 2 CONTACTS, FEMALE, NYLON 6.6 AMP INC.			
170	2	42	406919126		RECEPTACLE, FAST-ON #154718-4 AMP INC.			
175	2	42	900422494		TUBING, HEAT SHRINKABLE #RT876 1/4 IN ID. X 1 IN LG.BK RAYCHEM CORP.			
180	2	2	105772784	963T-6	CONNECTOR			
185	2	6	406919100		RECEPTACLE #42452-5 AMP INC.			
187	2B	1	996384863	KS13385L1	WIRE 14GA STRANDED S/S-BK A DIMENSION 19 FEET 0 INCHES			
188	2A	1	996384863	KS13385L1	WIRE 14GA STRANDED S/S-BK A DIMENSION 23 FEET 0 INCHES			
189	2A,2B	1	996340956	KS13385L1	WIRE, GROUND 16 GA, STRANDED, R-R/BK A DIMENSION 57 FEET 0 INCHES			
190	2A,2B	1	403697543	KS22247L4	WIRE 26GA SOLID G A DIMENSION 6 FEET 0 INCHES			
191	2A	36	406918912		RECEPTACLE #41774 AMP INC.			
192	2A	18	406601062		RECEPTACLE, PARALLEL HOUSING #100100-1 2 CONTACTS, FEMALE, NYLON 6.6 AMP INC.			
193	2A	36	406919126		RECEPTACLE, FAST-ON #154718-4 AMP INC.			
194	2A	36	900422494		TUBING, HEAT SHRINKABLE #RT876 1/4 IN ID. X 1 IN LG.BK RAYCHEM CORP.			
195	2A,2B	2	105772784	963T-6	CONNECTOR			
196	2B	34	406918912		RECEPTACLE #41774 AMP INC.			
197	2B	17	406601062		RECEPTACLE, PARALLEL HOUSING #100100-1 2 CONTACTS, FEMALE, NYLON 6.6 AMP INC.			
198	2B	34	406919126		RECEPTACLE, FAST-ON #154718-4 AMP INC.			
199	2B	34	900422494		TUBING, HEAT SHRINKABLE #RT876 1/4 IN ID. X 1 IN LG.BK RAYCHEM CORP.			
200	3,3A	1	996384863	KS13385L1	WIRE 14GA STRANDED S/S-BK A DIMENSION 8 FEET 0 INCHES			
205	3	1	996340956	KS13385L1	WIRE, GROUND 16 GA, STRANDED, R-R/BK A DIMENSION 105 FEET 0 INCHES			
206	3A	1	996340956	KS13385L1	WIRE, GROUND 16 GA, STRANDED, R-R/BK A DIMENSION 97 FEET 0 INCHES			

***** STOCKLIST CONTINUED AT RIGHT *****

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
210	3	26	406918912		RECEPTACLE #41774 AMP INC.			
211	3A	24	406918912		RECEPTACLE #41774 AMP INC.			
215	3	13	406601062		RECEPTACLE, PARALLEL HOUSING #100100-1 2 CONTACTS, FEMALE, NYLON 6.6 AMP INC.			
216	3A	12	406601062		RECEPTACLE, PARALLEL HOUSING #100100-1 2 CONTACTS, FEMALE, NYLON 6.6 AMP INC.			
220	3	26	406919126		RECEPTACLE, FAST-ON #154718-4 AMP INC.			
221	3A	24	406919126		RECEPTACLE, FAST-ON #154718-4 AMP INC.			
225	3	26	900422494		TUBING, HEAT SHRINKABLE #RT876 1/4 IN ID. X 1 IN LG.BK RAYCHEM CORP.			
226	3A	24	900422494		TUBING, HEAT SHRINKABLE #RT876 1/4 IN ID. X 1 IN LG.BK RAYCHEM CORP.			
250	4,4A	1	996384863	KS13385L1	WIRE 14GA STRANDED S/S-BK A DIMENSION 5 FEET 0 INCHES			
255	4	1	996340956	KS13385L1	WIRE, GROUND 16 GA, STRANDED, R-R/BK A DIMENSION 49 FEET 0 INCHES			
256	4A	1	996340956	KS13385L1	WIRE, GROUND 16 GA, STRANDED, R-R/BK A DIMENSION 47 FEET 0 INCHES			
260	4	26	406918912		RECEPTACLE #41774 AMP INC.			
261	4A	24	406918912		RECEPTACLE #41774 AMP INC.			
265	4	13	406601062		RECEPTACLE, PARALLEL HOUSING #100100-1 2 CONTACTS, FEMALE, NYLON 6.6 AMP INC.			
266	4A	12	406601062		RECEPTACLE, PARALLEL HOUSING #100100-1 2 CONTACTS, FEMALE, NYLON 6.6 AMP INC.			
270	4	26	406919126		RECEPTACLE, FAST-ON #154718-4 AMP INC.			
271	4A	24	406919126		RECEPTACLE, FAST-ON #154718-4 AMP INC.			
275	4	26	900422494		TUBING, HEAT SHRINKABLE #RT876 1/4 IN ID. X 1 IN LG.BK RAYCHEM CORP.			

STOCKLIST CONTINUED ON SHEET D3

SEE PROPRIETARY NOTICE ON SHEET ONE	
COPYRIGHT © 1997 AT&T UNPUBLISHED & NOT FOR PUBLICATION ALL RIGHTS RESERVED	
RN98	
COMMON SYSTEMS 3B21D COMPUTER SPECIFICATION FOR FORMED CABLE ASSEMBLY	
DWG SIZE C2	ISSUE 4
AT&T	ED3T076-50
SHEET D2 OF 12	

ED3T076-50

STOCKLIST

ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
276	4A	24	900422494		TUBING, HEAT SHRINKABLE #RTS76 1/4 IN ID. X 1 IN LG.BK RAYCHEM CORP.			

***** END OF STOCKLIST *****

SEE PROPRIETARY NOTICE ON SHEET ONE
 COPYRIGHT © 1997 AT&T
 UNPUBLISHED & NOT FOR PUBLICATION
 ALL RIGHTS RESERVED

RN98

COMMON SYSTEMS
 3B21D COMPUTER
 SPECIFICATION FOR
 FORMED CABLE ASSEMBLY

DWG SIZE C2
 ISSUE 4

ED3T076-50

AT&T

ED3T076-50

SHEET D3
 OF 12

PRINTED IN U.S.A.