

ISSUE NOTES (CONTINUED)					ISSUE NOTES (CONTINUED)					ISSUE NOTES				
SL ITEM 1805 CHGD; SL ITEM 1238 LINED OUT PER OCW PT. ISSUE 18.1. ORIG ISS: 06/20/79 CHANGE CLASS: M					FIG 6 FRONT VIEW AND TBL AA NOTE 16 CHGD. MFG NOTE 31 ADDED. SL ITEM 1038 RMVD, 1036,1037,1040,1041,1045,1050,1055,1060,1085, 1100,1172,1173,1174,1175,1518 CHGD, 1535 TO 1635 ADDED PER OCW PT ISS. 12.1,12.2,12.3,12.4,12.5					LIST H, ITEM 1034,1500,1501,1502,1503,1504,1505,1506,1510,1512,1514,1516,1518, 1520,1113,1114,FIG. E;ADDED. ITEM 1060,1080 QTY "17",GRAPHICS CHGD ACCORD.				
DRAFT: TPS	ENGR: TPS	SUPV: PCF	CERTIFIED: 09/17/92	ISSUE: 19	DRAFT: TPS	ENGR: RWR	SUPV:	CERTIFIED: 03/27/87	ISSUE: 13	DRAFT: JRP	ENGR: EJH	SUPV:	VAULT: 02/23/81	ISSUE: 7
IN TBL A LISTS G,7,8, & 9 RATED "DA". ORIG ISS: 06/20/79 CHANGE CLASS: M					STOCKLIST ITEMS 1240,1241,1242 & 1243 ADDED. STOCKLIST ITEMS 1234,1235,1236 & 1238 LINED OUT PER OC PT ISS 13.1.					SL ITEM 1003 ADDED. ASSOC CHANGE MADE TO GRP 8,SH 16.				
DRAFT: TPS	ENGR: TPS	SUPV: CDH	CERTIFIED: 08/29/96	ISSUE: 20	ORIG ISS: 06/20/79 CHANGE CLASS: M					DRAFT: JRP ENGR: JRC SUPV: VAULT: 02/23/81 ISSUE: 8				
GPS D,F,G,3-6 RATED "DA" WITH THIS ISSUE. ORIG ISS: 06/20/79 CHANGE CLASS: M					DRAFT: TSP ENGR: KAG SUPV: CERTIFIED: 10/01/87 ISSUE: 14					ITEM 1038,1039,1077,1171,1173,1175,1220,1366,1525,1530;ITEM 1275 REF TO LIST '7,8';ADDED. ITEM 1001,1002, REF TO GR 'G';1113,1114,1299,1320,1322,1323,1324, 1325,1330,1332,1333,1340, 1342,1345,1347,1346,1400,1401,1402,1403;ITEM 1230, 1232,1234,1236,1238 REF TO LIST '1,2,3';ITEM 1505 GR 'D,E';RMVD. ITEM 1032 REF TO GR 'F & G';RMVD QTY READ '2'. NOTE 16 '22DP-2' READ '26BW'. ITEM 1165 'SB-312-3' READ 'SB-250',ITEM 1166 QTY READ '10';POS '16T';RMVD. ITEM 1264 QTY READ '4'. ITEM 1285 QTY READ '60'. ITEM 1355,1360,1365 QTY READ '15,46,48';RESP IDENT & DESC READ '900217753',SLEEVING VINYL #14 BLACK 3/16 IN. LG. ITEM 1421 READ '402639033,KS-20810,L1A,510 OHMS'. FIG.D REF TO STAMP '090' READ '091'. FIG.3 BUS BAR '842320129' READ '843058785' FIG.E STAMP '046' READ '096'.				
THIS DWG WILL BE RATED "DA" WITH THIS ISSUE. PLEASE BE ADVISED THAT REFERENCES TO COPYRIGHTS FORMERLY IN THE NAME OF AT&T INC. HAVE SINCE BEEN ASSIGNED TO AND ARE NOW THE PROPERTY OF LUCENT TECHNOLOGIES INC. ORIG ISS: 06/20/79 CHANGE CLASS: M					SL ITEMS 1640,1645,1650,1655,1660,1665,1670,1675,1680,1685,1690, 1695,1700,1705,1710,1715,1720,1725,1730,1735,1740,1745,1750,1755, 1760,1765,1770,1775,1780,1785,1790 & 1795 ADDED. SL ITEMS 1070, 1075,1076,1080,1081,1085,1090,1100 & 1520 IDENT READ '100010446'. SL ITEM 1355 IDENT READ '401126404'. ORIG ISS: 06/20/79 CHANGE CLASS: M					AT&T CL: AD ORIG ISS: 06/20/79 WECCO CL: AD				
DRAFT: TPS	ENGR: TPS	SUPV: CDH	CERTIFIED: 05/24/99	ISSUE: 21	DRAFT: MSB ENGR: KAG SUPV: CERTIFIED: 06/28/89 ISSUE: 15					DRAFT: JRP ENGR: EJH SUPV: VAULT: 10/19/81 ISSUE: 9				
ORIG ISS: 06/20/79 CHANGE CLASS: M					SL ITEMS 1230,1404 & 1760 CHGD. SL ITEMS 1765 & 1770 DELETED PER OCW PT ISSUES 15.1 & 15.3. ORIG ISS: 06/20/79 CHANGE CLASS: M					GRP 6 POSITION 008 & 176 READ 74B & 74 RESP. CN5771IH AT&T CL: A ORIG ISS: 06/20/79 WECCO CL: A				
DRAFT: TPS	ENGR: TPS	SUPV: PCF	CERTIFIED: 02/20/92	ISSUE: 16	DRAFT: TPS ENGR: TPS SUPV: PCF CERTIFIED: 02/20/92 ISSUE: 16					DRAFT: JRP ENGR: EJH SUPV: VAULT: 10/19/81 ISSUE: 10				
SL ITEM 1800, 1805, 1900 THRU 2005 ADDED. SL ITEM 1200,1230,1232 LINED OUT. SL ITEM 1234,1235,1236,1238,1240,1242,1243 CHANGED. ORIG ISS: 06/20/79 NDD NBR: 1C188IH-100 CHANGE CLASS: B					DRAFT: RJB ENGR: RJB SUPV: CERTIFIED: 03/06/92 ISSUE: 17					GRP 9 ADDED. AT&T CL: B ORIG ISS: 06/20/79 NDD NBR: 1C129IH-11 WECCO CL: B				
SL ITEMS 1355; MFG. NOTE 16 CHGD. SL ITEMS 1234,1235,1236 & 1238 LINED OUT PER OCW PT. ISSUE 17.1. ORIG ISS: 06/20/79 CHANGE CLASS: M					DRAFT: TPS ENGR: TPS SUPV: PCF CERTIFIED: 04/30/92 ISSUE: 18					DRAFT: MJB ENGR: JRC SUPV: VAULT: 03/22/82 ISSUE: 11				
<p style="text-align: center;">-----</p> <p style="text-align: center;">* DRAWING CONVERTED FROM SEDBS TO MDS COMPUTER SYSTEMS. *</p> <p style="text-align: center;">* THIS IS A MACHINE COPY OF THE LATEST SEDBS CERTIFIED ISSUE *</p> <p style="text-align: center;">* AND MAY CONTAIN MINOR DIFFERENCES. THE TABLE OF ASSOCIATED *</p> <p style="text-align: center;">* DRAWINGS WAS ELIMINATED DURING MIGRATION TO ASSIST THE *</p> <p style="text-align: center;">* SCRUBBING OF PROPRIETARY INFORMATION. *</p> <p style="text-align: center;">-----</p> <p>GRP A POS 178 READ 74C. VIEW A-A, TBL AA REF TO GRP 9 ADDED. DRAWING PARTITIONED. DRAWING RATING READ 'PROVISIONAL'. ORIGINAL SEDBS CERTIFICATION DATE OF THIS ISSUE IS 10/27/82. CN5810IH AT&amp;T CL: A ORIG ISS: 06/20/79 WECCO CL: A</p> <p>DRAFT: MJB ENGR: REV SUPV: CERTIFIED: 09/22/86 ISSUE: 12</p>														

SHEET INDEX										
SHT NBR	A1 THRU A3									ISSUE 22
ISSUE										
SHT NBR	D1 THRU D5									ISSUE 22
ISSUE										
SHT NBR	B1	B2	B3	B4	B5	B6	B7	B8	B9	
ISSUE	21	21	21	21	21	21	21	21	21	
SHT NBR	C1	C2	C3	C4	C5	C6	C7			
ISSUE	21	21	21	21	21	21	21			
SHT NBR										
ISSUE										
SHT NBR										
ISSUE										
SHT NBR										
ISSUE										
SHT NBR										
ISSUE										
SHT NBR										
ISSUE										
SHT NBR										
ISSUE										
SHT NBR										
ISSUE										
SHT NBR										
ISSUE										

TABLE OF CONTENTS	
DESCRIPTION	SHT
SHEET INDEX	A1
ISSUE NOTES	A1
ENGINEERING-NOTES	A2
TABLE A	A2
B SECTION GRAPHICS	B1
C SECTION GRAPHICS	C1
MANUFACTURING NOTES	D1
STOCKLIST	D1

COPYRIGHT @ 2000 LUCENT TECHNOLOGIES ALL RIGHTS RESERVED			
RN98			
COMMON SPECIFICATION FOR 3B FUSE PANEL ASSEMBLY			
DWG SIZE	ISSUE		
C2	22		
LUCENT TECHNOLOGIES INC		ED4C181-30	SHEET A1 OF 24

TABLE A-FEATURES

EQUIPMENT		EQUIPMENT OR CIRCUIT DATA							SD EQUIVALENT		
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
ASSEMBLY,WIRING AND EQUIPMENT FOR ONE IOP BASIC UNIT FUSE PANEL. DA EFF:01/30/00 FE/RA:NONE		DA	1	1	ED4C181-30	G1					
ASSEMBLY,WIRING AND EQUIPMENT FOR ONE IOP GROWTH UNIT FUSE PANEL. DA EFF:01/30/00 FE/RA:NONE		DA	2	1	ED4C181-30	G2					
ASSEMBLY,WIRING AND EQUIPMENT FOR ONE DISK FILE CONTROLLER UNIT FUSE PANEL. DA EFF:05/31/99 FE/RA:NONE		DA	3	1	ED4C181-30	G3					
ASSEMBLY,WIRING AND EQUIPMENT FOR ONE DIRECT MEMORY ACCESS UNIT FUSE PANEL. DA EFF:05/31/99 FE/RA:NONE		DA	4	1	ED4C181-30	G4					
ASSEMBLY,WIRING AND EQUIPMENT FOR ONE CENTRAL CONTROL UNIT FUSE PANEL. DA EFF:05/31/99 FE/RA:NONE		DA	5	1	ED4C181-30	G5					
ASSEMBLY,WIRING AND EQUIPMENT FOR ONE MAIN STORE UNIT 0 FUSE PANEL. DA EFF:05/31/99 FE/RA:NONE		DA	6	1	ED4C181-30	G6					
ASSEMBLY,WIRING AND EQUIPMENT FOR ONE MAIN STORE UNIT 1 FUSE PANEL. DA EFF:08/31/96 FE/RA:NONE		DA	7	1	ED4C181-30	G7					
ASSEMBLY,WIRING & EQUIPMENT FOR ONE ATTACHED PROCESSOR UNIT FUSE PANEL. (SEE NOTE 54) DA EFF:08/31/96 FE/RA:NONE		DA	8	1	ED4C181-30	G8					
ASSEMBLY,WIRING AND EQUIPMENT FOR ONE MAIN STORE UNIT 0 FUSE PANEL. (REQUIRED FOR USE WITH TN28 CKT PACKS) DA EFF:08/31/96 FE/RA:NONE		DA	9		ED4C181-30	G9					
APPARATUS REQUIRED IN ADDITION TO GROUP 1 FOR USE WITH J1C130BA-1 (PROVIDES FUSE PANEL COVER WHICH AIDS IN COOLING OF UNIT) DA EFF:01/30/00 FE/RA:NONE		DA	A	1	ED4C181-30	GA					
APPARATUS REQUIRED IN ADDITION TO GROUP 2 FOR USE WITH J1C130BB-1 UNIT. (PROVIDES FUSE PNL COVER WHICH AIDS IN COOLING OF UNIT) DA EFF:01/30/00 FE/RA:NONE		DA	B	1	ED4C181-30	GB					
APPARATUS ALWAYS REQUIRED IN ADDITION TO GROUPS 4,5,6 OR 7. PROVIDES NEW BELL SYSTEM COLOR SCHEME. DA EFF:01/30/00 FE/RA:NONE		DA	C								
APPARATUS ALWAYS REQUIRED IN ADDITION TO GROUPS 1 & A. PROVIDES NEW BELL SYSTEM COLOR SCHEME. DA EFF:05/31/99 FE/RA:NONE		DA	D								
APPARATUS ALWAYS REQUIRED IN ADDITION TO GROUPS 2 & B. PROVIDES NEW BELL SYSTEM COLOR SCHEME. DA EFF:01/30/00 FE/RA:NONE		DA	E								

TABLE-A CONTINUED

ED4C181-30

ENGINEERING NOTES

- 51. SEE USED ON EQUIPMENT DRAWINGS FOR RESPECTIVE BSP NUMBERS.
- 52. THIS DOCUMENT CONTAINS COMPLETE ENGINEERING INFORMATION FOR THE SUBJECT EQUIPMENT. JOB INFORMATION SHALL BE RECORDED BY LIST OR GROUP.
- 53. USED ON 3B PROCESSOR FRAME J1C129A-1 3B IOP BASIC UNITS J1C130AA-1 & J1C130BA-1, 3B IOP GROWTH UNITS J1C130AB-1 & J1C130BB-1 AND DISK FILE CONTROLLER UNITS J1C130AC-1.
- 54. USED ON J5A012AA-1.

COPYRIGHT © 2000 LUCENT TECHNOLOGIES  
ALL RIGHTS RESERVED

RN98

COMMON  
SPECIFICATION FOR  
3B FUSE PANEL  
ASSEMBLY

DWG SIZE C2 ISSUE 22

LUCENT TECHNOLOGIES INC ED4C181-30

SHEET A2 OF 24

TABLE A-FEATURES (CONTINUED)

EQUIPMENT		EQUIPMENT OR CIRCUIT DATA						SD EQUIVALENT			
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
APPARATUS ALWAYS REQUIRED IN ADDITION TO GROUP 3. PROVIDES NEW BELL SYSTEM COLOR SCHEME. DA EFF:05/31/99 FE/RA:NONE		DA	F								
APPARATUS ALWAYS REQUIRED IN ADDITION TO GROUP 8. PROVIDES NEW BELL SYSTEM COLOR SCHEME. DA EFF:08/31/96 FE/RA:NONE		DA	G								
APPARATUS AND WIRING REQUIRED IN ADDITION TO GROUP 3 WHEN J1C130AC-1 UNIT IS ENCLOSED FOR COOLING. DA EFF:05/31/99 FE/RA:NONE		DA	H	1	ED4C181-30	GH					
END OF TABLE-A											

COPYRIGHT © 2000 LUCENT TECHNOLOGIES  
ALL RIGHTS RESERVED

RN98


COMMON  
SPECIFICATION FOR  
3B FUSE PANEL  
ASSEMBLY

DWG SIZE C2  
ISSUE 22


ED4C181-30

LUCENT TECHNOLOGIES INC ED4C181-30

SHEET A3  
OF 24



FRONT VIEW




REAR VIEW

FIG. 1  
GROUP 1


SEE PROPRIETARY NOTICE ON SHEET ONE		
3B FUSE PANEL ASSEMBLY		DWG SIZE C2
		ISSUE 21
LUCENT TECHNOLOGIES INC	ED4C181-30 PRINTED IN U.S.A.	SHEET B1

SHEET INDEX	ISSUE									
	SH NO.									
	ISSUE									
	SH NO.									
	ISSUE	21	21	21	21	21	21	21	21	21
	SH NO.	B1	B2	B3	B4	B5	B6	B7	B8	B9

ED4C181-30




FRONT VIEW




REAR VIEW  
FIG. 2  
GROUP 2

SEE PROPRIETARY NOTICE ON SHEET ONE		
3B FUSE PANEL ASSEMBLY	DWG SIZE	ISSUE
	c2	21
LUCENT TECHNOLOGIES INC	ED4C181 - 30	SHEET B2





FRONT VIEW



REAR VIEW

FIG. 3  
GROUP 3 W/O H

SEE PROPRIETARY NOTICE ON SHEET ONE		
3B FUSE PANEL ASSEMBLY		
DWG SIZE C2	ISSUE 21	
LUCENT TECHNOLOGIES INC	ED4C181-30 <small>PRINTED IN U.S.A.</small>	SHEET B3



SEE PROPRIETARY NOTICE ON SHEET ONE		
3B FUSE PANEL ASSEMBLY		
DWG SIZE	ISSUE	
C2	21	
LUCENT TECHNOLOGIES INC	ED4C181-30	SHEET B4





FIG. 4  
GROUP 4

SEE PROPRIETARY NOTICE ON SHEET ONE		
3B FUSE PANEL ASSEMBLY	DWG SIZE	ISSUE
	c2	21
LUCENT TECHNOLOGIES INC	ED4C181-30	SHEET B5

ED4C181-30





FIG. 5  
GROUP 5

SEE PROPRIETARY NOTICE ON SHEET ONE		
3B FUSE PANEL ASSEMBLY		
DWG SIZE C2	ISSUE 21	
LUCENT TECHNOLOGIES INC	ED4C181-30	SHEET B6

ED4C181-30







FIG. 6  
GROUP 6 & 9

SEE PROPRIETARY NOTICE ON SHEET ONE		
3B FUSE PANEL ASSEMBLY		DWG SIZE C2
		ISSUE 21
LUCENT TECHNOLOGIES INC	ED4C181-30 PRINTED IN U.S.A.	SHEET B7

ED4C181-30



FRONT VIEW



REAR VIEW

FIG. 7  
GROUP 7

SEE PROPRIETARY NOTICE ON SHEET ONE		
3B FUSE PANEL ASSEMBLY		DWG SIZE c2
		ISSUE 21
LUCENT TECHNOLOGIES INC	ED4C181-30	SHEET B8

ED4C181-30






FIG. C  
REAR VIEW OF COVER DEPICTING  
MOUNTING AND STAMPING  
INFORMATION WITH GROUP A









FIG. D  
REAR VIEW OF COVER DEPICTING  
MOUNTING AND STAMPING  
INFORMATION WITH GROUP B

SEE PROPRIETARY NOTICE ON SHEET ONE

SHEET INDEX	ISSUE										
	SH NO.										
	ISSUE										
	SH NO.										
ED4C181-30	ISSUE	21	21	21	21	21	21	21			
	SH NO.	C1	C2	C3	C4	C5	C6	C7			

3B FUSE PANEL ASSEMBLY		DWG SIZE C2	ISSUE 21
LUCENT TECHNOLOGIES INC	ED4C181-30 PRINTED IN U.S.A.	SHEET C1	



REAR VIEW OF COVER SHOWING  
MOUNTING AND STAMPING INFORMATION  
FOR GROUP 3 E/W H  
FIG. E

SEE PROPRIETARY NOTICE ON SHEET ONE

3B FUSE PANEL ASSEMBLY

DWG SIZE C2	ISSUE 21
----------------	-------------


LUCENT TECHNOLOGIES INC

ED4C181-30	SHEET C2
------------	-------------

PRINTED IN U.S.A.

T1813002 - JUNIT


ED4C181-30



VIEW A-A  
GROUPS 4,5,6,7 & 9

SEE PROPRIETARY NOTICE ON SHEET ONE		
3B FUSE PANEL ASSEMBLY	DWG SIZE	ISSUE
	C2	21
LUCENT TECHNOLOGIES INC	ED4C181-30	SHEET C3



ED4C181-30



VIEW C-C  
GROUPS 1 & 2  
COVER REMOVED

843049479 WIRE GUIDE

TIE WIRE TO GUIDE  
SEE NOTE 22



SEE PROPRIETARY NOTICE ON SHEET ONE		
3B FUSE PANEL ASSEMBLY	DWG SIZE	ISSUE
	C2	21
LUCENT TECHNOLOGIES INC	ED4C181-30	SHEET C4



TABLE AA (SHEET 1)				
METHOD OF RUNNING WIRES FOR GROUPS 4,5,6,7 & 9				
NOTE	FROM	TO	WIRE TYPE, COLOR & SIZE	REMARKS
12	1B	B	1T	22DP-2 BL
	2B	B	2T	
	3B	B	3T	
	4B	B	4T	
	5B	B	5T	
	6B	B	6T	
	7B	B	7T	
	8B	B	8T	
	9B	B	9T	
	10B	B	10T	
	11B	B	11T	
	12B	B	12T	
	13B	B	13T	
	14B	B	14T	
	15B	B	15T	
	16B	B	16T	
	17B	B	17T	
	18B	B	18T	
	19B	B	19T	
	20B	B	20T	
	21B	B	21T	
	22B	B	22T	
	23B	B	23T	
13	1B	B	008	KS-13385 14 STD BLUE
	2B	B	016	
	3B	B	024	
	4B	B	032	
	5B	B	040	
	6B	B	048	
	7B	B	056	
	8B	B	062	
	9B	B	068	
	10B	B	076	
	11B	B	084	
	12B	B	092	
	13B	B	100	
	14B	B	108	
16	1T	A	1T	22DP-2 RED
	2T	A	2T	
	3T	A	3T	
	4T	A	4T	
	5T	A	5T	
	6T	A	6T	
	7T	A	7T	
	8T	A	8T	
	9T	A	9T	
	10T	A	10T	
	11T	A	11T	
	12T	A	12T	
	13T	A	13T	
	14T	A	14T	

TABLE AA (SHEET 2)						
METHOD OF RUNNING WIRES FOR GROUPS 4,5,6,7 & 9						
NOTE	FROM	TO	WIRE TYPE, COLOR & SIZE	REMARKS		
12	15B	B	116	KS-13385 14 STD BLUE 14 STD RED		
	16B	B	122			
	17B	B	128			
	18B	B	136			
	19B	B	144			
	20B	B	152			
	21B	B	160			
	22B	B	168			
	23B	B	172			
	13	1B	B		1T	22DP-2 RED
		2B	B		2T	
		3B	B		3T	
		4B	B		4T	
		5B	B		5T	
		6B	B		6T	
		7B	B		7T	
		8B	B		8T	
		9B	B		9T	
		10B	B		10T	
		11B	B		11T	
		12B	B		12T	
		13B	B		13T	
		14B	B		14T	
16	1T	A	1T	22DP-2 GREEN		
	2T	A	2T			
	3T	A	3T			
	4T	A	4T			
	5T	A	5T			
	6T	A	6T			
	7T	A	7T			
	8T	A	8T			
	9T	A	9T			
	10T	A	10T			
	11T	A	11T			
	12T	A	12T			
	13T	A	13T			
	14T	A	14T			

TABLE AA (SHEET 3)				
METHOD OF RUNNING WIRES FOR GROUPS 4,5,6,7 & 9				
NOTE	FROM	TO	WIRE TYPE, COLOR & SIZE	REMARKS
16	5T	A	6T	22DP-2 GREEN
	6T	A	7T	
	7T	A	9T	
	9T	A	10T	
	10T	A	11T	
	11T	A	12T	
	STANDOFF ST1	A	3T	
	STANDOFF ST4	A	23T	
	23T	A	22T	
	22T	A	21T	
	21T	A	20T	
	20T	A	19T	
	19T	A	18T	
	18T	A	17T	
	17T	A	15T	
	15T	A	14T	
	14T	A	13T	
	STANDOFF ST3	A	8T	
	STANDOFF ST6	A	16T	
	STANDOFF ST2	T.B. TERM 3F		
	STANDOFF ST5	T.B. TERM 6F		
	T.B. TERM 3F	T.B. TERM 6F		
	T.B. TERM 1F	FUSE 8B TERM C	14 SOLID RED	
T.B. TERM 8F	FUSE 16B TERM C	14 SOLID RED		
26			KS-13385	OMIT FOR G4 & 5
				OMIT FOR G4 & 5

TABLE AB (SEE NOTE 15) SHOWING COLOR INDICATOR AND ASSOCIATED 7A FUSES		
COLOR INDICATOR	ASSOCIATED 70 TYPE FUSE	
VIOLET	70F	1/4 AMP
BLUE	70C	3 AMP
WHITE	70A	1-1/3 AMP
GREEN	70D	5 AMP

SEE PROPRIETARY NOTICE ON SHEET ONE		
3B FUSE PANEL ASSEMBLY		
DWG SIZE C2	ISSUE 21	SHEET C6
LUCENT TECHNOLOGIES INC	ED4C181-30	PRINTED IN U.S.A.





FIG. F  
GROUP 8



VIEW F-F

SEE PROPRIETARY NOTICE ON SHEET A1  
 COPYRIGHT © 1999 LUCENT TECHNOLOGIES  
 UNPUBLISHED & NOT FOR PUBLICATION  
 ALL RIGHTS RESERVED

3B FUSE PANEL ASSEMBLY		DWG SIZE	ISSUE
		C2	21
LUCENT TECHNOLOGIES INC	ED4C181-30	SHEET C7	

ED4C181-30



STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1045	4,5,9	21	845047539		FUSE BLOCK, SUB ASSEMBLY 18A POS 1T TO 7T,9T TO POS 15T, 17T TO 23T			
1050	7	21	845047539		FUSE BLOCK, SUB ASSEMBLY 18A POS 3T TO 23T			
1055	2	14	845047539		FUSE BLOCK, SUB ASSEMBLY 18A POS 1T TO 7T, POS 9T TO 15T			
1060	3	17	845047539		FUSE BLOCK, SUB ASSEMBLY 18A POS 1T TO 17T			
1070	1	12	845047570	20A	BLOCK, FUSE SUB-ASSEMBLY POS 4B,5B,7B,12B, POS 13B,15B,17B TO POS 22B			
1075	2	6	845047570	20A	BLOCK, FUSE SUB-ASSEMBLY POS 4B,5B,7B,12B, POS 13B,15B			
1076	A	1	845047570	20A	BLOCK, FUSE SUB-ASSEMBLY POS 23B			
1077	A	2	996099008		SCREW, TAPPING FLAT HEAD TYPE F STEEL .099-48 X 3/8IN.ZINC PLATE			
1080	3	17	845047570	20A	BLOCK, FUSE SUB-ASSEMBLY POS 1B TO 17B			
1081	8	18	845047570	20A	BLOCK, FUSE SUB-ASSEMBLY POS 1B-4B,6B,7B,9B, POS 10B,12B,13B,15B, POS 17B-23B			
1085	6	23	845047570	20A	BLOCK, FUSE SUB-ASSEMBLY POS 1B TO 23B			
1090	7	21	845047570	20A	BLOCK, FUSE SUB-ASSEMBLY POS 3B TO 23B			
1100	4,5,9	21	845047570	20A	BLOCK, FUSE SUB-ASSEMBLY POS 1B TO 7B, POS 9B TO 15B, POS 17B TO 23B			
1110	1	1	842317513		BUSBAR			
1111	8	1	843043498		BUSBAR			
1112	8	1	842317299		BUSBAR			
1115	1,2	2	842317299		BUSBAR			
1120	3	1	842320129		BUSBAR			
1125	3	1	842317281		BUSBAR			
1130	4,5,6,7,9	1	842316168		BUSBAR			14
1140	1	11	402378913		PLUG, HOLE #2683DP750 HEYCO MFG.CO. POS 1B TO 3B,6B,8B POS TO 11B,14B,16B, POS 23B			
1141	A	OMIT 1	402378913		PLUG, HOLE #2683DP750 HEYCO MFG.CO. POS 23B			
1142	6,7,9	2	996554499		LUG #RB14-8 THOMAS & BETTS CO.			
1150	2	10	402378913		PLUG, HOLE #2683DP750 HEYCO MFG.CO. POS 1B TO 3B,6B,8B POS TO 11B,14B,8T			

\*\*\*\*\* STOCKLIST CONTINUED AT RIGHT \*\*\*\*\*

ED4C181-30

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1157	4,5	4	402378913		PLUG, HOLE #2683DP750 HEYCO MFG.CO. POS 8T,8B,16T,16B,			
1159	7	4	402378913		PLUG, HOLE #2683DP750 HEYCO MFG.CO. POS 1T,2T,1B,2B			
1165	4,5,6,7,9	23 23	400819165		BUSHING, SNAP #SB-312-3 HEYMAN MFG CO			
1166	8	9	402378913		PLUG, HOLE #2683DP750 HEYCO MFG.CO. POS 5T,8T,11T,14T, POS 5B,8B,11B,14B, POS 16B			
1168	A	28	400819165		BUSHING, SNAP #SB-312-3 HEYMAN MFG CO BLACK			
1169	B	19	400819165		BUSHING, SNAP #SB-312-3 HEYMAN MFG CO BLACK			
1170	3	2	900468489		STAND OFF #53-1500 H.H. SMITH INC.			
1171	3	2	800933582	P93358	COLLAR, DISTANCE ID .120, OD .250, THK .138			
1172	4,5,9	4	900468489		STAND OFF #53-1500 H.H. SMITH INC.			
1173	4,5,9	4	800933582	P93358	COLLAR, DISTANCE ID .120, OD .250, THK .138			
1174	6,7	6	900468489		STAND OFF #53-1500 H.H. SMITH INC.			
1175	6,7	6	800933582	P93358	COLLAR, DISTANCE ID .120, OD .250, THK .138			
1185	4,5,6,7,9	2 2	402199525		BLOCK, TERMINAL #599-2004-4 LESTRO CO			
1195	3	1	400733028	KS20616L1A	RESISTOR 510 OHM R2			
1197	4,5,9	2	400599551	KS20616L1A	RESISTOR 1000 OHM R1,R3			
1199	6,7	4	400599551	KS20616L1A	RESISTOR 1000 OHM R1,R2,R3,R4			
1200	8	A/R	996350179	KS13385L1	WIRE 10GA STRANDED S			
1220	6,7,9	A/R	996337788	KS13385L1	WIRE 14GA R SOLID			
1230	8	A/R	996339719	KS13385L1	WIRE 16GA STRANDED BK			

STOCKLIST CONTINUED ON SHEET D3

COPYRIGHT © 2000 LUCENT TECHNOLOGIES  
ALL RIGHTS RESERVED

COMMON  
SPECIFICATION FOR  
3B FUSE PANEL  
ASSEMBLY

RN98

DWG SIZE C2 ISSUE 22

LUCENT TECHNOLOGIES INC ED4C181-30

SHEET D2 OF 24

PRINTED IN U.S.A.

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1231	4,5,6,7,9	A/R A/R	996337671	KS13385L1	WIRE 14GA STRANDED BL			
1232	8	A/R	996339743	KS13385L1	WIRE 16GA STRANDED R			
1233	4,5,6,7,9	A/R A/R	996337705	KS13385L1	WIRE 14GA STRANDED R			
1234	4,5,6,7,9	A/R A/R	842691719		WIRE 22GA DP 2 BL			
1235	8	A/R	842690745		WIRE 26DP 2 G			
1236	4,5,6,7,9	A/R A/R	842691776		WIRE 22DP 2 R			
1238	4,5,6,7,9	A/R A/R	842691735		WIRE 22GA DP 2 G			
1240	4,5,6,7,9	A/R A/R	843743725		WIRE 22GA DP 3 BL			
1241	8	A/R	843743121		WIRE 26GA DP 3 G			
1242	4,5,6,7,9	A/R A/R	843743782		WIRE 22GA DP 3 R			
1243	4,5,6,7,9	A/R A/R	843743741		WIRE 22GA DP 3 G			
1250	4,5,6,7,9	A/R A/R	900468547		TUBING, HEAT SHRINKABLE #FIT221 1/2 IN.DIA.X 4 FT.LG.BLUE ALPHA WIRE CORP.			
1260	4,5,6,7,9	4 4	840058598		SCREW, PAN HEAD MACHINE .138-32 X 3/8 STEEL 289A FINISH			
1262	4,5,6,7,8,9,A,B	4 4	840058234		SCREW, PAN HEAD MACHINE .112-40 X 3/16 STEEL 289A FINISH			
1264	1,2,3	2	824033021	P40L302	SCREW, FLAT HEAD MACHINE .112-40 X 1/4			
1265	4,5,6,7,8,9	2 2	824033021	P40L302	SCREW, FLAT HEAD MACHINE .112-40 X 1/4			
1275	1,2,3,4,5,6,7,8,9	6 6 6	801154535	P115453	SCREW, SPECIAL ROUND HEAD MACHINE .086-56 X 1/8 .086-56 X 1/8			
1280	1	70	996099008		SCREW, TAPPING FLAT HEAD TYPE F STEEL .099-48 X 3/8IN.ZINC PLATE			30
1281	2	40	996099008		SCREW, TAPPING FLAT HEAD TYPE F STEEL .099-48 X 3/8IN.ZINC PLATE			30
1282	3	68	996099008		SCREW, TAPPING FLAT HEAD TYPE F STEEL .099-48 X 3/8IN.ZINC PLATE			30
1283	4,5,7	84	996099008		SCREW, TAPPING FLAT HEAD TYPE F STEEL .099-48 X 3/8IN.ZINC PLATE			30
1284	6,9	92	996099008		SCREW, TAPPING FLAT HEAD TYPE F STEEL .099-48 X 3/8IN.ZINC PLATE			30
1285	8	74	996099008		SCREW, TAPPING FLAT HEAD TYPE F STEEL .099-48 X 3/8IN.ZINC PLATE			30
1295	4,5,7	21	402379721		LUG, TERMINAL #62048-2 FASTON AMP INC.			
1296	6,9	23	402379721		LUG, TERMINAL #62048-2 FASTON AMP INC.			
1297	4,5,7	21	997627906		LUG, TERMINAL #A86 THOMAS & BETTS CO			
1298	6,9	23	997627906		LUG, TERMINAL #A86 THOMAS & BETTS CO			
1310	4,5,7	21	401126404		TUBING, HEAT SHRINKABLE #RT876 3/16 IN.DIA.X 3/4 IN.LG. BLACK RAYCHEM CORP.			

\*\*\*\*\* STOCKLIST CONTINUED AT RIGHT \*\*\*\*\*

ED4C181-30

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1315	6,9	23	401126404		TUBING, HEAT SHRINKABLE #RT876 3/16 IN.DIA.X 3/4 IN.LG. BLACK RAYCHEM CORP.			
1350	1,2,8	2	840058275		SCREW, PAN HEAD MACHINE .112-40 X 7/16 STEEL 289A FINISH			
1355	8	38	901009480		TUBING, HEAT SHRINKABLE #RT-1136 1/8 IN ID X 1 IN VERSAFIT BLUE UL STYLE E35586 CSA STYLE 31929 RAYCHEM CORP.			
1360	1	23	401126404		TUBING, HEAT SHRINKABLE #RT876 3/16 IN.DIA.X 3/4 IN.LG. BLACK RAYCHEM CORP.			
1365	2	14	401126404		TUBING, HEAT SHRINKABLE #RT876 3/16 IN.DIA.X 3/4 IN.LG. BLACK RAYCHEM CORP.			
1366	3	13	900217753		SLEEVE, BLACK VINYL #14 3/16 IN. LG. RAYCHEM CORP.			
1370	1	1	100734060	285A	STRIP, TERMINAL (FIG. A) E/W			17
1371	1	1	400925004	KS20810L1A	RESISTOR 2200 OHM (R1)			17
1372	1	2	400813903	KS20810L1A	RESISTOR 270 OHM R2,R3			17
1373	1	6	400715546	KS20810L1A	RESISTOR 470 OHM R4-R9			17
1380	2	1	100734060	285A	STRIP, TERMINAL (FIG. B) E/W			18
1381	2	1	400925004	KS20810L1A	RESISTOR 2200 OHM R5			18
1382	2	7	400715546	KS20810L1A	RESISTOR 470 OHM R1-R4			18
1383	4,5,7	21	900570698		TUBING, HEAT SHRINKABLE #RT876 3/8 IN ID X 5/16 IN LONG BLACK RAYCHEM CORP.			23
1384	6,9	23	900570698		TUBING, HEAT SHRINKABLE #RT876 3/8 IN ID X 5/16 IN LONG BLACK RAYCHEM CORP.			23
1385	4,5,7	21	900565094		TUBING, HEAT SHRINKABLE #RT876 3/16 IN X 5/8 IN LG BK RAYCHEM CORP.			23
1386	6,9	23	900565094		TUBING, HEAT SHRINKABLE #RT876 3/16 IN X 5/8 IN LG BK RAYCHEM CORP.			23
1404	8	18	814251856	P42E185	WASHER, PLAIN .164 STEEL 289A FINISH			
1410	4,5,6,7,9	A/R A/R	802841395	P284139	WASHER, PLAIN .112			
1415	8	29	400819165		BUSHING, SNAP #SB-312-3 HEYMAN MFG CO BLACK			
1420	8	1	100734060	285A	STRIP, TERMINAL (FIG. E) E/W			25

STOCKLIST CONTINUED ON SHEET D4

COPYRIGHT © 2000 LUCENT TECHNOLOGIES  
ALL RIGHTS RESERVED

COMMON  
SPECIFICATION FOR  
3B FUSE PANEL  
ASSEMBLY

RN98

DWG SIZE  
C2

ISSUE  
22

LUCENT TECHNOLOGIES INC

ED4C181-30

SHEET  
OF

D3  
24

PRINTED IN U.S.A.

STOCKLIST										
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE			
							SYM	NBR		
1421	8	1	400617551	KS20616L1A	RESISTOR 511 OHM				25	
					R4					
1422	8	1	400800066	KS20810L1A	RESISTOR 4810 OHM				25	
					R2					
1500	H	1	843058751		ASSEMBLY, FUSE PANEL					
1501	H	OMIT 1	843049438		ASSEMBLY, FUSE PANEL					
1502	H	1	843058777		ASSEMBLY, FUSE PANEL					
1503	H	OMIT 1	842320145		ASSEMBLY, FUSE BRACKET					
1504	H	17	400819165		BUSHING, SNAP #SB-312-3 HEYMAN MFG CO BLACK					
1505	H	OMIT 1	843049479		GUIDE, WIRE					
1506	D,E,H	OMIT 2	824033021	P40L302	SCREW, FLAT HEAD MACHINE .112-40 X 1/4					
1510	H	1	843058785		BUSBAR					
1512	H	OMIT 1	842320129		BUSBAR					
1514	H	1	843058728		COVER					
1516	H	4	840058234		SCREW, PAN HEAD MACHINE .112-40 X 3/16 STEEL	289A FINISH				
1518	H	1	845047539		FUSE BLOCK, SUB ASSEMBLY 18A	POS 13TA				
1520	H	1	845047570	20A	BLOCK, FUSE SUB-ASSEMBLY POS 13BA					
1525	H	4	996099008		SCREW, TAPPING FLAT HEAD TYPE F STEEL	.099-48 X 3/8IN.ZINC PLATE			30	
1530	H	1	900217753		SLEEVE, BLACK VINYL #14 3/16 IN. LG. RAYCHEM CORP.					
1535	1	23	803449008	P344900	ASSEMBLY, FUSE CAP				31	
1540	1	13	812155174	P21E517	ASSEMBLY, FUSE CAP				31	
1545	1	36	103757977	72B	FUSE, DUMMY				31	
1550	2	14	803449008	P344900	ASSEMBLY, FUSE CAP				31	
1555	2	6	812155174	P21E517	ASSEMBLY, FUSE CAP				31	
1560	2	20	103757977	72B	FUSE, DUMMY				31	
1565	3	18	803449008	P344900	ASSEMBLY, FUSE CAP				31	
1570	3	18	812155174	P21E517	ASSEMBLY, FUSE CAP				31	
1575	3	36	103757977	72B	FUSE, DUMMY				31	
1580	4,5,7	21	803449008	P344900	ASSEMBLY, FUSE CAP				31	
1585	4,5,7	21	812155174	P21E517	ASSEMBLY, FUSE CAP				31	
1590	4,5,7	42	103757977	72B	FUSE, DUMMY				31	
1595	6	23	803449008	P344900	ASSEMBLY, FUSE CAP				31	
1600	6	23	812155174	P21E517	ASSEMBLY, FUSE CAP				31	
1605	6	46	103757977	72B	FUSE, DUMMY				31	
1610	8	19	803449008	P344900	ASSEMBLY, FUSE CAP				31	
1615	8	18	812155174	P21E517	ASSEMBLY, FUSE CAP				31	
1620	8	37	103757977	72B	FUSE, DUMMY				31	
1625	9	21	803449008	P344900	ASSEMBLY, FUSE CAP				31	
1630	9	23	812155174	P21E517	ASSEMBLY, FUSE CAP				31	
1635	9	44	103757977	72B	FUSE, DUMMY				31	
1640	1	12	804236339	P423633	WASHER, EXTERNAL TOOTH LOCK .164 STEEL	289A FINISH				

\*\*\*\*\* STOCKLIST CONTINUED AT RIGHT \*\*\*\*\*

ED4C181-30

STOCKLIST										
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE			
							SYM	NBR		
1645	1	12	802108969	P210896	WASHER					
1650	1	12	802841908	P284190	WASHER .164					
1655	1	24	800801359	P80135	NUT, HEXAGON .164-32					
1660	2	6	804236339	P423633	WASHER, EXTERNAL TOOTH LOCK .164 STEEL	289A FINISH				
1665	2	6	802108969	P210896	WASHER					
1670	2	6	802841908	P284190	WASHER .164					
1675	2	12	800801359	P80135	NUT, HEXAGON .164-32					
1680	3	17	804236339	P423633	WASHER, EXTERNAL TOOTH LOCK .164 STEEL	289A FINISH				
1685	3	17	802108969	P210896	WASHER					
1690	3	17	802841908	P284190	WASHER .164					
1695	3	34	800801359	P80135	NUT, HEXAGON .164-32					
1700	4,5,9	21	804236339	P423633	WASHER, EXTERNAL TOOTH LOCK .164 STEEL	289A FINISH				
1705	4,5,9	21	802108969	P210896	WASHER					
1710	4,5,9	21	802841908	P284190	WASHER .164					
1715	4,5,9	42	800801359	P80135	NUT, HEXAGON .164-32					
1720	6	23	804236339	P423633	WASHER, EXTERNAL TOOTH LOCK .164 STEEL	289A FINISH				
1725	6	23	802108969	P210896	WASHER					
1730	6	23	802841908	P284190	WASHER .164					
1735	6	46	800801359	P80135	NUT, HEXAGON .164-32					
1740	7	21	804236339	P423633	WASHER, EXTERNAL TOOTH LOCK .164 STEEL	289A FINISH				
1745	7	21	802108969	P210896	WASHER					
1750	7	21	802841908	P284190	WASHER .164					
1755	7	42	800801359	P80135	NUT, HEXAGON .164-32					
1760	8	36	804236339	P423633	WASHER, EXTERNAL TOOTH LOCK .164 STEEL	289A FINISH				
1775	8	36	800801359	P80135	NUT, HEXAGON .164-32					
1780	A,H	1	804236339	P423633	WASHER, EXTERNAL TOOTH LOCK .164 STEEL	289A FINISH				
1785	A,H	1	802108969	P210896	WASHER					
1790	A,H	1	802841908	P284190	WASHER .164					

STOCKLIST CONTINUED ON SHEET D5

COPYRIGHT © 2000 LUCENT TECHNOLOGIES ALL RIGHTS RESERVED	
RN98	
COMMON SPECIFICATION FOR 3B FUSE PANEL ASSEMBLY	
DWG SIZE C2	ISSUE 22
LUCENT TECHNOLOGIES INC	ED4C181-30
SHEET D4 OF 24	

STOCKLIST

ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1795	A,H	2	800801359	P80135	NUT, HEXAGON .164-32			
1800	8	A/R	401675368	KS21336L1	WIRE 28GA SOLID G			
1805	8	A/R	843743162		WIRE 26GA DP 3 R			
1900	8	19	ED4C271-66,G21		ASSEMBLY, STRAP AND CORD			
1910	8	3	ED4C271-66,G22		ASSEMBLY, STRAP AND CORD			
1920	8	1	ED4C271-66,G23		ASSEMBLY, STRAP AND CORD			
1930	8	1	ED4C271-66,G24		ASSEMBLY, STRAP AND CORD			
1935	8	1	ED4C271-66,G26		ASSEMBLY, STRAP AND CORD			
1940	8	1	ED4C271-66,G32		ASSEMBLY, STRAP AND CORD			
1945	8	1	ED4C271-66,G33		ASSEMBLY, STRAP AND CORD			
1950	8	17	ED4C271-66,G34		ASSEMBLY, STRAP AND CORD			
1955	8	1	ED4C271-66,G35		ASSEMBLY, STRAP AND CORD			
1960	8	1	ED4C271-66,G36		ASSEMBLY, STRAP AND CORD			
1965	8	1	ED4C271-66,G37		ASSEMBLY, STRAP AND CORD			
1970	8	1	ED4C271-66,G38		ASSEMBLY, STRAP AND CORD			
1975	8	1	ED4C271-66,G39		ASSEMBLY, STRAP AND CORD			
1980	8	1	ED4C271-66,G40		ASSEMBLY, STRAP AND CORD			
1985	8	1	ED4C271-66,G41		ASSEMBLY, STRAP AND CORD			
1990	8	1	ED4C271-66,G42		ASSEMBLY, STRAP AND CORD			
1995	8	19	ED4C271-66,G44		ASSEMBLY, STRAP AND CORD			
2000	8	15	ED4C271-66,G45		ASSEMBLY, STRAP AND CORD			
2005	8	3	ED4C271-66,G46		ASSEMBLY, STRAP AND CORD			

\*\*\*\*\* END OF STOCKLIST \*\*\*\*\*

COPYRIGHT © 2000 LUCENT TECHNOLOGIES  
ALL RIGHTS RESERVED

RN98

COMMON  
SPECIFICATION FOR  
3B FUSE PANEL  
ASSEMBLY

DWG SIZE  
C2

ISSUE  
22

ED4C181-30

LUCENT TECHNOLOGIES INC ED4C181-30

SHEET D5  
OF 24

PRINTED IN U.S.A.