

TABLE A-FEATURES

EQUIPMENT		EQUIPMENT OR CIRCUIT DATA							SD EQUIVALENT		
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
CABLE ASSEMBLY. DA EFF:05/31/99 FE/RA:NONE		DA	1								
CABLE ASSEMBLY. DA EFF:05/31/99 FE/RA:NONE		DA	1A								
CABLE ASSEMBLY. DA EFF:05/31/99 FE/RA:NONE		DA	1B								
CABLE ASSEMBLY. DA EFF:05/31/99 FE/RA:NONE		DA	2								
CABLE ASSEMBLY. DA EFF:05/31/99 FE/RA:NONE		DA	2A								
CABLE ASSEMBLY. DA EFF:05/31/99 FE/RA:NONE		DA	3								
CABLE ASSEMBLY. DA EFF:05/31/99 FE/RA:NONE		DA	4								
CABLE ASSEMBLY. DA EFF:05/31/99 FE/RA:NONE		DA	5								
CABLE ASSEMBLY. DA EFF:05/31/99 FE/RA:NONE		DA	5A								
CABLE ASSEMBLY. DA EFF:05/31/99 FE/RA:NONE		DA	5B								
CABLE ASSEMBLY. DA EFF:05/31/99 FE/RA:NONE		DA	6								
CABLE ASSEMBLY. DA EFF:05/31/99 FE/RA:NONE		DA	7								
CABLE ASSEMBLY. DA EFF:05/31/99 FE/RA:NONE		DA	8								
CABLE ASSEMBLY. DA EFF:05/31/99 FE/RA:NONE		DA	9								
CABLE ASSEMBLY. DA EFF:05/31/99 FE/RA:NONE		DA	10								
CABLE ASSEMBLY. DA EFF:05/31/99 FE/RA:NONE		DA	10A								
CABLE ASSEMBLY. DA EFF:05/31/99 FE/RA:NONE		DA	11								
CABLE ASSEMBLY. DA EFF:05/31/99 FE/RA:NONE		DA	11A								
CABLE ASSEMBLY. DA EFF:05/31/99 FE/RA:NONE		DA	12								
END OF TABLE-A											

SEE PROPRIETARY NOTICE ON SHEET ONE
 COPYRIGHT © 1999 LUCENT TECHNOLOGIES
 UNPUBLISHED & NOT FOR PUBLICATION
 ALL RIGHTS RESERVED

RN98

COMMON SYSTEMS
 3B PROCESSOR
 SPECIFICATION FOR
 CONNECTORIZED SWITCHBOARD
 CABLE ASSEMBLIES


DWG SIZE C2 ISSUE 19

ED4C193-35

LUCENT TECHNOLOGIES INC ED4C193-35

SHEET A2 OF 12

SK A
(SEE TABLE S)




THE "B" DIM IS THE OVERALL LENGTH OF CABLE, EXCLUDING SHINERS.
 THE SHINER MUST BE ADDED BY THE INDIVIDUAL MANUFACTURING LOCATIONS.
 THE "FB" DIM IS FOR SWITCHBOARD CABLE BUTT TO BUTT.
 THE "UB" DIM IS UNFORMED SWITCHBOARD CABLE EDGE OF CONN TO EDGE OF CONN.
 THE "D" AND "E" DIM INCLUDE THE SKINNER LENGTHS.


NOTE: THE NUMBER TO THE RIGHT OF SLASH DENOTES GROUP NUMBER OF ED-4C258-30.

TABLE S


GROUP	CABLE CODE	CABLE DESIG	CABLE	"B" DIM	"UB" DIM ±1/2"	"FB" DIM	REMOVE CABLE SHEATH	
							END A "D" DIM	END B "E" DIM
1/10	T8654	ZZ4		3-0	2-6	2-7 1/2	0-2 1/4	0-2 1/4
2/12	T8654	ZZ7		3-0	2-6	2-7 1/2	0-2 1/4	0-2 1/4
3	T8654	-	A	1-1 1/2	4 7/8	6 1/2	0-2	0-5
3	T8654	-	B	1-6 1/2	9 7/8	11 1/2	0-5	0-2
4	T7374	-		4-6	4-0	4-1 1/2	0-2 1/4	0-2 1/4
5/10,12	T3139A	ZZ5		4-0	3-7 1/2	3-9 1/2	0-1 1/4	0-1 1/2
6/10,11,14	T3139A	-		4-6	4-2	4-3 1/2	0-1 1/4	0-1 1/4
7	T8654	-	A	1-10	1-1 3/8	1-3	0-2	0-5
7	T8654	-	B	0-10	0-1 3/8	0-3	0-5	0-2
8/36	T8654	ZZ9		8-0	7-6	7-8	0-2 1/4	0-2 1/4
9/36	T3139A	ZZ10		8-0	7-6	7-7 1/2	0-1 1/4	0-1 1/4
1A/11	T8654	ZZ6		5-6	5-0	5-1 1/2	0-2 1/4	0-2 1/4
2A/13	T8654	ZZ8		5-6	5-0	5-1 1/2	0-2 1/4	0-2 1/4
5A/11,13	T3139A	ZZ5		6-0	5-7 1/2	5-9 1/2	0-1 1/4	0-1 1/2
1B/15	T8654	ZL2		X-DIM	X-6	X-4 1/2	0-2 1/4	0-2 1/4
5B/14	T3139A	ZZ5		X-DIM	X-4 1/2	X-2 1/2	0-1 1/4	0-1 1/2
10/10	T8654	ZZ17		8-0	7-6	7-7 1/2	0-2 1/4	0-2 1/4
10A/11	T8654	ZZ18		10-6	10-0	10-1 1/2	0-2 1/4	0-2 1/4
11/14	T8654	ZZ19		9-0	8-6	8-7 1/2	0-2 1/4	0-2 1/4
11A/15	T8654	ZZ20		X-DIM	X-6	X-4 1/2	0-2 1/4	0-2 1/4
12/10,11	T8654	-		1-0	0-6	0-7 1/2	0-2 1/4	0-2 1/4



GROUPS 1,1A,1B,2,2A,4 (MFR DISC)
 GROUPS 8,10,10A,11,11A



GROUPS 3,7 (MFR DISC)
 GROUP 12



GROUPS 5,5A,5B,6,9

SEE PROPRIETARY NOTICE ON SHEET ONE

CONNECTORIZED SWITCHBOARD
 CABLE ASSEMBLIES

DWG SIZE
 C2

ISSUE
 19

LUCENT TECHNOLOGIES INC

ED4C193-35
 PRINTED IN U.S.A.

SHEET
 C1

ED4C193-35

SHEET INDEX	ISSUE								
		SH NO.							
	ISSUE								
	SH NO.								
	ISSUE	19							
	SH NO.	C1							

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1010	1	A/R	402343040		CABLE, COPPER SHIELD #T8654 36 TWISTED PR 24GA PVC 100 OHM INPEDENCE 1MHZ OVERALL MYLAR BINDER 36GA TINNED BRAND-REX CO. (3 FT-0 IN LG)			
1020	1	1	402176689	KS21303L11	CONNECTOR			
1030	1	72	402214647	KS21303L7	CONNECTOR, CONTACT PIN			
1040	1	4	403894827		HOOD, GUIDE PIN #201046-2 AMP INC.			
1050	1	4	402168009		SOCKET, GUIDE #201047-4 AMP INC.			
1060	1	2	402327050		JACK SCREW, FEMALE #201910-2 AMP INC.			
1070	1	2	402166847		TERMINAL, NON-INSULATING #A7 STA-KON SERIES A 4 STUD 22-18 GA THOMAS & BETTS CO.			
1080	1	2	997782586		LUG, TERMINAL #A250 THOMAS & BETTS CO.			
1085	1	2	402634513		TERMINAL, FASTON #42640-2 AMP INC.			
1086	1	2	900422494		TUBING, HEAT SHRINKABLE #RT876 1/4 IN ID. X 1 IN LG.BK RAYCHEM CORP.			
1090	1	2	400960555	KS19195L1	WIRE 22GA STRANDED BK (10 3/4 IN LG)			
1100	1	1	402201743	KS21303L12	BLOCK, CONNECTOR			
1110	1	72	402214639	KS21303L4	CONNECTOR, SOCKET CONTACT			
1111	1	72	401838917	KS21303L2	CONTACT, SOCKET TYPE III AMP PART #66492-1 LOOSE PIECE 24-26GA SAME AS REEL PART #66491-2			
1120	1	1	402190581		HOOD #202713-1 AMP INC.			
1130	1	1	402383046		HOOD #202711-1 AMP INC.			
1140	1	2	900442658		JACK SCREW, MALE #200874-2 FIXED AMP INC.			
1141	1	2	900537366		TUBING 7/8 OD X 11/16 ID X 1 IN LG 3/22 WALL THICKNESS POLYVINYL CHLORIDE NORTON CO.			17
1145	1	A/R	900524588		TAPE, INSULATING #602-10-2010 GREY RUBBER OKONITE CO.			
1148	1	2	801829482	P182948	WASHER, SPRING LOCK .112 STEEL 289A FINISH			
1149	1	2	801831447	P183144	WASHER, EXTERNAL TOOTH LOCK .112 PH BRZ STAR			
1150	1A	A/R	402343040		CABLE, COPPER SHIELD #T8654 36 TWISTED PR 24GA PVC 100 OHM INPEDENCE 1MHZ OVERALL MYLAR BINDER 36GA TINNED BRAND-REX CO. (5 FT-6 IN LG)			
1160	1A	1	402176689	KS21303L11	CONNECTOR			
1170	1A	72	402214647	KS21303L7	CONNECTOR, CONTACT PIN			

STOCKLIST CONTINUED ON SHEET D2

ED4C193-35

S
H
O
P

I
N
S
T

MANUFACTURING NOTES

1. X PARTS REQUIRED FOR INSTALLATION.
- X/ PARTS REQUIRED FOR MANUFACTURE WHEN EQUIPMENT IS SHOP MOUNTED OR BY THE INSTALLER WHEN THE EQUIPMENT IS TO BE FIELD MOUNTED.
- * PARTS THAT ARE TO BE SHIPPED ATTACHED TO OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED ASSEMBLED ITEM.
- */ PARTS (A) REQUIRED FOR MANUFACTURE WHEN EQUIPMENT INVOLVED IS SHOP MOUNTED OR (B) TO BE SHIPPED ATTACHED TO, OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED ASSEMBLED ITEM WHEN FIELD MOUNTED.
- () INDICATES DESIGNATIONS TO BE STAMPED IN ACCORDANCE WITH JOB INFORMATION.
- { } INDICATES DESIGNATIONS SHOWN FOR INFORMATION ONLY AND ARE NOT TO BE STAMPED.
- < > INDICATES DESIGNATIONS AND/OR INFORMATION PROVIDED IN ACCORDANCE WITH OTHER INFORMATION.
- "W" PARTS ASSEMBLED AT THE SAME TIME THE EQUIPMENT IS MOUNTED.
- "W*" PARTS TO BE (A) SHOP ASSEMBLED, BUT WHICH CANNOT BE ASSEMBLED UNTIL THE ASSOCIATED EQUIPMENT IS BEING MOUNTED, OR (B) SHIPPED ATTACHED TO, OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED EQUIPMENT WHEN FIELD MOUNTED.
- "S" PARTS NOT ASSEMBLED, SHIPPED SEPARATELY.
- A/R AS REQUIRED.
- "B" PARTIAL ASSEMBLIES ON OTHER DRAWINGS WITH STOCKLISTS.
12. ALL DIMENSIONS ARE IN FEET AND INCHES.
13. 1/8 INCH CHARACTERS SHALL BE RUBBER STAMPED IN WHITE OR BLACK INK AS REQUIRED.
14. THE SHINER LENGTH SHALL BE DETERMINED BY THE INDIVIDUAL MANUFACTURING LOCATIONS AND IS IN ADDITION TO THE SPECIFIED DIMENSIONS.
15. THE 'X' DIMENSION WHICH DOES NOT CONTAIN THE SHINER LENGTH SHALL BE OBTAINED FROM THE JOB CABLING SPECIFICATION.
16. GRAY INSULATING RUBBER TAPE NO. 602-10-2010 MAY BE OBTAINED FROM OKONITE CO, RAMSEY, N.J.
17. TYGON TUBING SHALL BE SPLIT LENGTHWISE BEFORE WRAPPING AROUND CABLE.

SEE PROPRIETARY NOTICE ON SHEET ONE
 COPYRIGHT © 1999 LUCENT TECHNOLOGIES
 UNPUBLISHED & NOT FOR PUBLICATION
 ALL RIGHTS RESERVED

RN98	
COMMON SYSTEMS 3B PROCESSOR SPECIFICATION FOR CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES	
DWG SIZE C2	ISSUE 19
LUCENT TECHNOLOGIES INC ED4C193-35	
SHEET D1 OF 12	

STOCKLIST									
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE		
							SYM	NBR	
1180	1A	4	403894827		HOOD, GUIDE PIN #201046-2 AMP INC.				
1190	1A	4	402168009		SOCKET, GUIDE #201047-4 AMP INC.				
1200	1A	2	402327050		JACK SCREW, FEMALE #201910-2 AMP INC.				
1210	1A	2	402166847		TERMINAL, NON-INSULATING #A7 STA-KON SERIES A 4 STUD 22-18 GA THOMAS & BETTS CO.				
1220	1A	2	997782586		LUG, TERMINAL #A250 THOMAS & BETTS CO.				
1225	1A	2	402634513		TERMINAL, FASTON #42640-2 AMP INC.				
1226	1A	2	900422494		TUBING, HEAT SHRINKABLE #RT876 1/4 IN ID. X 1 IN LG.BK RAYCHEM CORP.				
1230	1A	2	400960555	KS19195L1	WIRE 22GA STRANDED BK (10 3/4 IN LG)				
1240	1A	1	402201743	KS21303L12	BLOCK, CONNECTOR				
1250	1A	72	402214639	KS21303L4	CONNECTOR, SOCKET CONTACT				
1251	1A	72	401838917	KS21303L2	CONTACT, SOCKET TYPE III AMP PART #66492-1 LOOSE PIECE 24-26GA SAME AS REEL PART #66491-2				
1260	1A	1	402190581		HOOD #202713-1 AMP INC.				
1270	1A	1	402383046		HOOD #202711-1 AMP INC.				
1280	1A	2	900442658		JACK SCREW, MALE #200874-2 FIXED AMP INC.				
1281	1A	2	900537366		TUBING 7/8 OD X 11/16 ID X 1 IN LG 3/22 WALL THICKNESS POLYVINYL CHLORIDE NORTON CO.				17
1285	1A	A/R	900524588		TAPE, INSULATING #602-10-2010 GREY RUBBER OKONITE CO.				
1288	1A	2	801829482	P182948	WASHER, SPRING LOCK .112 STEEL 289A FINISH				
1289	1A	2	801831447	P183144	WASHER, EXTERNAL TOOTH LOCK .112 PH BRZ STAR				
1290	1B	A/R	402343040		CABLE, COPPER SHIELD #T8654 36 TWISTED PR 24GA PVC 100 OHM INPEDENCE 1MHZ OVERALL MYLAR BINDER 36GA TINNED BRAND-REX CO. (X-DIM LG)				
1300	1B	1	402176689	KS21303L11	CONNECTOR				
1310	1B	72	402214647	KS21303L7	CONNECTOR, CONTACT PIN				
1320	1B	4	403894827		HOOD, GUIDE PIN #201046-2 AMP INC.				
1330	1B	4	402168009		SOCKET, GUIDE #201047-4 AMP INC.				
1340	1B	2	402327050		JACK SCREW, FEMALE #201910-2 AMP INC.				

***** STOCKLIST CONTINUED AT RIGHT *****

ED4C193-35

STOCKLIST									
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE		
							SYM	NBR	
1350	1B	2	402166847		TERMINAL, NON-INSULATING #A7 STA-KON SERIES A 4 STUD 22-18 GA THOMAS & BETTS CO.				
1360	1B	2	997782586		LUG, TERMINAL #A250 THOMAS & BETTS CO.				
1365	1B	2	402634513		TERMINAL, FASTON #42640-2 AMP INC.				
1366	1B	2	900422494		TUBING, HEAT SHRINKABLE #RT876 1/4 IN ID. X 1 IN LG.BK RAYCHEM CORP.				
1370	1B	2	400960555	KS19195L1	WIRE 22GA STRANDED BK (10 3/4 IN LG)				
1380	1B	1	402201743	KS21303L12	BLOCK, CONNECTOR				
1390	1B	72	402214639	KS21303L4	CONNECTOR, SOCKET CONTACT				
1391	1B	72	401838917	KS21303L2	CONTACT, SOCKET TYPE III AMP PART #66492-1 LOOSE PIECE 24-26GA SAME AS REEL PART #66491-2				
1400	1B	1	402190581		HOOD #202713-1 AMP INC.				
1410	1B	1	402383046		HOOD #202711-1 AMP INC.				
1419	1B	2	801831447	P183144	WASHER, EXTERNAL TOOTH LOCK .112 PH BRZ STAR				
1420	1B	2	900442658		JACK SCREW, MALE #200874-2 FIXED AMP INC.				
1421	1B	A/R	900524588		TAPE, INSULATING #602-10-2010 GREY RUBBER OKONITE CO.				
1422	1B	2	900537366		TUBING 7/8 OD X 11/16 ID X 1 IN LG 3/22 WALL THICKNESS POLYVINYL CHLORIDE NORTON CO.				17
1424	1B	2	801829482	P182948	WASHER, SPRING LOCK .112 STEEL 289A FINISH				
1425	2	A/R	402343040		CABLE, COPPER SHIELD #T8654 36 TWISTED PR 24GA PVC 100 OHM INPEDENCE 1MHZ OVERALL MYLAR BINDER 36GA TINNED BRAND-REX CO. (3 FT-0 IN LG)				
1430	2	2	402176689	KS21303L11	CONNECTOR				
1440	2	144	402214647	KS21303L7	CONNECTOR, CONTACT PIN				
1450	2	4	403894827		HOOD, GUIDE PIN #201046-2 AMP INC.				

STOCKLIST CONTINUED ON SHEET D3

SEE PROPRIETARY NOTICE ON SHEET ONE
COPYRIGHT © 1999 LUCENT TECHNOLOGIES
UNPUBLISHED & NOT FOR PUBLICATION
ALL RIGHTS RESERVED

RN98

COMMON SYSTEMS
3B PROCESSOR
SPECIFICATION FOR
CONNECTORIZED SWITCHBOARD
CABLE ASSEMBLIES

DWG SIZE C2 ISSUE 19

LUCENT TECHNOLOGIES INC ED4C193-35

SHEET D2 OF 12

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1460	2	4	402168009		SOCKET, GUIDE #201047-4 AMP INC.			
1470	2	4	402327050		JACK SCREW, FEMALE #201910-2 AMP INC.			
1480	2	2	402190581		HOOD #202713-1 AMP INC.			
1490	2	2	402166847		TERMINAL, NON-INSULATING #A7 STA-KON SERIES A 4 STUD 22-18 GA THOMAS & BETTS CO.			
1500	2	2	997782586		LUG, TERMINAL #A25U THOMAS & BETTS CO.			
1505	2	22	402634513		TERMINAL, FASTON #42640-2 AMP INC.			
1506	2	2	900422494		TUBING, HEAT SHRINKABLE #RT876 1/4 IN ID. X 1 IN LG.BK RAYCHEM CORP.			
1510	2	2	400960555	KS19195L1	WIRE 22GA STRANDED BK (10 3/4 IN LG)			
1511	2	2	900537366		TUBING 7/8 OD X 11/16 ID X 1 IN LG 3/22 WALL THICKNESS POLYVINYL CHLORIDE NORTON CO.			17
1515	2	A/R	900524588		TAPE, INSULATING #60Z-10-ZU10 GREY RUBBER OKONITE CO.			
1518	2	2	801829482	P182948	WASHER, SPRING LOCK .112 STEEL 289A FINISH			
1519	2	2	801831447	P183144	WASHER, EXTERNAL TOOTH LOCK .112 PH BRZ STAR			
1520	2A	A/R	402343040		CABLE, COPPER SHIELD #T8654 36 TWISTED PR 24GA PVC 100 OHM INPEDENCE 1MHZ OVERALL MYLAR BINDER 36GA TINNED BRAND-REX CO. (5 FT-6 IN LG)			
1530	2A	2	402176689	KS21303L11	CONNECTOR			
1540	2A	144	402214647	KS21303L7	CONNECTOR, CONTACT PIN			
1550	2A	4	403894827		HOOD, GUIDE PIN #201046-2 AMP INC.			
1560	2A	4	402168009		SOCKET, GUIDE #201047-4 AMP INC.			
1570	2A	4	402327050		JACK SCREW, FEMALE #201910-2 AMP INC.			
1580	2A	2	402190581		HOOD #202713-1 AMP INC.			
1590	2A	2	402166847		TERMINAL, NON-INSULATING #A7 STA-KON SERIES A 4 STUD 22-18 GA THOMAS & BETTS CO.			
1600	2A	2	997782586		LUG, TERMINAL #A25U THOMAS & BETTS CO.			
1605	2A	2	402634513		TERMINAL, FASTON #42640-2 AMP INC.			
1606	2A	2	900422494		TUBING, HEAT SHRINKABLE #RT876 1/4 IN ID. X 1 IN LG.BK RAYCHEM CORP.			

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1610	2A	2	400960555	KS19195L1	WIRE 22GA STRANDED BK (10 3/4 IN LG)			
1614	2A	2	900537366		TUBING 7/8 OD X 11/16 ID X 1 IN LG 3/22 WALL THICKNESS POLYVINYL CHLORIDE NORTON CO.			17
1615	2A	A/R	900524588		TAPE, INSULATING #60Z-10-ZU10 GREY RUBBER OKONITE CO.			
1618	2A	2	801829482	P182948	WASHER, SPRING LOCK .112 STEEL 289A FINISH			
1619	2A	2	801831447	P183144	WASHER, EXTERNAL TOOTH LOCK .112 PH BRZ STAR			
1715	3	A/R	402343040		CABLE, COPPER SHIELD #T8654 36 TWISTED PR 24GA PVC 100 OHM INPEDENCE 1MHZ OVERALL MYLAR BINDER 36GA TINNED BRAND-REX CO. (CABLE A) (1 FT-1 1/2 IN LG)			
1720	3	1	402176689	KS21303L11	CONNECTOR			
1730	3	1	402201743	KS21303L12	BLOCK, CONNECTOR			
1740	3	4	403894827		HOOD, GUIDE PIN #201046-2 AMP INC.			
1750	3	4	402168009		SOCKET, GUIDE #201047-4 AMP INC.			
1770	3	2	402327050		JACK SCREW, FEMALE #201910-2 AMP INC.			
1780	3	2	900442658		JACK SCREW, MALE #200874-2 FIXED AMP INC.			
1790	3	2	900506312		CLAMP #201848-1 AMP INC			
1800	3	72	402214639	KS21303L4	CONNECTOR, SOCKET CONTACT			
1801	3	72	401838917	KS21303L2	CONTACT, SOCKET TYPE III AMP PART #66492-1 LOOSE PIECE 24-26GA SAME AS REEL PART #66491-2			
1810	3	72	402214647	KS21303L7	CONNECTOR, CONTACT PIN			
1820	3	1	841999691		BOARD, PRINTED WIRING RESISTOR E/W			
1840	3	73	402240154	KS21303L3	CONTACT 20-24GA SOCKET TYPE III			
1850	3	53	400665717	KS20616L1A	RESISTOR 470 OHM			
1890	3	A/R	814657284	P46E728	WIRE 22GA BARE TINNED COPPER			
1901	3	2	843050857		CLAMP			

STOCKLIST CONTINUED ON SHEET D4

***** STOCKLIST CONTINUED AT RIGHT *****

SEE PROPRIETARY NOTICE ON SHEET ONE	
COPYRIGHT © 1999 LUCENT TECHNOLOGIES UNPUBLISHED & NOT FOR PUBLICATION ALL RIGHTS RESERVED	
RN98	
COMMON SYSTEMS 3B PROCESSOR SPECIFICATION FOR CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES	
DWG SIZE C2	ISSUE 19
LUCENT TECHNOLOGIES INC	ED4C193-35
SHEET OF D3 12	

STOCKLIST									
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE		
							SYM	NBR	
1902	3	2	843050840		CLAMP				
1903	3	4	840059083		SCREW, PAN HEAD MACHINE .164-32 X 1/2 STEEL 289A FINISH				
1904	3	4	802421321	P242132	WASHER, LOCK .164 STEEL 289A FINISH				
1905	3	4	802065185	P206518	NUT, HEXAGON .164-32 STEEL 289A FINISH				
1910	4	A/R	402358840		CABLE #7374 36 TWISTED PAIR 30 GA 160 OHM IMP 1 MH2 LIMIT SIZE OF REEL TO NO LARGER THAN RAND-REX CO (4 FT-6 IN LG)				
1920	4	2	402176689	KS21303L11	CONNECTOR				
1930	4	144	402214654	KS21303L8	CONNECTOR, PIN CONTACT				
1940	4	4	403894827		HOOD, GUIDE PIN #201046-2 AMP INC.				
1950	4	4	402168009		SOCKET, GUIDE #201047-4 AMP INC.				
1960	4	4	402327050		JACK SCREW, FEMALE #201910-2 AMP INC.				
1963	4	2	801829482	P182948	WASHER, SPRING LOCK .112 STEEL 289A FINISH				
1964	4	2	801831447	P183144	WASHER, EXTERNAL TOOTH LOCK .112 PH BRZ STAR				
1970	4	2	402190581		HOOD #202713-1 AMP INC.				
1980	4	2	402166847		TERMINAL, NON-INSULATING #A7 STA-KON SERIES A 4 STUD 22-18 GA THOMAS & BETTS CO.				
1990	4	2	997782586		LUG, TERMINAL #A250 THOMAS & BETTS CO.				
1995	4	2	402634513		TERMINAL, FASTON #42640-2 AMP INC.				
1996	4	2	900422494		TUBING, HEAT SHRINKABLE #RT876 1/4 IN ID. X 1 IN LG.BK RAYCHEM CORP.				
2000	4	2	400960555	KS19195L1	WIRE 22GA STRANDED BK (7 IN LG)				
2005	4	A/R	900524588		TAPE, INSULATING #50Z-10-Z010 GREY RUBBER ORONITE CO.				
2007	4	2	900537366		TUBING 7/8 OD X 11/16 ID X 1 IN LG 3/22 WALL THICKNESS POLYVINYL CHLORIDE NORTON CO.				17
2010	5	A/R	402454235		CABLE #3139A 30GA 6 PAIR W.L. GORE ASSOCIATES (4 FT-0 IN LG)				
2020	5	1	402242580	KS21303L9	BLOCK, CONNECTOR				
2030	5	1	402176671	KS21303L10	CONNECTOR, BLOCK				
2040	5	6	402214639	KS21303L4	CONNECTOR, SOCKET CONTACT				
2050	5	18	402240154	KS21303L3	CONTACT 20-24GA SOCKET TYPE III				
2070	5	18	402194674	KS21303L6	CONNECTOR, PIN CONTACT				
2080	5	4	402168785		PIN, GUIDE #200833-4 AMP INC.				

***** STOCKLIST CONTINUED AT RIGHT *****

STOCKLIST									
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE		
							SYM	NBR	
2090	5	4	402167993		SOCKET, GUIDE #200835-4 AMP INC.				
2100	5	2	402238844		JACK SCREW, MALE #200871-2 AMP INC.				
2110	5	2	402181457		JACK SCREW, FEMALE #200875-2 FIXED AMP INC.				
2119	5	1	900539396		CLAMP, STRAIN RELIEF #201846-1 STEEL AMP INC.				
2120	5	1	900025941		CLAMP, STRAIN RELIEF #201224-1 STEEL AMP INC.				
2130	5	1	400583084		HOOD #200517-2 AMP INC.				
2131	5	1	402811533		SHIELD, STEEL #202-744-1 180 DEGREES 2 PIECE AMP INC.				
2140	5	1	997782826		LUG, TERMINAL #B132 THOMAS & BETTS CO.				
2150	5	2	997782586		LUG, TERMINAL #A250 THOMAS & BETTS CO.				
2152	5	A/R	900524588		TAPE, INSULATING #602-10-2010 GREY RUBBER ORONITE CO.				
2155	5	2	402634513		TERMINAL, FASTON #42640-2 AMP INC.				
2156	5	2	900422494		TUBING, HEAT SHRINKABLE #RT876 1/4 IN ID. X 1 IN LG.BK RAYCHEM CORP.				
2160	5	2	400960555	KS19195L1	WIRE 22GA STRANDED BK (7 IN LG)				
2162	5	1	801829482	P182948	WASHER, SPRING LOCK .112 STEEL 289A FINISH				
2163	5	1	801831447	P183144	WASHER, EXTERNAL TOOTH LOCK .112 PH BRZ STAR				
2175	5	13	900551979		TUBING, HEAT SHRINKABLE #RT850 1/16 IN ID X .010 WALL THICKNESS X 1.10 IN LG CLEAR RAYCHEM CORP.				
2180	5	12	900483710		TUBING #RT876 1/4 IN X 3/8 IN LONG BLK RAYCHEM CORP.				
2240	5A	A/R	402454235		CABLE #3139A 30GA 6 PAIR W.L. GORE ASSOCIATES (6 FT-0 IN LG)				
2250	5A	1	402242580	KS21303L9	BLOCK, CONNECTOR				

STOCKLIST CONTINUED ON SHEET D5

SEE PROPRIETARY NOTICE ON SHEET ONE
 COPYRIGHT © 1999 LUCENT TECHNOLOGIES
 UNPUBLISHED & NOT FOR PUBLICATION
 ALL RIGHTS RESERVED

RN98

COMMON SYSTEMS
 3B PROCESSOR
 SPECIFICATION FOR
 CONNECTORIZED SWITCHBOARD
 CABLE ASSEMBLIES

DWG SIZE C2 ISSUE 19

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
2260	5A	1	402176671	KS21303L10	CONNECTOR, BLOCK			
2270	5A	6	402214639	KS21303L4	CONNECTOR, SOCKET CONTACT			
2280	5A	18	402240154	KS21303L3	CONTACT 20-24GA SOCKET TYPE III			
2300	5A	18	402194674	KS21303L6	CONNECTOR, PIN CONTACT			
2310	5A	4	402168785		PIN, GUIDE #200833-4 AMP INC.			
2320	5A	4	402167993		SOCKET, GUIDE #200835-4 AMP INC.			
2330	5A	2	402238844		JACK SCREW, MALE #200871-2 AMP INC.			
2340	5A	2	402181457		JACK SCREW, FEMALE #200875-2 FIXED AMP INC.			
2349	5A	1	900539396		CLAMP, STRAIN RELIEF #201846-1 STEEL AMP INC.			
2350	5A	1	900025941		CLAMP, STRAIN RELIEF #201224-1 STEEL AMP INC.			
2360	5A	1	400583084		HOOD #200517-2 AMP INC.			
2361	5A	1	402811533		SHIELD, STEEL #202-744-1 180 DEGREES 2 PIECE AMP INC.			
2370	5A	1	997782826		LUG, TERMINAL #B132 THOMAS & BETTS CO.			
2380	5A	2	997782586		LUG, TERMINAL #A250 THOMAS & BETTS CO.			
2382	5A	A/R	900524588		TAPE, INSULATING #602-10-2010 GREY RUBBER OKONITE CO.			
2385	5A	2	402634513		TERMINAL, FASTON #42640-2 AMP INC.			
2386	5A	2	900422494		TUBING, HEAT SHRINKABLE #RT876 1/4 IN ID. X 1 IN LG.BK RAYCHEM CORP.			
2390	5A	2	400960555	KS19195L1	WIRE 22GA STRANDED BK (7 IN LG)			
2392	5A	1	801829482	P182948	WASHER, SPRING LOCK .112 STEEL 289A FINISH			
2393	5A	1	801831447	P183144	WASHER, EXTERNAL TOOTH LOCK .112 PH BRZ STAR			
2405	5A	13	900551979		TUBING, HEAT SHRINKABLE #RT850 1/16 IN ID X .010 WALL THICKNESS X 1.10 IN LG CLEAR RAYCHEM CORP.			
2410	5A	12	900483710		TUBING #RT876 1/4 IN X 3/8 IN LONG BLK RAYCHEM CORP.			
2470	5B	A/R	402454235		CABLE #3139A 30GA 6 PAIR W.L. GORE ASSOCIATES (X-DIM)			
2480	5B	1	402242580	KS21303L9	BLOCK, CONNECTOR			
2490	5B	1	402176671	KS21303L10	CONNECTOR, BLOCK			
2500	5B	6	402214639	KS21303L4	CONNECTOR, SOCKET CONTACT			

***** STOCKLIST CONTINUED AT RIGHT *****

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
2510	5B	18	402240154	KS21303L3	CONTACT 20-24GA SOCKET TYPE III			
2530	5B	18	402194674	KS21303L6	CONNECTOR, PIN CONTACT			
2540	5B	4	402168785		PIN, GUIDE #200833-4 AMP INC.			
2550	5B	4	402167993		SOCKET, GUIDE #200835-4 AMP INC.			
2560	5B	2	402238844		JACK SCREW, MALE #200871-2 AMP INC.			
2570	5B	2	402181457		JACK SCREW, FEMALE #200875-2 FIXED AMP INC.			
2579	5B	1	900539396		CLAMP, STRAIN RELIEF #201846-1 STEEL AMP INC.			
2580	5B	1	900025941		CLAMP, STRAIN RELIEF #201224-1 STEEL AMP INC.			
2590	5B	1	400583084		HOOD #200517-2 AMP INC.			
2591	5B	1	402811533		SHIELD, STEEL #202-744-1 180 DEGREES 2 PIECE AMP INC.			
2600	5B	1	997782826		LUG, TERMINAL #B132 THOMAS & BETTS CO.			
2610	5B	2	997782586		LUG, TERMINAL #A250 THOMAS & BETTS CO.			
2615	5B	2	402634513		TERMINAL, FASTON #42640-2 AMP INC.			
2616	5B	2	900422494		TUBING, HEAT SHRINKABLE #RT876 1/4 IN ID. X 1 IN LG.BK RAYCHEM CORP.			
2620	5B	2	400960555	KS19195L1	WIRE 22GA STRANDED BK (7 IN LG)			
2621	5B	A/R	900524588		TAPE, INSULATING #602-10-2010 GREY RUBBER OKONITE CO.			
2635	5B	13	900551979		TUBING, HEAT SHRINKABLE #RT850 1/16 IN ID X .010 WALL THICKNESS X 1.10 IN LG CLEAR RAYCHEM CORP.			
2640	5B	12	900483710		TUBING #RT876 1/4 IN X 3/8 IN LONG BLK RAYCHEM CORP.			
2644	5B	1	801829482	P182948	WASHER, SPRING LOCK .112 STEEL 289A FINISH			

STOCKLIST CONTINUED ON SHEET D6

SEE PROPRIETARY NOTICE ON SHEET ONE	
COPYRIGHT © 1999 LUCENT TECHNOLOGIES UNPUBLISHED & NOT FOR PUBLICATION ALL RIGHTS RESERVED	
RN98	
COMMON SYSTEMS 3B PROCESSOR SPECIFICATION FOR CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES	
DWG SIZE C2	ISSUE 19
LUCENT TECHNOLOGIES INC	ED4C193-35
SHEET D5 OF 12	

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
2645	5B	1	801831447	P183144	WASHER, EXTERNAL TOOTH LOCK .112 PH BRZ STAR			
2700	6	A/R	402454235		CABLE #3139A 30GA 6 PAIR W.L. GORE ASSOCIATES (4 FT-6 IN LG)			
2710	6	2	402176671	KS21303L10	CONNECTOR, BLOCK			
2730	6	36	402194674	KS21303L6	CONNECTOR, PIN CONTACT			
2740	6	4	402168785		PIN, GUIDE #200833-4 AMP INC.			
2750	6	4	402167993		SOCKET, GUIDE #200835-4 AMP INC.			
2760	6	4	402238844		JACK SCREW, MALE #200871-2 AMP INC.			
2770	6	2	400583084		HOOD #200517-2 AMP INC.			
2779	6	2	402811533		SHIELD, STEEL #202-744-1 180 DEGREES 2 PIECE AMP INC.			
2780	6	2	400960555	KS19195L1	WIRE 22GA STRANDED BK (7 IN LG)			
2782	6	2	801831447	P183144	WASHER, EXTERNAL TOOTH LOCK .112 PH BRZ STAR			
2783	6	2	801829482	P182948	WASHER, SPRING LOCK .112 STEEL 289A FINISH			
2860	6	2	997782826		LUG, TERMINAL #B132 THOMAS & BETTS CO.			
2870	6	2	997782586		LUG, TERMINAL #A250 THOMAS & BETTS CO.			
2871	6	2	402634513		TERMINAL, FASTON #42640-2 AMP INC.			
2872	6	12	900483710		TUBING #RT876 1/4 IN X 3/8 IN LONG BLK RAYCHEM CORP.			
2873	6	2	900422494		TUBING, HEAT SHRINKABLE #RT876 1/4 IN ID. X 1 IN LG.BK RAYCHEM CORP.			
2875	6	12	900551979		TUBING, HEAT SHRINKABLE #RT850 1/16 IN ID X .010 WALL THICKNESS X 1.10 IN LG CLEAR RAYCHEM CORP.			
2880	7	A/R	402343040		CABLE, COPPER SHIELD #T8654 36 TWISTED PR 24GA PVC 100 OHM INPEDENCE 1MHZ OVERALL MYLAR BINDER 36GA TINNED BRAND-REX CO. (CABLE A) (1 FT-10 IN LG)			
2885	7	A/R	402343040		CABLE, COPPER SHIELD #T8654 36 TWISTED PR 24GA PVC 100 OHM INPEDENCE 1MHZ OVERALL MYLAR BINDER 36GA TINNED BRAND-REX CO. (CABLE B) (0 FT-10 IN LG)			
2890	7	1	402176689	KS21303L11	CONNECTOR			
2900	7	1	402201743	KS21303L12	BLOCK, CONNECTOR			
2910	7	4	403894827		HOOD, GUIDE PIN #201046-2 AMP INC.			
2920	7	4	402168009		SOCKET, GUIDE #201047-4 AMP INC.			

***** STOCKLIST CONTINUED AT RIGHT *****

ED4C193-35

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
2930	7	2	402327050		JACK SCREW, FEMALE #201910-2 AMP INC.			
2940	7	2	900442658		JACK SCREW, MALE #200874-2 FIXED AMP INC.			
2950	7	2	900506312		CLAMP #201848-1 AMP INC			
2960	7	72	402214639	KS21303L4	CONNECTOR, SOCKET CONTACT			
2961	7	72	401838917	KS21303L2	CONTACT, SOCKET TYPE III AMP PART #66492-1 LOOSE PIECE 24-26GA SAME AS REEL PART #66491-2			
2970	7	72	402214647	KS21303L7	CONNECTOR, CONTACT PIN			
2980	7	1	841999691		BOARD, PRINTED WIRING RESISTOR E/W			
3000	7	73	402240154	KS21303L3	CONTACT 20-24GA SOCKET TYPE III			
3010	7	53	400665717	KS20616L1A	RESISTOR 470 OHM			
3050	7	A/R	814657284	P46E728	WIRE 22GA BARE TINNED COPPER			
3065	7	2	843050857		CLAMP			
3070	7	2	843050840		CLAMP			
3075	7	4	840059083		SCREW, PAN HEAD MACHINE .164-32 X 1/2 STEEL 289A FINISH			
3080	7	4	802421321	P242132	WASHER, LOCK .164 STEEL 289A FINISH			
3085	7	4	802065185	P206518	NUT, HEXAGON .164-32 STEEL 289A FINISH			
4000	8	A/R	402343040		CABLE, COPPER SHIELD #T8654 36 TWISTED PR 24GA PVC 100 OHM INPEDENCE 1MHZ OVERALL MYLAR BINDER 36GA TINNED BRAND-REX CO. (8 FT-0 IN LG)			
4010	8	2	402176689	KS21303L11	CONNECTOR			
4020	8	144	402214647	KS21303L7	CONNECTOR, CONTACT PIN			
4030	8	4	403894827		HOOD, GUIDE PIN #201046-2 AMP INC.			
4040	8	4	402168009		SOCKET, GUIDE #201047-4 AMP INC.			
4050	8	4	402327050		JACK SCREW, FEMALE #201910-2 AMP INC.			
4060	8	2	402190581		HOOD #202713-1 AMP INC.			

STOCKLIST CONTINUED ON SHEET D7

SEE PROPRIETARY NOTICE ON SHEET ONE
COPYRIGHT © 1999 LUCENT TECHNOLOGIES
UNPUBLISHED & NOT FOR PUBLICATION
ALL RIGHTS RESERVED

RN98

COMMON SYSTEMS
3B PROCESSOR
SPECIFICATION FOR
CONNECTORIZED SWITCHBOARD
CABLE ASSEMBLIES

DWG SIZE C2 ISSUE 19

LUCENT TECHNOLOGIES INC ED4C193-35

SHEET D6 OF 12

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
4070	8	2	402166847		TERMINAL, NON-INSULATING #A7 STA-KON SERIES A 4 STUD 22-18 GA THOMAS & BETTS CO.			
4080	8	2	997782586		LUG, TERMINAL #A25U THOMAS & BETTS CO.			
4081	8	2	402634513		TERMINAL, FASTON #42640-2 AMP INC.			
4085	8	2	900422494		TUBING, HEAT SHRINKABLE #RT876 1/4 IN ID. X 1 IN LG.BK RAYCHEM CORP.			
4090	8	2	400960555	KS19195L1	WIRE 22GA STRANDED BK (10 3/4 IN LG)			
4091	8	2	801829482	P182948	WASHER, SPRING LOCK .112 STEEL 289A FINISH			
4092	8	2	801831447	P183144	WASHER, EXTERNAL TOOTH LOCK .112 PH BRZ STAR			
4095	8	A/R	900524588		TAPE, INSULATING #60Z-10-ZULU GREY RUBBER OKONITE CO.			
4098	8	2	900537366		TUBING 7/8 OD X 11/16 ID X 1 IN LG 3/22 WALL THICKNESS POLYVINYL CHLORIDE NORTON CO.			
4100	9	A/R	402454235		CABLE #3139A 30GA 6 PAIR W.L. GORE ASSOCIATES (8 FT-0 IN LG)			
4110	9	2	402176671	KS21303L10	CONNECTOR, BLOCK			
4130	9	36	402194674	KS21303L6	CONNECTOR, PIN CONTACT			
4140	9	4	402168785		PIN, GUIDE #200833-4 AMP INC.			
4150	9	4	402167993		SOCKET, GUIDE #200835-4 AMP INC.			
4160	9	4	402238844		JACK SCREW, MALE #200871-2 AMP INC.			
4170	9	2	400583084		HOOD #200517-2 AMP INC.			
4171	9	2	402811533		SHIELD, STEEL #202-744-1 180 DEGREES 2 PIECE AMP INC.			
4180	9	2	400960555	KS19195L1	WIRE 22GA STRANDED BK (7 IN LG)			
4200	9	2	997782826		LUG, TERMINAL #B132 THOMAS & BETTS CO.			
4210	9	2	997782586		LUG, TERMINAL #A25U THOMAS & BETTS CO.			
4215	9	2	402634513		TERMINAL, FASTON #42640-2 AMP INC.			
4216	9	2	900422494		TUBING, HEAT SHRINKABLE #RT876 1/4 IN ID. X 1 IN LG.BK RAYCHEM CORP.			
4225	9	12	900551979		TUBING, HEAT SHRINKABLE #RT850 1/16 IN ID X .010 WALL THICKNESS X 1.10 IN LG CLEAR RAYCHEM CORP.			
4230	9	12	900483710		TUBING #RT876 1/4 IN X 3/8 IN LONG BLK RAYCHEM CORP.			

***** STOCKLIST CONTINUED AT RIGHT *****

ED4C193-35

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
4234	9	2	801829482	P182948	WASHER, SPRING LOCK .112 STEEL 289A FINISH			
4235	9	2	801831447	P183144	WASHER, EXTERNAL TOOTH LOCK .112 PH BRZ STAR			
4300	10	A/R	402343040		CABLE, COPPER SHIELD #T8654 36 TWISTED PR 24GA PVC 100 OHM INPEDENCE 1MHZ OVERALL MYLAR BINDER 36GA TINNED BRAND-REX CO. (8 FT-0 IN LG)			
4310	10	2	402176689	KS21303L11	CONNECTOR			
4320	10	144	402214647	KS21303L7	CONNECTOR, CONTACT PIN			
4330	10	4	403894827		HOOD, GUIDE PIN #201046-2 AMP INC.			
4340	10	4	402168009		SOCKET, GUIDE #201047-4 AMP INC.			
4350	10	4	402327050		JACK SCREW, FEMALE #201910-2 AMP INC.			
4360	10	2	402190581		HOOD #202713-1 AMP INC.			
4370	10	2	402166847		TERMINAL, NON-INSULATING #A7 STA-KON SERIES A 4 STUD 22-18 GA THOMAS & BETTS CO.			
4380	10	2	997782586		LUG, TERMINAL #A25U THOMAS & BETTS CO.			
4385	10	2	402634513		TERMINAL, FASTON #42640-2 AMP INC.			
4386	10	2	900422494		TUBING, HEAT SHRINKABLE #RT876 1/4 IN ID. X 1 IN LG.BK RAYCHEM CORP.			
4390	10	2	400960555	KS19195L1	WIRE 22GA STRANDED BK (10 3/4 IN LG)			
4400	10	A/R	900524588		TAPE, INSULATING #60Z-10-ZULU GREY RUBBER OKONITE CO.			
4401	10	2	900537366		TUBING 7/8 OD X 11/16 ID X 1 IN LG 3/22 WALL THICKNESS POLYVINYL CHLORIDE NORTON CO.			17
4411	10	2	801829482	P182948	WASHER, SPRING LOCK .112 STEEL 289A FINISH			
4412	10	2	801831447	P183144	WASHER, EXTERNAL TOOTH LOCK .112 PH BRZ STAR			
4600	10A	A/R	402343040		CABLE, COPPER SHIELD #T8654 36 TWISTED PR 24GA PVC 100 OHM INPEDENCE 1MHZ OVERALL MYLAR BINDER 36GA TINNED BRAND-REX CO. (10 FT-6 IN LG)			

STOCKLIST CONTINUED ON SHEET D8

SEE PROPRIETARY NOTICE ON SHEET ONE
 COPYRIGHT © 1999 LUCENT TECHNOLOGIES
 UNPUBLISHED & NOT FOR PUBLICATION
 ALL RIGHTS RESERVED

RN98

COMMON SYSTEMS
 3B PROCESSOR
 SPECIFICATION FOR
 CONNECTORIZED SWITCHBOARD
 CABLE ASSEMBLIES

DWG SIZE C2 ISSUE 19

LUCENT TECHNOLOGIES INC ED4C193-35

SHEET D7 OF 12

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
4610	10A	2	402176689	KS21303L11	CONNECTOR			
4620	10A	144	402214647	KS21303L7	CONNECTOR, CONTACT PIN			
4630	10A	4	403894827		HOOD, GUIDE PIN #201046-2 AMP INC.			
4635	10A	2	402634513		TERMINAL, FASTON #42640-2 AMP INC.			
4640	10A	4	402168009		SOCKET, GUIDE #201047-4 AMP INC.			
4650	10A	4	402327050		JACK SCREW, FEMALE #201910-2 AMP INC.			
4660	10A	2	402190581		HOOD #202713-1 AMP INC.			
4670	10A	2	402166847		TERMINAL, NON-INSULATING #A7 STA-KON SERIES A 4 STUD 22-18 GA THOMAS & BETTS CO.			
4680	10A	2	997782586		LUG, TERMINAL #A250 THOMAS & BETTS CO.			
4685	10A	2	900422494		TUBING, HEAT SHRINKABLE #RT876 1/4 IN ID. X 1 IN LG.BK RAYCHEM CORP.			
4686	10A	2	900422494		TUBING, HEAT SHRINKABLE #RT876 1/4 IN ID. X 1 IN LG.BK RAYCHEM CORP.			
4690	10A	2	400960555	KS19195L1	WIRE 22GA STRANDED BK (10 3/4 IN LG)			
4700	10A	A/R	900524588		TAPE, INSULATING #602-10-2010 GREY RUBBER OKONITE CO.			
4701	10A	2	900537366		TUBING 7/8 OD X 11/16 ID X 1 IN LG 3/22 WALL THICKNESS POLYVINYL CHLORIDE NORTON CO.			17
4711	10A	2	801829482	P182948	WASHER, SPRING LOCK .112 STEEL 289A FINISH			
4712	10A	2	801831447	P183144	WASHER, EXTERNAL TOOTH LOCK .112 PH BRZ STAR			
4800	11	A/R	402343040		CABLE, COPPER SHIELD #T8654 36 TWISTED PR 24GA PVC 100 OHM INPEDENCE 1MHZ OVERALL MYLAR BINDER 36GA TINNED BRAND-REX CO. (9 FT-0 IN LG)			
4810	11	2	402176689	KS21303L11	CONNECTOR			
4820	11	144	402214647	KS21303L7	CONNECTOR, CONTACT PIN			
4830	11	4	403894827		HOOD, GUIDE PIN #201046-2 AMP INC.			
4840	11	4	402168009		SOCKET, GUIDE #201047-4 AMP INC.			
4850	11	4	402327050		JACK SCREW, FEMALE #201910-2 AMP INC.			
4860	11	2	402190581		HOOD #202713-1 AMP INC.			
4870	11	2	402166847		TERMINAL, NON-INSULATING #A7 STA-KON SERIES A 4 STUD 22-18 GA THOMAS & BETTS CO.			

***** STOCKLIST CONTINUED AT RIGHT *****

ED4C193-35

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
4880	11	2	997782586		LUG, TERMINAL #A250 THOMAS & BETTS CO.			
4885	11	2	402634513		TERMINAL, FASTON #42640-2 AMP INC.			
4886	11	2	900422494		TUBING, HEAT SHRINKABLE #RT876 1/4 IN ID. X 1 IN LG.BK RAYCHEM CORP.			
4890	11	2	400960555	KS19195L1	WIRE 22GA STRANDED BK			
4900	11	A/R	900524588		TAPE, INSULATING #602-10-2010 GREY RUBBER OKONITE CO.			
4901	11	2	900537366		TUBING 7/8 OD X 11/16 ID X 1 IN LG 3/22 WALL THICKNESS POLYVINYL CHLORIDE NORTON CO.			17
4911	11	1	801829482	P182948	WASHER, SPRING LOCK .112 STEEL 289A FINISH			
4912	11	1	801831447	P183144	WASHER, EXTERNAL TOOTH LOCK .112 PH BRZ STAR			
5000	11A	A/R	402343040		CABLE, COPPER SHIELD #T8654 36 TWISTED PR 24GA PVC 100 OHM INPEDENCE 1MHZ OVERALL MYLAR BINDER 36GA TINNED BRAND-REX CO. (X-DIM)			
5010	11A	2	402176689	KS21303L11	CONNECTOR			
5020	11A	144	402214647	KS21303L7	CONNECTOR, CONTACT PIN			
5030	11A	4	403894827		HOOD, GUIDE PIN #201046-2 AMP INC.			
5040	11A	4	402168009		SOCKET, GUIDE #201047-4 AMP INC.			
5050	11A	4	402327050		JACK SCREW, FEMALE #201910-2 AMP INC.			
5060	11A	2	402190581		HOOD #202713-1 AMP INC.			
5070	11A	2	402166847		TERMINAL, NON-INSULATING #A7 STA-KON SERIES A 4 STUD 22-18 GA THOMAS & BETTS CO.			
5080	11A	2	997782586		LUG, TERMINAL #A250 THOMAS & BETTS CO.			
5085	11A	2	402634513		TERMINAL, FASTON #42640-2 AMP INC.			
5086	11A	2	900422494		TUBING, HEAT SHRINKABLE #RT876 1/4 IN ID. X 1 IN LG.BK RAYCHEM CORP.			

STOCKLIST CONTINUED ON SHEET D9

SEE PROPRIETARY NOTICE ON SHEET ONE	
COPYRIGHT © 1999 LUCENT TECHNOLOGIES UNPUBLISHED & NOT FOR PUBLICATION ALL RIGHTS RESERVED	
RN98	
COMMON SYSTEMS 3B PROCESSOR SPECIFICATION FOR CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES	
DWG SIZE C2	ISSUE 19
LUCENT TECHNOLOGIES INC ED4C193-35	
SHEET D8 OF 12	

STOCKLIST

ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
5090	11A	2	400960555	KS19195L1	WIRE 22GA STRANDED BK (10 3/4 IN LG)			
5100	11A	A/R	900524588		TAPE, INSULATING #60Z-10-2010 GREY RUBBER OKONITE CO.			
5101	11A	2	900537366		TUBING 7/8 OD X 11/16 ID X 1 IN LG 3/22 WALL THICKNESS POLYVINYL CHLORIDE NORTON CO.			17
5111	11A	2	801829482	P182948	WASHER, SPRING LOCK .112 STEEL 289A FINISH			
5112	11A	2	801831447	P183144	WASHER, EXTERNAL TOOTH LOCK .112 PH BRZ STAR			
5300	12	A/R	402343040		CABLE, COPPER SHIELD #T8654 36 TWISTED PR 24GA PVC 100 OHM INPEDEENCE 1MHZ OVERALL MYLAR BINDER 36GA TINNED BRAND-REX CO. (1 FT-0 IN LG)			
5310	12	2	402201743	KS21303L12	BLOCK, CONNECTOR			
5320	12	144	401838917	KS21303L2	CONTACT, SOCKET TYPE III AMP PART #66492-1 LOOSE PIECE 24-26GA SAME AS REEL PART #66491-2			
5330	12	4	403894827		HOOD, GUIDE PIN #201046-2 AMP INC.			
5340	12	4	402168009		SOCKET, GUIDE #201047-4 AMP INC.			
5350	12	4	402327050		JACK SCREW, FEMALE #201910-2 AMP INC.			
5360	12	2	402190581		HOOD #202713-1 AMP INC.			
5370	12	A/R	900524588		TAPE, INSULATING #60Z-10-2010 GREY RUBBER OKONITE CO.			
5371	12	2	900537366		TUBING 7/8 OD X 11/16 ID X 1 IN LG 3/22 WALL THICKNESS POLYVINYL CHLORIDE NORTON CO.			17

***** END OF STOCKLIST *****

SEE PROPRIETARY NOTICE ON SHEET ONE
COPYRIGHT © 1999 LUCENT TECHNOLOGIES
UNPUBLISHED & NOT FOR PUBLICATION
ALL RIGHTS RESERVED

RN98

COMMON SYSTEMS
3B PROCESSOR
SPECIFICATION FOR
CONNECTORIZED SWITCHBOARD
CABLE ASSEMBLIES

DWG SIZE C2 ISSUE 19

ED4C193-35

LUCENT TECHNOLOGIES INC ED4C193-35

SHEET D9 OF 12

PRINTED IN U.S.A.