

TABLE A-FEATURES (CONTINUED)

EQUIPMENT		REF NOTE	RAT- ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT DATA				SD EQUIVALENT		
DESCRIPTION	EQUIPMENT OR CIRCUIT					LIST GROUP OR FIG	WRG	APP	SCHEMATIC	FIG	OPT	
CONNECTORIZED SWBD CABLE ASSEMBLY ADAPTER CABLE REQUIRED WHEN CONVERTING VT100 LOCATED IN SILWS (0-5) TO COLOR VIDEO MONITOR				12								
END OF TABLE-A												

SEE PROPRIETARY NOTICE ON SHEET ONE

XT13
 SESS SWITCHING EQUIPMENT
 ARRANGED WITH 2-WIRE FEATURES
 CONNECTORIZED SWITCHBOARD
 CABLE ASSEMBLIES
 FOR MASTER CONTROL CENTER
 AND TRUNK ACCESS UNIT
 ED-50039-35

AT&T RATING

DWG SIZE
C2

ISSUE
9

AT&T TECHNOLOGIES, INC. ED5D039-30

SHEET A2
OF 9

ED5D039-30

PRINTED IN U.S.A.

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1010	1	1	103125357	982AC	CONNECTOR			
1020	1	1	842923708		RELIEF, STRAIN			
1030	1	1	900524497		SLEEVE #RT876 3/8 IN ID X 2 IN LG BLACK HEAT SHRINKABLE RAYCHEM CORP OR EQUIVALENT			
1040	1	1	101619369	812A	CABLE, SWITCHBOARD			3
1050	1	1	803382415	P338241	STAYBAND, WING			
1060	1	1	997082151	KS19087L2	CONNECTOR, FEMALE RECEPTACLE			
1070	1	1	996975918	KS19196L2	HOOD, CONNECTOR			
1080	1	A/R	401194428	KS19195L1	WIRE 26 GA SOLID BK			
1090	1	1	400812392		GROMMET #374 ATLANTIC RUBBER CO OR EQUIVALENT			6
1100	2	1	103125357	982AC	CONNECTOR			
1110	2	1	842923708		RELIEF, STRAIN			
1120	2	1	900524497		SLEEVE #RT876 3/8 IN ID X 2 IN LG BLACK HEAT SHRINKABLE RAYCHEM CORP OR EQUIVALENT			
1130	2	1	101619369	812A	CABLE, SWITCHBOARD			3
1140	2	1	803382415	P338241	STAYBAND, WING			
1150	2	1	997082151	KS19087L2	CONNECTOR, FEMALE RECEPTACLE			
1160	2	1	996975918	KS19196L2	HOOD, CONNECTOR			
1170	2	A/R	401194428	KS19195L1	WIRE 26 GA SOLID BK			
1180	2	1	400812392		GROMMET #374 ATLANTIC RUBBER CO OR EQUIVALENT			6
1190	3	1	103125373	982AE	CONNECTOR			
1200	3	1	842923757		RELIEF, STRAIN			
1210	3	1	900524497		SLEEVE #RT876 3/8 IN ID X 2 IN LG BLACK HEAT SHRINKABLE RAYCHEM CORP OR EQUIVALENT			
1220	3	1	101619369	812A	CABLE, SWITCHBOARD			3
1230	3	1	803382415	P338241	STAYBAND, WING			
1240	3	1	997082151	KS19087L2	CONNECTOR, FEMALE RECEPTACLE			
1250	3	1	996975918	KS19196L2	HOOD, CONNECTOR			
1260	3	A/R	401194428	KS19195L1	WIRE 26 GA SOLID BK			
1270	3	1	400812392		GROMMET #374 ATLANTIC RUBBER CO OR EQUIVALENT			6
1280	4	1	100016435	807A	CABLE, SWITCHBOARD			3
1290	4	1	997082144	KS19088L2	CONNECTOR, MALE RECEPTACLE			
1300	4	1	996975918	KS19196L2	HOOD, CONNECTOR			
1310	4	1	101619369	812A	CABLE, SWITCHBOARD			3
1320	5	1	100016435	807A	CABLE, SWITCHBOARD			3
1330	5	1	997082151	KS19087L2	CONNECTOR, FEMALE RECEPTACLE			

STOCKLIST CONTINUED ON SHEET D2

S I N G L E L I N E N O S I T	MANUFACTURING NOTES	
	X	1.
X	2.	DIMENSIONS 12 INCHES AND OVER ARE EXPRESSED IN FEET AND INCHES. ALL OTHER DIMENSIONS ARE IN INCHES.
X	3.	THE X DIMENSION SHALL BE OBTAINED FROM THE JOB SPECIFICATION.
X	4.	UNLESS OTHERWISE SPECIFIED, REQUIRED SHINER LENGTHS SHALL BE DETERMINED BY THE INDIVIDUAL MANUFACTURING LOCATIONS AND ADDED TO THE MANUFACTURING LAYOUT.
X	5.	MANUFACTURING TOLERANCES FOR FORMED SWITCHBOARD CABLES ARE + OR - 1-1/2X ROUNDED TO THE NEXT HIGHER 1/2 INCH INCREMENT.
X	6.	THE SHOP MAY OMIT THE 374 GROMMET AND SUBSTITUTE AN APPROVED EQUIVALENT FILLER TYPE STRAIN RELIEF SUCH AS TYGON TUBING 1/4 INCH ID X APPROX 3/4 INCH LONG, OR OTHER EQUIVALENT SUBSTITUTE.

AT&T TECHNOLOGIES, INC. - PROPRIETARY

XT13		AT&T-RATING
6ESS SWITCHING EQUIPMENT ARRANGED WITH 2-WIRE FEATURES CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES FOR MASTER CONTROL CENTER AND TRUNK ACCESS UNIT ED-5D039-35		
DWG SIZE C2	ISSUE 9	
AT&T TECHNOLOGIES, INC. ED5D039-30		SHEET D1 OF 9

ED5D039-30

PRINTED IN U.S.A.

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1340	5	1	996975918	KS19196L2	HOOD, CONNECTOR			
1345	5	1	400812392		GROMMET #374 ATLANTIC RUBBER CO OR EQUIVALENT			6
1350	6	1	102277498	812AS	CABLE SHIELDED			3
1360	6	1	103125373	982AE	CONNECTOR			
1370	6	1	842923773		RELIEF, STRAIN			
1380	6	1	997082151	KS19087L2	CONNECTOR, FEMALE RECEPTACLE			
1390	6	1	996975918	KS19196L2	HOOD, CONNECTOR			
1400	6	1	803382415	P338241	STAYBAND, WING			
1410	6	A/R	814667119	P46F711	WIRE 26 GA BARE			
1420	6	1	900316803		TUBING #RT876 BLACK RAYCHEM CORP. OR EQUIVALENT 1/2 IN ID X 2-1/2 IN LG HEAT SHRINK			
1430	6	1	996338638	KS13385L1	WIRE 22 GA SOLID 1 CONDUCTOR BLACK			
1440	6	A/R	401194428	KS19195L1	WIRE 26 GA SOLID BK			
1450	6	1	900509134		TUBING, RED #RT876 RAYCHEM CORP. OR EQUIVALENT 1/2 IN ID X 3/4 IN LG			
1460	6	1	400812392		GROMMET #374 ATLANTIC RUBBER CO OR EQUIVALENT			6
1465	6	1	996344800	KS19195L1	WIRE 22 GA SOLID BK			
1470	7	1	102277498	812AS	CABLE SHIELDED			3
1480	7	1	103125373	982AE	CONNECTOR			
1490	7	1	842923773		RELIEF, STRAIN			
1500	7	1	997082151	KS19087L2	CONNECTOR, FEMALE RECEPTACLE			
1510	7	1	996975918	KS19196L2	HOOD, CONNECTOR			
1520	7	1	803382415	P338241	STAYBAND, WING			
1530	7	A/R	814667119	P46F711	WIRE 26 GA BARE			
1540	7	1	900316803		TUBING #RT876 BLACK RAYCHEM CORP. OR EQUIVALENT 1/2 IN ID X 2-1/2 IN LG HEAT SHRINK			
1550	7	1	996338638	KS13385L1	WIRE 22 GA SOLID 1 CONDUCTOR BLACK			
1560	7	A/R	401194428	KS19195L1	WIRE 26 GA SOLID BK			
1570	7	1	900509134		TUBING, RED #RT876 RAYCHEM CORP. OR EQUIVALENT 1/2 IN ID X 3/4 IN LG			
1580	7	1	400812392		GROMMET #374 ATLANTIC RUBBER CO OR EQUIVALENT			6
1585	7	1	996344800	KS19195L1	WIRE 22 GA SOLID BK			
1590	8	1	102277498	812AS	CABLE SHIELDED			3

***** STOCKLIST CONTINUED AT RIGHT *****

ED5D039-30

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1600	8	1	103125373	982AE	CONNECTOR			
1610	8	1	842923773		RELIEF, STRAIN			
1620	8	1	997082151	KS19087L2	CONNECTOR, FEMALE RECEPTACLE			
1630	8	1	996975918	KS19196L2	HOOD, CONNECTOR			
1640	8	1	803382415	P338241	STAYBAND, WING			
1650	8	A/R	814667119	P46F711	WIRE 26 GA BARE			
1660	8	1	900316803		TUBING #RT876 BLACK RAYCHEM CORP. OR EQUIVALENT 1/2 IN ID X 2-1/2 IN LG HEAT SHRINK			
1670	8	1	996338638	KS13385L1	WIRE 22 GA SOLID 1 CONDUCTOR BLACK			
1680	8	A/R	401194428	KS19195L1	WIRE 26 GA SOLID BK			
1690	8	1	900509134		TUBING, RED #RT876 RAYCHEM CORP. OR EQUIVALENT 1/2 IN ID X 3/4 IN LG			
1700	8	1	400812392		GROMMET #374 ATLANTIC RUBBER CO OR EQUIVALENT			6
1705	8	1	996344800	KS19195L1	WIRE 22 GA SOLID BK			
1710	9	1	102277498	812AS	CABLE SHIELDED			3
1720	9	1	103125373	982AE	CONNECTOR			
1730	9	1	842923773		RELIEF, STRAIN			
1740	9	1	997082151	KS19087L2	CONNECTOR, FEMALE RECEPTACLE			
1750	9	1	996975918	KS19196L2	HOOD, CONNECTOR			
1760	9	1	803382415	P338241	STAYBAND, WING			
1770	9	A/R	814667119	P46F711	WIRE 26 GA BARE			
1780	9	1	900316803		TUBING #RT876 BLACK RAYCHEM CORP. OR EQUIVALENT 1/2 IN ID X 2-1/2 IN LG HEAT SHRINK			
1790	9	1	996338638	KS13385L1	WIRE 22 GA SOLID 1 CONDUCTOR BLACK			
1800	9	A/R	401194428	KS19195L1	WIRE 26 GA SOLID BK			
1810	9	1	900509134		TUBING, RED #RT876 RAYCHEM CORP. OR EQUIVALENT 1/2 IN ID X 3/4 IN LG			
1820	9	1	400812392		GROMMET #374 ATLANTIC RUBBER CO OR EQUIVALENT			6

STOCKLIST CONTINUED ON SHEET D3

SEE PROPRIETARY NOTICE ON SHEET ONE	
XT13	AT&T-RATING
6ESS SWITCHING EQUIPMENT ARRANGED WITH 2-WIRE FEATURES CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES FOR MASTER CONTROL CENTER AND TRUNK ACCESS UNIT ED-5D039-35	
DWG SIZE C2	ISSUE 9
AT&T TECHNOLOGIES, INC.	ED5D039-30
SHEET D2 OF 9	

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1825	9	1	996344800	KS19195L1	WIRE 22 GA SOLID BK			
1850	10	1	102277498	B12AS	CABLE SHIELDED			3
1860	10	1	103125373	982AE	CONNECTOR			
1870	10	1	842923773		RELIEF, STRAIN			
1880	10	1	997082151	KS19087L2	CONNECTOR, FEMALE RECEPTACLE			
1890	10	1	996975918	KS19196L2	HOOD, CONNECTOR			
1900	10	1	803382415	P338241	STAYBAND, WING			
1910	10	A/R	814667119	P46F711	WIRE 26 GA BARE			
1920	10	1	900501230		TUBING #RT876 RAYCHEM CORP. OR EQUIVALENT 1/2 ID X 1 IN LG BLACK			
1930	10	A/R	401194428	KS19195L1	WIRE 26 GA SOLID BK			
1940	10	1	900509134		TUBING, RED #RT876 RAYCHEM CORP. OR EQUIVALENT 1/2 IN ID X 3/4 IN LG			
1950	10	1	400812392		GROMMET #374 ATLANTIC RUBBER CO OR EQUIVALENT			6
1960	10	1	996344800	KS19195L1	WIRE 22 GA SOLID BK			
1970	11	1	102277498	B12AS	CABLE SHIELDED			3
1980	11	1	103125373	982AE	CONNECTOR			
1990	11	1	842923773		RELIEF, STRAIN			
2000	11	1	997082151	KS19087L2	CONNECTOR, FEMALE RECEPTACLE			
2010	11	1	996975918	KS19196L2	HOOD, CONNECTOR			
2020	11	1	803382415	P338241	STAYBAND, WING			
2030	11	A/R	814667119	P46F711	WIRE 26 GA BARE			
2040	11	1	900501230		TUBING #RT876 RAYCHEM CORP. OR EQUIVALENT 1/2 ID X 1 IN LG BLACK			
2050	11	A/R	401194428	KS19195L1	WIRE 26 GA SOLID BK			
2060	11	1	900509134		TUBING, RED #RT876 RAYCHEM CORP. OR EQUIVALENT 1/2 IN ID X 3/4 IN LG			
2070	11	1	400812392		GROMMET #374 ATLANTIC RUBBER CO OR EQUIVALENT			6
2080	11	1	996344800	KS19195L1	WIRE 22 GA SOLID BK			
2090	12	1	101619369	B12A	CABLE, SWITCHBOARD			3
2100	12	2	997082144	KS19088L2	CONNECTOR, MALE RECEPTACLE			
2110	12	2	996975918	KS19196L2	HOOD, CONNECTOR			
2120	12	2	803382415	P338241	STAYBAND, WING			
2130	12	1	400812392		GROMMET #374 ATLANTIC RUBBER CO OR EQUIVALENT			6

***** STOCKLIST CONTINUED AT RIGHT *****

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
2140	12	A/R	401194428	KS19195L1	WIRE 26 GA SOLID BK			
***** END OF STOCKLIST *****								

SEE PROPRIETARY NOTICE ON SHEET ONE	
SESS SWITCHING EQUIPMENT ARRANGED WITH 2-WIRE FEATURES CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES FOR MASTER CONTROL CENTER AND TRUNK ACCESS UNIT ED-50039-35	XT13 AT&T-T RATING
DWG SIZE C2	ISSUE g
AT&T TECHNOLOGIES, INC. ED50039-30	SHEET 03 OF 9

ED50039-30

PRINTED IN U.S.A.