

TABLE A-FEATURES											
EQUIPMENT		REF NOTE	RATING	LIST OR GROUP	EQUIPMENT OR CIRCUIT DATA				SD EQUIVALENT		
DESCRIPTION	QTY				EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
ASSEMBLY, WIRING AND EQUIPMENT FOR ONE AUXILIARY CURRENT LIMITING RESISTOR NETWORK (796 OHMS).	1			1	ED5D064-30	1					
ASSEMBLY, WIRING & EQUIPMENT FOR ONE AUXILIARY CURRENT LIMITING RESISTOR NETWORK (402 OHMS).	1			2	ED5D064-30	2					
ASSEMBLY, WIRING & EQUIPMENT FOR ONE AUXILIARY CURRENT LIMITING RESISTOR NETWORK (100 OHMS).	1			3	ED5D064-30	3					
ASSEMBLY, WIRING & EQUIPMENT FOR ONE AUXILIARY CURRENT LIMITING RESISTOR NETWORK (5.11K OHMS).	1			4	ED5D064-30	4					
ASSEMBLY, WIRING & EQUIPMENT FOR ONE AUXILIARY CURRENT LIMITING RESISTOR NETWORK (6.49K OHMS).	1			5	ED5D064-30	5					
ASSEMBLY, WIRING & EQUIPMENT FOR ONE AUXILIARY CURRENT LIMITING RESISTOR NETWORK (1.1K OHMS).	1			6	ED5D064-30	6					
ASSEMBLY, WIRING & EQUIPMENT FOR ONE AUXILIARY CURRENT LIMITING RESISTOR NETWORK (10 OHMS).	1			7	ED5D064-30	7					
ASSEMBLY, WIRING & EQUIPMENT FOR ONE AUXILIARY CURRENT LIMITING RESISTOR NETWORK.	1			8	ED5D064-30	8					
ASSEMBLY, WIRING & EQUIPMENT FOR ONE AUXILIARY CURRENT LIMITING RESISTOR NETWORK.	1	DA		9	ED5D064-30	9					
ASSEMBLY, WIRING & EQUIPMENT FOR ONE AUXILIARY CURRENT LIMITING RESISTOR NETWORK.	1			10	ED5D064-30	10					
ASSEMBLY WIRING AND EQUIPMENT FOR ONE AUXILIARY CURRENT LIMITING RESISTOR NETWORK	1			11	ED5D064-30	11					

END OF TABLE-A

ISSUE NOTES (CONTINUED)	ISSUE NOTES
SHT INDEX UPDATED TO SHOW B1 SHEET AS ISSUE 10 TO AGREE WITH GROUP 11 (ADDED AT ISSUE 8), SHEET B1 UPDATED. MFG NOTE 13 REVISED PER PI7.1.	ORIG ISS: 04/14/83 CHANGE CLASS: DRAFT: DSL ENGR: RJW SUPV: JRG VAULT: 04/14/83 ISSUE: 1
ORIG ISS: 04/14/83 CHANGE CLASS: MF DRAFT: GLF ENGR: GLF SUPV: CERTIFIED: 10/02/91 ISSUE: 10	IN TABLE D, LINE 2 ADDED. NOTE 12 ADDED. IN SL ITEM 1000 READ '843204793 BOARD PRINTED WIRING'. 963J-6 CONNECTOR; RELIEF, STRAIN AND EYELET #SE2-5 REMOVED.
FIGURE 1, REMOVED REFERENCE TO NOTE 12. ORIG ISS: 04/14/83 CHANGE CLASS: M DRAFT: PEW ENGR: PEW SUPV: PK CERTIFIED: 10/24/94 ISSUE: 11	AT&T CL: D ORIG ISS: 04/14/83 WECCO CL: D DRAFT: DSL ENGR: JRK SUPV: VAULT: 01/25/84 ISSUE: 2
(H8404) TITLE BLOCK CHANGED TO LUCENT TECHNOLOGIES. ORIG ISS: 04/14/83 CHANGE CLASS: ME DRAFT: DER ENGR: DER SUPV: RMB CERTIFIED: 08/27/98 ISSUE: 12	GROUP 7,8 & NOTE 13 ADDED. CN6780IH AT&T CL: AC ORIG ISS: 04/14/83 WECCO CL: AC DRAFT: DSL ENGR: JRK SUPV: VAULT: 02/20/84 ISSUE: 3
	* DRAWING CONVERTED FROM SEDBS TO MDS COMPUTER SYSTEMS. * * THIS IS A MACHINE COPY OF THE LATEST SEDBS CERTIFIED ISSUE * * AND MAY CONTAIN MINOR DIFFERENCES. THE TABLE OF ASSOCIATED * * DRAWINGS WAS ELIMINATED DURING MIGRATION TO ASSIST THE * * SCRUBBING OF PROPRIETARY INFORMATION. * ----- LIST OF ASSOCIATED DRAWING TABLE CORRECTED. NOTE 12 REMOVED.
	ORIG ISS: 04/14/83 CHANGE CLASS: D DRAFT: DJP ENGR: PEW SUPV: CERTIFIED: 12/10/85 ISSUE: 4
	GROUP 9 ADDED. DRAWING RATING READ 'PROV'. ORIG ISS: 04/14/83 CHANGE CLASS: B DRAFT: DSL ENGR: PEW SUPV: CERTIFIED: 01/16/86 ISSUE: 5
	TABLE A LIST 9 RATED 'DA'; LIST 10; SL ITEM 1130 ADDED. FIG 1 CHGD ACCORD. ORIG ISS: 04/14/83 CHANGE CLASS: M DRAFT: PEW ENGR: PEW SUPV: CERTIFIED: 01/17/89 ISSUE: 6
	FIG A ADDED. ORIG ISS: 04/14/83 CHANGE CLASS: M DRAFT: PEW ENGR: PEW SUPV: CERTIFIED: 04/14/89 ISSUE: 7
	GROUP 11 ADDED. ORIG ISS: 04/14/83 CHANGE CLASS: B DRAFT: GLF ENGR: GLF SUPV: CERTIFIED: 09/27/91 ISSUE: 8
	SHEET INDEX UPDATED TO SHOW SHEET B1 ISSUE 8 ORIG ISS: 04/14/83 CHANGE CLASS: MF DRAFT: GLF ENGR: GLF SUPV: CERTIFIED: 09/30/91 ISSUE: 9

SHEET INDEX											
SHT NBR	A1	THRU	A1	ISSUE	12						
SHT NBR	D1	THRU	D1	ISSUE	12						
SHT NBR	B1										
ISSUE	12										
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											

ED5D064-30

COPYRIGHT © 1998 LUCENT TECHNOLOGIES ALL RIGHTS RESERVED	
RT13	
5ESS SWITCHING EQUIPMENT RESISTOR PANEL AUXILIARY CURRENT LIMITING RESISTOR NETWORK ASSEMBLY	
DWG SIZE C2	ISSUE 12
LUCENT TECHNOLOGIES INC	ED5D064-30
SHEET A1 OF 3	




FIG. 1  
GROUPS 1-11

- G1, KS-20289, L6C 796 OHMS RES
- G2, KS-20289, L6C 402 OHMS RES
- G3, KS-20289, L6C 100 OHMS RES
- G4, KS-20289, L6C 5110 OHMS RES
- G5, KS-20289, L6C 6490 OHMS RES
- G6, KS-20289, L6C 1100 OHMS RES
- G7, KS-20289, L6C 10 OHMS RES
- G8, (SEE NOTE 13)
- G9, KS-20289, L6C 3160 OHMS RES
- G10, KS-20289, L6C 4320 OHMS RES
- G11, KS-20289, L6C 3650 OHMS RES




FIG. A  
SHOWING MINIMUM CLEARANCE  
FOR RESISTOR MOUNTING

FOR PROPRIETARY NOTICE SEE SHEET A1		THIRD ANGLE PROJN	
RESISTOR NETWORK ASSEMBLY			
DWG SIZE	ISSUE		
(P) C2	12		
LUCENT TECHNOLOGIES	ED5D064-30	SHEET NO. B1	
MODEL NAME			

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1000	1,2,3,4,5,6,7,8,9,10,11	1	104014998	982HJ	CONNECTOR			13
1050	1	1	400762696	KS20289L6C	RESISTOR 796 OHM			
1060	2	1	400762498	KS20289L6C	RESISTOR 402 OHM			
1070	3	1	400751954	KS20289L6C	RESISTOR 100 OHM			
1080	4	1	400769352	KS20289L6C	RESISTOR 5110 OHM			
1090	5	1	400765491	KS20289L6C	RESISTOR 6490 OHM			
1100	6	1	400764312	KS20289L6C	RESISTOR 1100 OHM			
1110	7	1	400718920	KS20289L6C	RESISTOR 10 OHM			
1120	9	1	400764577	KS20289L6C	RESISTOR 3160 OHM			
1130	10	1	401156815	KS20289L6C	RESISTOR 4320 OHM			
1140	11	1	400764601	KS20289L6C	RESISTOR 3650 OHM			
***** END OF STOCKLIST *****								

S  
H  
O  
P  
I  
N  
S  
T  
A  
L  
L  
E  
R  
S  
H  
O  
P  
M  
O  
U  
N  
T  
E  
D

MANUFACTURING NOTES

1. X PARTS REQUIRED FOR INSTALLATION.

X/ PARTS REQUIRED FOR MANUFACTURE WHEN EQUIPMENT IS SHOP MOUNTED OR BY THE INSTALLER WHEN THE EQUIPMENT IS TO BE FIELD MOUNTED.

\* PARTS THAT ARE TO BE SHIPPED ATTACHED TO OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED ASSEMBLED ITEM.

\*/ PARTS (A) REQUIRED FOR MANUFACTURE WHEN EQUIPMENT INVOLVED IS SHOP MOUNTED OR (B) TO BE SHIPPED ATTACHED TO, OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED ASSEMBLED ITEM WHEN FIELD MOUNTED.

( ) INDICATES DESIGNATIONS TO BE STAMPED IN ACCORDANCE WITH JOB INFORMATION.

{ } INDICATES DESIGNATIONS SHOWN FOR INFORMATION ONLY AND ARE NOT TO BE STAMPED.

< > INDICATES DESIGNATIONS AND/OR INFORMATION PROVIDED IN ACCORDANCE WITH OTHER INFORMATION.

"W" PARTS ASSEMBLED AT THE SAME TIME THE EQUIPMENT IS MOUNTED.

"\*\*" PARTS TO BE (A) SHOP ASSEMBLED, BUT WHICH CANNOT BE ASSEMBLED UNTIL THE ASSOCIATED EQUIPMENT IS BEING MOUNTED, OR (B) SHIPPED ATTACHED TO, OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED EQUIPMENT WHEN FIELD MOUNTED.

"S" PARTS NOT ASSEMBLED, SHIPPED SEPARATELY.

A/R AS REQUIRED.

"B" PARTIAL ASSEMBLIES ON OTHER DRAWINGS WITH STOCKLISTS.

12. UNASSIGNED.

13. INSTALLER WILL CALCULATE RESISTANCE VALUE AND PROVIDE 3 WATT + OR - 1% RESISTOR FOR GROUP 8 FROM LOCAL SOURCE.FOR FURTHER INFO REFER TO J5D005AA-1 NOTE 54.

COPYRIGHT @ 1998 LUCENT TECHNOLOGIES ALL RIGHTS RESERVED			
RT13			
5ESS SWITCHING EQUIPMENT RESISTOR PANEL AUXILIARY CURRENT LIMITING RESISTOR NETWORK ASSEMBLY			
		DWG SIZE C2	ISSUE 12
LUCENT TECHNOLOGIES INC		ED5D064-30	SHEET D1 OF 3