

TABLE A-FEATURES											
EQUIPMENT		RAT- ING	LIST OR GROUP	EQUIPMENT OR CIRCUIT DATA					SD EQUIVALENT		
DESCRIPTION	REF NOTE			QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
ASSEMBLY, WIRING & EQUIPMENT FOR ONE CURRENT LIMITING RESISTOR NETWORK. (796 OHMS) DA EFF:10/24/94 RA:ED5D065-30,G4		DA	1	1	ED5D065-30	1					
ASSEMBLY, WIRING & EQUIPMENT FOR ONE CURRENT LIMITING RESISTOR NETWORK. (402 OHMS) DA EFF:10/24/94 RA:ED5D065-30,G4		DA	2	1	ED5D065-30	2					
ASSEMBLY, WIRING & EQUIPMENT FOR ONE CURRENT LIMITING RESISTOR NETWORK. (100 OHMS) DA EFF:10/24/94 RA:ED5D065-30,G4		DA	3	1	ED5D065-30	3					
ASSEMBLY, WIRING & EQUIPMENT FOR ONE CURRENT LIMITING RESISTOR NETWORK. REPL:ED5D065-30 G1,2,3			4	1	ED5D065-30	4					
END OF TABLE-A											

ISSUE NOTES				
ORIG ISS: 04/06/83		CHANGE CLASS:		
DRAFT: DSL	ENGR: RJW	SUPV:	VAULT: 04/06/83	ISSUE: 1
IN TABLE D, LINE 2 ADDED. NOTE 12 ADDED. IN SL ITEM 1000 READ '843204298 BOARD, PRINTED WIRING'. 963J-6 CONNECTOR; RELIEF, STRAIN AND EYELET #SE2-5 REMOVED.				
AT&T CL: D		ORIG ISS: 04/06/83		WECO CL: D
DRAFT: DSL	ENGR: JRK	SUPV:	VAULT: 01/25/84	ISSUE: 2
GROUP 4 & NOTE 13 ADDED. CN6780IH.				
AT&T CL: AC		ORIG ISS: 04/06/83		WECO CL: AC
DRAFT: DSL	ENGR: JRK	SUPV:	VAULT: 02/20/84	ISSUE: 3
----- * DRAWING CONVERTED FROM SEDBS TO MDS COMPUTER SYSTEMS. * * THIS IS A MACHINE COPY OF THE LATEST SEDBS CERTIFIED ISSUE * * AND MAY CONTAIN MINOR DIFFERENCES. THE TABLE OF ASSOCIATED * * DRAWINGS WAS ELIMINATED DURING MIGRATION TO ASSIST THE * * SCRUBBING OF PROPRIETARY INFORMATION. * -----				
LIST OF ASSOCIATED DRAWING TABLE CORRECTED. NOTE 12 REMOVED.				
ORIG ISS: 04/06/83		CHANGE CLASS: D		
DRAFT: DJP	ENGR: PEW	SUPV:	CERTIFIED: 12/10/85	ISSUE: 4
DISTRIBUTION CODE INVALID, READ 7T13. PER PROP CODE, CHG'D TO RT13. TABLE A GROUPS 1,2 & 3 RATED 'DA'. POINT ISSUES 4.1 THRU 4.3 APPLIED.				
ORIG ISS: 04/06/83		CHANGE CLASS: M		
DRAFT: PEW	ENGR: PEW	SUPV: PK	CERTIFIED: 10/24/94	ISSUE: 5
(H7494)TABLE A, GROUPS 1 THRU 4 MODIFIED.				
ORIG ISS: 04/06/83		CHANGE CLASS: B		
DRAFT: PEW	ENGR: PEW	SUPV: PK	CERTIFIED: 02/24/95	ISSUE: 6
(H8404) TITLE BLOCK UPDATED TO LUCENT TECHNOLOGIES.				
ORIG ISS: 04/06/83		CHANGE CLASS: ME		
DRAFT: DER	ENGR: DER	SUPV: RMB	CERTIFIED: 08/27/98	ISSUE: 7

SHEET INDEX											
SHT NBR	A1 THRU A1 ISSUE 7										
ISSUE	D1 THRU D1 ISSUE 7										
SHT NBR	B1										
ISSUE	7										
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											

ED5D065-30

COPYRIGHT @ 1998 LUCENT TECHNOLOGIES ALL RIGHTS RESERVED		
5ESS SWITCHING EQUIPMENT RESISTOR PANEL CURRENT LIMITING RESISTOR NETWORK ASSEMBLY		RT13
		DWG SIZE C2
LUCENT TECHNOLOGIES INC		ED5D065-30
SHEET OF		A1 3




FIG. 1
GROUPS 1-4

PROJ-EOEDFORM, FRM-FEB-96

ED5D065-30

FOR PROPRIETARY NOTICE SEE SHEET A1		
RESISTOR NETWORK ASSEMBLY	THIRD ANGLE PROJ 	
	DWG SIZE C2	ISSUE 7
LUCENT TECHNOLOGIES	ED5D065-30	SHEET NO. B1
MODEL NAME		

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1000	1,2,3,4	1	104015003	982HK	CONNECTOR			13
1050	1	1	400762696	KS20289L6C	RESISTOR 796 OHM			
1060	2	1	400762498	KS20289L6C	RESISTOR 402 OHM			
1070	3	1	400751954	KS20289L6C	RESISTOR 100 OHM			
***** END OF STOCKLIST *****								

S H O P	I N S T	MANUFACTURING NOTES	
		SYM	NBR
			<p>1. X PARTS REQUIRED FOR INSTALLATION.</p> <p>X/ PARTS REQUIRED FOR MANUFACTURE WHEN EQUIPMENT IS SHOP MOUNTED OR BY THE INSTALLER WHEN THE EQUIPMENT IS TO BE FIELD MOUNTED.</p> <p>* PARTS THAT ARE TO BE SHIPPED ATTACHED TO OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED ASSEMBLED ITEM.</p> <p>*/ PARTS (A) REQUIRED FOR MANUFACTURE WHEN EQUIPMENT INVOLVED IS SHOP MOUNTED OR (B) TO BE SHIPPED ATTACHED TO, OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED ASSEMBLED ITEM WHEN FIELD MOUNTED.</p> <p>() INDICATES DESIGNATIONS TO BE STAMPED IN ACCORDANCE WITH JOB INFORMATION.</p> <p>{ } INDICATES DESIGNATIONS SHOWN FOR INFORMATION ONLY AND ARE NOT TO BE STAMPED.</p> <p>< > INDICATES DESIGNATIONS AND/OR INFORMATION PROVIDED IN ACCORDANCE WITH OTHER INFORMATION.</p> <p>"W" PARTS ASSEMBLED AT THE SAME TIME THE EQUIPMENT IS MOUNTED.</p> <p>"**" PARTS TO BE (A) SHOP ASSEMBLED, BUT WHICH CANNOT BE ASSEMBLED UNTIL THE ASSOCIATED EQUIPMENT IS BEING MOUNTED, OR (B) SHIPPED ATTACHED TO, OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED EQUIPMENT WHEN FIELD MOUNTED.</p> <p>"S" PARTS NOT ASSEMBLED, SHIPPED SEPARATELY.</p> <p>A/R AS REQUIRED.</p> <p>"B" PARTIAL ASSEMBLIES ON OTHER DRAWINGS WITH STOCKLISTS.</p> <p>12. UNASSIGNED.</p> <p>13. INSTALLER WILL CALCULATE RESISTANCE VALUE AND PROVIDE 3 WATT + OR - 1% RESISTOR FOR GROUP 4 FROM LOCAL SOURCE.</p>
X	X		

ED5D065-30

COPYRIGHT © 1998 LUCENT TECHNOLOGIES ALL RIGHTS RESERVED			
5ESS SWITCHING EQUIPMENT RESISTOR PANEL CURRENT LIMITING RESISTOR NETWORK ASSEMBLY		RT13	
		DWG SIZE C2	ISSUE 7
LUCENT TECHNOLOGIES INC		ED5D065-30	SHEET D1 OF 3