

TABLE A-FEATURES

EQUIPMENT		EQUIPMENT OR CIRCUIT DATA							SD EQUIVALENT		
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
CONNECTORIZED CABLE ASSEMBLY REQUIRED FOR QUIET GROUND FROM MSU, MMSU OR DCTU. THIS CABLE IS NOT REQUIRED WHEN MMSU SHELF IS CONNECTED TO AIU.			1								
CONNECTORIZED CABLE ASSEMBLY REQUIRED FOR +48V POWER FROM CONVERTER PNL TO GROUND WINDOW.			2								
END OF TABLE-A											

SEE PROPRIETARY NOTICE ON SHEET ONE

XT13

5ESS SWITCHING EQUIPMENT
CONNECTORIZED SWITCHBOARD
CABLE ASSEMBLY
FOR QUIET GROUND

DWG SIZE C2 ISSUE 12

ED5D129-30

LUCENT TECHNOLOGIES INC ED5D129-30


SHEET A2 OF 4

PRINTED IN U.S.A.

1 2 3 4 5 6 7 8 9 10

A
B
C
D
E
F
G
H

A
B
C
D
E
F
G
H



THE 'A' DIM IS THE LENGTH OF SWBD CABLE FRONT OF CONN TO FRONT OF CONN.
THE "D" AND "E" DIM ARE THE DIM FROM BUTT OF CABLE TO FRONT OF CONN.

SK. A
(SEE TABLE S)

TABLE S							
GROUP	CABLE CODE	CABLE DESIG	'A' DIM	REMOVE CABLE SHEATH			NOTE
				END A 'D' DIM	END B 'E' DIM	SK	
1	WP93746L1	JO1,2,3,4 OR 5	X DIM			A	1.2
2	KS-13385,L1	J07	X-DIM			A	1.2





FIG. 2
GROUP 2



NOTE: 401418223 2B14 TERMINAL (SEE MFG NOTE 3)

FIG. 1
GROUP 1

ED5D129-30

TITLE					CABLE ASSEMBLIES				
THIRD ANGLE PROJECTION					(P)				
					LUCENT TECHNOLOGIES - PROPRIETARY USE PURSUANT TO COMPANY INSTRUCTIONS				
					Lucent Technologies Inc.	ED5D129-30	SHEET	ISSUE	DWG SIZE
		C1	11	C2/AIR					

1 2 3 4 5 6 7 8 9 10

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1020	1	1	408140481	WP93746L1	WIRE,PVC 16GA, STRANDED, BK			4
1035	1	1	401418223		LUG,TERMINAL #2B14 THOMAS & BETTS			3
1040	1	1	900422494		TUBING,HEAT SHRINKABLE 1/4 IN ID. X 1 IN LG.BK #RT876 RAYCHEM CORP.			
1050	1	1	406918912		RECEPTACLE #41774 AMP INC. OR EQUIVALENT			
1060	2	1	997186622	KS13385L1	WIRE 10GA STRANDED BK			
1070	2	1	996510392		LUG,TERMINAL #C73 THOMAS & BETTS CO. OR EQUIVALENT			

***** END OF STOCKLIST *****

S H O P T	I N S T	MANUFACTURING NOTES	
		X	X
X	X	2. THE SHINER LENGTH SHALL BE DETERMINED BY THE MANUFACTURING LOCATION.	
X	X	3. SHIP PART LOOSE WITH CABLE.	
X	X	4. IT IS PERMISSABLE TO SUBSTITUTE THE KS13385L1 WIRE FOR THE WP93746L1 WIRE AS FOLLOWS:	
		-----KS-----	-----WP-----
		996339719 16 GA BK	FOR THE 408140481 16 GA BK

SEE PROPRIETARY NOTICE ON SHEET ONE			
5ESS SWITCHING EQUIPMENT CONNECTORIZED SWITCHBOARD CABLE ASSEMBLY FOR QUIET GROUND		XT13	
		DWG SIZE C2	ISSUE 12
LUCENT TECHNOLOGIES INC		ED5D129-30	
		SHEET D1 OF 4	

ED5D129-30