

TABLE A-FEATURES												
EQUIPMENT		EQUIPMENT OR CIRCUIT DATA							SD EQUIVALENT			
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT	
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR MCC/TAU J5D002A TO IDF WHEN PROVIDED.		DA	2									
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR MCC/TAU J5D002A TO IDF WHEN PROVIDED.		DA	3									
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED TO SERVE MAIN STORE IOP (J1C147BC-1) UNIT LOCATED IN PCC BAY 1 FROM READ ONLY PRINTER (ROP) LOCATED IN 1ST SUPPLEMENTARY TRUNK LINE WORK STATION (STLWS).		DA	4									
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED TO SERVE IN MAIN STORE IOP UNIT (J1C147BC-1) LOCATED IN PCC BAY 1 FROM VIDEO DISPLAY (CRT) LOCATED IN 1ST SUPPLEMENTARY TRUNK LINE WORK STATION (STLWS).		DA	5									
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED TO SERVE IN MAIN STORE IOP UNIT (J1C147BC-1) LOCATED IN PCC BAY 1 FROM READ ONLY PRINTER (ROP) LOCATED IN 2ND SUPPLEMENTARY TRUNK LINE WORK STATION (STLWS).		DA	6									
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED TO SERVE IN MAIN STORE IOP UNIT (J1C147BC-1) LOCATED IN PCC BAY 1 FROM VIDEO DISPLAY (CRT) LOCATED IN 2ND SUPPLEMENTARY TRUNK LINE WORK STATION (STLWS).		DA	7									
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED TO CONNECT A ROP LOCATED IN A STLWS (0-5) TO THE PCCA.			10									
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED TO CONNECT A VT100 LOCATED IN A STLWS (0-5) TO THE PCCA.			11									
CONNECTORIZED SWBD CABLE ASSEMBLY-ADAPTER CABLE, REQUIRED WHEN CONVERTING VT100 LOCATED IN STLWS (0-5) TO COLOR VIDEO MONITOR.			12									
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED TO CONNECT A COLOR VIDEO TERMINAL LOCATED IN A STLWS (0-5) TO PCCA.			13									
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED TO CONNECT A ROP LOCATED IN A STLWS (0-5) TO PCCA (MAX. 250 FT).			14									
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED TO CONNECT A VT100 LOCATED IN A STLWS (0-5) TO THE PCCA (MAX. 250').			15									
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED TO CONNECT A COL VT LOCATED IN A STLWS (0-5) TO THE PCCA (MAX. 250').			16									
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED TO CONNECT A ROP OR VT100 LOCATED IN A STLWS (0-5) TO DS. (MAX 50 FT.).			17									
CONNECTORIZED SWBD CABLE ASSY REQUIRED TO CONNECT A ROP OR VT IN A STLWS (0-5) TO DS. (OVER 50 FT. MAX 250 FT.).			17A									
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED TO CONNECT A COL VT LOCATED IN A STLWS (0-5) TO DS. (MAX 50 FT.).			18									

TABLE-A CONTINUED

ED5D502-30

TABLE A-FEATURES (CONTINUED)												
EQUIPMENT		EQUIPMENT OR CIRCUIT DATA							SD EQUIVALENT			
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT	
CONNECTORIZED SWBD CABLE ASSY REQUIRED TO CONNECT A COLOR VT IN A STLWS (0-5) TO DS. (OVER 50 FT. MAX 250 FT.).			18A									
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR TEST ACCESS JACK PANEL (ED5D562-30) TO DF.			19									
CONNECTORIZED SWITCHBOARD CABLE ASSEMBLY REQUIRED FOR MCC/TAU J5D002A TO IDF WHEN PROVIDED.			20									

END OF TABLE-A

SEE PROPRIETARY NOTICE ON SHEET ONE

XT13

5ESS SWITCHING EQUIPMENT
ARRANGED WITH 2-WIRE FEATURES
CONNECTORIZED SWITCHBOARD
CABLE ASSEMBLIES
FOR MASTER CONTROL CENTER
AND TEST ACCESS UNIT
J5D002A-1

DWG SIZE
C2

ISSUE
19

LUCENT TECHNOLOGIES INC

ED5D502-30

SHEET A2
OF 8

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1010	2	1	105412480	#807A 16/26	CABLE 26 GA UL LISTED TYPE CMR ('X' DIM PER JOB SPEC)			3
1020	2	1	997082144	KS19088L2	CONNECTOR, PLUG MALE			
1030	2	1	996975918	KS19196L2	HOOD			
1031	2	1	405189168		PLUG 25 CONTACT #TBS-25PT TRW INC.			
1032	2	1	405184524		HOOD SUPER D ADAPTER SYSTEM, BLACK PLASTIC STRAIGHT WITH TWO CAPTIVE 4-40 SCREWS #SDH-25BFCS TRW INC.			
1041	2	1	996512786		GROMMET 5/32 X 7/16 X 9/32 INCHES #374 ATLANTIC INDIA RUBBER WORK OR EQUIVALENT			6
1050	3	1	105412480	#807A 16/26	CABLE 26 GA UL LISTED TYPE CMR ('X' DIM PER JOB SPEC)			3
1060	3	1	997082151	KS19087L2	CONNECTOR, RECEPTACLE, FEMALE			
1070	3	1	996975918	KS19196L2	HOOD			
1071	3	1	996512786		GROMMET 5/32 X 7/16 X 9/32 INCHES #374 ATLANTIC INDIA RUBBER WORK OR EQUIVALENT			6
1075	3	1	405189226		SOCKET 25 CONTACT #TBS-25ST TRW INC.			
1076	3	1	405184524		HOOD SUPER D ADAPTER SYSTEM, BLACK PLASTIC STRAIGHT WITH TWO CAPTIVE 4-40 SCREWS #SDH-25BFCS TRW INC.			
1090	4	1	105419477	812AS-4/26	CABLE 4 PR SHIELDED UL LISTED TYPE CMR 26GA ('X' DIM PER JOB SPEC)			3
1095	4	1	103125373	982AE	CONNECTOR, ELECTRICAL			
1100	4	1	842923773		RELIEF, STRAIN			
1105	4	1	997082151	KS19087L2	CONNECTOR, RECEPTACLE, FEMALE			
1110	4	1	996975918	KS19196L2	HOOD			
1115	4	1	803382415	P-338241	STAYBAND, WING			
1120	4	A/R	814667119	P-46F711	WIRE 26GA BARE SOLID			
1125	4	1	900316803		TUBING, HEAT SHRINKABLE 1/2 IN. ID X 2-1/2 IN. LG. BK #RT876 RAYCHEM CORP. OR EQUIVALENT			
1130	4	1	996338638	KS13385L1	WIRE 22GA SOLID BK			
1135	4	A/R	401194428	KS19195L1	WIRE, GROUND 26 GA, SOLID, BK			
1140	4	1	900452368		TUBING 1/2 IN ID X 3/4 IN LG BLK #RT876 RAYCHEM CORP. OR EQUIVALENT			
1150	5	1	105419477	812AS-4/26	CABLE 4 PR SHIELDED UL LISTED TYPE CMR 26GA ('X' DIM PER JOB SPEC)			3
1155	5	1	103125373	982AE	CONNECTOR, ELECTRICAL			

STOCKLIST CONTINUED ON SHEET D2

ED5D502-30

S H O P X X X X X	I N S T X X X X X	MANUFACTURING NOTES
		<ol style="list-style-type: none"> THESE CABLE ASSEMBLIES CONSIST OF 100% 26BY WIRE IN CABLE UNLESS OTHERWISE SPECIFIED. DIMENSIONS 12 INCHES AND OVER ARE EXPRESSED IN FEET AND INCHES. ALL OTHER DIMENSIONS ARE IN INCHES. THE 'X' DIMENSION SHALL BE OBTAINED FROM THE JOB SPECIFICATION. UNLESS OTHERWISE SPECIFIED, REQUIRED SHINER LENGTHS SHALL BE DETERMINED BY THE INDIVIDUAL MANUFACTURING LOCATIONS AND ADDED TO THE MANUFACTURING LAYOUT. MANUFACTURING TOLERANCES FOR FORMED SWITCHBOARD CABLES IS + OR - 1-1/2% ROUNDED TO THE NEXT HIGHER 1/2 INCH INCREMENT. IF GROMMET CANNOT ACCOMMODATE CABLE DUE TO VARIABLE JACKETING THICKNESS, SHOP MAY SUBSTITUTE A SHORT LENGTH OF TYGON TUBING APPROX 5/16" ID OR OTHER APPROVED EQUIV.

SEE PROPRIETARY NOTICE ON SHEET ONE	
XT13	
5ESS SWITCHING EQUIPMENT ARRANGED WITH 2-WIRE FEATURES CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES FOR MASTER CONTROL CENTER AND TEST ACCESS UNIT J5D002A-1	
DWG SIZE C2	ISSUE 19
LUCENT TECHNOLOGIES INC ED5D502-30	
SHEET D1 OF 8	

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1160	5	1	842923773		RELIEF, STRAIN			
1165	5	1	997082151	KS19087L2	CONNECTOR, RECEPTACLE, FEMALE			
1170	5	1	996975918	KS19196L2	HOOD			
1175	5	1	803382415	P-338241	STAYBAND, WING			
1180	5	A/R	814667119	P-46F711	WIRE 26GA BARE SOLID			
1185	5	1	900316803		TUBING, HEAT SHRINKABLE 1/2 IN. ID X 2-1/2 IN. LG. BK #RT876 RAYCHEM CORP. OR EQUIVALENT			
1190	5	1	996338638	KS13385L1	WIRE 22GA SOLID BK			
1195	5	A/R	401194428	KS19195L1	WIRE, GROUND 26 GA, SOLID, BK			
1200	5	1	900452368		TUBING 1/2 IN ID X 3/4 IN LG BLK #RT876 RAYCHEM CORP. OR EQUIVALENT			
1210	6	1	105419477	812AS-4/26	CABLE 4 PR SHIELDED UL LISTED TYPE CMR 26GA ('X' DIM PER JOB SPEC)		3	
1215	6	1	103125373	982AE	CONNECTOR, ELECTRICAL			
1220	6	1	842923773		RELIEF, STRAIN			
1225	6	1	997082151	KS19087L2	CONNECTOR, RECEPTACLE, FEMALE			
1230	6	1	996975918	KS19196L2	HOOD			
1235	6	1	803382415	P-338241	STAYBAND, WING			
1240	6	A/R	814667119	P-46F711	WIRE 26GA BARE SOLID			
1245	6	1	900316803		TUBING, HEAT SHRINKABLE 1/2 IN. ID X 2-1/2 IN. LG. BK #RT876 RAYCHEM CORP. OR EQUIVALENT			
1250	6	1	996338638	KS13385L1	WIRE 22GA SOLID BK			
1255	6	A/R	401194428	KS19195L1	WIRE, GROUND 26 GA, SOLID, BK			
1260	6	1	900452368		TUBING 1/2 IN ID X 3/4 IN LG BLK #RT876 RAYCHEM CORP. OR EQUIVALENT			
1270	7	1	105419477	812AS-4/26	CABLE 4 PR SHIELDED UL LISTED TYPE CMR 26GA ('X' DIM PER JOB SPEC)		3	
1275	7	1	103125373	982AE	CONNECTOR, ELECTRICAL			
1280	7	1	842923773		RELIEF, STRAIN			
1285	7	1	997082151	KS19087L2	CONNECTOR, RECEPTACLE, FEMALE			
1290	7	1	996975918	KS19196L2	HOOD			
1295	7	1	803382415	P-338241	STAYBAND, WING			
1300	7	A/R	814667119	P-46F711	WIRE 26GA BARE SOLID			
1305	7	1	900316803		TUBING, HEAT SHRINKABLE 1/2 IN. ID X 2-1/2 IN. LG. BK #RT876 RAYCHEM CORP. OR EQUIVALENT			
1310	7	1	996338638	KS13385L1	WIRE 22GA SOLID BK			
1315	7	A/R	401194428	KS19195L1	WIRE, GROUND 26 GA, SOLID, BK			

***** STOCKLIST CONTINUED AT RIGHT *****

ED5D502-30

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1320	7	1	900452368		TUBING 1/2 IN ID X 3/4 IN LG BLK #RT876 RAYCHEM CORP. OR EQUIVALENT			
1400	10	1	105419477	812AS-4/26	CABLE 4 PR SHIELDED UL LISTED TYPE CMR 26GA ('X' DIM PER JOB SPEC)			3
1410	10	1	103125373	982AE	CONNECTOR, ELECTRICAL			
1420	10	1	842923773		RELIEF, STRAIN			
1430	10	1	997082151	KS19087L2	CONNECTOR, RECEPTACLE, FEMALE			
1440	10	1	996975918	KS19196L2	HOOD			
1450	10	1	803382415	P-338241	STAYBAND, WING			
1460	10	A/R	814667119	P-46F711	WIRE 26GA BARE SOLID			
1470	10	1	900293283		TUBING, HEAT SHRINKABLE 3/8 IN. X 2 IN. BLACK #RT876 RAYCHEM CORP. OR EQUIVALENT			
1480	10	1	996344800	KS19195L1	WIRE 22GA SOLID BK			
1490	10	A/R	401194428	KS19195L1	WIRE, GROUND 26 GA, SOLID, BK			
1500	10	1	900452368		TUBING 1/2 IN ID X 3/4 IN LG BLK #RT876 RAYCHEM CORP. OR EQUIVALENT			
1520	11	1	105419477	812AS-4/26	CABLE 4 PR SHIELDED UL LISTED TYPE CMR 26GA ('X' DIM PER JOB SPEC)			3
1530	11	1	103125373	982AE	CONNECTOR, ELECTRICAL			
1540	11	1	842923773		RELIEF, STRAIN			
1550	11	1	997082151	KS19087L2	CONNECTOR, RECEPTACLE, FEMALE			
1560	11	1	996975918	KS19196L2	HOOD			
1570	11	1	803382415	P-338241	STAYBAND, WING			
1580	11	A/R	814667119	P-46F711	WIRE 26GA BARE SOLID			
1590	11	1	900293283		TUBING, HEAT SHRINKABLE 3/8 IN. X 2 IN. BLACK #RT876 RAYCHEM CORP. OR EQUIVALENT			
1600	11	1	996344800	KS19195L1	WIRE 22GA SOLID BK			
1610	11	A/R	401194428	KS19195L1	WIRE, GROUND 26 GA, SOLID, BK			
1620	11	1	900452368		TUBING 1/2 IN ID X 3/4 IN LG BLK #RT876 RAYCHEM CORP. OR EQUIVALENT			

STOCKLIST CONTINUED ON SHEET D3

SEE PROPRIETARY NOTICE ON SHEET ONE

XT13

5ESS SWITCHING EQUIPMENT
ARRANGED WITH 2-WIRE FEATURES
CONNECTORIZED SWITCHBOARD
CABLE ASSEMBLIES
FOR MASTER CONTROL CENTER
AND TEST ACCESS UNIT
J5D002A-1

DWG SIZE
C2

ISSUE
19

LUCENT TECHNOLOGIES INC ED5D502-30

SHEET D2
OF 8

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1640	12	1	105412530	812A-4/26	CABLE 26 GAGE ('X' DIM PER JOB SPEC)			3
1650	12	2	997082144	KS19088L2	CONNECTOR, PLUG MALE			
1660	12	2	996975918	KS19196L2	HOOD			
1670	12	2	803382415	P-338241	STAYBAND, WING			
1680	12	A/R	401194428	KS19195L1	WIRE, GROUND 26 GA, SOLID, BK			
1690	12	2	996512786		GROMMET 5/32 X 7/16 X 9/32 INCHES #374 ATLANTIC INDIA RUBBER WORK OR EQUIVALENT			6
1700	13	1	105419477	812AS-4/26	CABLE 4 PR SHIELDED UL LISTED TYPE CMR 26GA ('X' DIM PER JOB SPEC)			3 5
1710	13	1	103125373	982AE	CONNECTOR, ELECTRICAL			
1720	13	1	842923773		RELIEF, STRAIN			
1730	13	1	997082144	KS19088L2	CONNECTOR, PLUG MALE			
1740	13	1	996975918	KS19196L2	HOOD			
1750	13	1	803382415	P-338241	STAYBAND, WING			
1760	13	A/R	814667119	P-46F711	WIRE 26GA BARE SOLID			
1770	13	1	900293283		TUBING, HEAT SHRINKABLE 3/8 IN. X 2 IN. BLACK #RT876 RAYCHEM CORP. OR EQUIVALENT			
1780	13	1	996344800	KS19195L1	WIRE 22GA SOLID BK			
1790	13	A/R	401194428	KS19195L1	WIRE, GROUND 26 GA, SOLID, BK			
1800	13	1	900452368		TUBING 1/2 IN ID X 3/4 IN LG BLK #RT876 RAYCHEM CORP. OR EQUIVALENT			
1820	14	1	105411318	1246004C	CABLE, ELECTRONIC 26GA ('X' DIM PER JOB SPEC)			3 5
1830	14	A/R	401194428	KS19195L1	WIRE, GROUND 26 GA, SOLID, BK			
1840	14	A/R	814667119	P-46F711	WIRE 26GA BARE SOLID			
1850	14	1	103125373	982AE	CONNECTOR, ELECTRICAL			
1860	14	1	842923757		RELIEF, STRAIN			
1870	14	1	900664939		TUBING, HEAT SHRINKABLE 1/2 IN. ID. X 1 1/2 IN. LG. BLACK #RT876 RAYCHEM CORP. OR EQUIVALENT			
1880	14	1	401272612		SLEEVE, HEAT SHRINKABLE 3/16 IN. DIA. X 1-1/4 IN. LG. BLACK #RT876 RAYCHEM CORP. OR EQUIVALENT			
1890	14	1	900452368		TUBING 1/2 IN ID X 3/4 IN LG BLK #RT876 RAYCHEM CORP. OR EQUIVALENT			
1910	14	1	997082151	KS19087L2	CONNECTOR, RECEPTACLE, FEMALE			
1920	14	1	996975918	KS19196L2	HOOD			

***** STOCKLIST CONTINUED AT RIGHT *****

ED5D502-30

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1930	15	1	105411318	1246004C	CABLE, ELECTRONIC 26GA ('X' DIM PER JOB SPEC)			3 5
1940	15	A/R	401194428	KS19195L1	WIRE, GROUND 26 GA, SOLID, BK			
1950	15	A/R	814667119	P-46F711	WIRE 26GA BARE SOLID			
1960	15	1	103125373	982AE	CONNECTOR, ELECTRICAL			
1970	15	1	842923757		RELIEF, STRAIN			
1980	15	1	900664939		TUBING, HEAT SHRINKABLE 1/2 IN. ID. X 1 1/2 IN. LG. BLACK #RT876 RAYCHEM CORP. OR EQUIVALENT			
1990	15	1	401272612		SLEEVE, HEAT SHRINKABLE 3/16 IN. DIA. X 1-1/4 IN. LG. BLACK #RT876 RAYCHEM CORP. OR EQUIVALENT			
2000	15	1	900452368		TUBING 1/2 IN ID X 3/4 IN LG BLK #RT876 RAYCHEM CORP. OR EQUIVALENT			
2020	15	1	997082151	KS19087L2	CONNECTOR, RECEPTACLE, FEMALE			
2030	15	1	996975918	KS19196L2	HOOD			
2040	16	1	105411318	1246004C	CABLE, ELECTRONIC 26GA ('X' DIM PER JOB SPEC)			3 5
2050	16	A/R	401194428	KS19195L1	WIRE, GROUND 26 GA, SOLID, BK			
2060	16	A/R	814667119	P-46F711	WIRE 26GA BARE SOLID			
2070	16	1	103125373	982AE	CONNECTOR, ELECTRICAL			
2080	16	1	842923757		RELIEF, STRAIN			
2090	16	1	900664939		TUBING, HEAT SHRINKABLE 1/2 IN. ID. X 1 1/2 IN. LG. BLACK #RT876 RAYCHEM CORP. OR EQUIVALENT			
2100	16	1	401272612		SLEEVE, HEAT SHRINKABLE 3/16 IN. DIA. X 1-1/4 IN. LG. BLACK #RT876 RAYCHEM CORP. OR EQUIVALENT			
2110	16	1	900452368		TUBING 1/2 IN ID X 3/4 IN LG BLK #RT876 RAYCHEM CORP. OR EQUIVALENT			
2130	16	1	997082144	KS19088L2	CONNECTOR, PLUG MALE			
2140	16	1	996975918	KS19196L2	HOOD			
2150	17	1	997082151	KS19087L2	CONNECTOR, RECEPTACLE, FEMALE			
2155	17	1	997082144	KS19088L2	CONNECTOR, PLUG MALE			

STOCKLIST CONTINUED ON SHEET D4

SEE PROPRIETARY NOTICE ON SHEET ONE

XT13

5ESS SWITCHING EQUIPMENT
ARRANGED WITH 2-WIRE FEATURES
CONNECTORIZED SWITCHBOARD
CABLE ASSEMBLIES
FOR MASTER CONTROL CENTER
AND TEST ACCESS UNIT
J5D002A-1

DWG SIZE
C2

ISSUE
19

LUCENT TECHNOLOGIES INC ED5D502-30

SHEET D3
OF 8

STOCKLIST										
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE			
							SYM	NBR		
2160	17	2	996975918	KS19196L2	HOOD					
2170	17	1	105412530	812A-4/26	CABLE 26 GAGE				3	5
2180	17	A/R	401194428	KS19195L1	WIRE,GROUND 26 GA, SOLID, BK					
2220	17	2	996512786		GROMMET 5/32 X 7/16 X 9/32 INCHES #374 ATLANTIC INDIA RUBBER WORK OR EQUIVALENT				6	
2230	17	2	803382415	P-338241	STAYBAND,WING					
2231	17A,18A	1	105411318	1246004C	CABLE,ELECTRONIC 26GA					
2232	17A,18A	A/R	401194428	KS19195L1	WIRE,GROUND 26 GA, SOLID, BK					
2233	17A,18A	1	900664939		TUBING,HEAT SHRINKABLE 1/2 IN. ID. X 1 1/2 IN. LG. BLACK #RT876 RAYCHEM CORP.					
2234	17A,18A	1	401272612		SLEEVE,HEAT SHRINKABLE 3/16 IN. DIA. X 1-1/4 IN. LG. BLACK #RT876 RAYCHEM CORP.					
2235	17A,18A	1	900452368		TUBING 1/2 IN ID X 3/4 IN LG BLK #RT876 RAYCHEM CORP.					
2236	17A,18A	2	996975918	KS19196L2	HOOD					
2237	17A	1	997082151	KS19087L2	CONNECTOR, RECEPTACLE,FEMALE					
2238	17A	1	997082144	KS19088L2	CONNECTOR,PLUG MALE					
2239	18A	2	997082144	KS19088L2	CONNECTOR,PLUG MALE					
2260	18	2	996975918	KS19196L2	HOOD					
2270	18	1	105412530	812A-4/26	CABLE 26 GAGE ('X' DIM PER JOB SPEC)				3	5
2280	18	A/R	401194428	KS19195L1	WIRE,GROUND 26 GA, SOLID, BK					
2320	18	2	996512786		GROMMET 5/32 X 7/16 X 9/32 INCHES #374 ATLANTIC INDIA RUBBER WORK OR EQUIVALENT				6	
2330	18	2	803382415	P-338241	STAYBAND,WING					
2340	18	2	997082144	KS19088L2	CONNECTOR,PLUG MALE					
2360	19	3	405189234		PLUG 37 CONTACT BRIGHT TIN FINISH W/O INDENTATIONS W/O NOTCHES #TCS-37PT TRW INC.					
2370	19	3	405184516		HOOD SUPER D ADAPTER SYSTEM, BLACK PLASTIC STRAIGHT WITH TWO CAPTIVE 4-40 #SDH-37BFCS TRW INC.					
2380	19	1	105412449	803A-40/26	CABLE,ELECTRONIC 26 GA					
2390	19	3	996512786		GROMMET 5/32 X 7/16 X 9/32 INCHES #374 ATLANTIC INDIA RUBBER WORK /OR EQUIV.					
2410	20	1	105412498	808A32/26	CABLE,ELECTRONIC 26GA CONVENIENT LENGTH PACKAGES UL LISTED CMR ("X" DIM PER JOB SPEC)				3	
***** STOCKLIST CONTINUED AT RIGHT *****										

ED5D502-30

STOCKLIST										
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE			
							SYM	NBR		
2420	20	1	405189168		PLUG 25 CONTACT #TBS-25PT TRW INC.					
2430	20	1	405189226		SOCKET 25 CONTACT #TBS-25ST TRW INC.					
2440	20	2	405184524		HOOD SUPER D ADAPTER SYSTEM, BLACK PLASTIC STRAIGHT WITH TWO CAPTIVE 4-40 SCREWS #SDH-25BFCS TRW INC.					
2450	20	2	996512786		GROMMET 5/32 X 7/16 X 9/32 INCHES #374 ATLANTIC INDIA RUBBER WORK				6	
***** END OF STOCKLIST *****										

SEE PROPRIETARY NOTICE ON SHEET ONE

XT13

5ESS SWITCHING EQUIPMENT
ARRANGED WITH 2-WIRE FEATURES
CONNECTORIZED SWITCHBOARD
CABLE ASSEMBLIES
FOR MASTER CONTROL CENTER
AND TEST ACCESS UNIT
J5D002A-1

DWG SIZE
C2ISSUE
19

LUCENT TECHNOLOGIES INC

ED5D502-30

SHEET D4
OF 8

PRINTED IN U.S.A.