

TABLE A-FEATURES											
EQUIPMENT			EQUIPMENT OR CIRCUIT DATA						SD EQUIVALENT		
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
WIRING AND APPARATUS FOR A CONNECTORIZED CABLE ASSEMBLY.			1 THRU 56								
WIRING AND APPARATUS FOR A CONNECTORIZED CABLE ASSEMBLY.			1A THRU 56A								
END OF TABLE-A											

ENGINEERING NOTES		
51. GROUP INDEX		
GROUP	SHEET	DESCRIPTION
1-56 1A-56A	C1-C3	OVERALL CABLE LENGTHS
1-56	C4	CONNECTING AND STAMPING INFORMATION
1A-56A	C5	CONNECTING AND STAMPING INFORMATION
52. IN TABLE "A" GROUPS SHOWING LETTER SUFFIX (IE; 1A-84A) INDICATE A GROUP STRING OF THAT LETTER ONLY (IE; 1A, 2A, 3A ETC.).		


ISSUE NOTES				
* DRAWING CONVERTED FROM SEDBS TO MDS COMPUTER SYSTEMS. * * THIS IS A MACHINE COPY OF THE LATEST SEDBS CERTIFIED ISSUE * * AND MAY CONTAIN MINOR DIFFERENCES. THE TABLE OF ASSOCIATED * * DRAWINGS WAS ELIMINATED DURING MIGRATION TO ASSIST THE * * SCRUBBING OF PROPRIETARY INFORMATION. *				
ORIG ISS: 11/06/85		CHANGE CLASS:		
DRAFT: DSL	ENGR: REW	SUPV: EAK	CERTIFIED: 11/06/85	ISSUE: 1
982AC CONN BEING LINE-OUT AND 963N3-12 CONNECTOR ADDED. NOTE 6 ADDED.				
ORIG ISS: 11/06/85		CHANGE CLASS: B		
DRAFT: DSL	ENGR: RW	SUPV:	CERTIFIED: 11/21/86	ISSUE: 2
IN S/L ITEM 1040 ADDED. ITEMS 1015, 1016, 1017 LINED OUT. MFR NOTE 7 ADDED.				
ORIG ISS: 11/06/85		CHANGE CLASS: M		
DRAFT: HZP	ENGR: TFL	SUPV:	CERTIFIED: 10/12/90	ISSUE: 3
DWG UPDATED FOR GLOBAL DOC INFO. TCED INFO INCORPORATED INTO ED; TCED AS WIRING DOCUMENT SUPERSEDED.				
ORIG ISS: 11/06/85		CHANGE CLASS: MF		
DRAFT: HZP	ENGR: HZP	SUPV:	CERTIFIED: 12/03/92	ISSUE: 4
DWG REARRANGED PER OCW & NSI REQUEST.				
ORIG ISS: 11/06/85		CHANGE CLASS: ME		
DRAFT: HZP	ENGR: HZP	SUPV:	CERTIFIED: 03/08/93	ISSUE: 5

SHEET INDEX										
SHT NBR	A1 THRU A1					ISSUE 5				
ISSUE										
SHT NBR	D1 THRU D3					ISSUE 5				
ISSUE										
SHT NBR	B1	B2	B3	B4	B5					
ISSUE	5	5	5	5	5					
SHT NBR										
ISSUE										
SHT NBR										
ISSUE										
SHT NBR										
ISSUE										
SHT NBR										
ISSUE										
SHT NBR										
ISSUE										
SHT NBR										
ISSUE										
SHT NBR										
ISSUE										
SHT NBR										
ISSUE										
SHT NBR										
ISSUE										

TABLE D-LIST OF ASSOCIATED REFERENCES	
NUMBER	TITLE
=ED4C251-10	FASTTECH WIRING & CABLING
=DENOTES NOT REQD BY INSTALLER	

ED5D503-13

AT&T - PROPRIETARY USE PURSUANT TO COMPANY INSTRUCTIONS	
5ESS SWITCHING EQUIPMENT CABLE ASSEMBLY FOR PACKET BUS PSIU-MCTU	XT13
DWG SIZE C2	ISSUE 5
AT&T	ED5D503-13
SHEET OF	A1 9




THE "A" DIM IS THE LENGTH OF SWBD CABLE FRONT OF CONN TO FRONT OF CONN.  
 THE "D" AND "E" DIM ARE THE DIM FROM BUTT OF CABLE TO THE FRONT OF CONN.

SK. A  
 (SEE TABLE S)

GROUP	CABLE CODE	"A" DIM		"A" DIM TOLERANCE		LENGTH FROM CABLE BUTT TO FRONT OF CONN				
						"D" DIM		"E" DIM		SK
						CM	FT-IN	CM	FT-IN	
1.1A	1051006A	15.00	[0-06]	±1.5	[±1/2]	3.8	[0-1 1/2]	3.8	[0-1 1/2]	A
2.2A		25.00	[0-10]							
3.3A		35.00	[1-02]							
4.4A		40.00	[1-06]							
5.5A		55.00	[1-10]							
6.6A		65.00	[2-02]							
7.7A		75.00	[2-06]							
8.8A		85.00	[2-10]							
9.9A		95.00	[3-02]							
10.10A		105.00	[3-06]	±1.57	[±1/2]					
11.11A		115.00	[3-10]	±1.72	[±1/2]					
12.12A		125.00	[4-02]	±1.87	[±3/4]					
13.13A		135.00	[4-06]	±2.02	[±3/4]					
14.14A		145.00	[4-10]	±2.17	[±3/4]					
15.15A		155.00	[5-02]	±2.35	[±3/4]					
16.16A		165.00	[5-06]	±2.47	[±1]					
17.17A		175.00	[5-10]	±2.62	[±1]					
18.18A		185.00	[6-02]	±2.77	[±1 1/8]					
19.19A		200.00	[6-06]	±3.00	[±1 1/8]					
20.20A		210.00	[6-10]	±3.15	[±1 1/4]					
21.21A		220.00	[7-02]	±3.30	[±1 1/4]					

SEE PROPRIETARY NOTICE ON SHEET ONE		
SESS SWITCHING EQUIPMENT CABLE ASSEMBLIES	DWG SIZE	ISSUE
	C2	5
AT&T	ED50503-13	SHEET B1



THE "A" DIM IS THE LENGTH OF SWBD CABLE FRONT OF CONN TO FRONT OF CONN.  
 THE "D" AND "E" DIM ARE THE DIM FROM BUTT OF CABLE TO THE FRONT OF CONN.

SK. A  
 (SEE TABLE S)


TABLE S (CONT.)

GROUP	CABLE CODE	"A" DIM		"A" DIM TOLERANCE		LENGTH FROM CABLE BUTT TO FRONT OF CONN				
						"D" DIM		"E" DIM		SK
						CM	FT-IN	CM	FT-IN	
22,22A	1051006A	230.0	[7-06]	±3.45	[±1 3/8]	3.8	[0-1 1/2]	3.8	[0-1 1/2]	A
23,23A		240.0	[7-10]	±3.60	[±1 3/8]					
24,24A		250.0	[8-02]	±3.75	[±1 1/2]					
25,25A		260.0	[8-06]	±3.90	[±1 1/2]					
26,26A		270.0	[8-10]	±4.05	[±1 1/2]					
27,27A		280.0	[9-02]	±4.20	[±1 5/8]					
28,28A		290.0	[9-06]	±4.35	[±1 5/8]					
29,29A		300.0	[9-10]	±4.50	[±1 3/4]					
30,30A		305.0	[10-02]	±4.57	[±1 3/4]					
31,31A		320.0	[10-06]	±4.80	[±1 7/8]					
32,32A		330.0	[10-10]	±4.95	[±1 7/8]					
33,33A		340.0	[11-02]	±5.10	[±2]					
34,34A		350.0	[11-06]	±5.25	[±2]					
35,35A		360.0	[11-10]	±5.40	[±2 1/8]					
36,36A		370.0	[12-02]	±5.55	[±2 1/8]					
37,37A		380.0	[12-06]	±5.70	[±2 1/4]					
38,38A		392.0	[12-10]	±5.88	[±2 1/4]					
39,39A		401.0	[13-02]	±6.01	[±2 3/8]					
40,40A		412.0	[13-06]	±6.18	[±2 3/8]					
41,41A		422.0	[13-10]	±6.33	[±2 1/2]					
42,42A		432.0	[14-02]	±6.48	[±2 1/2]					

SEE PROPRIETARY NOTICE ON SHEET ONE

SESS SWITCHING EQUIPMENT		
CABLE ASSEMBLIES		
DWG SIZE	C2	ISSUE
		5
AT&T	ED50503-13	SHEET
		B2

ED50503-13



THE "A" DIM IS THE LENGTH OF SWBD CABLE FRONT OF CONN TO FRONT OF CONN.  
 THE "D" AND "E" DIM ARE THE DIM FROM BUTT OF CABLE TO THE FRONT OF CONN.


SK. A  
 (SEE TABLE S)

TABLE S (CONT.)

GROUP	CABLE CODE	"A" DIM CM FT-IN		"A" DIM TOLERANCE CM IN		LENGTH FROM CABLE BUTT TO FRONT OF CONN				
						"D" DIM		"E" DIM		SK
						CM	FT-IN	CM	FT-IN	
43.43A	1051006A	442.0	[14-06]	±6.63	[±2 5/8]	3.8	[0-1 1/2]	3.8	[0-1 1/2]	A
44.44A		452.0	[14-10]	±6.78	[±2 5/8]					
45.45A		462.0	[15-02]	±6.93	[±2 3/4]					
46.46A		472.0	[15-06]	±7.08	[±2 3/4]					
47.47A		482.0	[15-10]	±7.23	[±2 7/8]					
48.48A		492.0	[16-02]	±7.38	[±2 7/8]					
49.49A		500.0	[16-06]	±7.50	[±3]					
50.50A		513.0	[16-10]	±7.69	[±3]					
51.51A		523.0	[17-02]	±7.84	[±3]					
52.52A		533.0	[17-06]	±7.99	[±3 1/8]					
53.53A		543.0	[17-10]	±8.14	[±3 1/8]					
54.54A		553.0	[18-02]	±8.29	[±3 1/4]					
55.55A		563.0	[18-06]	±8.44	[±3 1/4]					
56.56A		573.0	[18-10]	±8.59	[±3 3/8]					

SEE PROPRIETARY NOTICE ON SHEET ONE		
SESS SWITCHING EQUIPMENT CABLE ASSEMBLIES	DWG SIZE	ISSUE
	C2	5
AT&T	ED50503-13	SHEET B3

963T-12 CONNECTOR  
(2X6)




BOC INDICATES BACK OF 963T CONN

TYPICAL METHOD OF ASSEMBLING 963T-12 CONNECTOR (2 X 6) ON TO PREPARED CABLE END


FIG. 1

STAMPING INFORMATION \*



\* STAMPING PROVIDED PER JOB SPEC.

CONNECTING INFORMATION




CONN POS 1,2			
WIRING SIDE OF 963T-12			
COLOR	TERM	TERM	COLOR
BL/R	AA	BA	R/BL
BL/W	AB	BB	W/BL
O/W	AC	BC	W/O
G/W	AD	BD	W/G
BR/W	AE	BE	W/BR
S/W	AF	BF	W/S


CODED SIDE OF CONN

SEE PROPRIETARY NOTICE ON SHEET ONE		
SESS SWITCHING EQUIPMENT CABLE ASSEMBLIES	DWG SIZE	ISSUE
	C2	5
AT&T	ED50503-13	SHEET B4

RV125 (1-829758-2) CONNECTOR  
(2X6)



STAMPING INFORMATION \*




\* STAMPING PROVIDED PER JOB SPEC.

TYPICAL METHOD OF ASSEMBLING RV125  
CONNECTOR (2 X 6) ON TO  
PREPARED CABLE END

FIG.2

CONNECTING INFORMATION



CONN POS 1.2			
WIRING SIDE OF RV125			
COLOR	TERM	TERM	COLOR
W/S	BF	AF	S/W
W/BR	BE	AE	BR/W
W/G	BD	AD	G/W
W/O	BC	AC	O/W
W/BL	BB	AB	BL/W
R/BL	BA	AA	BL/R

CODED SIDE OF CONN

SEE PROPRIETARY NOTICE ON SHEET ONE		
SESS SWITCHING EQUIPMENT CABLE ASSEMBLIES	DWG SIZE	ISSUE
	C2	5
AT&T	ED50503-13	SHEET B5

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1000	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56	2	105772800	963T-12	CONNECTOR			
1010	1A, 2A, 3A, 4A, 5A, 6A, 7A, 8A, 9A, 10A, 11A, 12A, 13A, 14A, 15A, 16A, 17A, 18A, 19A, 20A, 21A, 22A, 23A, 24A, 25A, 26A, 27A, 28A, 29A, 30A, 31A, 32A, 33A, 34A, 35A, 36A, 37A, 38A, 39A, 40A, 41A, 42A, 43A, 44A, 45A, 46A, 47A, 48A, 49A, 50A, 51A, 52A, 53A, 54A, 55A, 56A	2	406884585		CONNECTOR #1-829758-2 12 POSITION AMP INC.			
1020	1A, 2A, 3A, 4A, 5A, 6A, 7A, 8A, 9A, 10A, 11A, 12A, 13A, 14A, 15A, 16A, 17A, 18A, 19A, 20A, 21A, 22A, 23A, 24A, 25A, 26A, 27A, 28A, 29A, 30A, 31A, 32A, 33A, 34A, 35A, 36A, 37A, 38A, 39A, 40A, 41A, 42A, 43A, 44A, 45A, 46A, 47A, 48A, 49A, 50A, 51A, 52A, 53A, 54A, 55A, 56A	4	406884502		COVER, CONNECTOR #964393-6 AMP INC.			

STOCKLIST CONTINUED ON SHEET D2

S  
H  
O  
P  
I  
N  
S  
T

MANUFACTURING NOTES

- UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN METRICS (CM). EQUIVALENT INCH DIMENSIONS ARE ENCLOSED IN BRACKETS.
- DIMENSIONS 12 INCHES AND OVER ARE EXPRESSED IN FEET AND INCHES. ALL OTHER DIMENSIONS ARE IN INCHES.
- RESERVED.
- OVERALL CABLE LENGTH (DESIGNATED AS "A" DIM IN TBL S) IS THE LENGTH OF FINISHED CABLE MEASURED FROM THE FARTHEST TIP OF CONN AT ONE END OF THAT CABLE TO THE FARTHEST TIP OF CONN AT THE OTHER END.
- UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS WILL HOLD A LENGTH TOLERANCE AS FOLLOWS:

METRIC LENGTH	TOLERANCE	ENGLISH LENGTH	TOLERANCE
0-1 M	+/-1.5 CM	{ZERO TO 3' 4"	+/-0.5"}
1 M AND UP	+/-1.5%	{3' 4" & UP	+/-1.5%}
- A/R=AS REQUIRED.
- AA, AB, BA, BB ETC., ARE TERMINAL REFERENCE ONLY. DO NOT STAMP THESE ON BACKPLANE CONNECTORS.
- BL-N/W-BL ETC., INDICATES PAIRED LEADS. COLOR AT LEFT OF SLASH INDICATES COLOR OF LEAD TO BE CONNECTED. COLOR AT RIGHT OF SLASH IS THE COLOR OF THE OTHER LEAD IN THE PAIR.
- ( ) INDICATES DESIGNATIONS TO BE STAMPED IN ACCORDANCE WITH JOB INFORMATION.
- EQL (EQUIPMENT LOCATION) SHOWN IN THE STAMPING TABLE IS IDENTIFIED AS FOLLOWS:

( VERT ) ( HOR ) ( TERM )  
119 - 042 - 300
- REFER TO LOCAL MANUFACTURING DOCUMENTATION FOR SPECIFICS.

SEE PROPRIETARY NOTICE ON SHEET ONE

XT13	
5ESS SWITCHING EQUIPMENT CABLE ASSEMBLY FOR PACKET BUS PSIU-MCTU	
DWG SIZE C2	ISSUE 5
AT&T	ED5D503-13
SHEET D1 OF 9	

ED5D503-13

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1038	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56	A/R	485085943		CABLE #BDFPM26 3M6D BERK TEK INC. OR EQUIVALENT			
1050	1, 1A	1	106206428	1051006A	CABLE A DIMENSION = 6 INCHES			
1060	2, 2A	1	106206428	1051006A	CABLE A DIMENSION = 10 INCHES			
1070	3, 3A	1	106206428	1051006A	CABLE A DIMENSION = 1 FOOT 2 INCHES			
1080	4, 4A	1	106206428	1051006A	CABLE A DIMENSION = 1 FOOT 6 INCHES			
1090	5, 5A	1	106206428	1051006A	CABLE A DIMENSION = 1 FOOT 10 INCHES			
1100	6, 6A	1	106206428	1051006A	CABLE A DIMENSION = 2 FEET 2 INCHES			
1110	7, 7A	1	106206428	1051006A	CABLE A DIMENSION = 2 FEET 6 INCHES			
1120	8, 8A	1	106206428	1051006A	CABLE A DIMENSION = 2 FEET 10 INCHES			
1130	9, 9A	1	106206428	1051006A	CABLE A DIMENSION = 3 FEET 2 INCHES			
1140	10, 10A	1	106206428	1051006A	CABLE A DIMENSION = 3 FEET 6 INCHES			
1150	11, 11A	1	106206428	1051006A	CABLE A DIMENSION = 3 FEET 10 INCHES			
1160	12, 12A	1	106206428	1051006A	CABLE A DIMENSION = 4 FEET 2 INCHES			
1170	13, 13A	1	106206428	1051006A	CABLE A DIMENSION = 4 FEET 6 INCHES			
1180	14, 14A	1	106206428	1051006A	CABLE A DIMENSION = 4 FEET 10 INCHES			
1190	15, 15A	1	106206428	1051006A	CABLE A DIMENSION = 5 FEET 2 INCHES			
1200	16, 16A	1	106206428	1051006A	CABLE A DIMENSION = 5 FEET 6 INCHES			
1210	17, 17A	1	106206428	1051006A	CABLE A DIMENSION = 5 FEET 10 INCHES			
1220	18, 18A	1	106206428	1051006A	CABLE A DIMENSION = 6 FEET 2 INCHES			
1230	19, 19A	1	106206428	1051006A	CABLE A DIMENSION = 6 FEET 6 INCHES			
1240	20, 20A	1	106206428	1051006A	CABLE A DIMENSION = 6 FEET 10 INCHES			
1250	21, 21A	1	106206428	1051006A	CABLE A DIMENSION = 7 FEET 2 INCHES			
1260	22, 22A	1	106206428	1051006A	CABLE A DIMENSION = 7 FEET 6 INCHES			
1270	23, 23A	1	106206428	1051006A	CABLE A DIMENSION = 7 FEET 10 INCHES			
1280	24, 24A	1	106206428	1051006A	CABLE A DIMENSION = 8 FEET 2 INCHES			

\*\*\*\*\* STOCKLIST CONTINUED AT RIGHT \*\*\*\*\*

ED5D503-13

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1290	25, 25A	1	106206428	1051006A	CABLE A DIMENSION = 8 FEET 6 INCHES			
1300	26, 26A	1	106206428	1051006A	CABLE A DIMENSION = 8 FEET 10 INCHES			
1310	27, 27A	1	106206428	1051006A	CABLE A DIMENSION = 9 FEET 2 INCHES			
1320	28, 28A	1	106206428	1051006A	CABLE A DIMENSION = 9 FEET 6 INCHES			
1330	29, 29A	1	106206428	1051006A	CABLE A DIMENSION = 9 FEET 10 INCHES			
1340	30, 30A	1	106206428	1051006A	CABLE A DIMENSION = 10 FEET 2 INCHES			
1350	31, 31A	1	106206428	1051006A	CABLE A DIMENSION = 10 FEET 6 INCHES			
1360	32, 32A	1	106206428	1051006A	CABLE A DIMENSION = 10 FEET 10 INCHES			
1370	33, 33A	1	106206428	1051006A	CABLE A DIMENSION = 11 FEET 2 INCHES			
1380	34, 34A	1	106206428	1051006A	CABLE A DIMENSION = 11 FEET 6 INCHES			
1390	35, 35A	1	106206428	1051006A	CABLE A DIMENSION = 11 FEET 10 INCHES			
1400	36, 36A	1	106206428	1051006A	CABLE A DIMENSION = 12 FEET 2 INCHES			
1410	37, 37A	1	106206428	1051006A	CABLE A DIMENSION = 12 FEET 6 INCHES			
1420	38, 38A	1	106206428	1051006A	CABLE A DIMENSION = 12 FEET 10 INCHES			
1430	39, 39A	1	106206428	1051006A	CABLE A DIMENSION = 13 FEET 2 INCHES			
1440	40, 40A	1	106206428	1051006A	CABLE A DIMENSION = 13 FEET 6 INCHES			
1450	41, 41A	1	106206428	1051006A	CABLE A DIMENSION = 13 FEET 10 INCHES			
1460	42, 42A	1	106206428	1051006A	CABLE A DIMENSION = 14 FEET 2 INCHES			
1470	43, 43A	1	106206428	1051006A	CABLE A DIMENSION = 14 FEET 6 INCHES			
1480	44, 44A	1	106206428	1051006A	CABLE A DIMENSION = 14 FEET 10 INCHES			
1490	45, 45A	1	106206428	1051006A	CABLE A DIMENSION = 15 FEET 2 INCHES			
1500	46, 46A	1	106206428	1051006A	CABLE A DIMENSION = 15 FEET 6 INCHES			
1510	47, 47A	1	106206428	1051006A	CABLE A DIMENSION = 15 FEET 10 INCHES			
1520	48, 48A	1	106206428	1051006A	CABLE A DIMENSION = 16 FEET 2 INCHES			
1530	49, 49A	1	106206428	1051006A	CABLE A DIMENSION = 16 FEET 6 INCHES			
1540	50, 50A	1	106206428	1051006A	CABLE A DIMENSION = 16 FEET 10 INCHES			

STOCKLIST CONTINUED ON SHEET D3

SEE PROPRIETARY NOTICE ON SHEET ONE

XT13

5ESS SWITCHING EQUIPMENT  
CABLE ASSEMBLY FOR  
PACKET BUS  
PSIU-MCTU

DWG SIZE C2 ISSUE 5

AT&T

ED5D503-13

SHEET D2 OF 9

PRINTED IN U. S. A.

STOCKLIST

ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1550	51, 51A	1	106206428	1051006A	CABLE A DIMENSION = 17 FEET 2 INCHES			
1560	52, 52A	1	106206428	1051006A	CABLE A DIMENSION = 17 FEET 6 INCHES			
1570	53, 53A	1	106206428	1051006A	CABLE A DIMENSION = 17 FEET 10 INCHES			
1580	54, 54A	1	106206428	1051006A	CABLE A DIMENSION = 18 FEET 2 INCHES			
1590	55, 55A	1	106206428	1051006A	CABLE A DIMENSION = 18 FEET 6 INCHES			
1600	56, 56A	1	106206428	1051006A	CABLE A DIMENSION = 18 FEET 10 INCHES			

\*\*\*\*\* END OF STOCKLIST \*\*\*\*\*

SEE PROPRIETARY NOTICE ON SHEET ONE

XT13

5ESS SWITCHING EQUIPMENT  
CABLE ASSEMBLY FOR  
PACKET BUS  
PSIU-MCTU

DWG SIZE C2 ISSUE 5

ED5D503-13

AT&T

ED5D503-13

SHEET D3 OF 9

PRINTED IN U. S. A.