

ISSUE NOTES (CONTINUED)				
TCED & ED WERE COMBINED. TCED AS WIRING DOCUMENT WAS SUPERSEDED WITH ED5D503-20 IN ISSUE 15. POINT ISSUES 15.1 & 15.2 CHANGED SHEETS C19 AND C30.				
ORIG ISS: 02/03/83		CHANGE CLASS: MF		
DRAFT: WJD	ENGR: WJD	SUPV:	CERTIFIED: 04/29/94	ISSUE: 16
GROUPS 120,121 ADDED FOR NTT (CCI1 TO CCI0) FOR DLTU2/DLTU3. GROUPS 120A AND 121A ADDED WITH AMP CONN.				
ORIG ISS: 02/03/83		CHANGE CLASS: B		
DRAFT: REW	ENGR: WJD	SUPV:	CERTIFIED: 05/20/94	ISSUE: 17
GROUPS 21C THRU 28C ADDED FOR DLTU IN SMC LOC TO RCLK. MADE GRAPHIC CHANGE TO SHEET C26.				
ORIG ISS: 02/03/83		CHANGE CLASS: MF		
DRAFT: WJD	ENGR: WJD	SUPV:	CERTIFIED: 09/08/94	ISSUE: 18
MADE POINT ISSUE CHANGES FOR SHEETS C29 THRU. C32.				
ORIG ISS: 02/03/83		CHANGE CLASS: ME		
DRAFT: WJD	ENGR: WJD	SUPV:	CERTIFIED: 11/10/94	ISSUE: 19
SHEETS C9, C10, C11 & C12 DIM CHANGES TO ACCOMADATE SM2000 (RSM) FOR FICB CABLES. SHEET C38 CHANGED PER POINT ISSUE FOR EQL CHANGE				
ORIG ISS: 02/03/83		CHANGE CLASS: MF		
DRAFT: WJD	ENGR: WJD	SUPV:	CERTIFIED: 03/15/95	ISSUE: 20
ADDED COVERS FOR 963T TYPE CONN IN STOCK LIST.				
ORIG ISS: 02/03/83		CHANGE CLASS: MF		
DRAFT: WJD	ENGR: WJD	SUPV:	CERTIFIED: 03/24/95	ISSUE: 21
INPUT P.I. 21.1 FOR REVERSAL OF DIM.				
ORIG ISS: 02/03/83		CHANGE CLASS: MF		
DRAFT: WJD	ENGR: WJD	SUPV:	CERTIFIED: 06/06/95	ISSUE: 22
REPLACED CABLE 1051A WITH 1051B S.L. ITEMS 1120-1137, 1148-1262, 1280-1359, 1390-1669.				
ORIG ISS: 02/03/83		CHANGE CLASS: MF		
DRAFT: WJD	ENGR: WJD	SUPV: PK	CERTIFIED: 01/27/97	ISSUE: 23

ISSUE NOTES (CONTINUED)				
IN S/L ITEMS 1038,1044,1069 ADDED. ITEMS 1035,1036,1037, 1041,1042,1043,1066,1067,1068 LINED OUT. IN TBL S DIMS CHGD TO ACCOMMODATE 963T CONN. SHEET NOTES RMVD. IN S/L ITEM 1070 UNLINED; ITEMS 1071,1072 & 1073 DELETED.				
ORIG ISS: 02/03/83		CHANGE CLASS: M		
DRAFT: HZP	ENGR: TFL	SUPV:	CERTIFIED: 10/04/90	ISSUE: 10
GROUPS 200 THRU 212 ADDED, SEE SHEET C9. S/L ITEMS 1030,1038 LINED OUT. S/L ITEMS 1010,1020,1035,1036,1037,1040,1041,1042, 1043,1044,1050,1065,1066,1067,1068,1090,1095,1100,1105,1110 REMOVED (OLD N TYPE CONN).				
ORIG ISS: 02/03/83		CHANGE CLASS: B		
DRAFT: HZP	ENGR: WJV	SUPV:	CERTIFIED: 07/13/92	ISSUE: 11
IN S/L ITEM 1030 & 1085 COMCODE READ 402658314.				
ORIG ISS: 02/03/83		CHANGE CLASS: B		
DRAFT: HZP	ENGR: HZP	SUPV:	CERTIFIED: 10/20/92	ISSUE: 12
GROUPS 21A THRU 28A,21B THRU 28B TO RCU,GRS 69C THRU 88C, 69D THRU 88D TO FIU3 POS28,GRS 69E THRU 88E,GRS 69F THRU 88F TO FIU3 POS 136 ADDED FROM DLTU3.				
ORIG ISS: 02/03/83		CHANGE CLASS: B		
DRAFT: PKK	ENGR: WJV	SUPV:	CERTIFIED: 04/14/93	ISSUE: 13
GROUPS 500 THRU 618, 521A THRU 608A, 521B THRU 588B, 569C THRU 588C, 569D THRU 588D, 569E THRU 588E, 569F THRU 588F, 700 THRU 712 AND ENGINEERING NOTE 51 ADDED.				
ORIG ISS: 02/03/83		CHANGE CLASS: B		
DRAFT: PKK	ENGR: DLP	SUPV:	CERTIFIED: 07/30/93	ISSUE: 14
GROUP 69G - 88G & 69H - 88H ADDED FOR DLTU3 IN POS. 162 TO FIU3 IN POS.136, ALSO GROUP 569G-588G & 569H-588H WITH AMP CONN.				
ORIG ISS: 02/03/83		CHANGE CLASS: ME		
DRAFT: HZP	ENGR: HZP	SUPV:	CERTIFIED: 09/24/93	ISSUE: 15

ISSUE NOTES				
ORIG ISS: 02/03/83 NDD NBR: 5D003IH-14 CHANGE CLASS:				
DRAFT: JRP	ENGR: WJV	SUPV: RSZ	VAULT: 02/03/83	ISSUE: 1
GROUPS 11-18 ADDED.				
AT&T CL: NONE ORIG ISS: 02/03/83		WECO CL: B		
DRAFT: DJP	ENGR: LEM	SUPV:	VAULT: 08/01/84	ISSUE: 2
GROUPS 19 & 20 AND NOTE 6 ADDED.				
ORIG ISS: 02/03/83		CHANGE CLASS: B		
DRAFT: DJP	ENGR: WJV	SUPV:	VAULT: 01/16/85	ISSUE: 3
* DRAWING CONVERTED FROM SEDBS TO MDS COMPUTER SYSTEMS. * * THIS IS A MACHINE COPY OF THE LATEST SEDBS CERTIFIED ISSUE * * AND MAY CONTAIN MINOR DIFFERENCES. THE TABLE OF ASSOCIATED * * DRAWINGS WAS ELIMINATED DURING MIGRATION TO ASSIST THE * * SCRUBBING OF PROPRIETARY INFORMATION. * -----				
GROUPS 21-28 ADDED FOR DLTU-E POS. 19 TO RCU POS. 45.				
ORIG ISS: 02/03/83		CHANGE CLASS: B		
DRAFT: DSL	ENGR: RW	SUPV:	CERTIFIED: 01/16/87	ISSUE: 4
THIS CHANGE IS PUBLISHED TO CORRECT INADVERTENT ERRORS DUE TO SEDBS TO MDS COMPUTER SYSTEM CONVERSION. SL ITEMS 1070,1080 LISTS 21 THRU 28 RELACED.SL ITEMS 1040,1065,1070 LINEDOUT SL ITEMS 1041,1066,1071 ADDED. NOTE 7 CHANGED.				
ORIG ISS: 02/03/83		CHANGE CLASS: AD		
DRAFT: DJP	ENGR: JDC	SUPV:	CERTIFIED: 05/01/87	ISSUE: 5
IN S.L. ITEMS 1010,1020,1040,1050,1065,1070 LINED OUT. IN S.L. ITEMS 1041,1042,1043,1066,1067,1068,1071,1072,1073 ADDED. 963 CONN TYPE CONN REPLACES 982 TYPE CONN ON A LINE OUT BASIS.				
ORIG ISS: 02/03/83		CHANGE CLASS: B		
DRAFT: LMK	ENGR: WFN	SUPV:	CERTIFIED: 05/01/87	ISSUE: 6
GROUPS 29 THRU 108;ADDED. TABLE "S",GROUPS 19 & 20 & SK A & B ; CHGD.				
ORIG ISS: 02/03/83		CHANGE CLASS: B		
DRAFT: GJF	ENGR: FK	SUPV:	CERTIFIED: 02/25/88	ISSUE: 7
GROUPS 29A THRU 108A & 109 THRU 118 ;ADDED.				
ORIG ISS: 02/03/83		CHANGE CLASS: B		
DRAFT: FK	ENGR: FK	SUPV:	CERTIFIED: 04/05/88	ISSUE: 8
GROUPS 29B THRU 88B ADDED. DIM FOR GROUPS 29A THRU 36A,49A THRU 56A,69A THRU 76A CHG'D.				
ORIG ISS: 02/03/83		CHANGE CLASS: B		
DRAFT: DSL	ENGR: RW	SUPV:	CERTIFIED: 01/20/89	ISSUE: 9

SHEET INDEX											
SHT NBR	A1 THRU A3 ISSUE 25										
ISSUE											
SHT NBR	D1 THRU D26 ISSUE 25										
ISSUE											
SHT NBR	C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11
ISSUE	23	23	23	23	23	23	23	24	23	23	23
SHT NBR	C12	C13	C14	C15	C16	C17	C18	C19	C20	C21	C22
ISSUE	23	23	23	23	23	23	23	23	23	23	25
SHT NBR	C23	C24	C25	C26	C27	C28	C29	C30	C31	C32	C33
ISSUE	24	24	24	24	23	24	24	25	24	25	23
SHT NBR	C34	C35	C36	C37	C38	C39	C40	C41	C42	C43	C44
ISSUE	24	24	23	24	24	23	24	24	23	24	24
SHT NBR	C45	C46	C47	C48							
ISSUE	23	24	24	23							
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											

TABLE D-LIST OF ASSOCIATED REFERENCES	
NUMBER	TITLE
=TCED5D503-20 =ED4C251-10	TABULAR CA CONN DWG FASTECH WRG & CABLE
=DENOTES NOT REQD BY INSTALLER	

LUCENT TECHNOLOGIES - PROPRIETARY USE PURSUANT TO COMPANY INSTRUCTIONS	
XT13	
5ESS SWITCHING EQUIPMENT CABLE ASSEMBLY FOR DFI CLOCK-STATUS CABLES, LINK INTERFACE CABLES AND RSM EXPORT CLOCK SYN REFERENCE FREQUENCY	
DWG SIZE C2	ISSUE 25
LUCENT TECHNOLOGIES INC	ED5D503-20
SHEET A1 OF 77	

TABLE A-FEATURES											
EQUIPMENT		RAT- ING	LIST OR GROUP	EQUIPMENT OR CIRCUIT DATA					SD EQUIVALENT		
DESCRIPTION	REF NOTE			QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
WIRING AND APPARATUS FOR A CONNECTORIZED CABLE ASSEMBLY. (E/W 963T-TYPE CONNECTORS)			1 THRU 118								
WIRING AND APPARATUS FOR A CONNECTORIZED CABLE ASSEMBLY (E/W 963T-TYPE CONNECTORS)			21A THRU 28A								
WIRING AND APPARATUS FOR A CONNECTORIZED CABLE ASSEMBLY (E/W 963T-TYPE CONNECTORS)			21B THRU 28B								
WIRING AND APPARATUS FOR A CONNECTORIZED CABLE ASSEMBLY (E/W 963T-TYPE CONNECTORS)			21C THRU 28C								
WIRING AND APPARATUS FOR A CONNECTORIZED CABLE ASSEMBLY. (E/W 963T-TYPE CONNECTORS)			29A THRU 108A								
WIRING AND APPARATUS FOR A CONNECTORIZED CABLE ASSEMBLY. (E/W 963T-TYPE CONNECTORS)			29B THRU 88B								
WIRING AND APPARATUS FOR A CONNECTORIZED CABLE ASSEMBLY. (E/W 963T-TYPE CONNECTORS)			69C THRU 88C								
WIRING AND APPARATUS FOR A CONNECTORIZED CABLE ASSEMBLY. (E/W 963T-TYPE CONNECTORS)			69D THRU 88D								
WIRING AND APPARATUS FOR A CONNECTORIZED CABLE ASSEMBLY. (E/W 963T-TYPE CONNECTORS)			69E THRU 88E								
WIRING AND APPARATUS FOR A CONNECTORIZED CABLE ASSEMBLY. (E/W 963T-TYPE CONNECTORS)			69F THRU 88F								
WIRING AND APPARATUS FOR A CONNECTORIZED CABLE ASSEMBLY. (E/W 963T-TYPE CONNECTORS)			69G THRU 88G								
WIRING AND APPARATUS FOR A CONNECTORIZED CABLE ASSEMBLY. (E/W 963T-TYPE CONNECTORS)			69H THRU 88H								
WIRING AND APPARATUS FOR A CONNECTORIZED CABLE ASSEMBLY (E/W 963T-TYPE CONNECTOR)			120								
WIRING AND APPARATUS FOR A CONNECTORIZED CABLE ASSEMBLY (E/W AMP-TYPE CONNECTOR) DA EFF:02/28/97 FE/RA:NONE		DA	120A								
WIRING AND APPARATUS FOR A CONNECTORIZED CABLE ASSEMBLY (E/W 963T-TYPE CONNECTOR)			121								
WIRING AND APPARATUS FOR A CONNECTORIZED CABLE ASSEMBLY (E/W AMP-TYPE CONNECTOR) DA EFF:02/28/97 FE/RA:NONE		DA	121A								
WIRING AND APPARATUS FOR A CONNECTORIZED CABLE ASSEMBLY. (E/W 963T-TYPE CONNECTORS)			200 THRU 212								
WRG & APP FOR CONN CA ASSY. THIS CABLE IS REQD TO INTERCONNECT THE DLTU3 UNIT AND THE RCU UNIT WHEN THE CABINET IS CONFIGURED FOR A MCTU3 UNIT.	54		301A THRU 308A								
WRG & APP FOR CONN CA ASSY. THIS CABLE IS REQD TO INTERCONNECT THE DLTU3 UNIT AND THE RCU UNIT WHEN THE CABINET IS CONFIGURED FOR A MCTU3 UNIT.	54		301B THRU 308B								
WRG & APP FOR CONN CA ASSY. THIS CABLE IS REQD TO INTERCONNECT THE DLTU3 UNIT AND THE RCU UNIT WHEN THE CABINET IS CONFIGURED FOR A MCTU3 UNIT.	54		301C THRU 308C								

TABLE-A CONTINUED

ED5D503-20

ENGINEERING NOTES

- GROUPS 500 AND ABOVE PROVIDE CABLING E/W AMP-TYPE CONNECTORS. GROUPS BELOW 500 PROVIDE CABLING E/W T-TYPE CONNECTORS.
- IN TABLE "A" GROUPS SHOWING LETTER SUFFIX (IE; 1A-84A) INDICATE A GROUP STRING OF THAT LETTER ONLY (IE; 1A,2A,3A ETC.).
- CABLE LENGTHS SPECIFIED IN THE STOCK LIST (ROUNDED TO THE NEXT HIGHEST FOOT) ARE FOR BILL OF MATERIAL ONLY, AND NOT TO BE USED FOR CABLE LENGTH PREPARATION.
- WHEN THE CABINET IS CONFIGURED FOR MCTU3 APPLICATION, THE RCU IS ALWAYS EQUIPPED AT VERTICAL EQL 11 AND THE DCTU3 CAN BE EQUIPPED AT VERTICAL EQLS 45, 53 OR 62.

ISSUE NOTES (CONTINUED)

THE RATING FOR GRPS 120A, 121A, 501-618, 521A-608A, 521B-588B, 569D-588D, 569E-588E, 569F-588F, 569G-588G, 569H-588H AND 700-712 WAS "STANDARD" CASE H7638.

ORIG ISS: 02/03/83 CHANGE CLASS: ME

DRAFT: WJD ENGR: WJD SUPV: PK CERTIFIED: 02/13/97 ISSUE: 24

GRPS 301 A,B,C THRU 308 A,B,C ADDED. (H8204) NDD5D734NW-20

ORIG ISS: 02/03/83 CHANGE CLASS: MF

DRAFT: WJD ENGR: WJD SUPV: PK CERTIFIED: 08/13/97 ISSUE: 25

SEE PROPRIETARY NOTICE ON SHEET ONE

5ESS SWITCHING EQUIPMENT
CABLE ASSEMBLY
FOR
DFI CLOCK-STATUS CABLES,
LINK INTERFACE CABLES
AND
RSM EXPORT CLOCK SYN
REFERENCE FREQUENCY

XT13

DWG SIZE C2 ISSUE 25

LUCENT TECHNOLOGIES INC ED5D503-20

SHEET A2 OF 77

TABLE A-FEATURES (CONTINUED)

EQUIPMENT		EQUIPMENT OR CIRCUIT DATA							SD EQUIVALENT		
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
WIRING AND APPARATUS FOR A CONNECTORIZED CABLE ASSEMBLY. (E/W AMP-TYPE CONNECTORS) DA EFF:02/28/97 FE/RA:NONE		DA	501 THRU 618								
WIRING AND APPARATUS FOR A CONNECTORIZED CABLE ASSEMBLY. (E/W AMP-TYPE CONNECTORS) DA EFF:02/28/97 FE/RA:NONE		DA	521A THRU 528A								
WIRING AND APPARATUS FOR A CONNECTORIZED CABLE ASSEMBLY. (E/W AMP-TYPE CONNECTORS) DA EFF:02/28/97 FE/RA:NONE		DA	521B THRU 528B								
WIRING AND APPARATUS FOR A CONNECTORIZED CABLE ASSEMBLY. (E/W AMP-TYPE CONNECTORS) DA EFF:02/28/97 FE/RA:NONE		DA	529A THRU 608A								
WIRING AND APPARATUS FOR A CONNECTORIZED CABLE ASSEMBLY. (E/W AMP-TYPE CONNECTORS) DA EFF:02/28/97 FE/RA:NONE		DA	529B THRU 588B								
WIRING AND APPARATUS FOR A CONNECTORIZED CABLE ASSEMBLY. (E/W AMP-TYPE CONNECTORS)			569C THRU 588C								
WIRING AND APPARATUS FOR A CONNECTORIZED CABLE ASSEMBLY. (E/W AMP-TYPE CONNECTORS) DA EFF:02/28/97 FE/RA:NONE		DA	569D THRU 588D								
WIRING AND APPARATUS FOR A CONNECTORIZED CABLE ASSEMBLY. (E/W AMP-TYPE CONNECTORS) DA EFF:02/28/97 FE/RA:NONE		DA	569E THRU 588E								
WIRING AND APPARATUS FOR A CONNECTORIZED CABLE ASSEMBLY. (E/W AMP-TYPE CONNECTORS) DA EFF:02/28/97 FE/RA:NONE		DA	569F THRU 588F								
WIRING AND APPARATUS FOR A CONNECTORIZED CABLE ASSEMBLY. (E/W AMP-TYPE CONNECTORS) DA EFF:02/28/97 FE/RA:NONE		DA	569G THRU 588G								
WIRING AND APPARATUS FOR A CONNECTORIZED CABLE ASSEMBLY. (E/W AMP-TYPE CONNECTORS) DA EFF:02/28/97 FE/RA:NONE		DA	569H THRU 588H								
WIRING AND APPARATUS FOR A CONNECTORIZED CABLE ASSEMBLY. (E/W AMP-TYPE CONNECTORS) DA EFF:02/28/97 FE/RA:NONE		DA	700 THRU 712								
END OF TABLE-A											

SEE PROPRIETARY NOTICE ON SHEET ONE

XT13
 5ESS SWITCHING EQUIPMENT
 CABLE ASSEMBLY
 FOR
 DFI CLOCK-STATUS CABLES,
 LINK INTERFACE CABLES
 AND
 RSM EXPORT CLOCK SYN
 REFERENCE FREQUENCY

DWG SIZE C2 ISSUE 25

ED5D503-20

LUCENT TECHNOLOGIES INC ED5D503-20

SHEET A3 OF 77



THE "A" DIM IS THE LENGTH OF SWBD CABLE FRONT OF CONN TO FRONT OF CONN.
 THE "D" AND "E" DIM ARE THE DIM FROM BUTT OF CABLE TO THE FRONT OF CONN.
 SK. A

(SEE TABLE S)

TABLE S										
GROUP	CABLE CODE	"A" DIM		"A" DIM TOLERANCE		LENGTH FROM CABLE BUTT TO FRONT OF CONN				
						"D" DIM		"E" DIM		SK
						CM	FT-IN	CM	FT-IN	
1.501	1051B4/ 26RVA	71	[2-4]	±1.5	[±1/2]	4.0	[0-1 1/2]	4.0	[0-1 1/2]	A
2.502		86	[2-10]	±1.5	[±1/2]					
3.503		94	[3-1]	±1.5	[±1/2]					
4.504		102	[3-4]	±2.0	[±1]					
5.505		112	[3-8]	±2.0	[±1]					
6.506		119	[3-11]	±2.0	[±1]					
7.507		127	[4-2]	±2.0	[±1]					
8.508		137	[4-6]	±2.5	[±1]					
9.509		147	[4-10]	±2.5	[±1]					
10.510		152	[5-0]	±2.5	[±1]					
11.511		185	[6-1]	±3.0	[±1 1/2]					
12.512		196	[6-5]	±3.0	[±1 1/2]					
13.513		201	[6-7]	±3.5	[±1 1/2]					
14.514		208	[6-10]	±3.5	[±1 1/2]					
15.515		218	[7-2]	±3.5	[±1 1/2]					
16.516		226	[7-5]	±3.5	[±1 1/2]					
17.517		236	[7-9]	±4.0	[±1 1/2]					
18.518		246	[8-1]	±4.0	[±1 1/2]					
19.519	745A	135	[4-5]	±2.5	[±1]			39.0	[1-3 1/2]	
20.520	745A	130	[4-3]	±2.0	[±1]			39.0	[1-3 1/2]	
21.521	285A	183	[6-0]	±3.0	[±1 1/2]			4.0	[0-1 1/2]	

SEE PROPRIETARY NOTICE ON SHEET ONE

SESS SWITCHING EQUIPMENT
 CABLE ASSEMBLIES

DWG SIZE
 C2

ISSUE
 23

LUCENT
 TECHNOLOGIES INC.

ED5D503-20

SHEET
 C1

ED5D503-20



THE "A" DIM IS THE LENGTH OF SWBD CABLE FRONT OF CONN TO FRONT OF CONN.
 THE "D" AND "E" DIM ARE THE DIM FROM BUTT OF CABLE TO THE FRONT OF CONN.
 SK. A

(SEE TABLE S)

TABLE S										
GROUP	CABLE CODE	"A" DIM CM FT-IN		"A" DIM TOLERANCE CM IN		LENGTH FROM CABLE BUTT TO FRONT OF CONN				
						"D" DIM		"E" DIM		SK
						CM	FT-IN	CM	FT-IN	
22.522	285A	140	[4-7]	+ 2.5	[-1.0]	4.0	[0-1 1/2]	4.0	[0-1 1/2]	A
23.523		157	[5-2]	+ 2.5						
24.524		119	[3-11]	+ 2.0						
25.525		183	[6-0]	+ 3.0						
26.526		152	[5-0]	+ 2.5						
27.527		152	[5-0]	+ 2.5						
28.528		132	[4-4]	+ 2.0						
29.529	1051B4/ 26RVA	137	[4-6]	+ 2.5		6.0	[0-2]	17.0	[0-6 1/2]	
30.530		168	[5-6]	+ 3.0						
31.531		145	[4-9]	+ 2.5						
32.532		173	[5-8]	+ 3.0						
33.533		147	[4-10]	+ 2.5						
34.534		178	[5-10]	+ 3.0						
35.535		155	[5-1]	+ 2.5						
36.536		183	[6-0]	+ 3.0						
37.537		157	[5-2]	+ 2.5						
38.538		188	[6-2]	+ 3.0						
39.539		173	[5-8]	+ 3.0						
40.540		142	[4-8]	+ 2.5						
41.541		157	[5-2]	+ 2.5						
42.542		130	[4-3]	+ 2.0						

SEE PROPRIETARY NOTICE ON SHEET ONE

SESS SWITCHING EQUIPMENT
 CABLE ASSEMBLIES

DWG SIZE
 C2

ISSUE
 23

LUCENT
 TECHNOLOGIES INC.

ED5D503-20

SHEET
 C2

ED5D503-20



THE "A" DIM IS THE LENGTH OF SWBD CABLE FRONT OF CONN TO FRONT OF CONN.
 THE "D" AND "E" DIM ARE THE DIM FROM BUTT OF CABLE TO THE FRONT OF CONN.
 SK. A

(SEE TABLE S)

TABLE S											
GROUP	CABLE CODE	"A" DIM		"A" DIM TOLERANCE		LENGTH FROM CABLE BUTT TO FRONT OF CONN					
						"D" DIM		"E" DIM		SK	
						CM	FT-IN	CM	FT-IN		CM
43.543	1051B4/ 26RVA	152	[5-0]	± 2.5	[± 1]	6.0	[0-2]	17.0	[0-6 1/2]	A	
44.544		122	[4-0]	± 2.0							
45.545		147	[4-10]	± 2.5							
46.546		119	[3-11]	± 2.0							
47.547		142	[4-8]	± 2.5							
48.548		112	[3-8]	± 2.0							
49.549		117	[3-10]	± 2.0							
50.550		147	[4-10]	± 2.5							
51.551		124	[4-1]	± 2.0							
52.552		152	[5-0]	± 2.5							
53.553		127	[4-2]	± 2.0							
54.554		157	[5-2]	± 2.5							
55.555		135	[4-5]	± 2.5							
56.556		163	[5-4]	± 2.5							
57.557		137	[4-6]	± 2.5							
58.558		168	[5-6]	± 3.0							
59.559		152	[5-0]	± 2.5							
60.560		122	[4-0]	± 2.0							
61.561		137	[4-6]	± 2.5							
62.562		109	[3-7]	± 2.0							
63.563		132	[4-4]	± 2.0							

SEE PROPRIETARY NOTICE ON SHEET ONE		
SESS SWITCHING EQUIPMENT CABLE ASSEMBLIES		
DWG SIZE C2	ISSUE 23	
LUCENT TECHNOLOGIES INC.	ED5D503-20	SHEET C3



THE "A" DIM IS THE LENGTH OF SWBD CABLE FRONT OF CONN TO FRONT OF CONN.
 THE "D" AND "E" DIM ARE THE DIM FROM BUTT OF CABLE TO THE FRONT OF CONN.
 SK. A

(SEE TABLE S)

TABLE S										
GROUP	CABLE CODE	"A" DIM		"A" DIM TOLERANCE		LENGTH FROM CABLE BUTT TO FRONT OF CONN				
		CM	FT-IN	CM	IN	"D" DIM		"E" DIM		SK
						CM	FT-IN	CM	FT-IN	
64.564	1051B4/ 26RVA	102	[3-4]	+2.0	[+1/2]	6.0	[0-2]	17.0	[0-6 1/2]	A
65.565		127	[4-2]	+2.0	[+1/2]					
66.566		99	[3-3]	+2.0	[+1/2]					
67.567		122	[4-0]	+2.0	[+1/2]					
58.568		91	[3-0]	+1.5	[+1/2]					
69.569		94	[3-1]	+1.5	[+1/2]					
70.570		124	[4-1]	+2.0	[+1/2]					
71.571		102	[3-4]	+2.0	[+1/2]					
72.572		130	[4-3]	+2.0	[+1/2]					
73.573		104	[3-5]	+2.0	[+1/2]					
74.574		135	[4-5]	+2.5	[+1]					
75.575		112	[3-8]	+2.0	[+1/2]					
76.576		140	[4-7]	+2.5	[+1]					
77.577		114	[3-9]	+2.0	[+1/2]					
78.578		145	[4-9]	+2.5	[+1]					
79.579		130	[4-3]	+2.0	[+1/2]					
80.580		99	[3-3]	+2.0	[+1/2]					
81.581		135	[4-5]	+2.5	[+1]					
82.582		107	[3-6]	+2.0	[+1/2]					
83.583		130	[4-3]	+2.0	[+1/2]					
84.584		99	[3-3]	+2.0	[+1/2]					

SEE PROPRIETARY NOTICE ON SHEET ONE

SESS SWITCHING EQUIPMENT
 CABLE ASSEMBLIES

DWG SIZE
 C2

ISSUE
 23

LUCENT
 TECHNOLOGIES INC.

ED5D503-20

SHEET
 C4

ED5D503-20



THE "A" DIM IS THE LENGTH OF SWBD CABLE FRONT OF CONN TO FRONT OF CONN.
 THE "D" AND "E" DIM ARE THE DIM FROM BUTT OF CABLE TO THE FRONT OF CONN.
 SK. A

(SEE TABLE S)

TABLE S										
GROUP	CABLE CODE	"A" DIM		"A" DIM TOLERANCE		LENGTH FROM CABLE BUTT TO FRONT OF CONN				
		CM	FT-IN	CM	IN	"D" DIM		"E" DIM		SK
						CM	FT-IN	CM	FT-IN	
85.585	1051B4/ 26RVA	124	[4-1]	± 2.0	[± 1/2]	6.0	[0-2]	17.0	[0-6 1/2]	A
86.586		97	[3-2]	± 1.5	[± 1/2]					
87.587		119	[3-11]	± 2.0	[± 1/2]					
88.588		89	[2-11]	± 1.5	[± 1/2]					
89.589		117	[3-10]	± 2.0	[± 1/2]					
90.590		147	[4-10]	± 2.5	[± 1]					
91.591		124	[4-1]	± 2.0	[± 1/2]					
92.592		152	[5-0]	± 2.5	[± 1]					
93.593		127	[4-2]	± 2.0	[± 1/2]					
94.594		157	[5-2]	± 2.5	[± 1]					
95.595		135	[4-5]	± 2.5	[± 1]					
96.596		163	[5-4]	± 2.5	[± 1]					
97.597		137	[4-6]	± 2.5	[± 1]					
98.598		168	[5-6]	± 3.0	[± 1]					
99.599		152	[5-0]	± 2.5	[± 1]					
100.600		122	[4-0]	± 2.0	[± 1/2]					
101.601		137	[4-6]	± 2.5	[± 1]					
102.602		109	[3-7]	± 2.0	[± 1/2]					
103.603		132	[4-4]	± 2.0	[± 1/2]					
104.604		102	[3-4]	± 2.0	[± 1/2]					
105.605		127	[4-2]	± 2.0	[± 1/2]					

SEE PROPRIETARY NOTICE ON SHEET ONE

SESS SWITCHING EQUIPMENT
 CABLE ASSEMBLIES

DWG SIZE
 C2

ISSUE
 23

LUCENT
 TECHNOLOGIES INC.

ED5D503-20

SHEET
 C5



THE "A" DIM IS THE LENGTH OF SWBD CABLE FRONT OF CONN TO FRONT OF CONN.
 THE "D" AND "E" DIM ARE THE DIM FROM BUTT OF CABLE TO THE FRONT OF CONN.

SK. A

(SEE TABLE S)

TABLE S										
GROUP	CABLE CODE	"A" DIM CM FT-IN		"A" DIM TOLERANCE CM IN		LENGTH FROM CABLE BUTT TO FRONT OF CONN				
						"D" DIM		"E" DIM		SK
						CM	FT-IN	CM	FT-IN	
106.606	1051B4/ 26RVA	99	[3-3]	±2.0	[±1/2]	6.0	[0-2]	17.0	[0-6 1/2]	A
107.607		122	[4-0]	±2.0	[±1/2]					
108.608		91	[3-0]	±1.5	[±1/2]					
109.609		79	[2-7]	±1.5	[±1/2]	4.0	[0-1 1/2]	4.0	[0-1 1/2]	
110.610		86	[2-10]	±1.5	[±1/2]					
111.611		168	[5-6]	±3.0	[±1]					
112.612		178	[5-10]	±3.0	[±1]					
113.613		185	[6-1]	±3.0	[±1]					
114.614		160	[5-3]	±2.5	[±1]					
115.615		155	[5-1]	±2.5	[±1]					
116.616		142	[4-8]	±2.5	[±1]					
117.617		135	[4-5]	±2.5	[±1]					
118.618		122	[4-0]	±2.0	[±1/2]					

SEE PROPRIETARY NOTICE ON SHEET ONE		
SESS SWITCHING EQUIPMENT CABLE ASSEMBLIES		
DWG SIZE C2	ISSUE 23	
LUCENT TECHNOLOGIES INC.	ED5D503-20	SHEET C6



THE "A" DIM IS THE LENGTH OF SWBD CABLE FRONT OF CONN TO FRONT OF CONN.
 THE "D" AND "E" DIM ARE THE DIM FROM BUTT OF CABLE TO THE FRONT OF CONN.
 SK. A

(SEE TABLE S)

TABLE S										
GROUP	CABLE CODE	"A" DIM CM FT-IN		"A" DIM TOLERANCE CM IN		LENGTH FROM CABLE BUTT TO FRONT OF CONN				
						"D" DIM		"E" DIM		SK
						CM	FT-IN	CM	FT-IN	
200.700	1051B4/ 26RVA	76	[2-6]	± 1.5	[± 1/2]	4.0	[0-1 1/2]	4.0	[0-1 1/2]	A
201.701		86	[2-10]	± 1.5	[± 1/2]					
202.702		96	[3-2]	± 1.5	[± 1/2]					
203.703		107	[3-6]	± 2.0	[± 1/2]					
204.704		117	[3-10]	± 2.0	[± 1/2]					
205.705		127	[4-2]	± 2.0	[± 1/2]					
206.706		137	[4-6]	± 2.5	[± 1]					
207.707		147	[4-10]	± 2.5	[± 1]					
208.708		157	[5-2]	± 2.5	[± 1]					
209.709		168	[5-6]	± 3.0	[± 1]					
210.710		178	[5-10]	± 3.0	[± 1]					
211.711		188	[6-2]	± 3.0	[± 1]					
212.712		198	[6-6]	± 3.0	[± 1]					

SEE PROPRIETARY NOTICE ON SHEET ONE

SESS SWITCHING EQUIPMENT
 CABLE ASSEMBLIES

DWG SIZE C2 ISSUE 23

LUCENT TECHNOLOGIES INC. ED5D503-20 SHEET C7



THE "A" DIM IS THE LENGTH OF SWBD CABLE FRONT OF CONN TO FRONT OF CONN.
 THE "D" AND "E" DIM ARE THE DIM FROM BUTT OF CABLE TO THE FRONT OF CONN.
 SK. A

(SEE TABLE S)

TABLE S										
GROUP	CABLE CODE	"A" DIM		"A" DIM TOLERANCE		LENGTH FROM CABLE BUTT TO FRONT OF CONN				
						"D" DIM		"E" DIM		SK
						CM	FT-IN	CM	FT-IN	
21A 521A	285A	122	[4-0]	±2.0	[±1/2]	4.0	[0-1 1/2]	4.0	[0-1 1/2]	A
22A 522A		122	[4-0]	±2.0						
23A 523A		102	[3-4]	±2.0						
24A 524A		104	[3-5]	±2.0						
25A 525A		117	[3-10]	±2.0						
26A 526A		117	[3-10]	±2.0						
27A 527A		119	[3-11]	±2.0						
28A 528A		119	[3-11]	±2.0						
21B, 21C 521B		56	[1-10]	±1.0						
22B, 22C 522B		28	[0-11]	±0.5						
23B, 23C 523B		109	[3-7]	±2.0						
24B, 24C 524B		81	[2-8]	±1.5						
25B, 25C 525B		102	[3-4]	±2.0						
26B, 26C 526B		74	[2-5]	±1.5						
27B, 27C 527B		104	[3-5]	±2.0						
28B, 28C 528B		76	[2-6]	±1.5						

SEE PROPRIETARY NOTICE ON SHEET ONE		
SESS SWITCHING EQUIPMENT CABLE ASSEMBLIES		
DWG SIZE C2	ISSUE 24	
LUCENT TECHNOLOGIES INC.	ED5D503-20	SHEET C8



THE "A" DIM IS THE LENGTH OF SWBD CABLE FRONT OF CONN TO FRONT OF CONN.
 THE "D" AND "E" DIM ARE THE DIM FROM BUTT OF CABLE TO THE FRONT OF CONN.
 SK. A

(SEE TABLE S)

TABLE S										
GROUP	CABLE CODE	"A" DIM		"A" DIM TOLERANCE		LENGTH FROM CABLE BUTT TO FRONT OF CONN				
		CM	FT-IN	CM	IN	"D" DIM		"E" DIM		SK
						CM	FT-IN	CM	FT-IN	
29A 529A	1051B4/ 26RVA	150	[4-11]	±2.0	[±1/2]	6.0	[0-2]	14.0	[0-5 1/2]	A
30A 530A		177	[5-10]	±2.5	[±1]					
31A 531A		162	[5-4]	±2.5	[±1]			22.0	[0-8 1/2]	
32A 532A		190	[6-3]	±3.0	[±1]					
33A 533A		167	[5-6]	±2.5	[±1]					
34A 534A		188	[6-2]	±3.0	[±1/2]			14.0	[0-5 1/2]	
35A 535A		172	[5-8]	±2.5	[±1]			22.0	[0-8 1/2]	
36A 536A		200	[6-7]	±3.0	[±1]					
37A 537A		170	[5-7]	±2.5	[±1]					
38A 538A		198	[6-6]	±3.0	[±1]					
39A 539A		195	[6-5]	±3.0	[±1]					
40A 540A		167	[5-6]	±2.5	[±1]					
41A 541A		183	[6-0]	±2.5	[±1]					
42A 542A		152	[5-0]	±2.0	[±1/2]					
43A 543A		175	[5-9]	±2.5	[±1]					
44A 544A		147	[4-10]	±2.0	[±1/2]					
45A 545A		172	[5-8]	±2.5	[±1]					
46A 546A		142	[4-8]	±2.0	[±1/2]					
47A 547A		165	[5-5]	±2.5	[±1]					
48A 548A		137	[4-6]	±3.0	[±1]					
49A 549A		129	[4-3]	±2.0	[±1/2]			14.0	[0-5 1/2]	

SEE PROPRIETARY NOTICE ON SHEET ONE

SESS SWITCHING EQUIPMENT
 CABLE ASSEMBLIES

DWG SIZE
 C2

ISSUE
 23

LUCENT
 TECHNOLOGIES INC.

ED5D503-20

SHEET
 C9

ED5D503-20



THE "A" DIM IS THE LENGTH OF SWBD CABLE FRONT OF CONN TO FRONT OF CONN.
 THE "D" AND "E" DIM ARE THE DIM FROM BUTT OF CABLE TO THE FRONT OF CONN.

SK. A

(SEE TABLE S)

TABLE S										
GROUP	CABLE CODE	"A" DIM		"A" DIM TOLERANCE		LENGTH FROM CABLE BUTT TO FRONT OF CONN				
		CM	FT-IN	CM	IN	"D" DIM		"E" DIM		SK
						CM	FT-IN	CM	FT-IN	
50A 550A	1051B4/ 26RVA	157	[5-2]	± 2.5	[± 1]	6.0	[0-2]	14.0	[0-5 1/2]	A
51A 551A		142	[4-8]	± 2.0	[± 1/2]			22.0	[0-8 1/2]	
52A 552A		170	[5-7]	± 2.5	[± 1]			22.0	[0-8 1/2]	
53A 553A		139	[4-7]	± 2.0	[± 1/2]			14.0	[0-5 1/2]	
54A 554A		167	[5-6]	± 2.5	[± 1]			14.0	[0-5 1/2]	
55A 555A		152	[5-0]	± 2.0	[± 1/2]			22.0	[0-8 1/2]	
56A 556A		180	[5-11]	± 2.5	[± 1]					
57A 557A		150	[4-11]	± 2.0	[± 1/2]					
58A 558A		177	[5-10]	± 2.5	[± 1]					
59A 559A		175	[5-9]	± 2.5	[± 1]					
60A 560A		147	[4-10]	± 2.0	[± 1/2]					
61A 561A		162	[5-4]	± 2.5	[± 1]					
62A 562A		132	[4-4]	± 2.0	[± 1/2]					
63A 563A		155	[5-1]	± 2.5	[± 1]					
64A 564A		127	[4-2]	± 2.0	[± 1/2]					
65A 565A		152	[5-0]	± 2.0	[± 1/2]					
66A 566A		122	[4-0]	± 2.0	[± 1/2]					
67A 567A		144	[4-9]	± 2.0	[± 1/2]					
68A 568A		86	[2-10]	± 1.0	[± 1/2]					
69A 569A		106	[3-6]	± 1.5	[± 1/2]			14.0	[0-5 1/2]	
70A 570A		134	[4-5]	± 2.0	[± 1/2]			14.0	[0-5 1/2]	

SEE PROPRIETARY NOTICE ON SHEET ONE

SESS SWITCHING EQUIPMENT
 CABLE ASSEMBLIES

DWG SIZE
 C2

ISSUE
 23

LUCENT
 TECHNOLOGIES INC.

ED5D503-20

SHEET
 C10

ED5D503-20



THE "A" DIM IS THE LENGTH OF SWBD CABLE FRONT OF CONN TO FRONT OF CONN.
 THE "D" AND "E" DIM ARE THE DIM FROM BUTT OF CABLE TO THE FRONT OF CONN.
 SK. A

(SEE TABLE S)

TABLE S										
GROUP	CABLE CODE	"A" DIM		"A" DIM TOLERANCE		LENGTH FROM CABLE BUTT TO FRONT OF CONN				
		CM	FT-IN	CM	IN	"D" DIM		"E" DIM		SK
						CM	FT-IN	CM	FT-IN	
71A 571A	1051B4/ 26RVA	119	[3-11]	±2.0	[±1/2]	6.0	[0-2]	22.0	[0-8 1/2]	A
72A 572A		147	[4-10]	±2.0	[±1/2]			22.0	[0-8 1/2]	
73A 573A		117	[3-10]	±1.5	[±1/2]			14.0	[0-5 1/2]	
74A 574A		144	[4-9]	±2.0	[±1/2]			14.0	[0-5 1/2]	
75A 575A		129	[4-3]	±2.0	[±1/2]			22.0	[0-8 1/2]	
76A 576A		157	[5-2]	±2.5	[±1]					
77A 577A		134	[4-5]	±2.0	[±1/2]					
78A 578A		162	[5-4]	±2.5	[±1]					
79A 579A		155	[5-1]	±2.5	[±1]					
80A 580A		124	[4-1]	±2.0	[±1/2]					
81A 581A		160	[5-3]	±2.5	[±1]					
82A 582A		129	[4-3]	±2.0	[±1/2]					
83A 583A		155	[5-1]	±2.5	[±1]					
84A 584A		124	[4-1]	±2.0	[±1/2]					
85A 585A		150	[4-11]	±2.0	[±1/2]					
86A 586A		119	[3-11]	±2.0	[±1/2]					
87A 587A		144	[4-9]	±2.0	[±1/2]					
88A 588A		114	[3-9]	±1.5	[±1/2]					
89A 589A		137	[4-6]	±2.0	[±1/2]					
90A 590A		165	[4-5]	±2.5	[±1]					
91A 591A		142	[4-8]	±2.0	[±1/2]					

SEE PROPRIETARY NOTICE ON SHEET ONE

SESS SWITCHING EQUIPMENT
 CABLE ASSEMBLIES

DWG SIZE
 C2

ISSUE
 23

LUCENT
 TECHNOLOGIES INC.

ED5D503-20

SHEET
 C11

ED5D503-20



THE "A" DIM IS THE LENGTH OF SWBD CABLE FRONT OF CONN TO FRONT OF CONN.
 THE "D" AND "E" DIM ARE THE DIM FROM BUTT OF CABLE TO THE FRONT OF CONN.
 SK. A

(SEE TABLE S)

TABLE S										
GROUP	CABLE CODE	"A" DIM		"A" DIM TOLERANCE		LENGTH FROM CABLE BUTT TO FRONT OF CONN				
		CM	FT-IN	CM	IN	"D" DIM		"E" DIM		SK
						CM	FT-IN	CM	FT-IN	
92A 595A	1051B4/ 26RVA	170	[5-7]	±2.5	[±1]	6.0	[0-2]	22.0	[0-8 1/2]	A
93A 593A		147	[4-10]	±2.0	[±1/2]					
94A 594A		175	[5-9]	±2.5	[±1]					
95A 595A		152	[5-0]	±2.0	[±1/2]					
96A 596A		180	[5-11]	±2.5	[±1]					
97A 597A		157	[5-2]	±2.5	[±1]					
98A 598A		185	[6-1]	±2.5	[±1]					
99A 599A		175	[5-9]	±2.5	[±1]					
100A 600A		147	[4-10]	±2.0	[±1/2]					
101A 601A		162	[5-4]	±2.5	[±1]					
102A 602A		132	[4-4]	±2.0	[±1/2]					
103A 603A		155	[5-1]	±2.5	[±1]					
104A 604A		127	[4-2]	±2.0	[±1/2]					
105A 605A		155	[5-1]	±2.0	[±1/2]					
106A 606A		124	[4-1]	±2.0	[±1/2]					
107A 607A		144	[4-9]	±2.0	[±1/2]					
108A 608A		117	[3-10]	±1.5	[±1/2]					

SEE PROPRIETARY NOTICE ON SHEET ONE		
SESS SWITCHING EQUIPMENT CABLE ASSEMBLIES		
DWG SIZE C2	ISSUE 23	
LUCENT TECHNOLOGIES INC.	ED5D503-20	SHEET C12



THE "A" DIM IS THE LENGTH OF SWBD CABLE FRONT OF CONN TO FRONT OF CONN.
 THE "D" AND "E" DIM ARE THE DIM FROM BUTT OF CABLE TO THE FRONT OF CONN.
 SK. A

(SEE TABLE S)

TABLE S										
GROUP	CABLE CODE	"A" DIM		"A" DIM TOLERANCE		LENGTH FROM CABLE BUTT TO FRONT OF CONN				
		CM	FT-IN	CM	IN	"D" DIM		"E" DIM		SK
						CM	FT-IN	CM	FT-IN	
29B 529B	1051B4/ 26RVA	113	[3-8 1/2]	±2.0	[±1/2]	6.0	[0-2]	4.0	[0-1 1/2]	A
30B 530B		144	[4-8 1/2]	±2.5	[±1]					
31B 531B		121	[3-11 1/2]	±2.0	[±1/2]					
32B 532B		149	[4-10 1/2]	±2.5	[±1]					
33B 533B		123	[4-0 1/2]	±2.0	[±1/2]					
34B 534B		154	[5-0 1/2]	±2.5	[±1]					
35B 535B		131	[4-3 1/2]	±2.0	[±1/2]					
36B 536B		159	[5-2 1/2]	±2.5	[±1]					
37B 537B		133	[4-4 1/2]	±2.0	[±1/2]					
38B 538B		164	[5-4 1/2]	±2.5	[±1]					
39B 539B		149	[4-10 1/2]	±2.5	[±1]					
40B 540B		118	[3-10 1/2]	±2.0	[±1/2]					
41B 541B		133	[4-4 1/2]	±2.0	[±1/2]					
42B 542B		105	[3-5 1/2]	±2.0	[±1/2]					
43B 543B		128	[4-2 1/2]	±2.0	[±1/2]					
44B 544B		98	[3-2 1/2]	±1.5	[±1/2]					
45B 545B		123	[4-0 1/2]	±2.0	[±1/2]					
46B 546B		95	[3-1 1/2]	±1.5	[±1/2]					
47B 547B		118	[3-10 1/2]	±2.0	[±1/2]					
48B 548B		88	[2-10 1/2]	±1.5	[±1/2]					
49B 549B		93	[3-0 1/2]	±1.5	[±1/2]					

SEE PROPRIETARY NOTICE ON SHEET ONE

SESS SWITCHING EQUIPMENT
 CABLE ASSEMBLIES

DWG SIZE
 C2

ISSUE
 23

LUCENT
 TECHNOLOGIES INC.

ED5D503-20

SHEET
 C13

ED5D503-20



THE "A" DIM IS THE LENGTH OF SWBD CABLE FRONT OF CONN TO FRONT OF CONN.
 THE "D" AND "E" DIM ARE THE DIM FROM BUTT OF CABLE TO THE FRONT OF CONN.
 SK. A

(SEE TABLE S)

TABLE S											
GROUP	CABLE CODE	"A" DIM		"A" DIM TOLERANCE		LENGTH FROM CABLE BUTT TO FRONT OF CONN					
						"D" DIM		"E" DIM		SK	
						CM	FT-IN	CM	FT-IN		CM
50B 550B	1051B4/ 26RVA	123	[4-0 1/2]	±2.0	[±1/2]	6.0	[0-2]	4.0	[0-1 1/2]	A	
51B 551B		100	[3-3 1/2]	±2.0	[±1/2]						
52B 552B		128	[4-2 1/2]	±2.0	[±1/2]						
53B 553B		103	[3-4 1/2]	±2.0	[±1/2]						
54B 554B		133	[4-4 1/2]	±2.0	[±1/2]						
55B 555B		110	[3-7 1/2]	±2.0	[±1/2]						
56B 556B		138	[4-6 1/2]	±2.5	[±1]						
57B 557B		113	[3-8 1/2]	±2.0	[±1/2]						
58B 558B		144	[4-8 1/2]	±2.5	[±1]						
59B 559B		128	[4-2 1/2]	±2.0	[±1/2]						
60B 560B		98	[3-2 1/2]	±1.5	[±1/2]						
61B 561B		113	[3-8 1/2]	±2.0	[±1/2]						
62B 562B		85	[2-9 1/2]	±1.5	[±1/2]						
63B 563B		108	[3-6 1/2]	±2.0	[±1/2]						
64B 564B		77	[2-6 1/2]	±1.5	[±1/2]						
65B 565B		103	[3-4 1/2]	±2.0	[±1/2]						
66B 566B		75	[2-5 1/2]	±1.5	[±1/2]						
67B 567B		98	[3-2 1/2]	±1.5	[±1/2]						
68B 568B		67	[2-2 1/2]	±1.5	[±1/2]						
69B 569B		70	[2-3 1/2]	±1.5	[±1/2]						
70B 570B		100	[3-3 1/2]	±2.0	[±1/2]						

SEE PROPRIETARY NOTICE ON SHEET ONE

SESS SWITCHING EQUIPMENT
 CABLE ASSEMBLIES

DWG SIZE
 C2

ISSUE
 23

LUCENT
 TECHNOLOGIES INC.

ED5D503-20

SHEET
 C14

ED5D503-20



THE "A" DIM IS THE LENGTH OF SWBD CABLE FRONT OF CONN TO FRONT OF CONN.
 THE "D" AND "E" DIM ARE THE DIM FROM BUTT OF CABLE TO THE FRONT OF CONN.
 SK. A

(SEE TABLE S)

TABLE S										
GROUP	CABLE CODE	"A" DIM		"A" DIM TOLERANCE		LENGTH FROM CABLE BUTT TO FRONT OF CONN				
		CM	FT-IN	CM	IN	"D" DIM		"E" DIM		SK
						CM	FT-IN	CM	FT-IN	
71B 571B	1051B4/ 26RVA	77	[2-6 1/2]	±1.5	[± 1/2]	6.0	[0-2]	4.0	[0-1 1/2]	A
72B 572B		105	[3-5 1/2]	±2.0	[± 1/2]					
73B 573B		88	[2-7 1/2]	±1.5	[± 1/2]					
74B 574B		110	[3-7 1/2]	±2.0	[± 1/2]					
75B 575B		88	[2-10 1/2]	±1.5	[± 1/2]					
76B 576B		116	[3-9 1/2]	±2.0	[± 1/2]					
77B 577B		90	[2-11 1/2]	±1.5	[± 1/2]					
78B 578B		121	[3-11 1/2]	±2.0	[± 1/2]					
79B 579B		105	[3-5 1/2]	±2.0	[± 1/2]					
80B 580B		75	[2-5 1/2]	±1.5	[± 1/2]					
81B 581B		110	[3-7 1/2]	±2.0	[± 1/2]					
82B 582B		83	[2-8 1/2]	±1.5	[± 1/2]					
83B 583B		105	[3-5 1/2]	±2.0	[± 1/2]					
84B 584B		75	[2-5 1/2]	±1.5	[± 1/2]					
85B 585B		100	[3-3 1/2]	±2.0	[± 1/2]					
86B 586B		72	[2-4 1/2]	±1.5	[± 1/2]					
87B 587B		95	[3-1 1/2]	±1.5	[± 1/2]					
88B 588B		65	[2-1 1/2]	±1.0	[± 1/2]					

SEE PROPRIETARY NOTICE ON SHEET ONE		
SESS SWITCHING EQUIPMENT CABLE ASSEMBLIES		
DWG SIZE C2	ISSUE 23	
LUCENT TECHNOLOGIES INC.	ED5D503-20	SHEET C15



THE "A" DIM IS THE LENGTH OF SWBD CABLE FRONT OF CONN TO FRONT OF CONN.
 THE "D" AND "E" DIM ARE THE DIM FROM BUTT OF CABLE TO THE FRONT OF CONN.
 SK. A

(SEE TABLE S)

TABLE S											
GROUP	CABLE CODE	"A" DIM		"A" DIM TOLERANCE		LENGTH FROM CABLE BUTT TO FRONT OF CONN					
						"D" DIM		"E" DIM		SK	
						CM	FT-IN	CM	FT-IN		CM
69C 569C	1051B4/ 26RVA	94	[3-1]	+ 1.5	[± 1/2]	6.0	[0-2]	14.0	[0-5 1/2]	A	
70C 570C		145	[4-9]	+ 2.5				14.0	[0-5 1/2]		
71C 571C		104	[3-5]	+ 2.0				22.0	[0-8 1/2]		
72C 572C		135	[4-5]	+ 2.0				22.0	[0-8 1/2]		
73C 573C		102	[3-4]	+ 2.0				14.0	[0-5 1/2]		
74C 574C		137	[4-6]	+ 2.5				14.0	[0-5 1/2]		
75C 575C		109	[3-7]	+ 2.0				22.0	[0-8 1/2]		
76C 576C		130	[4-3]	+ 2.0							
77C 577C		114	[3-9]	+ 2.0							
78C 578C		142	[4-8]	+ 2.5							
79C 579C		114	[3-9]	+ 2.0							
80C 580C		135	[4-5]	+ 2.5							
81C 581C		130	[4-3]	+ 2.0							
82C 582C		152	[5-0]	+ 2.5							
83C 583C		132	[4-4]	+ 2.0							
84C 584C		142	[4-8]	+ 2.5							
85C 585C		135	[4-5]	+ 2.5							
86C 586C		145	[4-9]	+ 2.5							
87C 587C		137	[4-6]	+ 2.5							
88C 588C		145	[4-9]	+ 2.5							

SEE PROPRIETARY NOTICE ON SHEET ONE

SESS SWITCHING EQUIPMENT
 CABLE ASSEMBLIES

DWG SIZE
 C2

ISSUE
 23

LUCENT
 TECHNOLOGIES INC.

ED5D503-20

SHEET
 C16

ED5D503-20



THE "A" DIM IS THE LENGTH OF SWBD CABLE FRONT OF CONN TO FRONT OF CONN.
 THE "D" AND "E" DIM ARE THE DIM FROM BUTT OF CABLE TO THE FRONT OF CONN.
 SK. A

(SEE TABLE S)

TABLE S										
GROUP	CABLE CODE	"A" DIM CM FT-IN		"A" DIM TOLERANCE CM IN		LENGTH FROM CABLE BUTT TO FRONT OF CONN				
						"D" DIM		"E" DIM		SK
						CM	FT-IN	CM	FT-IN	
69D 569D	1051B4/ 26RVA	70	[2-3 1/2]	± 1.5	[± 1/2]	6.0	[0-2]	4.0	[0-1 1/2]	A
70D 570D		121	[3-11 1/2]	± 2.0						
71D 571D		77	[2-6 1/2]	± 1.5						
72D 572D		110	[3-7 1/2]	± 2.0						
73D 573D		80	[2-7 1/2]	± 1.5						
74D 574D		110	[3-7 1/2]	± 2.0						
75D 575D		88	[2-10 1/2]	± 1.5						
76D 576D		116	[3-9 1/2]	± 2.0						
77D 577D		90	[2-11 1/2]	± 1.5						
78D 578D		121	[3-11 1/2]	± 2.0						
79D 579D		93	[3-0 1/2]	± 1.5						
80D 580D		113	[3-8 1/2]	± 2.0						
81D 581D		100	[3-3 1/2]	± 2.0						
82D 582D		113	[3-8 1/2]	± 2.0						
83D 583D		93	[3-0 1/2]	± 1.5						
84D 584D		121	[3-11 1/2]	± 2.0						
85D 585D		100	[3-3 1/2]	± 2.0						
86D 586D		108	[3-6 1/2]	± 2.0						
87D 587D		105	[3-5 1/2]	± 2.0						
88D 588D		105	[3-5 1/2]	± 2.0						

SEE PROPRIETARY NOTICE ON SHEET ONE

SESS SWITCHING EQUIPMENT
 CABLE ASSEMBLIES

DWG SIZE
 C2

ISSUE
 23

LUCENT
 TECHNOLOGIES INC.

ED5D503-20

SHEET
 C17

ED5D503-20



THE "A" DIM IS THE LENGTH OF SWBD CABLE FRONT OF CONN TO FRONT OF CONN.
 THE "D" AND "E" DIM ARE THE DIM FROM BUTT OF CABLE TO THE FRONT OF CONN.
 SK. A

(SEE TABLE S)

TABLE S										
GROUP	CABLE CODE	"A" DIM		"A" DIM TOLERANCE		LENGTH FROM CABLE BUTT TO FRONT OF CONN				
		CM	FT-IN	CM	IN	"D" DIM		"E" DIM		SK
						CM	FT-IN	CM	FT-IN	
69E 669E	1051B4/ 26RVA	113	[3-8 1/2]	±2.0	[± 1/2]	6.0	[0-2]	4.0	[0-1 1/2]	A
70E 570E		144	[4-8 1/2]	±2.5	[± 1]					
71E 571E		123	[4-0 1/2]	±2.0	[± 1/2]					
72E 572E		151	[4-11 1/2]	±2.5	[± 1]					
73E 573E		121	[3-11 1/2]	±2.0	[± 1/2]					
74E 574E		149	[4-10 1/2]	±2.5	[± 1]					
75E 575E		128	[4-2 1/2]	±2.0	[± 1/2]					
76E 576E		156	[5-1 1/2]	±2.5	[± 1]					
77E 577E		123	[4-0 1/2]	±2.0	[± 1/2]					
78E 578E		154	[5-0 1/2]	±2.5	[± 1]					
79E 579E		128	[4-2 1/2]	±2.0	[± 1/2]					
80E 580E		156	[5-1 1/2]	±2.5	[± 1]					
81E 581E		121	[3-11 1/2]	±2.0	[± 1/2]					
82E 582E		149	[4-10 1/2]	±2.5	[± 1]					
83E 583E		123	[4-0 1/2]	±2.0	[± 1/2]					
84E 584E		151	[4-11 1/2]	±2.5	[± 1]					
85E 585E		126	[4-1 1/2]	±2.0	[± 1/2]					
86E 586E		154	[5-0 1/2]	±2.5	[± 1]					
87E 587E		156	[5-1 1/2]	±2.0	[± 1/2]					
88E 588E		128	[4-2 1/2]	±2.5	[± 1]					

SEE PROPRIETARY NOTICE ON SHEET ONE

SESS SWITCHING EQUIPMENT
 CABLE ASSEMBLIES

DWG SIZE
 C2

ISSUE
 23

LUCENT
 TECHNOLOGIES INC.

ED5D503-20

SHEET
 C18

ED5D503-20



THE "A" DIM IS THE LENGTH OF SWBD CABLE FRONT OF CONN TO FRONT OF CONN.
 THE "D" AND "E" DIM ARE THE DIM FROM BUTT OF CABLE TO THE FRONT OF CONN.
 SK. A

(SEE TABLE S)

TABLE S										
GROUP	CABLE CODE	"A" DIM		"A" DIM TOLERANCE		LENGTH FROM CABLE BUTT TO FRONT OF CONN				SK
						"D" DIM		"E" DIM		
						CM	FT-IN	CM	FT-IN	
69F 669F	1051B4/ 26RVA	137	[4-6]	±2.5	[±1]	6.0	[0-2]	14.0	[0-5 1/2]	A
70F 570F		168	[5-6]	±3.0	[±1]			14.0	[0-5 1/2]	
71F 571F		147	[4-10]	±2.5	[±1]			22.0	[0-8 1/2]	
72F 572F		175	[5-9]	±3.0	[±1]			22.0	[0-8 1/2]	
73F 573F		145	[4-9]	±2.5	[±1]			14.0	[0-5 1/2]	
74F 574F		173	[5-8]	±3.0	[±1]			14.0	[0-5 1/2]	
75F 575F		152	[5-0]	±2.5	[±1]			22.0	[0-8 1/2]	
76F 576F		180	[5-11]	±3.0	[±1]			22.0	[0-8 1/2]	
77F 577F		155	[5-1]	±2.5	[±1]					
78F 578F		185	[6-1]	±3.0	[±1]					
79F 579F		160	[5-3]	±2.5	[±1]					
80F 580F		188	[6-2]	±3.0	[±1]					
81F 581F		152	[5-0]	±2.5	[±1]					
82F 582F		180	[5-11]	±3.0	[±1]					
83F 583F		152	[5-0]	±2.5	[±1]					
84F 584F		183	[6-0]	±3.0	[±1]					
85F 585F		157	[5-2]	±2.5	[±1]					
86F 586F		185	[6-1]	±3.0	[±1]					
87F 587F		188	[6-2]	±3.0	[±1]					
88F 588F		160	[5-3]	±3.0	[±1]					

SEE PROPRIETARY NOTICE ON SHEET ONE

SESS SWITCHING EQUIPMENT
 CABLE ASSEMBLIES

DWG SIZE
 C2

ISSUE
 23

LUCENT
 TECHNOLOGIES INC.

ED5D503-20

SHEET
 C19

ED5D503-20



THE "A" DIM IS THE LENGTH OF SWBD CABLE FRONT OF CONN TO FRONT OF CONN.
 THE "D" AND "E" DIM ARE THE DIM FROM BUTT OF CABLE TO THE FRONT OF CONN.
 SK. A

(SEE TABLE S)

TABLE S										
GROUP	CABLE CODE	"A" DIM		"A" DIM TOLERANCE		LENGTH FROM CABLE BUTT TO FRONT OF CONN				
		CM	FT-IN	CM	IN	"D" DIM		"E" DIM		SK
						CM	FT-IN	CM	FT-IN	
69G 669G	1051B4/ 26RVA	133	[4-4 1/2]	±2.0	[±1/2]	6.0	[0-2]	4.0	[0-1 1/2]	A
70G 570G		164	[5-4 1/2]	±2.5	[±1]					
71G 571G		144	[4-8 1/2]	±2.5						
72G 572G		171	[5-7 1/2]	±3.0						
73G 573G		141	[4-7 1/2]	±2.5						
74G 574G		169	[5-6 1/2]	±3.0						
75G 575G		149	[4-10 1/2]	±2.5						
76G 576G		177	[5-9 1/2]	±3.0						
77G 577G		144	[4-8 1/2]	±2.5						
78G 578G		174	[5-8 1/2]	±3.0						
79G 579G		149	[4-10 1/2]	±2.5						
80G 580G		177	[5-9 1/2]	±3.0						
81G 581G		141	[4-7 1/2]	±2.5						
82G 582G		169	[5-6 1/2]	±3.0						
83G 583G		144	[4-8 1/2]	±2.5						
84G 584G		171	[5-7 1/2]	±3.0						
85G 585G		146	[4-9 1/2]	±2.5						
86G 586G		174	[5-8 1/2]	±3.0						
87G 587G		177	[5-9 1/2]	±3.0						
88G 588G		149	[4-10 1/2]	±2.5						

SEE PROPRIETARY NOTICE ON SHEET ONE

SESS SWITCHING EQUIPMENT
 CABLE ASSEMBLIES

DWG SIZE
 C2

ISSUE
 23

LUCENT
 TECHNOLOGIES INC.

ED5D503-20

SHEET
 C20



THE "A" DIM IS THE LENGTH OF SWBD CABLE FRONT OF CONN TO FRONT OF CONN.
 THE "D" AND "E" DIM ARE THE DIM FROM BUTT OF CABLE TO THE FRONT OF CONN.

SK. A

(SEE TABLE S)

TABLE S										
GROUP	CABLE CODE	"A" DIM		"A" DIM TOLERANCE		LENGTH FROM CABLE BUTT TO FRONT OF CONN				
						"D" DIM		"E" DIM		SK
						CM	FT-IN	CM	FT-IN	
69H 669H	1051B4/ 26RVA	157	[5-2]	±2.5	[±1]	6.0	[0-2]	14.0	[0-5 1/2]	A
70H 570H		188	[6-2]	±3.0				14.0	[0-5 1/2]	
71H 571H		168	[5-6]	±3.0				22.0	[0-8 1/2]	
72H 572H		196	[6-5]	±3.0				22.0	[0-8 1/2]	
73H 573H		165	[5-5]	±3.0				14.0	[0-5 1/2]	
74H 574H		193	[6-4]	±3.0				14.0	[0-5 1/2]	
75H 575H		173	[5-8]	±3.0				22.0	[0-8 1/2]	
76H 576H		201	[6-7]	±3.5						
77H 577H		175	[5-9]	±3.0						
78H 578H		206	[6-9]	±3.5						
79H 579H		180	[5-11]	±3.0						
80H 580H		208	[6-10]	±3.5						
81H 581H		173	[5-8]	±3.0						
82H 582H		201	[6-7]	±3.5						
83H 583H		173	[5-8]	±3.0						
84H 584H		203	[6-8]	±3.5						
85H 585H		178	[5-10]	±3.0						
86H 586H		206	[6-9]	±3.5						
87H 587H		208	[6-10]	±3.5						
88H 588H		180	[5-11]	±3.0						

SEE PROPRIETARY NOTICE ON SHEET ONE

SESS SWITCHING EQUIPMENT
 CABLE ASSEMBLIES

DWG SIZE
 C2

ISSUE
 23

LUCENT
 TECHNOLOGIES INC.

ED5D503-20

SHEET
 C21

ED5D503-20



THE "A" DIM IS THE LENGTH OF SWBD CABLE FRONT OF CONN TO FRONT OF CONN.
 THE "D" AND "E" DIM ARE THE DIM FROM BUTT OF CABLE TO THE FRONT OF CONN.
 SK. A

(SEE TABLE S)

TABLE S										
GROUP	CABLE CODE	"A" DIM		"A" DIM TOLERANCE		LENGTH FROM CABLE BUTT TO FRONT OF CONN				
		CM	FT-IN	CM	IN	"D" DIM		"E" DIM		SK
						CM	FT-IN	CM	FT-IN	
120 120A	26GA (4 REQ'D)	36.0	[1-2]	±1.5	[±1/2]					A
121 121A	SEE S/L	41.0	[1-4]	±1.5	[±1/2]					A
301A 302A	285A	165.1	[5-5]	±2.5	[±1.0]	4.0	[0-1 1/2]	4.0	[0-1 1/2]	A
303A	285A	144.8	[4-9]	±2.5	[±1.0]					
304A	285A	147.3	[4-10]	±2.5	[±1.0]					
305A 306A	285A	160.0	[5-3]	±2.5	[±1.0]					
307A 308A	285A	162.6	[5-4]	±2.5	[±1.0]					
301B 302B	285A	185.4	[6-1]	±3.0	[±1.5]					
303B	285A	165.1	[5-5]	±2.5	[±1.0]					
304B	285A	167.6	[5-6]	±3.0	[±1.0]					
305B 306B	285A	180.3	[5-11]	±3.0	[±1.5]					
307B 308B	285A	182.9	[6-0]	±3.0	[±1.5]					
301C 302C	285A	205.7	[6-9]	±3.5	[±1.5]					
303C	285A	185.4	[6-1]	±3.0	[±1.5]					
304C	285A	188.0	[6-2]	±3.0	[±1.5]					
305C 306C	285A	200.7	[6-7]	±3.5	[±1.5]					
307C 308C	285A	203.2	[6-8]	±3.5	[±1.5]					

SEE PROPRIETARY NOTICE ON SHEET ONE

SESS SWITCHING EQUIPMENT
 CABLE ASSEMBLIES

DWG SIZE
 C2

ISSUE
 25


LUCENT
 TECHNOLOGIES INC.

ED5D503-20

SHEET
 C22


ED5D503-20

963T-(), 963T2-() & AMP CONNECTOR
(2 X)



TYPICAL METHOD OF ASSEMBLING 963T-(), 963T2-() & AMP
CONNECTOR (2 X) ON TO
PREPARED CABLE END
FIG. 1


963T-(), 963T2-() & AMP CONNECTOR
(2 X)



TYPICAL METHOD OF ASSEMBLING 963T-(), 963T2-() & AMP
CONNECTOR (2 X) ON TO
PREPARED CABLE END
FIG. 2

SEE PROPRIETARY NOTICE ON SHEET ONE		
SESS SWITCHING EQUIPMENT CABLE ASSEMBLIES	DWG SIZE	ISSUE
	C2	24
LUCENT TECHNOLOGIES INC.	ED5D503-20	SHEET C23


982SS CONNECTOR



TYPICAL METHOD OF ATTACHING
982SS CONNECTORS (2X3)
TO CABLES

FIG. 3

982SS CONNECTOR




TYPICAL METHOD OF ATTACHING
982SS CONNECTORS (2X3)
TO CABLES

FIG. 4

SEE PROPRIETARY NOTICE ON SHEET ONE		
SESS SWITCHING EQUIPMENT CABLE ASSEMBLIES		
DWG SIZE C2	ISSUE 24	
LUCENT TECHNOLOGIES INC.	ED5D503-20	SHEET C24


STAMPING INFORMATION



963T2-6 OR RV125 AMP CONNECTOR (2 X 3)

TYPICAL METHOD OF STAMPING 963T-6, 963T2-6 & AMP CONNECTOR (2 X 3 OR 2 X 4)


FIG. 5



982SS OR 982AB CONNECTOR (2X)

TYPICAL METHOD OF STAMPING 982SS OR 982AB CONNECTOR

FIG. 7



963T2-12 OR RV125 AMP CONNECTOR (2 X 6)

TYPICAL METHOD OF STAMPING 963T-12, 963T2-12 & AMP CONNECTOR (2 X 6 & LARGER)

FIG. 6

SEE PROPRIETARY NOTICE ON SHEET ONE		
SESS SWITCHING EQUIPMENT CABLE ASSEMBLIES	DWG SIZE	ISSUE
	C2	24
LUCENT TECHNOLOGIES INC.	ED5D503-20	SHEET C25

CONNECTING INFORMATION



CONN POS 1			
WIRING SIDE OF 2x4 CONN			
COLOR	TERM	TERM	COLOR
W/BL	AA	BA	W/G
BL/W	AB	BB	G/W
O/W	AC	BC	BR/W
W/O	AD	BD	W/BR

AMP CONN IDENT

CODED SIDE OF 963T CONN

CONN POS 2			
WIRING SIDE OF 2x4 CONN			
COLOR	TERM	TERM	COLOR
W/BL	AA	BA	W/G
G/W	AB	BB	BL/W
BR/W	AC	BC	O/W
W/O	AD	BD	W/BR

AMP CONN IDENT

CODED SIDE OF 963T CONN

STAMPING INFORMATION

STAMPING TABLE (SEE FIG.5 & 6)									
GROUP	CABLE DESIG	CONN POS	EQL	TERM	CAB	CONN POS	EQL	TERM	CAB
120, 120A		1	()-176	119	DLTU2	2	()-112	119	DLTU2
121, 121A		1	()-174	119	DLTU3	2	()-098	119	DLTU3

CONNECTING INFORMATION



CONN POS 1 & 2				
WIRING SIDE OF 2x3 CONN				
AMP CONN IDENT	COLOR	TERM	TERM	COLOR
		AA	BA	
	BL/W	AB	BB	O/W
	W/BL	AC	BC	W/O

CODED SIDE OF 963T CONN

STAMPING INFORMATION

STAMPING TABLE (SEE FIG.5)								
GROUP	CONN POS	EQL	TERM	CAB	CONN POS	EQL	TERM	CAB
1,501 THRU 18,518	1	()-()	()		2	()-()	()	
109,609 THRU 118,618								

GROUP 1 THRU 18, 109 THRU 118 (E/W 963T CONN)
 GROUP 501 THRU 518, 609 THRU 618 (E/W AMP CONN)

SEE PROPRIETARY NOTICE ON SHEET ONE		
SESS SWITCHING EQUIPMENT CABLE ASSEMBLIES	DWG SIZE	ISSUE
	C2	23
LUCENT TECHNOLOGIES INC.	ED5D503-20	SHEET C27

CONNECTING INFORMATION




TABLE A				
CONN	GROUP 19,519		GROUP 20,520	
	CM	[FT-IN]	CM	[FT-IN]
2	28.0	[0-4 1/2]	140.0	[1-3 1/2]
3	140.0	[1-3 1/2]	28.0	[0-4 1/2]

STAMPING INFORMATION

STAMPING TABLE (SEE FIG.5 & 6)									
GROUP	CABLE DESIG	CONN POS	EQL	TERM	CAB	CONN POS	EQL	TERM	CAB
19,519		1	45-038	350		2	36-066	113	
		3				36-156			
20,520		1	45-128	350		2	36-066	313	
		3				36-156			

CONN POS 1				
WIRING SIDE OF 2x6 CONN				
AMP CONN IDENT	COLOR	TERM	TERM	COLOR
		AA	BA	BL/W
		AB	BB	
		AC	BC	W/BL
		AD	BD	O/W
		AE	BE	
		AF	BF	W/O

CODED SIDE OF 963T CONN

CONN POS 2				
WIRING SIDE OF 2x3 CONN				
AMP CONN IDENT	COLOR	TERM	TERM	COLOR
		AA	BA	BL/W
		AB	BB	
		AC	BC	W/BL

CODED SIDE OF 963T CONN

CONN POS 3				
WIRING SIDE OF 2x3 CONN				
AMP CONN IDENT	COLOR	TERM	TERM	COLOR
		AA	BA	O/W
		AB	BB	
		AC	BC	W/O

CODED SIDE OF 963T CONN

GROUP 19, 20 (E/W 963T CONN)
GROUP 519,520 (E/W AMP CONN)

CONNECTING INFORMATION



CONN POS 1

WIRING SIDE OF 2x3 CONN			
COLOR	TERM	TERM	COLOR
	AA	BA	BL-W
	AB	BB	W-BL
	AC	BC	

AMP CONN IDENT

CODED SIDE OF 963T CONN

CONN POS 2

WIRING SIDE OF 2x3 CONN			
COLOR	TERM	TERM	COLOR
	AA	BA	
BL-W	AB	BB	W-BL
	AC	BC	

AMP CONN IDENT

CODED SIDE OF 963T CONN


STAMPING INFORMATION

STAMPING TABLE (SEE FIG.5)

GROUP	CONN POS	EQL	TERM	CAB	CONN POS	EQL	TERM	CAB
21,521	1	()45-138	354		2	()19-019	104	
23,523	1	()45-138	307		2	()19-029	104	
25,525	1	()45-138	339		2	()19-039	104	
27,527	1	()45-138	322		2	()19-049	104	
21C	1	145-138	354		2	153-019	104	
23C	1	145-138	307		2	153-029	104	
25C	1	145-138	339		2	153-039	104	
27C	1	145-138	322		2	153-049	104	

GROUP 21, 23, 25, 27 (E/W 963T CONN)
 GROUP 21C, 23C, 25C, 27C (E/W 963T CONN)
 GROUP 521, 523, 525, 527 (E/W AMP CONN)

CONNECTING INFORMATION



CONN POS 1

WIRING SIDE OF 2x3 CONN

AMP CONN IDENT	COLOR	TERM	TERM	COLOR
		AA	BA	BL-W
		AB	BB	W-BL
		AC	BC	

CODED SIDE OF 963T CONN

CONN POS 2

WIRING SIDE OF 2x3 CONN

AMP CONN IDENT	COLOR	TERM	TERM	COLOR
		AA	BA	
		AB	BB	
	BL-W	AC	BC	W-BL

CODED SIDE OF 963T CONN

STAMPING INFORMATION

STAMPING TABLE (SEE FIG.5)

GROUP	CONN POS	EQL	TERM	CAB	CONN POS	EQL	TERM	CAB
21A,521A	1	()36-138	354		2	()19-014	100	
23A,523A	1	()36-138	307		2	()19-022	100	
25A,525A	1	()36-138	339		2	()19-030	100	
27A,527A	1	()36-138	322		2	()19-038	100	
21B,521B	1	145-138	354		2	153-014	100	
23B,523B	1	145-138	307		2	153-022	100	
25B,525B	1	145-138	339		2	153-030	100	
27B,527B	1	145-138	322		2	153-038	100	
301A	1	()11-138	354		2	()45-014	100	
301B	1	()11-138	354		2	()53-014	100	
301C	1	()11-138	354		2	()62-014	100	
303A	1	()11-138	307		2	()45-022	100	
303B	1	()11-138	307		2	()53-022	100	
303C	1	()11-138	307		2	()62-022	100	
305A	1	()11-138	339		2	()45-030	100	
305B	1	()11-138	339		2	()53-030	100	
305C	1	()11-138	339		2	()62-030	100	
307A	1	()11-138	322		2	()45-038	100	
307B	1	()11-138	322		2	()53-038	100	
307C	1	()11-138	322		2	()62-038	100	

GROUP 21A, 23A, 25A, 27A (E/W 963T CONN)

GROUP 521A,523A,525A,527A (E/W AMP CONN)

GROUP 21B, 23B, 25B, 27B (E/W 963T CONN)

GROUP 521B,523B,525B,527B (E/W AMP CONN)

GROUP 301A, 303A, 305A, 307A (E/W 963T CONN)

GROUP 301B, 303B, 305B, 307B (E/W 963T CONN)

GROUP 301C, 303C, 305C, 307C (E/W 963T CONN)

SEE PROPRIETARY NOTICE ON SHEET ONE

SESS SWITCHING EQUIPMENT
CABLE ASSEMBLIES

DWG SIZE
C2

ISSUE
25

LUCENT
TECHNOLOGIES INC.

ED5D503-20

SHEET
C30

CONNECTING INFORMATION



CONN POS 1

WIRING SIDE OF 2x3 CONN			
COLOR	TERM	TERM	COLOR
	AA	BA	BL-W
	AB	BB	W-BL
	AC	BC	

AMP CONN IDENT

CODED SIDE OF 963T CONN

CONN POS 2

WIRING SIDE OF 2x3 CONN			
COLOR	TERM	TERM	COLOR
	AA	BA	
	AB	BB	W-BL
BL-W	AC	BC	

AMP CONN IDENT

CODED SIDE OF 963T CONN

STAMPING INFORMATION


STAMPING TABLE (SEE FIG.5)

GROUP	CONN POS	EQL	TERM	CAB	CONN POS	EQL	TERM	CAB
22,522	1	()45-048	354		2	()19-019	109	
24,524	1	()45-048	307		2	()19-029	109	
26,526	1	()45-048	339		2	()19-039	109	
28,528	1	()45-048	322		2	()19-049	109	
22C	1	145-048	354		2	153-019	109	
24C	1	145-048	307		2	153-029	109	
26C	1	145-048	339		2	153-039	109	
28C	1	145-048	322		2	153-049	109	

GROUP 22, 24, 26, 28 (E/W 963T CONN)
 GROUP 22C, 24C, 26C, 28C (E/W 963T CONN)
 GROUP 522,524,526,528 (E/W AMP CONN)

SEE PROPRIETARY NOTICE ON SHEET ONE		
SESS SWITCHING EQUIPMENT CABLE ASSEMBLIES	DWG SIZE	ISSUE
	C2	24
LUCENT TECHNOLOGIES INC.	ED5D503-20	SHEET C31

CONNECTING INFORMATION



CONN POS 1

WIRING SIDE OF 2x3 CONN

AMP CONN IDENT	COLOR	TERM	TERM	COLOR
		AA	BA	BL-W
		AB	BB	W-BL
		AC	BC	

CODED SIDE OF 963T CONN

CONN POS 2

WIRING SIDE OF 2x3 CONN

AMP CONN IDENT	COLOR	TERM	TERM	COLOR
		AA	BA	
		AB	BB	
	BL-W	AC	BC	W-BL

CODED SIDE OF 963T CONN

STAMPING INFORMATION

STAMPING TABLE (SEE FIG.5)

GROUP	CONN POS	EQL	TERM	CAB	CONN POS	EQL	TERM	CAB
22A,522A	1	()36-048	354		2	()19-014	300	
24A,524A	1	()36-048	307		2	()19-022	300	
26A,526A	1	()36-048	339		2	()19-030	300	
28A,528A	1	()36-048	322		2	()19-038	300	
22B,522B	1	145-048	354		2	153-014	300	
24B,524B	1	145-048	307		2	153-022	300	
26B,526B	1	145-048	339		2	153-030	300	
28B,528B	1	145-048	322		2	153-038	300	
302A	1	()11-048	354		2	()45-014	300	
302B	1	()11-048	354		2	()53-014	300	
302C	1	()11-048	354		2	()62-014	300	
304A	1	()11-048	307		2	()45-022	300	
304B	1	()11-048	307		2	()53-022	300	
304C	1	()11-048	307		2	()62-022	300	
306A	1	()11-048	339		2	()45-030	300	
306B	1	()11-048	339		2	()53-030	300	
306C	1	()11-048	339		2	()62-030	300	
308A	1	()11-048	322		2	()45-038	300	
308B	1	()11-048	322		2	()53-038	300	
308C	1	()11-048	322		2	()62-038	300	

GROUP 22A, 24A, 26A, 28A (E/W 963T CONN)

GROUP 522A,524A,526A,528A (E/W AMP CONN)

GROUP 22B, 24B, 26B, 28B (E/W 963T CONN)

GROUP 522B,524B,526B,528B (E/W AMP CONN)

GROUP 302A, 304A, 306A, 308A (E/W 963T CONN)

GROUP 302B, 304B, 306B, 308B (E/W 963T CONN)

GROUP 302C, 304C, 306C, 308C (E/W 963T CONN)

SEE PROPRIETARY NOTICE ON SHEET ONE

SESS SWITCHING EQUIPMENT
CABLE ASSEMBLIES

DWG SIZE
C2

ISSUE
25

LUCENT
TECHNOLOGIES INC.

ED5D503-20

SHEET
C32

CONNECTING INFORMATION




TABLE A			
	GROUP 29-38, 529-538	GROUP 39-48, 539-548	
	GROUP 49-58, 549-558	GROUP 59-68, 559-568	
	GROUP 69-78, 569-578	GROUP 79-88, 579-588	
	GROUP 89-98, 589-598	GROUP 99-108, 599-608	
CONN	CM	[FT-IN]	CM [FT-IN]
2	14.0	[0-5 1/2]	17.0 [0-6 1/2]
3	17.0	[0-6 1/2]	14.0 [0-5 1/2]

CONN POS 1			
982SS CONN			
TERMINALS			
	A	B	C
R	G/W	W/G	W/BR
O	BR/W	W/BL	W/O
W	BL/W	W/O	
A	G/W	W/G	W/BR
B	BR/W	W/BL	W/O

CONN POS 2				
WIRING SIDE OF 2x3 CONN				
AMP CONN IDENT	COLOR	TERM	TERM	COLOR
		AA	BA	
	W/BL	AB	BB	W/O
	BL/W	AC	BC	O/W

CODED SIDE OF 963T CONN

CONN POS 3				
WIRING SIDE OF 2x3 CONN				
AMP CONN IDENT	COLOR	TERM	TERM	COLOR
		AA	BA	
	W/G	AB	BB	W/BR
	G/W	AC	BC	BR/W

CODED SIDE OF 963T CONN

STAMPING INFORMATION

STAMPING TABLE (SEE FIG.5 & 7)									
GROUP	CABLE DESIG	CONN POS	EQL	TERM	CAB	CONN POS	EQL	TERM	CAB
29,529		1	153-022	319		2	136-062	003	
						3	136-062	006	
30,530		1	153-022	322		2	136-152	003	
						3	136-152	006	
31,531		1	153-038	322		2	136-152	003	
						3	136-152	006	
32,532		1	153-038	322		2	136-152	003	
						3	136-152	006	
33,533		1	153-054	322		2	136-152	003	
						3	136-152	006	
34,534		1	153-054	322		2	136-152	003	
						3	136-152	006	
35,535		1	153-070	322		2	136-152	003	
						3	136-152	006	
36,536		1	153-070	322		2	136-152	003	
						3	136-152	006	
37,537		1	153-086	322		2	136-152	003	
						3	136-152	006	
38,538		1	153-086	322		2	136-152	003	
						3	136-152	006	
39,539		1	153-112	322		2	136-152	003	
						3	136-152	006	
40,540		1	153-112	322		2	136-152	003	
						3	136-152	006	
41,541		1	153-128	322		2	136-152	003	
						3	136-152	006	
42,542		1	153-128	322		2	136-152	003	
						3	136-152	006	

GROUP 29 THRU 108 (E/W 963T CONN)
 GROUP 529 THRU 608 (E/W AMP CONN)

SEE PROPRIETARY NOTICE ON SHEET ONE		
SESS SWITCHING EQUIPMENT CABLE ASSEMBLIES	DWG SIZE	ISSUE
	C2	23
LUCENT TECHNOLOGIES INC.	ED5D503-20	SHEET C33

STAMPING INFORMATION

STAMPING TABLE (SEE FIG.5)									
GROUP	CABLE DESIG	CONN POS	EQL	TERM	CAB	CONN POS	EQL	TERM	CAB
43,543		1	153-144	319		2	136-064	016	
						3	136-074	016	
44,544		1	153-144	322		2	136-154	016	
						3	136-164	016	
45,545		1	153-160	319		2	136-062	019	
						3	136-072	019	
46,546		1	153-160	322		2	136-152	019	
						3	136-162	019	
47,547		1	153-176	319		2	136-064	019	
						3	136-074	019	
48,548		1	153-176	322		2	136-154	019	
						3	136-164	019	
49,549		1	145-022	319		2	136-062	003	
						3	136-062	006	
50,550		1	145-022	322		2	136-152	003	
						3	136-152	006	
51,551		1	145-038	319		2	136-072	003	
						3	136-072	006	
52,552		1	145-038	322		2	136-162	003	
						3	136-162	006	
53,553		1	145-054	319		2	136-064	003	
						3	136-064	006	
54,554		1	145-054	322		2	136-154	003	
						3	136-154	006	
55,555		1	145-070	319		2	136-074	003	
						3	136-074	006	
56,556		1	145-070	322		2	136-164	003	
						3	136-164	006	
57,557		1	145-086	319		2	136-062	009	
						3	136-072	009	
58,558		1	145-086	322		2	136-152	009	
						3	136-162	009	
59,559		1	145-112	319		2	136-064	009	
						3	136-074	009	
60,560		1	145-112	322		2	136-154	009	
						3	136-164	009	

STAMPING TABLE (SEE FIG.5)									
GROUP	CABLE DESIG	CONN POS	EQL	TERM	CAB	CONN POS	EQL	TERM	CAB
61,561		1	145-128	319		2	136-062	016	
						3	136-072	016	
62,562		1	145-128	322		2	136-152	016	
						3	136-162	016	
63,563		1	145-144	319		2	136-064	016	
						3	136-074	016	
64,564		1	145-144	322		2	136-154	016	
						3	136-164	016	
65,565		1	145-160	319		2	136-062	019	
						3	136-072	019	
66,566		1	145-160	322		2	136-152	019	
						3	136-162	019	
67,567		1	145-176	319		2	136-064	019	
						3	136-074	019	
68,568		1	145-176	322		2	136-154	019	
						3	136-164	019	
69,569		1	019-022	319		2	028-062	003	
						3	028-062	006	
70,570		1	019-022	322		2	028-152	003	
						3	028-152	006	
71,571		1	019-038	319		2	028-072	003	
						3	028-072	006	
72,572		1	019-038	322		2	028-162	003	
						3	028-162	006	
73,573		1	019-054	319		2	028-064	003	
						3	028-064	006	
74,574		1	019-054	322		2	028-154	003	
						3	028-154	006	
75,575		1	019-070	319		2	028-074	003	
						3	028-074	006	

SEE PROPRIETARY NOTICE ON SHEET ONE

SESS SWITCHING EQUIPMENT CABLE ASSEMBLIES		DWG SIZE C2	ISSUE 24
LUCENT TECHNOLOGIES INC.		ED5D503-20	SHEET C34

GROUP 43 THRU 75 E/W 963T CONN)
GROUP 543 THRU 575 (E/W AMP CONN)

STAMPING INFORMATION

STAMPING TABLE (SEE FIG.5)									
GROUP	CABLE DESIG	CONN POS	EQL	TERM	CAB	CONN POS	EQL	TERM	CAB
76,576		1	019-070	322		2	028-164	003	
						3	028-164	006	
77,577		1	019-086	319		2	028-062	009	
						3	028-072	009	
78,578		1	019-086	322		2	028-152	009	
						3	028-162	009	
79,579		1	019-112	319		2	028-064	009	
						3	028-074	009	
80,580		1	019-112	322		2	028-154	009	
						3	028-164	009	
81,581		1	019-128	319		2	028-062	016	
						3	028-072	016	
82,582		1	019-128	322		2	028-152	016	
						3	028-162	016	
83,583		1	019-144	319		2	028-064	016	
						3	028-074	016	
84,584		1	019-144	322		2	028-154	016	
						3	028-164	016	
85,585		1	019-160	319		2	028-062	019	
						3	028-072	019	
86,586		1	019-160	322		2	028-152	019	
						3	028-162	019	
87,587		1	019-176	319		2	028-064	019	
						3	028-074	019	
88,588		1	019-176	322		2	028-154	019	
						3	028-164	019	
89,589		1	153-022	319		2	145-062	003	
						3	145-062	006	
90,590		1	153-022	322		2	145-152	003	
						3	145-152	006	
91,591		1	153-038	319		2	145-072	003	
						3	145-072	006	
92,592		1	153-038	322		2	145-162	003	
						3	145-162	006	
93,593		1	153-054	319		2	145-064	003	
						3	145-064	006	

STAMPING TABLE (SEE FIG.5)									
GROUP	CABLE DESIG	CONN POS	EQL	TERM	CAB	CONN POS	EQL	TERM	CAB
94,594		1	153-054	322		2	145-154	003	
						3	145-154	006	
95,595		1	153-070	319		2	145-074	003	
						3	145-074	006	
96,596		1	153-070	322		2	145-164	003	
						3	145-164	006	
97,597		1	153-086	319		2	145-062	009	
						3	145-072	009	
98,598		1	153-086	322		2	145-152	009	
						3	145-162	009	
99,599		1	153-112	319		2	145-064	009	
						3	145-074	009	
100,600		1	153-112	322		2	145-154	009	
						3	145-164	009	
101,601		1	153-128	319		2	145-062	016	
						3	145-072	016	
102,602		1	153-128	322		2	145-152	016	
						3	145-162	016	
103,603		1	153-144	319		2	145-064	016	
						3	145-074	016	
104,604		1	153-144	322		2	145-154	016	
						3	145-164	016	
105,605		1	153-160	319		2	145-062	019	
						3	145-072	019	
106,606		1	153-160	322		2	145-152	019	
						3	145-162	019	
107,607		1	153-176	319		2	145-064	019	
						3	145-074	019	
108,608		1	153-176	322		2	145-154	019	
						3	145-164	019	

SEE PROPRIETARY NOTICE ON SHEET ONE

SESS SWITCHING EQUIPMENT
CABLE ASSEMBLIES

DWG SIZE C2 ISSUE 24

LUCENT TECHNOLOGIES INC. ED5D503-20 SHEET C35

GROUP 76 THRU 108 E/W 963T CONN)
GROUP 576 THRU 608 (E/W AMP CONN)

CONNECTING INFORMATION




TABLE A

CONN	GROUP 29A, 30A, 34A, 49A, 50A, 53A, 54A, 69A, 70A, 73A, 74A, 529A, 530A, 534A, 549A, 550A, 553A, 554A, 569A, 570A, 573A, 574A		GROUP 31A, 32A, 33A, 35A, 36A, 51A, 52A, 55A, 56A, 71A, 72A, 75A, 76A, 531A, 532A, 533A, 535A, 536A, 551A, 552A, 555A, 556A, 571A, 572A, 575A, 576A		GROUP 37A, 38A, 57A, 58A, 77A, 78A, 89A THRU 98A, 537A, 538A, 557A, 558A, 577A, 578A, 589A THRU 598A		GROUP 39A THRU 48A, 59A THRU 68A, 79A THRU 88A, 99A THRU 108A, 539A THRU 548A, 559A THRU 568A, 579A THRU 588A, 599A-608A	
	CM	[FT-IN]	CM	[FT-IN]	CM	[FT-IN]	CM	[FT-IN]
2	14.0	[0-5 1/2]	22.0	[0-8 1/2]	14.0	[0-5 1/2]	22.0	[0-8 1/2]
3	14.0	[0-5 1/2]	22.0	[0-8 1/2]	22.0	[0-8 1/2]	14.0	[0-5 1/2]

CONN POS 1				
982SS CONN				
R O W	TERMINALS			
	A	B	C	
A	G/W BR/W	W/G	W/BR	
B	BL/W O/W	W/BL	W/O	

CONN POS 2				
WIRING SIDE OF 2x3 CONN				
AMP CONN IDENT	COLOR	TERM	TERM	COLOR
		AA	BA	
	W/BL	AB	BB	W/O
	BL/W	AC	BC	O/W

CODED SIDE OF 963T CONN

CONN POS 3				
WIRING SIDE OF 2x3 CONN				
AMP CONN IDENT	COLOR	TERM	TERM	COLOR
		AA	BA	
	W/G	AB	BB	W/BR
	G/W	AC	BC	BR/W

CODED SIDE OF 963T CONN

GROUP 29A THRU 108A (E/W 963T CONN)
GROUP 529A THRU 608A (E/W AMP CONN)

STAMPING INFORMATION

STAMPING TABLE (SEE FIG.5 & 7)

GROUP	CABLE DESIG	CONN POS	EQL	TERM	CAB	CONN POS	EQL	TERM	CAB
29A		1	153-022	319		2	136-047	003	
529A						3	136-047	006	
30A		1	153-022	322		2	136-137	003	
530A						3	136-137	006	
31A		1	153-038	319		2	136-067	003	
531A						3	136-067	006	
32A		1	153-038	322		2	136-157	003	
532A						3	136-157	006	
33A		1	153-054	319		2	136-049	003	
533A						3	136-049	006	
34A		1	153-054	322		2	136-139	003	
534A						3	136-139	006	
35A		1	153-070	319		2	136-069	003	
535A						3	136-069	006	
36A		1	153-070	322		2	136-159	003	
536A						3	136-159	006	
37A		1	153-086	319		2	136-047	009	
537A						3	136-067	009	
38A		1	153-086	322		2	136-137	009	
538A						3	136-157	009	
39A		1	153-112	319		2	136-049	009	
539A						3	136-069	009	
40A		1	153-112	322		2	136-139	009	
540A						3	136-159	009	
41A		1	153-128	319		2	136-047	016	
541A						3	136-067	016	
42A		1	153-128	322		2	136-137	016	
542A						3	136-157	016	

SEE PROPRIETARY NOTICE ON SHEET ONE

SESS SWITCHING EQUIPMENT
CABLE ASSEMBLIES

DWG SIZE
C2

ISSUE
23

LUCENT
TECHNOLOGIES INC.

ED5D503-20

SHEET
C36

STAMPING INFORMATION

STAMPING TABLE (SEE FIG.5 & 7)									
GROUP	CABLE DESIG	CONN POS	EQL	TERM	CAB	CONN POS	EQL	TERM	CAB
43A		1	153-144	319		2	136-049	016	
543A						3	136-069	016	
44A		1	153-144	322		2	136-139	016	
544A						3	136-159	016	
45A		1	153-160	319		2	136-047	019	
545A						3	136-067	019	
46A		1	153-160	322		2	136-137	019	
546A						3	136-157	019	
47A		1	153-176	319		2	136-049	019	
547A						3	136-069	019	
48A		1	153-176	322		2	136-139	019	
548A						3	136-159	019	
49A		1	145-022	319		2	136-047	003	
549A						3	136-047	006	
50A		1	145-022	322		2	136-137	003	
550A						3	136-137	006	
51A		1	145-038	319		2	136-067	003	
551A						3	136-067	006	
52A		1	145-038	322		2	136-157	003	
552A						3	136-157	006	
53A		1	145-054	319		2	136-049	003	
553A						3	136-049	006	
54A		1	145-054	322		2	136-139	003	
554A						3	136-139	006	
55A		1	145-070	319		2	136-069	003	
555A						3	136-069	006	
56A		1	145-070	322		2	136-159	003	
556A						3	136-159	006	
57A		1	145-086	319		2	136-047	009	
557A						3	136-067	009	
58A		1	145-086	322		2	136-137	009	
558A						3	136-157	009	
59A		1	145-112	319		2	136-049	009	
559A						3	136-069	009	
60A		1	145-112	322		2	136-139	009	
560A						3	136-159	009	

STAMPING TABLE (SEE FIG.5 & 7)									
GROUP	CABLE DESIG	CONN POS	EQL	TERM	CAB	CONN POS	EQL	TERM	CAB
61A		1	145-128	319		2	136-047	016	
561A						3	136-067	016	
62A		1	145-128	322		2	136-137	016	
562A						3	136-157	016	
63A		1	145-144	319		2	136-049	016	
563A						3	136-069	016	
64A		1	145-144	322		2	136-139	016	
564A						3	136-159	016	
65A		1	145-160	319		2	136-047	019	
565A						3	136-067	019	
66A		1	145-160	322		2	136-137	019	
566A						3	136-157	019	
67A		1	145-176	319		2	136-049	019	
567A						3	136-069	019	
68A		1	145-176	322		2	136-139	019	
568A						3	136-159	019	
69A		1	019-022	319		2	028-047	003	
569A						3	028-047	006	
70A		1	019-022	322		2	028-137	003	
570A						3	028-137	006	
71A		1	019-038	319		2	028-067	003	
571A						3	028-067	006	
72A		1	019-038	322		2	028-157	003	
572A						3	028-157	006	
73A		1	019-054	319		2	028-049	003	
573A						3	028-049	006	
74A		1	019-054	322		2	028-139	003	
574A						3	028-139	006	
75A		1	019-070	319		2	028-069	003	
575A						3	028-069	006	

SEE PROPRIETARY NOTICE ON SHEET ONE

SESS SWITCHING EQUIPMENT CABLE ASSEMBLIES		DWG SIZE C2	ISSUE 24
LUCENT TECHNOLOGIES INC.		ED5D503-20	SHEET C37

GROUP 43A THRU 75A (E/W 963T CONN)
GROUP 543A THRU 575A (E/W AMP CONN)

STAMPING INFORMATION

STAMPING TABLE (SEE FIG.5 & 7)									
GROUP	CABLE DESIG	CONN POS	EQL	TERM	CAB	CONN POS	EQL	TERM	CAB
76A		1	019-070	322		2	028-159	003	
576A						3	028-159	006	
77A		1	019-086	319		2	028-047	009	
577A						3	028-067	009	
78A		1	019-086	322		2	028-137	009	
578A						3	028-157	009	
79A		1	019-112	319		2	028-049	009	
579A						3	028-069	009	
80A		1	019-112	322		2	028-139	009	
580A						3	028-159	009	
81A		1	019-128	319		2	028-047	016	
581A						3	028-067	016	
82A		1	019-128	322		2	028-137	016	
582A						3	028-157	016	
83A		1	019-144	319		2	028-049	016	
583A						3	028-069	016	
84A		1	019-144	322		2	028-139	016	
584A						3	028-159	016	
85A		1	019-160	319		2	028-047	019	
585A						3	028-067	019	
86A		1	019-160	322		2	028-137	019	
586A						3	028-157	019	
87A		1	019-176	319		2	028-049	019	
587A						3	028-069	019	
88A		1	019-176	322		2	028-139	019	
588A						3	028-159	019	
89A		1	153-022	319		2	145-047	003	
589A						3	145-047	006	
90A		1	153-022	322		2	145-137	003	
590A						3	145-137	006	
91A		1	153-038	319		2	145-067	003	
591A						3	145-067	006	
92A		1	153-038	322		2	145-157	003	
592A						3	145-157	006	
93A		1	153-054	319		2	145-049	003	
593A						3	145-049	006	


STAMPING TABLE (SEE FIG.5 & 7)									
GROUP	CABLE DESIG	CONN POS	EQL	TERM	CAB	CONN POS	EQL	TERM	CAB
94A		1	153-054	322		2	145-139	003	
594A						3	145-139	006	
95A		1	153-070	319		2	145-069	003	
595A						3	145-069	006	
96A		1	153-070	322		2	145-159	003	
596A						3	145-159	006	
97A		1	153-086	319		2	145-047	009	
597A						3	145-067	009	
98A		1	153-086	322		2	145-137	009	
598A						3	145-157	009	
99A		1	153-112	319		2	145-049	009	
599A						3	145-069	009	
100A		1	153-112	322		2	145-139	009	
600A						3	145-159	009	
101A		1	153-128	319		2	145-047	016	
601A						3	145-067	016	
102A		1	153-128	322		2	145-137	016	
602A						3	145-157	016	
103A		1	153-144	319		2	145-049	016	
603A						3	145-069	016	
104A		1	153-144	322		2	145-139	016	
604A						3	145-159	016	
105A		1	153-160	319		2	145-047	019	
605A						3	145-067	019	
106A		1	153-160	322		2	145-137	019	
606A						3	145-157	019	
107A		1	153-176	319		2	145-049	019	
607A						3	145-069	019	
108A		1	153-176	322		2	145-139	019	
608A						3	145-159	019	

SEE PROPRIETARY NOTICE ON SHEET ONE

SESS SWITCHING EQUIPMENT CABLE ASSEMBLIES		DWG SIZE C2	ISSUE 24
LUCENT TECHNOLOGIES INC.		ED5D503-20	SHEET C38

GROUP 76A THRU 108A (E/W 963T CONN)
GROUP 576A THRU 608A (E/W AMP CONN)

CONNECTING INFORMATION



CONN POS 1			
982SS CONN			
ROW	TERMINALS		
	A	B	C
A			
B	BL/W O/W	W/BL	W/O

CONN POS 2				
WIRING SIDE OF 2x3 CONN				
AMP CONN IDENT	COLOR	TERM	TERM	COLOR
		AA	BA	
	W/BL	AB	BB	W/O
	BL/W	AC	BC	O/W

CODED SIDE OF 963T CONN

STAMPING INFORMATION

STAMPING TABLE (SEE FIG.5 & 7)

GROUP	CABLE DESIG	CONN POS	EQL	TERM	CAB	CONN POS	EQL	TERM	CAB
29B		1	153-022	319		2	136-047	003	
529B									
30B		1	153-022	322		2	136-137	003	
530B									
31B		1	153-038	319		2	136-067	003	
531B									
32B		1	153-038	322		2	136-157	003	
532B									
33B		1	153-054	319		2	136-049	003	
533B									
34B		1	153-054	322		2	136-139	003	
534B									
35B		1	153-070	319		2	136-069	003	
535B									
36B		1	153-070	322		2	136-159	003	
536B									
37B		1	153-086	319		2	136-047	009	
537B									
38B		1	153-086	322		2	136-137	009	
538B									
39B		1	153-112	319		2	136-049	009	
539B									
40B		1	153-112	322		2	136-139	009	
540B									
41B		1	153-128	319		2	136-047	016	
541B									
42B		1	153-128	322		2	136-137	016	
542B									

GROUP 29B THRU 88B (E/W 963T CONN)
 GROUP 529B THRU 588B (E/W AMP CONN)

STAMPING INFORMATION

STAMPING TABLE (SEE FIG.5 & 7)									
GROUP	CABLE DESIG	CONN POS	EQL	TERM	CAB	CONN POS	EQL	TERM	CAB
43B		1	153-144	319		2	136-049	016	
543B									
44B		1	153-144	322		2	136-139	016	
544B									
45B		1	153-160	319		2	136-047	019	
545B									
46B		1	153-160	322		2	136-137	019	
546B									
47B		1	153-176	319		2	136-049	019	
547B									
48B		1	153-176	322		2	136-139	019	
548B									
49B		1	145-022	319		2	136-047	003	
549B									
50B		1	145-022	322		2	136-137	003	
550B									
51B		1	145-038	319		2	136-067	003	
551B									
52B		1	145-038	322		2	136-157	003	
552B									
53B		1	145-054	319		2	136-049	003	
553B									
54B		1	145-054	322		2	136-139	003	
554B									
55B		1	145-070	319		2	136-069	003	
555B									
56B		1	145-070	322		2	136-159	003	
556B									
57B		1	145-086	319		2	136-047	009	
557B									
58B		1	145-086	322		2	136-137	009	
558B									
59B		1	145-112	319		2	136-049	009	
559B									
60B		1	145-112	322		2	136-139	009	
560B									

STAMPING TABLE (SEE FIG.5 & 7)									
GROUP	CABLE DESIG	CONN POS	EQL	TERM	CAB	CONN POS	EQL	TERM	CAB
61B		1	145-128	319		2	136-047	016	
561B									
62B		1	145-128	322		2	136-137	016	
562B									
63B		1	145-144	319		2	136-049	016	
563B									
64B		1	145-144	322		2	136-139	016	
564B									
65B		1	145-160	319		2	136-047	019	
565B									
66B		1	145-160	322		2	136-137	019	
566B									
67B		1	145-176	319		2	136-049	019	
567B									
68B		1	145-176	322		2	136-139	019	
568B									
69B		1	019-022	319		2	028-047	003	
569B									
70B		1	019-022	322		2	028-137	003	
570B									
71B		1	019-038	319		2	028-067	003	
571B									
72B		1	019-038	322		2	028-157	003	
572B									
73B		1	019-054	319		2	028-049	003	
573B									
74B		1	019-054	322		2	028-139	003	
574B									
75B		1	019-070	319		2	028-069	003	
575B									

SEE PROPRIETARY NOTICE ON SHEET ONE		
SESS SWITCHING EQUIPMENT CABLE ASSEMBLIES		DWG SIZE C2
LUCENT TECHNOLOGIES INC.		ISSUE 24 SHEET C40

GROUP 43A THRU 75A (E/W 963T CONN)
GROUP 543A THRU 575A (E/W AMP CONN)

CONNECTING INFORMATION




TABLE A

CONN	GROUP 69C, 70C, 73C, 74C, 69F, 70F, 73F, 74F, 69H, 70H, 73H, 74H, 569C, 570C, 573C, 574C, 569F, 570F, 573F, 574F, 569H, 570H, 573H, 574H	GROUP 71C, 72C, 75C, 76C, 71F, 72F, 75F, 76F, 71H, 72H, 75H, 76H, 571C, 572C, 575C, 576C, 571F, 572F, 575F, 576F, 571H, 572H, 575H, 576H	GROUP 77C, 78C, 77F, 78F, 77H, 78H	GROUP 79C THRU 88C, 79F THRU 88F, 79H THRU 88H
	CM [FT-IN]	CM [FT-IN]	CM [FT-IN]	CM [FT-IN]
2	14.0 [0-5 1/2]	22.0 [0-8 1/2]	14.0 [0-5 1/2]	14.0 [0-5 1/2]
3	14.0 [0-5 1/2]	22.0 [0-8 1/2]	22.0 [0-8 1/2]	22.0 [0-8 1/2]

CONN POS 1				
982SS CONN				
TERMINALS				
	A	B	C	
R	G/W	W/G	W/BR	
O	BR/W	W/BL	W/O	
W	BL/W	W/O		

CONN POS 2				
WIRING SIDE OF 2x3 CONN				
	COLOR	TERM	TERM	COLOR
		AA	BA	
	W/BL	AB	BB	W/O
	BL/W	AC	BC	O/W

CODED SIDE OF 963T CONN

CONN POS 3				
WIRING SIDE OF 2x3 CONN				
	COLOR	TERM	TERM	COLOR
		AA	BA	
	W/G	AB	BB	W/BR
	G/W	AC	BC	BR/W

CODED SIDE OF 963T CONN

GROUP 69C- 88C, 69F- 88F, 69H- 88H (E/W 963T CONN)
 GROUP 569C-588C, 569F-588F, 569H-588H (E/W AMP CONN)

STAMPING INFORMATION

STAMPING TABLE (SEE FIG.5 & 7)

GROUP	CABLE DESIG	CONN POS	EQL	TERM	CAB	CONN POS	EQL	TERM	CAB
69C		1	019-014	319		2	028-047	003	
569C						3	028-047	006	
70C		1	019-014	322		2	028-137	003	
570C						3	028-137	006	
71C		1	019-022	319		2	028-067	003	
571C						3	028-067	006	
72C		1	019-022	322		2	028-157	003	
572C						3	028-157	006	
73C		1	019-030	319		2	028-049	003	
573C						3	028-049	006	
74C		1	019-030	322		2	028-139	003	
574C						3	028-139	006	
75C		1	019-038	319		2	028-069	003	
575C						3	028-069	006	
76C		1	019-038	322		2	028-159	003	
576C						3	028-159	006	
77C		1	019-046	319		2	028-047	009	
577C						3	028-067	009	
78C		1	019-046	322		2	028-137	009	
578C						3	028-157	009	
79C		1	019-058	319		2	028-049	009	
579C						3	028-069	009	
80C		1	019-058	322		2	028-139	009	
580C						3	028-159	009	
81C		1	019-066	319		2	028-047	016	
581C						3	028-067	016	
82C		1	019-066	322		2	028-137	016	
582C						3	028-157	016	

SEE PROPRIETARY NOTICE ON SHEET ONE

SESS SWITCHING EQUIPMENT
 CABLE ASSEMBLIES

DWG SIZE
 C2

ISSUE
 23

LUCENT
 TECHNOLOGIES INC.

ED5D503-20

SHEET
 C42

STAMPING INFORMATION


STAMPING TABLE (SEE FIG.5 & 7)									
GROUP	CABLE DESIG	CONN POS	EQL	TERM	CAB	CONN POS	EQL	TERM	CAB
83C		1	019-074	319		2	028-049	016	
583C						3	028-069	016	
84C		1	019-074	322		2	028-139	016	
584C						3	028-159	016	
85C		1	019-082	319		2	028-047	019	
585C						3	028-067	019	
86C		1	019-082	322		2	028-137	019	
586C						3	028-157	019	
87C		1	019-090	319		2	028-049	019	
587C						3	028-069	019	
88C		1	019-090	322		2	028-139	019	
588C						3	028-159	019	
69F		1	153-014	319		2	136-047	003	
569F						3	136-047	006	
70F		1	153-014	322		2	136-137	003	
570F						3	136-137	006	
71F		1	153-022	319		2	136-067	003	
571F						3	136-067	006	
72F		1	153-022	322		2	136-157	003	
572F						3	136-157	006	
73F		1	153-030	319		2	136-049	003	
573F						3	136-049	006	
74F		1	153-030	322		2	136-139	003	
574F						3	136-139	006	
75F		1	153-038	319		2	136-069	003	
575F						3	136-069	006	
76F		1	153-038	322		2	136-159	003	
576F						3	136-159	006	
77F		1	153-046	319		2	136-047	009	
577F						3	136-067	009	
78F		1	153-046	322		2	136-137	009	
578F						3	136-157	009	
79F		1	153-058	319		2	136-049	009	
579F						3	136-069	009	
80F		1	153-058	322		2	136-139	009	
580F						3	136-159	009	

STAMPING TABLE (SEE FIG.5 & 7)									
GROUP	CABLE DESIG	CONN POS	EQL	TERM	CAB	CONN POS	EQL	TERM	CAB
81F		1	153-066	319		2	136-047	016	
581F						3	136-067	016	
82F		1	153-066	322		2	136-137	016	
582F						3	136-157	016	
83F		1	153-074	319		2	136-049	016	
583F						3	136-069	016	
84F		1	153-074	322		2	136-139	016	
584F						3	136-159	016	
85F		1	153-082	319		2	136-047	019	
585F						3	136-067	019	
86F		1	153-082	322		2	136-137	019	
586F						3	136-157	019	
87F		1	153-090	319		2	136-049	019	
587F						3	136-069	019	
88F		1	153-090	322		2	136-139	019	
588F						3	136-159	019	
69H		1	162-014	319		2	136-047	003	
569H						3	136-047	006	
70H		1	162-014	322		2	136-137	003	
570H						3	136-137	006	
71H		1	162-022	319		2	136-067	003	
571H						3	136-067	006	
72H		1	162-022	322		2	136-157	003	
572H						3	136-157	006	
73H		1	162-030	319		2	136-049	003	
573H						3	136-049	006	
74H		1	162-030	322		2	136-139	003	
574H						3	136-139	006	
75H		1	162-038	319		2	136-069	003	
575H						3	136-069	006	

GROUP 83C-88C, 69F-88F, 69H-75H (E/W 963T)
 GROUP 583C-588C, 569F-588F, 569H-575H (E/W AMP)

SEE PROPRIETARY NOTICE ON SHEET ONE		
SESS SWITCHING EQUIPMENT CABLE ASSEMBLIES		DWG SIZE C2
LUCENT TECHNOLOGIES INC.		ISSUE 24 SHEET C43

CONNECTING INFORMATION



CONN POS 1			
982SS CONN			
ROW	TERMINALS		
	A	B	C
A			
B	BL/W O/W	W/BL	W/O

CONN POS 2				
WIRING SIDE OF 2x3 CONN				
AMP CONN IDENT	COLOR	TERM	TERM	COLOR
		AA	BA	
	W/BL	AB	BB	W/O
	BL/W	AC	BC	O/W

CODED SIDE OF 963T CONN

STAMPING INFORMATION

STAMPING TABLE (SEE FIG.5 & 7)

GROUP	CABLE DESIG	CONN POS	EQL	TERM	CAB	CONN POS	EQL	TERM	CAB
69D		1	019-014	319		2	028-047	003	
569D									
70D		1	019-014	322		2	028-137	003	
570D									
71D		1	019-022	319		2	028-067	003	
571D									
72D		1	019-022	322		2	028-157	003	
572D									
73D		1	019-030	319		2	028-047	003	
573D									
74D		1	019-030	322		2	028-139	003	
574D									
75D		1	019-038	319		2	028-069	003	
575D									
76D		1	019-038	322		2	028-159	003	
576D									
77D		1	019-046	319		2	028-047	009	
577D									
78D		1	019-046	322		2	028-137	009	
578D									
79D		1	019-058	319		2	028-049	009	
579D									
80D		1	019-058	322		2	028-139	009	
580D									
81D		1	019-066	319		2	028-047	016	
581D									
82D		1	019-066	322		2	028-137	016	
582D									

GROUP 69D THRU 88D, 69E THRU 88E, 69G THRU 88G (E/W 963T CONN)
 GROUP 569D THRU 588D, 569E THRU 588E, 569G THRU 588G (E/W AMP CONN)

STAMPING INFORMATION

STAMPING TABLE (SEE FIG.5 & 7)									
GROUP	CABLE DESIG	CONN POS	EQL	TERM	CAB	CONN POS	EQL	TERM	CAB
83D		1	019-074	319		2	028-049	016	
583D									
84D		1	019-074	322		2	028-139	016	
584D									
85D		1	019-082	319		2	028-047	019	
585D									
86D		1	019-082	322		2	028-137	019	
586D									
87D		1	019-090	319		2	028-049	019	
587D									
88D		1	019-090	322		2	028-139	019	
588D									
69E		1	153-014	319		2	136-047	003	
569E									
70E		1	153-014	322		2	136-137	003	
570E									
71E		1	153-022	319		2	136-067	003	
571E									
72E		1	153-022	322		2	136-157	003	
572E									
73E		1	153-030	319		2	136-047	003	
573E									
74E		1	153-030	322		2	136-139	003	
574E									
75E		1	153-038	319		2	136-069	003	
575E									
76E		1	153-038	322		2	136-159	003	
576E									
77E		1	153-046	319		2	136-047	009	
577E									
78E		1	153-046	322		2	136-137	009	
578E									
79E		1	153-058	319		2	136-049	009	
579E									
80E		1	153-058	322		2	136-139	009	
580E									

STAMPING TABLE (SEE FIG.5 & 7)									
GROUP	CABLE DESIG	CONN POS	EQL	TERM	CAB	CONN POS	EQL	TERM	CAB
81E		1	153-066	319		2	136-047	016	
581E									
82E		1	153-066	322		2	136-137	016	
582E									
83E		1	153-074	319		2	136-049	016	
583E									
84E		1	153-074	322		2	136-139	016	
584E									
85E		1	153-082	319		2	136-047	019	
585E									
86E		1	153-082	322		2	136-137	019	
586E									
87E		1	153-090	319		2	136-049	019	
587E									
88E		1	153-090	322		2	136-139	019	
588E									
69G		1	162-014	319		2	136-047	003	
569G									
70G		1	162-014	322		2	136-137	003	
570G									
71G		1	162-022	319		2	136-067	003	
571G									
72G		1	162-022	322		2	136-157	003	
572G									
73G		1	153-030	319		2	136-047	003	
573G									
74G		1	153-030	322		2	136-139	003	
574G									
75G		1	153-038	319		2	136-069	003	
575G									

SEE PROPRIETARY NOTICE ON SHEET ONE		
SESS SWITCHING EQUIPMENT CABLE ASSEMBLIES		DWG SIZE C2
LUCENT TECHNOLOGIES INC.		ISSUE 24 SHEET C46

GROUP 43A THRU 75A (E/W 963T CONN)
GROUP 543A THRU 575A (E/W AMP CONN)

CONNECTING INFORMATION



CONN POS 1 & 2			
WIRING SIDE OF 2x3 CONN			
COLOR	TERM	TERM	COLOR
	AA	BA	
BL/W	AB	BB	O/W
W/BL	AC	BC	W/O

AMP CONN IDENT

CODED SIDE OF 963T CONN

STAMPING INFORMATION

STAMPING TABLE (SEE FIG.5)								
GROUP	CONN POS	EQL	TERM	CAB	CONN POS	EQL	TERM	CAB
200 THRU 212, 700 THRU 712	1	()-()	()		2	()-()	()	

GROUP 200 THRU 212 (E/W 963T CONN)
 GROUP 700 THRU 712 (E/W AMP CONN)

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
400	120,121	2	105772792	963T-8	CONNECTOR			
401	120,121	4	106905433	TCOV-LS8G	COVER, PROTECTIVE			
405	120,120A, 121,121A	A/R	814650768	P46E076	WIRE 26BY W-BL/BL-W A DIMENSION = 2 FEET 0 INCH			
410	120,120A, 121,121A	A/R	814666913	P46F691	WIRE 26BY TIGHT TWIST O/W A DIMENSION = 2 FEET 0 INCH			
415	120,120A, 121,121A	A/R	814666921	P46F692	WIRE 26BY TIGHT TWIST G/W A DIMENSION = 2 FEET 0 INCH			
420	120,120A, 121,121A	A/R	814666939	P46F693	WIRE 26BY TIGHT TWIST BR/W A DIMENSION = 2 FEET 0 INCH			
425	120A, 121A	2	406922245		CONNECTOR #966061-8 AMP INC.			
430	120A, 121A	4	406885681		COVER, CONNECTOR #2-964393-4 AMP INC.			
500	1,2,3,4, 5,6,7,8, 9,10,11, 12,13,14, 15,16,17, 18	2	105772784	963T-6	CONNECTOR			
501	1,2,3,4, 5,6,7,8, 9,10,11, 12,13,14, 15,16,17, 18	4	106905425	TCOV-LS6G	COVER, PROTECTIVE			
505	19,20	1	105772800	963T-12	CONNECTOR			
506	19,20	2	106905458	TCOV-LS12G	COVER, PROTECTIVE			
510	19,20	2	105772784	963T-6	CONNECTOR			
511	19,20	4	106905425	TCOV-LS6G	COVER, PROTECTIVE			
515	21,22,23, 24,25,26, 27,28	2	106787385	963T2-6	CONNECTOR, CABLE			
516	21,22,23, 24,25,26, 27,28	4	106905425	TCOV-LS6G	COVER, PROTECTIVE			
520	29,30,31, 32,33,34, 35,36,37, 38,39,40, 41,42,43, 44,45,46, 47,48,49, 50,51,52, 53,54,55, 56,57,58, 59,60,61, 62,63,64, 65,66,67, 68,69,70, 71,72,73, 74,75,76, 77,78,79, 80,81,82, 83,84,85, 86,87,88, 89,90,91, 92,93,94, 95,96,97, 98,99, 100,101, 102,103, 104,105, 106,107, 108	1	106197775	982SS	CONNECTOR, ELECTRICAL, ADAPTER 6 CONTACTS, FEMALE, RECTANGULAR			

STOCKLIST CONTINUED ON SHEET D2

ED5D503-20

S H O P I N S T

MANUFACTURING NOTES

- UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN METRICS (CM). EQUIVALENT INCH DIMENSIONS ARE ENCLOSED IN BRACKETS.
- DIMENSIONS 12 INCHES AND OVER ARE EXPRESSED IN FEET AND INCHES. ALL OTHER DIMENSIONS ARE IN INCHES.
- RESERVED.
- OVERALL CABLE LENGTH (DESIGNATED AS "A" DIM IN TEL S) IS THE LENGTH OF FINISHED CABLE MEASURED FROM THE FARTHEST TIP OF CONN AT ONE END OF THAT CABLE TO THE FARTHEST TIP OF CONN AT THE OTHER END.
- UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS WILL HOLD A LENGTH TOLERANCE AS FOLLOWS:

METRIC LENGTH	TOLERANCE	ENGLISH LENGTH	TOLERANCE
0-1 M	+/-1.5 CM	{ZERO TO 3' 4"	+/-0.5"}
1 M AND UP	+/-1.5%	{3' 4" & UP	+/-1.5%}

ROUNDED UP TO 1 CM OR 0.5".
- A/R=AS REQUIRED.
- AA, AB, BA, BB ETC., ARE TERMINAL REFERENCE ONLY. DO NOT STAMP THESE ON BACKPLANE CONNECTORS.
- BL-W/W-BL ETC., INDICATES PAIRED LEADS. COLOR AT LEFT OF SLASH INDICATES COLOR OF LEAD TO BE CONNECTED. COLOR AT RIGHT OF SLASH IS THE COLOR OF THE OTHER LEAD IN THE PAIR.
- () INDICATES DESIGNATIONS TO BE STAMPED IN ACCORDANCE WITH JOB INFORMATION.
- EQL (EQUIPMENT LOCATION) SHOWN IN THE STAMPING TABLE IS IDENTIFIED AS FOLLOWS:

(VERT) (HOR) (TERM)
119 - 042 - 300
- REFER TO LOCAL MANUFACTURING DOCUMENTATION FOR SPECIFICS.
- USE ONE STRAND OF 8 PLY POLYESTER TWINE (900-308-9) AS A STRAIN RELIEF ON THE 982SS,982AB,982AC CONNECTORS AND ALSO ON THE 982AD CONNECTORS WHICH HAVE MORE THAN 14 LEADS.

SEE PROPRIETARY NOTICE ON SHEET ONE

XT13	
5ESS SWITCHING EQUIPMENT CABLE ASSEMBLY FOR DFI CLOCK-STATUS CABLES, LINK INTERFACE CABLES AND RSM EXPORT CLOCK SYN REFERENCE FREQUENCY	
DWG SIZE C2	ISSUE 25

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
525	29,30,31,32,33,34,35,36,37,38,39,40,41,42,43,44,45,46,47,48,49,50,51,52,53,54,55,56,57,58,59,60,61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76,77,78,79,80,81,82,83,84,85,86,87,88,89,90,91,92,93,94,95,96,97,98,99,100,101,102,103,104,105,106,107,108	2	105772784	963T-6	CONNECTOR			
526	29,30,31,32,33,34,35,36,37,38,39,40,41,42,43,44,45,46,47,48,49,50,51,52,53,54,55,56,57,58,59,60,61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76,77,78,79,80,81,82,83,84,85,86,87,88,89,90,91,92,93,94,95,96,97,98,99,100,101,102,103,104,105,106,107,108	4	106905425	TCOV-LS6G	COVER, PROTECTIVE			
530	109,110,111,112,113,114,115,116,117,118	2	105772784	963T-6	CONNECTOR			
531	109,110,111,112,113,114,115,116,117,118	4	106905425	TCOV-LS6G	COVER, PROTECTIVE			
535	200,201,202,203,204,205,206,207,208,209,210,211,212	2	105772784	963T-6	CONNECTOR			
536	200,201,202,203,204,205,206,207,208,209,210,211,212	4	106905425	TCOV-LS6G	COVER, PROTECTIVE			

***** STOCKLIST CONTINUED AT RIGHT *****

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
540	21A,22A,23A,24A,25A,26A,27A,28A,301A,301B,301C,302A,302B,302C,303A,303B,303C,304A,304B,304C,305A,305B,305C,306A,306B,306C,307A,307B,307C,308A,308B,308C	2	106787385	963T2-6	CONNECTOR, CABLE			
541	21A,22A,23A,24A,25A,26A,27A,28A,301A,301B,301C,302A,302B,302C,303A,303B,303C,304A,304B,304C,305A,305B,305C,306A,306B,306C,307A,307B,307C,308A,308B,308C	4	106905425	TCOV-LS6G	COVER, PROTECTIVE			

STOCKLIST CONTINUED ON SHEET D3

SEE PROPRIETARY NOTICE ON SHEET ONE

XT13
 5ESS SWITCHING EQUIPMENT
 CABLE ASSEMBLY
 FOR
 DFI CLOCK-STATUS CABLES,
 LINK INTERFACE CABLES
 AND
 RSM EXPORT CLOCK SYN
 REFERENCE FREQUENCY

DWG SIZE C2 ISSUE 25

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
545	29A, 30A, 31A, 32A, 33A, 34A, 35A, 36A, 37A, 38A, 39A, 40A, 41A, 42A, 43A, 44A, 45A, 46A, 47A, 48A, 49A, 50A, 51A, 52A, 53A, 54A, 55A, 56A, 57A, 58A, 59A, 60A, 61A, 62A, 63A, 64A, 65A, 66A, 67A, 68A, 69A, 70A, 71A, 72A, 73A, 74A, 75A, 76A, 77A, 78A, 79A, 80A, 81A, 82A, 83A, 84A, 85A, 86A, 87A, 88A, 89A, 90A, 91A, 92A, 93A, 94A, 95A, 96A, 97A, 98A, 99A, 100A, 101A, 102A, 103A, 104A, 105A, 106A, 107A, 108A	1	106197775	982SS	CONNECTOR, ELECTRICAL, ADAPTER 6 CONTACTS, FEMALE, RECTANGULAR			
550	29A, 30A, 31A, 32A, 33A, 34A, 35A, 36A, 37A, 38A, 39A, 40A, 41A, 42A, 43A, 44A, 45A, 46A, 47A, 48A, 49A, 50A, 51A, 52A, 53A, 54A, 55A, 56A, 57A, 58A, 59A, 60A, 61A, 62A, 63A, 64A, 65A, 66A, 67A, 68A, 69A, 70A, 71A, 72A, 73A, 74A, 75A, 76A, 77A, 78A, 79A, 80A, 81A, 82A, 83A, 84A, 85A, 86A, 87A, 88A, 89A, 90A, 91A, 92A, 93A, 94A, 95A, 96A, 97A, 98A, 99A, 100A, 101A, 102A, 103A, 104A, 105A, 106A, 107A, 108A	2	105772784	963T-6	CONNECTOR			

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
551	29A, 30A, 31A, 32A, 33A, 34A, 35A, 36A, 37A, 38A, 39A, 40A, 41A, 42A, 43A, 44A, 45A, 46A, 47A, 48A, 49A, 50A, 51A, 52A, 53A, 54A, 55A, 56A, 57A, 58A, 59A, 60A, 61A, 62A, 63A, 64A, 65A, 66A, 67A, 68A, 69A, 70A, 71A, 72A, 73A, 74A, 75A, 76A, 77A, 78A, 79A, 80A, 81A, 82A, 83A, 84A, 85A, 86A, 87A, 88A, 89A, 90A, 91A, 92A, 93A, 94A, 95A, 96A, 97A, 98A, 99A, 100A, 101A, 102A, 103A, 104A, 105A, 106A, 107A, 108A	4	106905425	TCOV-LS6G	COVER, PROTECTIVE			
555	21B, 21C, 22B, 22C, 23B, 23C, 24B, 24C, 25B, 25C, 26B, 26C, 27B, 27C, 28B, 28C	2	106787385	963T2-6	CONNECTOR, CABLE			
556	21B, 21C, 22B, 22C, 23B, 23C, 24B, 24C, 25B, 25C, 26B, 26C, 27B, 27C, 28B, 28C	4	106905425	TCOV-LS6G	COVER, PROTECTIVE			

STOCKLIST CONTINUED ON SHEET D4

***** STOCKLIST CONTINUED AT RIGHT *****

SEE PROPRIETARY NOTICE ON SHEET ONE	
XT13	
5ESS SWITCHING EQUIPMENT CABLE ASSEMBLY FOR DFI CLOCK-STATUS CABLES, LINK INTERFACE CABLES AND RSM EXPORT CLOCK SYN REFERENCE FREQUENCY	
DWG SIZE C2	ISSUE 25
LUCENT TECHNOLOGIES INC ED5D503-20	
SHEET D3 OF 77	

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
560	29B, 30B, 31B, 32B, 33B, 34B, 35B, 36B, 37B, 38B, 39B, 40B, 41B, 42B, 43B, 44B, 45B, 46B, 47B, 48B, 49B, 50B, 51B, 52B, 53B, 54B, 55B, 56B, 57B, 58B, 59B, 60B, 61B, 62B, 63B, 64B, 65B, 66B, 67B, 68B, 69B, 70B, 71B, 72B, 73B, 74B, 75B, 76B, 77B, 78B, 79B, 80B, 81B, 82B, 83B, 84B, 85B, 86B, 87B, 88B	1	106197775	982SS	CONNECTOR, ELECTRICAL, ADAPTER 6 CONTACTS, FEMALE, RECTANGULAR			
565	29B, 30B, 31B, 32B, 33B, 34B, 35B, 36B, 37B, 38B, 39B, 40B, 41B, 42B, 43B, 44B, 45B, 46B, 47B, 48B, 49B, 50B, 51B, 52B, 53B, 54B, 55B, 56B, 57B, 58B, 59B, 60B, 61B, 62B, 63B, 64B, 65B, 66B, 67B, 68B, 69B, 70B, 71B, 72B, 73B, 74B, 75B, 76B, 77B, 78B, 79B, 80B, 81B, 82B, 83B, 84B, 85B, 86B, 87B, 88B	1	105772784	963T-6	CONNECTOR			
566	29B, 30B, 31B, 32B, 33B, 34B, 35B, 36B, 37B, 38B, 39B, 40B, 41B, 42B, 43B, 44B, 45B, 46B, 47B, 48B, 49B, 50B, 51B, 52B, 53B, 54B, 55B, 56B, 57B, 58B, 59B, 60B, 61B, 62B, 63B, 64B, 65B, 66B, 67B, 68B, 69B, 70B, 71B, 72B, 73B, 74B, 75B, 76B, 77B, 78B, 79B, 80B, 81B, 82B, 83B, 84B, 85B, 86B, 87B, 88B	2	106905425	TCOV-LS6G	COVER, PROTECTIVE			

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
570	69C, 70C, 71C, 72C, 73C, 74C, 75C, 76C, 77C, 78C, 79C, 80C, 81C, 82C, 83C, 84C, 85C, 86C, 87C, 88C	1	106197775	982SS	CONNECTOR, ELECTRICAL, ADAPTER 6 CONTACTS, FEMALE, RECTANGULAR			
575	69C, 70C, 71C, 72C, 73C, 74C, 75C, 76C, 77C, 78C, 79C, 80C, 81C, 82C, 83C, 84C, 85C, 86C, 87C, 88C	2	105772784	963T-6	CONNECTOR			
576	69C, 70C, 71C, 72C, 73C, 74C, 75C, 76C, 77C, 78C, 79C, 80C, 81C, 82C, 83C, 84C, 85C, 86C, 87C, 88C	4	106905425	TCOV-LS6G	COVER, PROTECTIVE			
580	69D, 70D, 71D, 72D, 73D, 74D, 75D, 76D, 77D, 78D, 79D, 80D, 81D, 82D, 83D, 84D, 85D, 86D, 87D, 88D	1	106197775	982SS	CONNECTOR, ELECTRICAL, ADAPTER 6 CONTACTS, FEMALE, RECTANGULAR			
585	69D, 70D, 71D, 72D, 73D, 74D, 75D, 76D, 77D, 78D, 79D, 80D, 81D, 82D, 83D, 84D, 85D, 86D, 87D, 88D	1	105772784	963T-6	CONNECTOR			
586	69D, 70D, 71D, 72D, 73D, 74D, 75D, 76D, 77D, 78D, 79D, 80D, 81D, 82D, 83D, 84D, 85D, 86D, 87D, 88D	2	106905425	TCOV-LS6G	COVER, PROTECTIVE			
590	69E, 70E, 71E, 72E, 73E, 74E, 75E, 76E, 77E, 78E, 79E, 80E, 81E, 82E, 83E, 84E, 85E, 86E, 87E, 88E	1	106197775	982SS	CONNECTOR, ELECTRICAL, ADAPTER 6 CONTACTS, FEMALE, RECTANGULAR			

STOCKLIST CONTINUED ON SHEET D5

***** STOCKLIST CONTINUED AT RIGHT *****

SEE PROPRIETARY NOTICE ON SHEET ONE	
XT13	
5ESS SWITCHING EQUIPMENT CABLE ASSEMBLY FOR DFI CLOCK-STATUS CABLES, LINK INTERFACE CABLES AND RSM EXPORT CLOCK SYN REFERENCE FREQUENCY	
DWG SIZE C2	ISSUE 25
LUCENT TECHNOLOGIES INC ED5D503-20	
SHEET D4 OF 77	

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
595	69E, 70E, 71E, 72E, 73E, 74E, 75E, 76E, 77E, 78E, 79E, 80E, 81E, 82E, 83E, 84E, 85E, 86E, 87E, 88E	1	105772784	963T-6	CONNECTOR			
596	69E, 70E, 71E, 72E, 73E, 74E, 75E, 76E, 77E, 78E, 79E, 80E, 81E, 82E, 83E, 84E, 85E, 86E, 87E, 88E	2	106905425	TCOV-LS6G	COVER, PROTECTIVE			
600	69F, 70F, 71F, 72F, 73F, 74F, 75F, 76F, 77F, 78F, 79F, 80F, 81F, 82F, 83F, 84F, 85F, 86F, 87F, 88F	1	106197775	982SS	CONNECTOR, ELECTRICAL, ADAPTER 6 CONTACTS, FEMALE, RECTANGULAR			
605	69F, 70F, 71F, 72F, 73F, 74F, 75F, 76F, 77F, 78F, 79F, 80F, 81F, 82F, 83F, 84F, 85F, 86F, 87F, 88F	2	105772784	963T-6	CONNECTOR			
606	69F, 70F, 71F, 72F, 73F, 74F, 75F, 76F, 77F, 78F, 79F, 80F, 81F, 82F, 83F, 84F, 85F, 86F, 87F, 88F	4	106905425	TCOV-LS6G	COVER, PROTECTIVE			
610	69G, 70G, 71G, 72G, 73G, 74G, 75G, 76G, 77G, 78G, 79G, 80G, 81G, 82G, 83G, 84G, 85G, 86G, 87G, 88G	1	106197775	982SS	CONNECTOR, ELECTRICAL, ADAPTER 6 CONTACTS, FEMALE, RECTANGULAR			
615	69G, 70G, 71G, 72G, 73G, 74G, 75G, 76G, 77G, 78G, 79G, 80G, 81G, 82G, 83G, 84G, 85G, 86G, 87G, 88G	1	105772784	963T-6	CONNECTOR			
616	69G, 70G, 71G, 72G, 73G, 74G, 75G, 76G, 77G, 78G, 79G, 80G, 81G, 82G, 83G, 84G, 85G, 86G, 87G, 88G	2	106905425	TCOV-LS6G	COVER, PROTECTIVE			

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
620	69H, 70H, 71H, 72H, 73H, 74H, 75H, 76H, 77H, 78H, 79H, 80H, 81H, 82H, 83H, 84H, 85H, 86H, 87H, 88H	1	106197775	982SS	CONNECTOR, ELECTRICAL, ADAPTER 6 CONTACTS, FEMALE, RECTANGULAR			
625	69H, 70H, 71H, 72H, 73H, 74H, 75H, 76H, 77H, 78H, 79H, 80H, 81H, 82H, 83H, 84H, 85H, 86H, 87H, 88H	2	105772784	963T-6	CONNECTOR			
626	69H, 70H, 71H, 72H, 73H, 74H, 75H, 76H, 77H, 78H, 79H, 80H, 81H, 82H, 83H, 84H, 85H, 86H, 87H, 88H	4	106905425	TCOV-LS6G	COVER, PROTECTIVE			
700	501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518	2	406922161		CONNECTOR #966061-6 AMP INC.			
705	501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518	4	406884312		COVER, CONNECTOR #964393-3 AMP INC.			
710	519, 520	1	406922252		CONNECTOR #1-966061-2 AMP INC.			
715	519, 520	2	406885699		COVER, CONNECTOR #2-964393-6 AMP INC.			
720	519, 520	2	406922161		CONNECTOR #966061-6 AMP INC.			
725	519, 520	4	406885673		COVER, CONNECTOR #2-964393-3 AMP INC.			
730	521, 522, 523, 524, 525, 526, 527, 528	2	406922161		CONNECTOR #966061-6 AMP INC.			

STOCKLIST CONTINUED ON SHEET D6

***** STOCKLIST CONTINUED AT RIGHT *****

SEE PROPRIETARY NOTICE ON SHEET ONE	
XT13	
5ESS SWITCHING EQUIPMENT CABLE ASSEMBLY FOR DFI CLOCK-STATUS CABLES, LINK INTERFACE CABLES AND RSM EXPORT CLOCK SYN REFERENCE FREQUENCY	
DWG SIZE C2	ISSUE 25
LUCENT TECHNOLOGIES INC ED5D503-20	
SHEET D5 OF 77	

ED5D503-20

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
735	521,522, 523,524, 525,526, 527,528	4	406885673		COVER, CONNECTOR #2-964393-3 AMP INC.			
740	529,530, 531,532, 533,534, 535,536, 537,538, 539,540, 541,542, 543,544, 545,546, 547,548, 549,550, 551,552, 553,554, 555,556, 557,558, 559,560, 561,562, 563,564, 565,566, 567,568, 569,570, 571,572, 573,574, 575,576, 577,578, 579,580, 581,582, 583,584, 585,586, 587,588, 589,590, 591,592, 593,594, 595,596, 597,598, 599,600, 601,602, 603,604, 605,606, 607,608	1	106197775	982SS	CONNECTOR, ELECTRICAL, ADAPTER 6 CONTACTS, FEMALE, RECTANGULAR			
750	529,530, 531,532, 533,534, 535,536, 537,538, 539,540, 541,542, 543,544, 545,546, 547,548, 549,550, 551,552, 553,554, 555,556, 557,558, 559,560, 561,562, 563,564, 565,566, 567,568, 569,570, 571,572, 573,574, 575,576, 577,578, 579,580, 581,582, 583,584, 585,586, 587,588, 589,590, 591,592, 593,594, 595,596, 597,598, 599,600, 601,602, 603,604, 605,606, 607,608	2	406922161		CONNECTOR #966061-6 AMP INC.			

***** STOCKLIST CONTINUED AT RIGHT *****

ED5D503-20

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
755	529,530, 531,532, 533,534, 535,536, 537,538, 539,540, 541,542, 543,544, 545,546, 547,548, 549,550, 551,552, 553,554, 555,556, 557,558, 559,560, 561,562, 563,564, 565,566, 567,568, 569,570, 571,572, 573,574, 575,576, 577,578, 579,580, 581,582, 583,584, 585,586, 587,588, 589,590, 591,592, 593,594, 595,596, 597,598, 599,600, 601,602, 603,604, 605,606, 607,608	4	406884312		COVER, CONNECTOR #964393-3 AMP INC.			
760	609,610, 611,612, 613,614, 615,616, 617,618	2	406922161		CONNECTOR #966061-6 AMP INC.			
765	609,610, 611,612, 613,614, 615,616, 617,618	4	406884312		COVER, CONNECTOR #964393-3 AMP INC.			
780	700,701, 702,703, 704,705, 706,707, 708,709, 710,711, 712	2	406922161		CONNECTOR #966061-6 AMP INC.			
785	700,701, 702,703, 704,705, 706,707, 708,709, 710,711, 712	4	406884312		COVER, CONNECTOR #964393-3 AMP INC.			
790	521A, 522A, 523A, 524A, 525A, 526A, 527A, 528A	2	406922161		CONNECTOR #966061-6 AMP INC.			

STOCKLIST CONTINUED ON SHEET D7

SEE PROPRIETARY NOTICE ON SHEET ONE

XT13
5ESS SWITCHING EQUIPMENT
CABLE ASSEMBLY
FOR
DFI CLOCK-STATUS CABLES,
LINK INTERFACE CABLES
AND
RSM EXPORT CLOCK SYN
REFERENCE FREQUENCY

DWG SIZE
C2

ISSUE
25

LUCENT TECHNOLOGIES INC ED5D503-20

SHEET D6
OF 77

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
795	521A, 522A, 523A, 524A, 525A, 526A, 527A, 528A	4	406885673		COVER, CONNECTOR #2-964393-3 AMP INC.			
800	529A, 530A, 531A, 532A, 533A, 534A, 535A, 536A, 537A, 538A, 539A, 540A, 541A, 542A, 543A, 544A, 545A, 546A, 547A, 548A, 549A, 550A, 551A, 552A, 553A, 554A, 555A, 556A, 557A, 558A, 559A, 560A, 561A, 562A, 563A, 564A, 565A, 566A, 567A, 568A, 569A, 570A, 571A, 572A, 573A, 574A, 575A, 576A, 577A, 578A, 579A, 580A, 581A, 582A, 583A, 584A, 585A, 586A, 587A, 588A, 589A, 590A, 591A, 592A, 593A, 594A, 595A, 596A, 597A, 598A, 599A, 600A, 601A, 602A, 603A, 604A, 605A, 606A, 607A, 608A	1	106197775	982SS	CONNECTOR, ELECTRICAL, ADAPTER 6 CONTACTS, FEMALE, RECTANGULAR			
810	529A, 530A, 531A,	2	406922161		CONNECTOR #966061-6 AMP INC.			

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
CONT	532A, 533A, 534A, 535A, 536A, 537A, 538A, 539A, 540A, 541A, 542A, 543A, 544A, 545A, 546A, 547A, 548A, 549A, 550A, 551A, 552A, 553A, 554A, 555A, 556A, 557A, 558A, 559A, 560A, 561A, 562A, 563A, 564A, 565A, 566A, 567A, 568A, 569A, 570A, 571A, 572A, 573A, 574A, 575A, 576A, 577A, 578A, 579A, 580A, 581A, 582A, 583A, 584A, 585A, 586A, 587A, 588A, 589A, 590A, 591A, 592A, 593A, 594A, 595A, 596A, 597A, 598A, 599A, 600A, 601A, 602A, 603A, 604A, 605A, 606A, 607A, 608A							

STOCKLIST CONTINUED ON SHEET D8

***** STOCKLIST CONTINUED AT RIGHT *****

SEE PROPRIETARY NOTICE ON SHEET ONE	
XT13	
5ESS SWITCHING EQUIPMENT CABLE ASSEMBLY FOR DFI CLOCK-STATUS CABLES, LINK INTERFACE CABLES AND RSM EXPORT CLOCK SYN REFERENCE FREQUENCY	
DWG SIZE C2	ISSUE 25
LUCENT TECHNOLOGIES INC ED5D503-20	
SHEET D7 OF 77	

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
CONT								
815	529A, 530A, 531A, 532A, 533A, 534A, 535A, 536A, 537A, 538A, 539A, 540A, 541A, 542A, 543A, 544A, 545A, 546A, 547A, 548A, 549A, 550A, 551A, 552A, 553A, 554A, 555A, 556A, 557A, 558A, 559A, 560A, 561A, 562A, 563A, 564A, 565A, 566A, 567A, 568A, 569A, 570A, 571A, 572A, 573A, 574A, 575A, 576A, 577A, 578A, 579A, 580A, 581A, 582A, 583A, 584A, 585A, 586A, 587A, 588A, 589A, 590A, 591A, 592A, 593A, 594A, 595A, 596A, 597A, 598A, 599A, 600A, 601A, 602A, 603A, 604A, 605A, 606A, 607A, 608A	4	406884312		COVER, CONNECTOR #964393-3 AMP INC.			
820	521B, 522B, 523B, 524B, 525B, 526B, 527B, 528B	2	406922161		CONNECTOR #966061-6 AMP INC.			

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
825	521B, 522B, 523B, 524B, 525B, 526B, 527B, 528B	4	406885673		COVER, CONNECTOR #2-964393-3 AMP INC.			
830	529B, 530B, 531B, 532B, 533B, 534B, 535B, 536B, 537B, 538B, 539B, 540B, 541B, 542B, 543B, 544B, 545B, 546B, 547B, 548B, 549B, 550B, 551B, 552B, 553B, 554B, 555B, 556B, 557B, 558B, 559B, 560B, 561B, 562B, 563B, 564B, 565B, 566B, 567B, 568B, 569B, 570B, 571B, 572B, 573B, 574B, 575B, 576B, 577B, 578B, 579B, 580B, 581B, 582B, 583B, 584B, 585B, 586B, 587B, 588B	1	106197775	982SS	CONNECTOR, ELECTRICAL, ADAPTER 6 CONTACTS, FEMALE, RECTANGULAR			

STOCKLIST CONTINUED ON SHEET D9

***** STOCKLIST CONTINUED AT RIGHT *****

SEE PROPRIETARY NOTICE ON SHEET ONE	
XT13	
5ESS SWITCHING EQUIPMENT CABLE ASSEMBLY FOR DFI CLOCK-STATUS CABLES, LINK INTERFACE CABLES AND RSM EXPORT CLOCK SYN REFERENCE FREQUENCY	
DWG SIZE C2	ISSUE 25
LUCENT TECHNOLOGIES INC ED5D503-20	
SHEET D8 OF 77	

STOCKLIST								STOCKLIST									
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE		ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR								SYM	NBR
840	529B, 530B, 531B, 532B, 533B, 534B, 535B, 536B, 537B, 538B, 539B, 540B, 541B, 542B, 543B, 544B, 545B, 546B, 547B, 548B, 549B, 550B, 551B, 552B, 553B, 554B, 555B, 556B, 557B, 558B, 559B, 560B, 561B, 562B, 563B, 564B, 565B, 566B, 567B, 568B, 569B, 570B, 571B, 572B, 573B, 574B, 575B, 576B, 577B, 578B, 579B, 580B, 581B, 582B, 583B, 584B, 585B, 586B, 587B, 588B	1	406922161		CONNECTOR #966061-6 AMP INC.				845	529B, 530B, 531B, 532B, 533B, 534B, 535B, 536B, 537B, 538B, 539B, 540B, 541B, 542B, 543B, 544B, 545B, 546B, 547B, 548B, 549B, 550B, 551B, 552B, 553B, 554B, 555B, 556B, 557B, 558B, 559B, 560B, 561B, 562B, 563B, 564B, 565B, 566B, 567B, 568B, 569B, 570B, 571B, 572B, 573B, 574B, 575B, 576B, 577B, 578B, 579B, 580B, 581B, 582B, 583B, 584B, 585B, 586B, 587B, 588B	2	406884312		COVER, CONNECTOR #964393-3 AMP INC.			

***** STOCKLIST CONTINUED AT RIGHT *****

STOCKLIST CONTINUED ON SHEET D10

SEE PROPRIETARY NOTICE ON SHEET ONE			
5ESS SWITCHING EQUIPMENT CABLE ASSEMBLY FOR DFI CLOCK-STATUS CABLES, LINK INTERFACE CABLES AND RSM EXPORT CLOCK SYN REFERENCE FREQUENCY		XT13	
		DWG SIZE C2	ISSUE 25
LUCENT TECHNOLOGIES INC		ED5D503-20	
		SHEET OF	D9 77

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
850	569C, 570C, 571C, 572C, 573C, 574C, 575C, 576C, 577C, 578C, 579C, 580C, 581C, 582C, 583C, 584C, 585C, 586C, 587C, 588C	1	106197775	982SS	CONNECTOR, ELECTRICAL, ADAPTER 6 CONTACTS, FEMALE, RECTANGULAR			
860	569C, 570C, 571C, 572C, 573C, 574C, 575C, 576C, 577C, 578C, 579C, 580C, 581C, 582C, 583C, 584C, 585C, 586C, 587C, 588C	2	406922161		CONNECTOR #966061-6 AMP INC.			
865	569C, 570C, 571C, 572C, 573C, 574C, 575C, 576C, 577C, 578C, 579C, 580C, 581C, 582C, 583C, 584C, 585C, 586C, 587C, 588C	4	406884312		COVER, CONNECTOR #964393-3 AMP INC.			
870	569D, 570D, 571D, 572D, 573D, 574D, 575D, 576D, 577D, 578D, 579D, 580D, 581D, 582D, 583D, 584D, 585D, 586D, 587D, 588D	1	106197775	982SS	CONNECTOR, ELECTRICAL, ADAPTER 6 CONTACTS, FEMALE, RECTANGULAR			

STOCKLIST									
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE		
							SYM	NBR	
880	569D, 570D, 571D, 572D, 573D, 574D, 575D, 576D, 577D, 578D, 579D, 580D, 581D, 582D, 583D, 584D, 585D, 586D, 587D, 588D	1	406922161		CONNECTOR #966061-6 AMP INC.				
885	569D, 570D, 571D, 572D, 573D, 574D, 575D, 576D, 577D, 578D, 579D, 580D, 581D, 582D, 583D, 584D, 585D, 586D, 587D, 588D	2	406884312		COVER, CONNECTOR #964393-3 AMP INC.				
890	569E, 570E, 571E, 572E, 573E, 574E, 575E, 576E, 577E, 578E, 579E, 580E, 581E, 582E, 583E, 584E, 585E, 586E, 587E, 588E	1	106197775	982SS	CONNECTOR, ELECTRICAL, ADAPTER 6 CONTACTS, FEMALE, RECTANGULAR				
STOCKLIST CONTINUED ON SHEET D11									

***** STOCKLIST CONTINUED AT RIGHT *****

SEE PROPRIETARY NOTICE ON SHEET ONE

XT13
5ESS SWITCHING EQUIPMENT
CABLE ASSEMBLY
FOR
DFI CLOCK-STATUS CABLES,
LINK INTERFACE CABLES
AND
RSM EXPORT CLOCK SYN
REFERENCE FREQUENCY

DWG SIZE
C2

ISSUE
25

ED5D503-20

LUCENT TECHNOLOGIES INC ED5D503-20

SHEET D10
OF 77

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
900	569E, 570E, 571E, 572E, 573E, 574E, 575E, 576E, 577E, 578E, 579E, 580E, 581E, 582E, 583E, 584E, 585E, 586E, 587E, 588E	1	406922161		CONNECTOR #966061-6 AMP INC.			
905	569E, 570E, 571E, 572E, 573E, 574E, 575E, 576E, 577E, 578E, 579E, 580E, 581E, 582E, 583E, 584E, 585E, 586E, 587E, 588E	2	406884312		COVER, CONNECTOR #964393-3 AMP INC.			
910	569F, 570F, 571F, 572F, 573F, 574F, 575F, 576F, 577F, 578F, 579F, 580F, 581F, 582F, 583F, 584F, 585F, 586F, 587F, 588F	1	106197775	982SS	CONNECTOR, ELECTRICAL, ADAPTER 6 CONTACTS, FEMALE, RECTANGULAR			
920	569F, 570F, 571F, 572F, 573F, 574F, 575F, 576F, 577F, 578F, 579F, 580F, 581F, 582F, 583F, 584F, 585F, 586F, 587F, 588F	2	406922161		CONNECTOR #966061-6 AMP INC.			

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
925	569F, 570F, 571F, 572F, 573F, 574F, 575F, 576F, 577F, 578F, 579F, 580F, 581F, 582F, 583F, 584F, 585F, 586F, 587F, 588F	4	406884312		COVER, CONNECTOR #964393-3 AMP INC.			
930	569G, 570G, 571G, 572G, 573G, 574G, 575G, 576G, 577G, 578G, 579G, 580G, 581G, 582G, 583G, 584G, 585G, 586G, 587G, 588G	1	106197775	982SS	CONNECTOR, ELECTRICAL, ADAPTER 6 CONTACTS, FEMALE, RECTANGULAR			
940	569G, 570G, 571G, 572G, 573G, 574G, 575G, 576G, 577G, 578G, 579G, 580G, 581G, 582G, 583G, 584G, 585G, 586G, 587G, 588G	1	406922161		CONNECTOR #966061-6 AMP INC.			

STOCKLIST CONTINUED ON SHEET D12

***** STOCKLIST CONTINUED AT RIGHT *****

SEE PROPRIETARY NOTICE ON SHEET ONE

XT13
5ESS SWITCHING EQUIPMENT
CABLE ASSEMBLY
FOR
DFI CLOCK-STATUS CABLES,
LINK INTERFACE CABLES
AND
RSM EXPORT CLOCK SYN
REFERENCE FREQUENCY

DWG SIZE C2 ISSUE 25

ED5D503-20

LUCENT TECHNOLOGIES INC ED5D503-20

SHEET D11 OF 77

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
945	569G, 570G, 571G, 572G, 573G, 574G, 575G, 576G, 577G, 578G, 579G, 580G, 581G, 582G, 583G, 584G, 585G, 586G, 587G, 588G	2	406884312		COVER, CONNECTOR #964393-3 AMP INC.			
950	569H, 570H, 571H, 572H, 573H, 574H, 575H, 576H, 577H, 578H, 579H, 580H, 581H, 582H, 583H, 584H, 585H, 586H, 587H, 588H	1	106197775	982SS	CONNECTOR, ELECTRICAL, ADAPTER 6 CONTACTS, FEMALE, RECTANGULAR			
960	569H, 570H, 571H, 572H, 573H, 574H, 575H, 576H, 577H, 578H, 579H, 580H, 581H, 582H, 583H, 584H, 585H, 586H, 587H, 588H	2	406922161		CONNECTOR #966061-6 AMP INC.			
965	569H, 570H, 571H, 572H, 573H, 574H, 575H, 576H, 577H, 578H, 579H, 580H, 581H, 582H, 583H, 584H, 585H, 586H, 587H, 588H	4	406884312		COVER, CONNECTOR #964393-3 AMP INC.			
1120	1,501	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 3 FEET 0 INCH			
1121	2,502	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 3 FEET 0 INCH			

***** STOCKLIST CONTINUED AT RIGHT *****

ED5D503-20

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1122	3,503	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1123	4,504	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1124	5,505	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1125	6,506	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1126	7,507	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1127	8,508	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1128	9,509	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1129	10,510	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1130	11,511	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 7 FEET 0 INCH			
1131	12,512	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 7 FEET 0 INCH			
1132	13,513	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 7 FEET 0 INCH			
1133	14,514	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 7 FEET 0 INCH			
1134	15,515	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 8 FEET 0 INCH			
1135	16,516	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 8 FEET 0 INCH			
1136	17,517	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 8 FEET 0 INCH			
1137	18,518	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 9 FEET 0 INCH			
1138	19,519	1	105367445	745A	CABLE ASSEMBLY, DATA A DIMENSION = 5 FEET 0 INCH			
1139	20,520	1	105367445	745A	CABLE ASSEMBLY, DATA A DIMENSION = 5 FEET 0 INCH			
1140	21,521	1	105412910	285A-4/22	CABLE, ELECTRONIC 22 GA A DIMENSION = 6 FEET 0 INCH			
1141	22,522	1	105412910	285A-4/22	CABLE, ELECTRONIC 22 GA A DIMENSION = 5 FEET 0 INCH			

STOCKLIST CONTINUED ON SHEET D13

SEE PROPRIETARY NOTICE ON SHEET ONE

XT13
5ESS SWITCHING EQUIPMENT
CABLE ASSEMBLY
FOR
DFI CLOCK-STATUS CABLES,
LINK INTERFACE CABLES
AND
RSM EXPORT CLOCK SYN
REFERENCE FREQUENCY

DWG SIZE
C2

ISSUE
25

LUCENT TECHNOLOGIES INC ED5D503-20

SHEET D12
OF 77

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1142	23,523	1	105412910	285A-4/22	CABLE, ELECTRONIC 22 GA A DIMENSION = 6 FEET 0 INCH			
1143	24,524	1	105412910	285A-4/22	CABLE, ELECTRONIC 22 GA A DIMENSION = 4 FEET 0 INCH			
1144	25,525	1	105412910	285A-4/22	CABLE, ELECTRONIC 22 GA A DIMENSION = 6 FEET 0 INCH			
1145	26,526	1	105412910	285A-4/22	CABLE, ELECTRONIC 22 GA A DIMENSION = 5 FEET 0 INCH			
1146	27,527	1	105412910	285A-4/22	CABLE, ELECTRONIC 22 GA A DIMENSION = 5 FEET 0 INCH			
1147	28,528	1	105412910	285A-4/22	CABLE, ELECTRONIC 22 GA A DIMENSION = 5 FEET 0 INCH			
1148	29,529	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1149	30,530	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1150	31,531	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1151	32,532	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1152	33,533	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1153	34,534	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1154	35,535	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1155	36,536	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1156	37,537	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1157	38,538	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 7 FEET 0 INCH			
1158	39,539	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1159	40,540	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1160	41,541	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1161	42,542	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1162	43,543	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1163	44,544	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1164	45,545	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			

***** STOCKLIST CONTINUED AT RIGHT *****

ED5D503-20

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1165	46,546	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1166	47,547	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1167	48,548	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1168	49,549	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1169	50,550	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1170	51,551	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1171	52,552	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1172	53,553	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1173	54,554	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1174	55,555	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1175	56,556	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1176	57,557	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1177	58,558	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1178	59,559	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1179	60,560	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1180	61,561	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1181	62,562	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1182	63,563	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1183	64,564	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			

STOCKLIST CONTINUED ON SHEET D14

SEE PROPRIETARY NOTICE ON SHEET ONE	
XT13	
5ESS SWITCHING EQUIPMENT CABLE ASSEMBLY FOR DFI CLOCK-STATUS CABLES, LINK INTERFACE CABLES AND RSM EXPORT CLOCK SYN REFERENCE FREQUENCY	
DWG SIZE C2	ISSUE 25
LUCENT TECHNOLOGIES INC ED5D503-20	
SHEET D13 OF 77	

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1184	65,565	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1185	66,566	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1186	67,567	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1187	68,568	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 3 FEET 0 INCH			
1188	69,569	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1189	70,570	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1190	71,571	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1191	72,572	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1192	73,573	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1193	74,574	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1194	75,575	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1195	76,576	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1196	77,577	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1197	78,578	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1198	79,579	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1199	80,580	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1200	81,581	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1201	82,582	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1202	83,583	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1203	84,584	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1204	85,585	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1205	86,586	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1206	87,587	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			

***** STOCKLIST CONTINUED AT RIGHT *****

ED5D503-20

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1207	88,588	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 3 FEET 0 INCH			
1208	89,589	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1209	90,590	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1210	91,591	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1211	92,592	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1212	93,593	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1213	94,594	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1214	95,595	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1215	96,596	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1216	97,597	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1217	98,598	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1218	99,599	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1219	100,600	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1220	101,601	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1221	102,602	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1222	103,603	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1223	104,604	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1224	105,605	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1225	106,606	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			

STOCKLIST CONTINUED ON SHEET D15

SEE PROPRIETARY NOTICE ON SHEET ONE	
XT13	
5ESS SWITCHING EQUIPMENT CABLE ASSEMBLY FOR DFI CLOCK-STATUS CABLES, LINK INTERFACE CABLES AND RSM EXPORT CLOCK SYN REFERENCE FREQUENCY	
DWG SIZE C2	ISSUE 25
LUCENT TECHNOLOGIES INC ED5D503-20	
SHEET D14 OF 77	

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1226	107,607	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1227	108,608	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 3 FEET 0 INCH			
1228	109,609	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 3 FEET 0 INCH			
1229	110,610	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 3 FEET 0 INCH			
1230	111,611	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1231	112,612	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1232	113,613	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 7 FEET 0 INCH			
1233	114,614	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1234	115,615	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1235	116,616	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1236	117,617	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1237	118,618	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1250	200,700	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 3 FEET 0 INCH			
1251	201,701	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 3 FEET 0 INCH			
1252	202,702	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1253	203,703	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1254	204,704	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1255	205,705	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1256	206,706	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1257	207,707	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1258	208,708	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1259	209,709	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1260	210,710	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			

***** STOCKLIST CONTINUED AT RIGHT *****

ED5D503-20

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1261	211,711	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 7 FEET 0 INCH			
1262	212,712	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 7 FEET 0 INCH			
1264	303A, 304A	1	105412910	285A-4/22	CABLE, ELECTRONIC 22 GA A DIMENSION = 5 FEET 0 INCH			
1266	301A, 302A, 303B, 304B, 305A, 305B, 306A, 306B, 307A, 307B, 308A, 308B	1	105412910	285A-4/22	CABLE, ELECTRONIC 22 GA A DIMENSION = 6 FEET 0 INCH			
1268	301B, 301C, 302B, 302C, 303C, 304C, 305C, 306C, 307C, 308C	1	105412910	285A-4/22	CABLE, ELECTRONIC 22 GA A DIMENSION = 7 FEET 0 INCH			
1270	21A,21C, 521A	1	105412910	285A-4/22	CABLE, ELECTRONIC 22 GA A DIMENSION = 4 FEET 0 INCH			
1271	22A,22C, 522A	1	105412910	285A-4/22	CABLE, ELECTRONIC 22 GA A DIMENSION = 4 FEET 0 INCH			
1272	23A,23C, 523A	1	105412910	285A-4/22	CABLE, ELECTRONIC 22 GA A DIMENSION = 4 FEET 0 INCH			
1273	24A,24C, 524A	1	105412910	285A-4/22	CABLE, ELECTRONIC 22 GA A DIMENSION = 4 FEET 0 INCH			
1274	25A,25C, 525A	1	105412910	285A-4/22	CABLE, ELECTRONIC 22 GA A DIMENSION = 4 FEET 0 INCH			
1275	26A,26C, 526A	1	105412910	285A-4/22	CABLE, ELECTRONIC 22 GA A DIMENSION = 4 FEET 0 INCH			
1276	27A,27C, 527A	1	105412910	285A-4/22	CABLE, ELECTRONIC 22 GA A DIMENSION = 4 FEET 0 INCH			
1277	28A,28C, 528A	1	105412910	285A-4/22	CABLE, ELECTRONIC 22 GA A DIMENSION = 4 FEET 0 INCH			
1280	29A,529A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1281	30A,530A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			

STOCKLIST CONTINUED ON SHEET D16

SEE PROPRIETARY NOTICE ON SHEET ONE	
XT13	
5ESS SWITCHING EQUIPMENT CABLE ASSEMBLY FOR DFI CLOCK-STATUS CABLES, LINK INTERFACE CABLES AND RSM EXPORT CLOCK SYN REFERENCE FREQUENCY	
DWG SIZE C2	ISSUE 25
LUCENT TECHNOLOGIES INC ED5D503-20	
SHEET OF D15 77	

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1282	31A,531A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1283	32A,532A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1284	33A,533A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1285	34A,534A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1286	35A,535A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1287	36A,536A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1288	37A,537A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1289	38A,538A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1290	39A,539A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1291	40A,540A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1292	41A,541A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1293	42A,542A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1294	43A,543A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1295	44A,544A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1296	45A,545A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1297	46A,546A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1298	47A,547A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1299	48A,548A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1300	49A,549A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1301	50A,550A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1302	51A,551A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1303	52A,552A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1304	53A,553A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			

***** STOCKLIST CONTINUED AT RIGHT *****

ED5D503-20

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1305	54A,554A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1306	55A,555A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1307	56A,556A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1308	57A,557A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1309	58A,558A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1310	59A,559A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1311	60A,560A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1312	61A,561A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1313	62A,562A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1314	63A,563A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1315	64A,564A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1316	65A,565A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1317	66A,566A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1318	67A,567A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1319	68A,568A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 3 FEET 0 INCH			
1320	69A,569A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 3 FEET 0 INCH			
1321	70A,570A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1322	71A,571A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1323	72A,572A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			

STOCKLIST CONTINUED ON SHEET D17

SEE PROPRIETARY NOTICE ON SHEET ONE	
XT13	
5ESS SWITCHING EQUIPMENT CABLE ASSEMBLY FOR DFI CLOCK-STATUS CABLES, LINK INTERFACE CABLES AND RSM EXPORT CLOCK SYN REFERENCE FREQUENCY	
DWG SIZE C2	ISSUE 25
LUCENT TECHNOLOGIES INC ED5D503-20	
SHEET OF	D16 77

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1324	73A,573A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1325	74A,574A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1326	75A,575A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1327	76A,576A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1328	77A,577A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1329	78A,578A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1330	79A,579A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1331	80A,580A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1332	81A,581A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1333	82A,582A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1334	83A,583A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1335	84A,584A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1336	85A,585A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1337	86A,586A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1338	87A,587A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1339	88A,588A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1340	89A,589A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1341	90A,590A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1342	91A,591A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1343	92A,592A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1344	93A,593A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1345	94A,594A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1346	95A,595A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			

***** STOCKLIST CONTINUED AT RIGHT *****

ED5D503-20

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1347	96A,596A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1348	97A,597A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1349	98A,598A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1350	99A,599A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1351	100A,600A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1352	101A,601A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1353	102A,602A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1354	103A,603A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1355	104A,604A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1356	105A,605A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1357	106A,606A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1358	107A,607A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1359	108A,608A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1370	21B,21C,521B	1	105412910	285A-4/22	CABLE, ELECTRONIC 22 GA A DIMENSION = 2 FEET 0 INCH			
1371	22B,22C,522B	1	105412910	285A-4/22	CABLE, ELECTRONIC 22 GA A DIMENSION = 1 FOOT 0 INCH			
1372	23B,23C,523B	1	105412910	285A-4/22	CABLE, ELECTRONIC 22 GA A DIMENSION = 4 FEET 0 INCH			
1373	24B,24C,524B	1	105412910	285A-4/22	CABLE, ELECTRONIC 22 GA A DIMENSION = 3 FEET 0 INCH			
1374	25B,25C,525B	1	105412910	285A-4/22	CABLE, ELECTRONIC 22 GA A DIMENSION = 4 FEET 0 INCH			
1375	26B,26C,526B	1	105412910	285A-4/22	CABLE, ELECTRONIC 22 GA A DIMENSION = 3 FEET 0 INCH			

STOCKLIST CONTINUED ON SHEET D18

SEE PROPRIETARY NOTICE ON SHEET ONE	
XT13	
5ESS SWITCHING EQUIPMENT CABLE ASSEMBLY FOR DFI CLOCK-STATUS CABLES, LINK INTERFACE CABLES AND RSM EXPORT CLOCK SYN REFERENCE FREQUENCY	
DWG SIZE C2	ISSUE 25
LUCENT TECHNOLOGIES INC ED5D503-20	
SHEET D17 OF 77	

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1376	27B,27C,527B	1	105412910	285A-4/22	CABLE, ELECTRONIC 22 GA A DIMENSION = 4 FEET 0 INCH			
1377	28B,28C,528B	1	105412910	285A-4/22	CABLE, ELECTRONIC 22 GA A DIMENSION = 3 FEET 0 INCH			
1390	29B,529B	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1391	30B,530B	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1392	31B,531B	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1393	32B,532B	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1394	33B,533B	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1395	34B,534B	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1396	35B,535B	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 8 FEET 0 INCH			
1397	36B,536B	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1398	37B,537B	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1399	38B,538B	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1400	39B,539B	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1401	40B,540B	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1402	41B,541B	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1403	42B,542B	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1404	43B,543B	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1405	44B,544B	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1406	45B,545B	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1407	46B,546B	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1408	47B,547B	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1409	48B,548B	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 3 FEET 0 INCH			
1410	49B,549B	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			

***** STOCKLIST CONTINUED AT RIGHT *****

ED5D503-20

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1411	50B,550B	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1412	51B,551B	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1413	52B,552B	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1414	53B,553B	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1415	54B,554B	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1416	55B,555B	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1417	56B,556B	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1418	57B,557B	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1419	58B,558B	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1420	59B,559B	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1421	60B,560B	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1422	61B,561B	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1423	62B,562B	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 3 FEET 0 INCH			
1424	63B,563B	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1425	64B,564B	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 3 FEET 0 INCH			
1426	65B,565B	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1427	66B,566B	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 3 FEET 0 INCH			
1428	67B,567B	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1429	68B,568B	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 3 FEET 0 INCH			

STOCKLIST CONTINUED ON SHEET D19

SEE PROPRIETARY NOTICE ON SHEET ONE	
XT13	
5ESS SWITCHING EQUIPMENT CABLE ASSEMBLY FOR DFI CLOCK-STATUS CABLES, LINK INTERFACE CABLES AND RSM EXPORT CLOCK SYN REFERENCE FREQUENCY	
DWG SIZE C2	ISSUE 25
LUCENT TECHNOLOGIES INC ED5D503-20	
SHEET D18 OF 77	

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1430	69B,569B	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 3 FEET 0 INCH			
1431	70B,570B	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1432	71B,571B	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 3 FEET 0 INCH			
1433	72B,572B	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1434	73B,573B	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 3 FEET 0 INCH			
1435	74B,574B	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1436	75B,575B	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 3 FEET 0 INCH			
1437	76B,576B	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1438	77B,577B	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 3 FEET 0 INCH			
1439	78B,578B	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1440	79B,579B	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1441	80B,580B	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 3 FEET 0 INCH			
1442	81B,581B	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1443	82B,582B	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 3 FEET 0 INCH			
1444	83B,583B	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1445	84B,584B	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 3 FEET 0 INCH			
1446	85B,585B	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1447	86B,586B	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 3 FEET 0 INCH			
1448	87B,587B	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1449	88B,588B	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 3 FEET 0 INCH			
1460	69C,569C	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1461	70C,570C	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1462	71C,571C	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			

***** STOCKLIST CONTINUED AT RIGHT *****

ED5D503-20

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1463	72C,572C	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1464	73C,573C	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1465	74C,574C	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1466	75C,575C	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1467	76C,576C	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1468	77C,577C	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1469	78C,578C	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1470	79C,579C	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1471	80C,580C	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1472	81C,581C	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1473	82C,582C	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1474	83C,583C	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1475	84C,584C	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1476	85C,585C	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1477	86C,586C	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1478	87C,587C	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1479	88C,588C	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1490	69D,569D	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 3 FEET 0 INCH			
1491	70D,570D	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			

STOCKLIST CONTINUED ON SHEET D20

SEE PROPRIETARY NOTICE ON SHEET ONE	
XT13	
5ESS SWITCHING EQUIPMENT CABLE ASSEMBLY FOR DFI CLOCK-STATUS CABLES, LINK INTERFACE CABLES AND RSM EXPORT CLOCK SYN REFERENCE FREQUENCY	
DWG SIZE C2	ISSUE 25
LUCENT TECHNOLOGIES INC ED5D503-20	
SHEET D19 OF 77	

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1492	71D,571D	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 3 FEET 0 INCH			
1493	72D,572D	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1494	73D,573D	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 3 FEET 0 INCH			
1495	74D,574D	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1496	75D,575D	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 3 FEET 0 INCH			
1497	76D,576D	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1498	77D,577D	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 3 FEET 0 INCH			
1499	78D,578D	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1500	79D,579D	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1501	80D,580D	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1502	81D,581D	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1503	82D,582D	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1504	83D,583D	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1505	84D,584D	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1506	85D,585D	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1507	86D,586D	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1508	87D,587D	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1509	88D,588D	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1520	69E,569E	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1521	70E,570E	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1522	71E,571E	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1523	72E,572E	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1524	73E,573E	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			

***** STOCKLIST CONTINUED AT RIGHT *****

ED5D503-20

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1525	74E,574E	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1526	75E,575E	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1527	76E,576E	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1528	77E,577E	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1529	78E,578E	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1530	79E,579E	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1531	80E,580E	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1532	81E,581E	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 0 INCH			
1533	82E,582E	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1534	83E,583E	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1535	84E,584E	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1536	85E,585E	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1537	86E,586E	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1538	87E,587E	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1539	88E,588E	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1550	69F,569F	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1551	70F,570F	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1552	71F,571F	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1553	72F,572F	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			

STOCKLIST CONTINUED ON SHEET D21

SEE PROPRIETARY NOTICE ON SHEET ONE	
XT13	
5ESS SWITCHING EQUIPMENT CABLE ASSEMBLY FOR DFI CLOCK-STATUS CABLES, LINK INTERFACE CABLES AND RSM EXPORT CLOCK SYN REFERENCE FREQUENCY	
DWG SIZE C2	ISSUE 25
LUCENT TECHNOLOGIES INC ED5D503-20	
SHEET D20 OF 77	

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1554	73F,573F	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1555	74F,574F	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1556	75F,575F	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1557	76F,576F	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1558	77F,577F	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1559	78F,578F	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 7 FEET 0 INCH			
1560	79F,579F	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1561	80F,580F	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1562	81F,581F	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1563	82F,582F	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1564	83F,583F	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1565	84F,584F	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1566	85F,585F	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1567	86F,586F	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 7 FEET 0 INCH			
1568	87F,587F	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 7 FEET 0 INCH			
1569	88F,588F	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1580	69G,569G	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1581	70G,570G	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1582	71G,571G	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1583	72G,572G	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1584	73G,573G	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1585	74G,574G	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1586	75G,575G	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			

***** STOCKLIST CONTINUED AT RIGHT *****

ED5D503-20

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1587	76G,576G	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1588	77G,577G	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1589	78G,578G	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1590	79G,579G	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1591	80G,580G	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1592	81G,581G	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1593	82G,582G	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1594	83G,583G	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1595	84G,584G	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1596	85G,585G	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1597	86G,586G	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1598	87G,587G	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1599	88G,588G	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 0 INCH			
1650	69H,569H	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1651	70H,570H	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 7 FEET 0 INCH			
1652	71H,571H	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1653	72H,572H	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 7 FEET 0 INCH			
1654	73H,573H	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1655	74H,574H	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 7 FEET 0 INCH			

STOCKLIST CONTINUED ON SHEET D22

SEE PROPRIETARY NOTICE ON SHEET ONE	
XT13	
5ESS SWITCHING EQUIPMENT CABLE ASSEMBLY FOR DFI CLOCK-STATUS CABLES, LINK INTERFACE CABLES AND RSM EXPORT CLOCK SYN REFERENCE FREQUENCY	
DWG SIZE C2	ISSUE 25
LUCENT TECHNOLOGIES INC ED5D503-20	
SHEET D21 OF 77	

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1656	75H,575H	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1657	76H,576H	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 7 FEET 0 INCH			
1658	77H,577H	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1659	78H,578H	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 7 FEET 0 INCH			
1660	79H,579H	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1661	80H,580H	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 7 FEET 0 INCH			
1662	81H,581H	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1663	82H,582H	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 7 FEET 0 INCH			
1664	83H,583H	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1665	84H,584H	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 7 FEET 0 INCH			
1666	85H,585H	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1667	86H,586H	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 7 FEET 0 INCH			
1668	87H,587H	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 7 FEET 0 INCH			
1669	88H,588H	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 0 INCH			
1670	21AA, 21A1, 21BA, 21BB, 21CA, 21CB, 21CC, 21CD, 21C1, 21DA, 21DE, 21EA, 21EB, 21EC, 21ED, 21FA, 21FB, 21FC, 21FD, 21FE, 21GA, 21GB, 21GC, 21GD, 21GE, 22AA, 22A1, 22BA, 22BB, 22CA, 22CB, 22CC, 22CD, 22C1, 22DA, 22DB, 22EA,	2	106787385	963T2-6	CONNECTOR, CABLE			

STOCKLIST												
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE					
							SYM	NBR				
CONT												
					22EB, 22EC, 22ED, 22FA, 22FB, 22FC, 22FD, 22FE, 22GA, 22GB, 22GC, 22GD, 22GE, 23AA, 23A1, 23BA, 23BB, 23CA, 23CB, 23CC, 23CD, 23C1, 23DA, 23DB, 23EA, 23EB, 23EC, 23ED, 23FA, 23FB, 23FC, 23FD, 23FE, 23GA, 23GB, 23GC, 23GD, 23GE, 24AA, 24A1, 24BA, 24BB, 24CA, 24CB, 24CC, 24CD, 24C1, 24DA, 24DB, 24EA, 24EB, 24EC, 24ED, 24FA, 24FB, 24FC, 24FD, 24FE, 24GA, 24GB, 24GC, 24GD, 24GE, 25AA, 25A1, 25BA, 25BB, 25CA, 25CB, 25CC, 25CD, 25C1, 25DA, 25DB, 25EA, 25EB, 25EC,							

STOCKLIST CONTINUED ON SHEET D23

***** STOCKLIST CONTINUED AT RIGHT *****

SEE PROPRIETARY NOTICE ON SHEET ONE	
XT13	
5ESS SWITCHING EQUIPMENT CABLE ASSEMBLY FOR DFI CLOCK-STATUS CABLES, LINK INTERFACE CABLES AND RSM EXPORT CLOCK SYN REFERENCE FREQUENCY	
DWG SIZE C2	ISSUE 25
LUCENT TECHNOLOGIES INC ED5D503-20	
SHEET OF	D22 77

STOCKLIST							NOTE	
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
CONT	25ED, 25FA, 25FB, 25FC, 25FD, 25FE, 25GA, 25GB, 25GC, 25GD, 25GE, 26AA, 26A1, 26BA, 26BB, 26CA, 26CB, 26CC, 26CD, 26C1, 26DA, 26DB, 26EA, 26EB, 26EC, 26ED, 26FA, 26FB, 26FC, 26FD, 26FE, 26GA, 26GB, 26GC, 26GD, 26GE, 27AA, 27A1, 27BA, 27BB, 27CA, 27CB, 27CC, 27CD, 27C1, 27DA, 27DB, 27EA, 27EB, 27EC, 27ED, 27FA, 27FB, 27FC, 27FD, 27FE, 27GA, 27GB, 27GC, 27GD, 27GE, 28AA, 28A1, 28BA, 28BB, 28CA, 28CB, 28CC, 28CD, 28C1, 28DA, 28DB, 28EA, 28EB, 28EC, 28ED, 28FA, 28FB, 28FC, 28FD, 28FE, 28GA, 28GB, 28GC, 28GD, 28GE							
1671	21AA, 21A1, 21BA, 21BB, 21CA,	4	106905425	TCOV-LS6G	COVER, PROTECTIVE			

STOCKLIST							NOTE	
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
CONT	21CB, 21CC, 21CD, 21C1, 21DA, 21DB, 21EA, 21EB, 21EC, 21ED, 21FA, 21FB, 21FC, 21FD, 21FE, 21GA, 21GB, 21GC, 21GD, 21GE, 22AA, 22A1, 22BA, 22BB, 22CA, 22CB, 22CC, 22CD, 22C1, 22DA, 22DB, 22EA, 22EB, 22EC, 22ED, 22FA, 22FB, 22FC, 22FD, 22FE, 22GA, 22GB, 22GC, 22GD, 22GE, 23AA, 23A1, 23BA, 23BB, 23CA, 23CB, 23CC, 23CD, 23C1, 23DA, 23DB, 23EA, 23EB, 23EC, 23ED, 23FA, 23FB, 23FC, 23FD, 23FE, 23GA, 23GB, 23GC, 23GD, 23GE, 24AA, 24A1, 24BA, 24BB, 24CA, 24CB, 24CC,							

STOCKLIST CONTINUED ON SHEET D24

***** STOCKLIST CONTINUED AT RIGHT *****

SEE PROPRIETARY NOTICE ON SHEET ONE	
XT13	
5ESS SWITCHING EQUIPMENT CABLE ASSEMBLY FOR DFI CLOCK-STATUS CABLES, LINK INTERFACE CABLES AND RSM EXPORT CLOCK SYN REFERENCE FREQUENCY	
DWG SIZE C2	ISSUE 25
LUCENT TECHNOLOGIES INC	ED5D503-20
SHEET OF	D23 77

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
CONT	24CD, 24CL, 24DA, 24DB, 24EA, 24EB, 24EC, 24ED, 24FA, 24FB, 24FC, 24FD, 24FE, 24GA, 24GB, 24GC, 24GD, 24GE, 25AA, 25A1, 25BA, 25BB, 25CA, 25CB, 25CC, 25CD, 25DA, 25DB, 25EA, 25EB, 25EC, 25ED, 25FA, 25FB, 25FC, 25FD, 25FE, 25GA, 25GB, 25GC, 25GD, 25GE, 26AA, 26A1, 26BA, 26BB, 26CA, 26CB, 26CC, 26CD, 26CL, 26DA, 26DB, 26EA, 26EB, 26EC, 26ED, 26FA, 26FB, 26FC, 26FD, 26FE, 26GA, 26GB, 26GC, 26GD, 26GE, 27AA, 27A1, 27BA, 27BB, 27CA, 27CB, 27CC, 27CD, 27CL, 27DA, 27DB, 27EA, 27EB, 27EC, 27ED, 27FA, 27FB, 27FC, 27FD, 27FE, 27GA, 27GB, 27GC, 27GD, 27GE,							
***** STOCKLIST CONTINUED AT RIGHT *****								

ED5D503-20

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
CONT	28AA, 28A1, 28BA, 28BB, 28CA, 28CB, 28CC, 28CD, 28CL, 28DA, 28DB, 28EA, 28EB, 28EC, 28ED, 28FA, 28FB, 28FC, 28FD, 28FE, 28GA, 28GB, 28GC, 28GD, 28GE							
1672	21CB, 21DB, 21ED, 21FE, 22CB, 22DB, 22ED, 22FE	1	105412910	285A-4/22	CABLE, ELECTRONIC 22 GA A DIMENSION = 2 FEET 0 INCH			
1673	22CA, 22DA, 22EC, 22FD, 22GE, 24A1, 24BA, 24CB, 24CC, 24DB, 24ED, 24FE, 26CB, 26DB, 26ED, 26FE, 28CB, 28DB, 28ED, 28FE	1	105412910	285A-4/22	CABLE, ELECTRONIC 22 GA A DIMENSION = 3 FEET 0 INCH			
STOCKLIST CONTINUED ON SHEET D25								

SEE PROPRIETARY NOTICE ON SHEET ONE	
XT13	
5ESS SWITCHING EQUIPMENT CABLE ASSEMBLY FOR DFI CLOCK-STATUS CABLES, LINK INTERFACE CABLES AND RSM EXPORT CLOCK SYN REFERENCE FREQUENCY	
DWG SIZE C2	ISSUE 25
LUCENT TECHNOLOGIES INC	ED5D503-20
SHEET D24 OF 77	

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1674	21BA, 21CA, 21DA, 21EC, 21FD, 21GE, 22A1, 22BA, 22CC, 22EB, 22FC, 22GD, 23A1, 23BA, 23CB, 23CC, 23DE, 23ED, 23FE, 24AA, 24BB, 24CA, 24CD, 24DA, 24EC, 24FD, 24GE, 25CB, 25DB, 25ED, 25FE, 26AA, 26A1, 26BA, 26BB, 26CA, 26CC, 26CD, 26DA, 26EB, 26EC, 26FC, 26FD, 26GD, 26GE, 27CB, 27DE, 27ED, 27FE, 28AA, 28A1, 28BA, 28BB, 28CA, 28CC, 28CD, 28DA, 28EB, 28EC, 28FC, 28FD, 28GD, 28GE	1	105412910	285A-4/22	CABLE, ELECTRONIC 22 GA A DIMENSION = 4 FEET 0 INCH			

***** STOCKLIST CONTINUED AT RIGHT *****

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1675	21A1, 21CC, 21EA, 21EB, 21FB, 21FC, 21GC, 21GD, 22AA, 22BB, 22CD, 22C1, 22EA, 22FA, 22FB, 22GB, 22GC, 23AA, 23BB, 23CA, 23CD, 23DA, 23EC, 23FD, 23GE, 24C1, 24EA, 24EB, 24FB, 24FC, 24GC, 24GD, 25AA, 25A1, 25BA, 25BB, 25CA, 25CC, 25CD, 25DA, 25EB, 25EC, 25FC, 25FD, 25GD, 25GE, 26C1, 26EA, 26FB, 26GC, 27AA, 27A1, 27BA, 27BB, 27CA, 27CC, 27CD, 27C1, 27DA, 27EB, 27EC, 27FC, 27FD, 27GD, 27GE, 28EA, 28FB, 28GC	1	105412910	285A-4/22	CABLE, ELECTRONIC 22 GA A DIMENSION = 5 FEET 0 INCH			

STOCKLIST CONTINUED ON SHEET D26

ED5D503-20

SEE PROPRIETARY NOTICE ON SHEET ONE	
XT13	
5ESS SWITCHING EQUIPMENT CABLE ASSEMBLY FOR DFI CLOCK-STATUS CABLES, LINK INTERFACE CABLES AND RSM EXPORT CLOCK SYN REFERENCE FREQUENCY	
DWG SIZE C2	ISSUE 25
LUCENT TECHNOLOGIES INC ED5D503-20	
SHEET D25 OF 77	

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1676	21AA, 21BB, 21CD, 21FA, 21GB, 22GA, 23C1, 23EA, 23EB, 23FB, 23FC, 23GC, 23GD, 24FA, 24GB, 25C1, 25EA, 25FB, 25GC, 26FA, 26GA, 26GB, 27EA, 27FB, 27GC, 28C1, 28FA, 28GB	1	105412910	285A-4/22	CABLE, ELECTRONIC 22 GA A DIMENSION = 6 FEET 0 INCH			
1677	21C1, 21GA, 23FA, 23GB, 24GA, 25FA, 25GA, 25GB, 27FA, 27GB, 28GA	1	105412910	285A-4/22	CABLE, ELECTRONIC 22 GA A DIMENSION = 7 FEET 0 INCH			
1678	23GA, 27GA	1	105412910	285A-4/22	CABLE, ELECTRONIC 22 GA A DIMENSION = 8 FEET 0 INCH			
***** END OF STOCKLIST *****								

SEE PROPRIETARY NOTICE ON SHEET ONE			
5ESS SWITCHING EQUIPMENT CABLE ASSEMBLY FOR DFI CLOCK-STATUS CABLES, LINK INTERFACE CABLES AND RSM EXPORT CLOCK SYN REFERENCE FREQUENCY			XT13
			DWG SIZE C2
ED5D503-20	LUCENT TECHNOLOGIES INC	ED5D503-20	SHEET D26 OF 77