

ENGINEERING NOTES

51. GROUP INDEX

GROUP	SHEET	DESCRIPTION
1-56 1A-56A	C1-C3	OVERALL CABLE LENGTHS
1-56 1A-56A	C4	CONNECTING AND STAMPING INFORMATION

52. IN TABLE "A" GROUPS SHOWING LETTER SUFFIX (IE; 1A-56A) INDICATE A GROUP STRING OF THAT LETTER ONLY (IE; 1A,2A,3A ETC.).

53. CABLE LENGTHS SPECIFIED IN THE STOCK LIST (ROUNDED TO THE NEXT HIGHEST FOOT) ARE FOR BILL OF MATERIAL ONLY, AND NOT TO BE USED FOR CABLE LENGTH PREPARATION.

ISSUE NOTES (CONTINUED)

S/L ITEM 1015,1016,1017,1030 RMVD; ITEM 1050 READ 405757253, ITEM 1060 READ 406884569. ALSO GRAPHIC SHEETS UPDATED FOR AMP CONN.

ORIG ISS: 01/25/83 CHANGE CLASS: ME

DRAFT: HZP ENGR: HZP SUPV: CERTIFIED: 08/25/93 ISSUE: 10

CABLE LENGTHS LISTED IN THE STOCK LIST. GROUP INDEX RMVD AND MADE AS ENG NOTE 51, ENG NOTE 52,53 ADDED. MFG NOTE 1 THRU 13 RMVD AND REPLACED WITH STANDARD NOTES 1 THRU 11.

ORIG ISS: 01/25/83 CHANGE CLASS: ME

DRAFT: HZP ENGR: HZP SUPV: CERTIFIED: 08/27/93 ISSUE: 11

TABLE A CHANGES: THE RATING FOR GROUPS 1 THRU 56 AND GROUPS 1A THRU 56A WAS "STANDARD". NDD CASE NO. H7919.

ORIG ISS: 01/25/83 NDD NBR: NDD5D503NW-8 CHANGE CLASS: ME

DRAFT: EDH ENGR: EDH SUPV: CERTIFIED: 11/25/96 ISSUE: 12

ISSUE NOTES

ORIG ISS: 01/25/83 NDD NBR: 5D003IH-14 CHANGE CLASS:

DRAFT: JRP ENGR: RJW SUPV: JFM VAULT: 01/25/83 ISSUE: 1

* DRAWING CONVERTED FROM SEDBS TO MDS COMPUTER SYSTEMS. *
* THIS IS A MACHINE COPY OF THE LATEST SEDBS CERTIFIED ISSUE *
* AND MAY CONTAIN MINOR DIFFERENCES. THE TABLE OF ASSOCIATED *
* DRAWINGS WAS ELIMINATED DURING MIGRATION TO ASSIST THE *
* SCRUBBING OF PROPRIETARY INFORMATION. *

NOTE 5 ADDED. SL ITEM 1020 LINED OUT. TABLE 'S','FB','D' AND 'E' DIM CHGD.

ORIG ISS: 01/25/83 CHANGE CLASS: B

DRAFT: DSL ENGR: RW SUPV: CERTIFIED: 02/26/86 ISSUE: 2

982AB CONN BEING LINED-OUT AND 963N3-8 CONNECTOR ADDED. NOTE 6 ADDED.

ORIG ISS: 01/25/83 CHANGE CLASS: B

DRAFT: DSL ENGR: RW SUPV: CERTIFIED: 11/21/86 ISSUE: 3

DRAWING CONVERTED TO VCAD FORMAT. NOTES 5 & 6 REMOVED. ENG NOTE 54 ADDED.

ORIG ISS: 01/25/83 CHANGE CLASS: B

DRAFT: JJK ENGR: REW SUPV: CERTIFIED: 10/18/89 ISSUE: 4

IN SL ITEMS 1015,1016,1017 & 1030 LINED OUT; ITEMS 1040 & 1050 ADDED.

ORIG ISS: 01/25/83 CHANGE CLASS: B

DRAFT: HZP ENGR: JJK SUPV: CERTIFIED: 07/17/90 ISSUE: 5

IN S/L ITEM 1040 QTY 2 READ A/R. TBL D REINSTATED. TBL JJ RMV'D. ENG NOTE 54 RMV'D. TCED INFO INCORPORATED INTO ED; TCED AS WIRING DOCUMENT SUPERCEDED.

ORIG ISS: 01/25/83 CHANGE CLASS: M

DRAFT: HZP ENGR: FK SUPV: CERTIFIED: 11/16/90 ISSUE: 6

S/L ITEM 1030 REINSTATED; ITEM 1050 RMVD.

ORIG ISS: 01/25/83 CHANGE CLASS: M

DRAFT: HZP ENGR: FK SUPV: CERTIFIED: 12/06/90 ISSUE: 7

S/L ITEM 1030 LINED OUT; ITEM 1050 ADDED.

ORIG ISS: 01/25/83 CHANGE CLASS: M

DRAFT: HZP ENGR: FK SUPV: CERTIFIED: 12/07/90 ISSUE: 8

GROUPS 1A THROUGH 56A ADDED (E/W/AMP-TYPE CONNECTORS). STOCKLIST ITEMS 1060 AND 1070 ADDED. ALL GROUPS ADDED ARE FOR NSI SOFTWARE TRIAL. GRAPHICS SHALL BE UPDATED IN A LATER ISSUE. ENGINEERING NOTE 54 ADDED.

ORIG ISS: 01/25/83 CHANGE CLASS: M

DRAFT: PKK ENGR: WJV SUPV: CERTIFIED: 06/29/93 ISSUE: 9

SHEET INDEX

SHT NBR	A1 THRU A2				ISSUE	12			
SHT NBR	D1 THRU D3				ISSUE	12			
SHT NBR	C1	C2	C3	C4					
ISSUE	10	10	10	10					
SHT NBR									
ISSUE									
SHT NBR									
ISSUE									
SHT NBR									
ISSUE									
SHT NBR									
ISSUE									
SHT NBR									
ISSUE									
SHT NBR									
ISSUE									
SHT NBR									
ISSUE									

TABLE D-LIST OF ASSOCIATED REFERENCES

NUMBER	TITLE
=ED4C251-10	PASTECH WIRING & CABLING
=DENOTES NOT REQD BY INSTALLER	

ED5D503-25

LUCENT TECHNOLOGIES - PROPRIETARY
USE PURSUANT TO COMPANY INSTRUCTIONS

KT13

SESS SWITCHING EQUIPMENT
CABLE ASSEMBLY
FOR
PERIPHERAL INTERFACE DATA BUS
(PIDB)

DWG SIZE
C2

ISSUE
12

LUCENT TECHNOLOGIES INC ED5D503-25

SHEET A1
OF 9

TABLE A-FEATURES

EQUIPMENT		EQUIPMENT OR CIRCUIT DATA							SD EQUIVALENT		
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
WIRING AND APPARATUS FOR A CONNECTORIZED CABLE ASSEMBLY. E/W 963T CONNECTORS. DA EFP:12-01-96 FE:ED5D734-25 G1 THRU G84		DA	1 THRU 56								
WIRING AND APPARATUS FOR A CONNECTORIZED CABLE ASSEMBLY E/W AMP TYPE CONNECTORS. DA EFP:12/01/96 FE/RA:NONE		DA	1A THRU 56A								
END OF TABLE-A											

SEE PROPRIETARY NOTICE ON SHEET ONE

KT13

5ESS SWITCHING EQUIPMENT
CABLE ASSEMBLY
FOR
PERIPHERAL INTERFACE DATA BUS
(PIDB)


DWG SIZE C2	ISSUE 12
----------------	-------------

SHEET OF	A2 9
-------------	---------

ED5D503-25

LUCENT TECHNOLOGIES INC ED5D503-25

PRINTED IN U.S.A.




THE "A" DIM IS THE LENGTH OF SWBD CABLE FRONT OF CONN. TO FRONT OF CONN.
 THE "D" AND "E" DIM ARE THE DIM FROM BUTT OF CABLE TO THE FRONT OF CONN.

SK. A
 (SEE TABLE S)

GROUP	CABLE CODE	"A" DIM CM FT-IN		"A" DIM TOLERANCE CM IN		LENGTH FROM CABLE BUTT TO FRONT OF CONN				
						"D" DIM		"E" DIM		SK
						CM	FT-IN	CM	FT-IN	
1,1A	1051004A	25.00	[0-10]	±1.5	[±1/2]	3.8	[0-1 1/2]	3.8	[0-1 1/2]	A
2,2A		36.00	[1-02]							
3,3A		46.00	[1-06]							
4,4A		56.00	[1-10]							
5,5A		66.00	[2-02]							
6,6A		76.00	[2-06]							
7,7A		86.00	[2-10]							
8,8A		97.00	[3-02]							
9,9A		107.00	[3-06]	±1.60	[±1/2]					
10,10A		117.00	[3-10]	±1.75	[±1/2]					
11,11A		127.00	[4-02]	±1.90	[±3/4]					
12,12A		137.00	[4-06]	±2.05	[±3/4]					
13,13A		147.00	[4-10]	±2.20	[±3/4]					
14,14A		157.00	[5-02]	±2.35	[±3/4]					
15,15A		168.00	[5-06]	±2.52	[±1]					
16,16A		178.00	[5-10]	±2.67	[±1]					
17,17A		188.00	[6-02]	±2.82	[±1 1/8]					
18,18A		198.00	[6-06]	±2.97	[±1 1/8]					
19,19A		208.00	[6-10]	±3.12	[±1 1/4]					
20,20A		218.00	[7-02]	±3.27	[±1 1/4]					
21,21A		229.00	[7-06]	±3.43	[±1 3/8]					

SEE PROPRIETARY NOTICE ON SHEET ONE		
SESS SWITCHING EQUIPMENT CABLE ASSEMBLIES	DWG SIZE	ISSUE
	C2	10
AT&T	ED50503-25	SHEET C1



THE "A" DIM IS THE LENGTH OF SWBD CABLE FRONT OF CONN. TO FRONT OF CONN.
 THE "D" AND "E" DIM ARE THE DIM FROM BUTT OF CABLE TO THE FRONT OF CONN.


SK. A
 (SEE TABLE S)

TABLE S (CONT.)

GROUP	CABLE CODE	"A" DIM CM FT-IN		"A" DIM TOLERANCE CM IN		LENGTH FROM CABLE BUTT TO FRONT OF CONN				
						"D" DIM		"E" DIM		SK
						CM	FT-IN	CM	FT-IN	
22.22A	1051004A	239.00	[7-10]	±3.58	[±1 3/8]	3.8	[0-1 1/2]	3.8	[0-1 1/2]	A
23.23A		249.00	[8-02]	±3.73	[±1 1/2]					
24.24A		259.00	[8-06]	±3.88	[±1 1/2]					
25.25A		269.00	[8-10]	±4.03	[±1 1/2]					
26.26A		279.00	[9-02]	±4.18	[±1 5/8]					
27.27A		290.00	[9-06]	±4.35	[±1 5/8]					
28.28A		300.00	[9-10]	±4.50	[±1 3/4]					
29.29A		310.00	[10-02]	±4.65	[±1 3/4]					
30.30A		320.00	[10-06]	±4.80	[±1 7/8]					
31.31A		330.00	[10-10]	±4.95	[±1 7/8]					
32.32A		340.00	[11-02]	±5.10	[±2]					
33.33A		351.00	[11-06]	±5.26	[±2]					
34.34A		361.00	[11-10]	±5.41	[±2 1/8]					
35.35A		371.00	[12-02]	±5.56	[±2 1/8]					
36.36A		381.00	[12-06]	±5.71	[±2 1/4]					
37.37A		391.00	[12-10]	±5.86	[±2 1/4]					
38.38A		401.00	[13-02]	±6.01	[±2 3/8]					
39.39A		411.00	[13-06]	±6.16	[±2 3/8]					
40.40A		422.00	[13-10]	±6.33	[±2 1/2]					
41.41A		432.00	[14-02]	±6.48	[±2 1/2]					
42.42A		442.00	[14-06]	±6.63	[±2 5/8]					

SEE PROPRIETARY NOTICE ON SHEET ONE

SESS SWITCHING EQUIPMENT CABLE ASSEMBLIES		DWG SIZE C2	ISSUE 10
AT&T	ED50503-25	SHEET C2	




THE "A" DIM IS THE LENGTH OF SWBD CABLE FRONT OF CONN. TO FRONT OF CONN.
 THE "D" AND "E" DIM ARE THE DIM FROM BUTT OF CABLE TO THE FRONT OF CONN.

SK. A
 (SEE TABLE S)

TABLE S (CONT.)		LENGTH FROM CABLE BUTT TO FRONT OF CONN								
GROUP	CABLE CODE	"A" DIM		"A" DIM TOLERANCE		"D" DIM		"E" DIM		SK
		CM	FT-IN	CM	IN	CM	FT-IN	CM	FT-IN	
43.43A	1051004A	452.00	[14-10]	±6.78	[±2 5/8]	3.8	[0-1 1/2]	3.8	[0-1 1/2]	A
44.44A		462.00	[15-02]	±6.93	[±2 3/4]					
45.45A		472.00	[15-06]	±7.08	[±2 3/4]					
46.46A		483.00	[15-10]	±7.24	[±2 7/8]					
47.47A		493.00	[16-02]	±7.39	[±2 7/8]					
48.48A		503.00	[16-06]	±7.54	[±3]					
49.49A		513.00	[16-10]	±7.69	[±3]					
50.50A		523.00	[17-02]	±7.84	[±3]					
51.51A		533.00	[17-06]	±7.99	[±3 1/8]					
52.52A		544.00	[17-10]	±8.16	[±3 1/8]					
53.53A		554.00	[18-02]	±8.31	[±3 1/4]					
54.54A		564.00	[18-06]	±8.46	[±3 1/4]					
55.55A		574.00	[18-10]	±8.61	[±3 3/8]					
56.56A		584.00	[19-02]	±8.76	[±3 3/8]					

SEE PROPRIETARY NOTICE ON SHEET ONE		
SESS SWITCHING EQUIPMENT CABLE ASSEMBLIES		
DWG SIZE C2	ISSUE 10	
AT&T	ED50503-25	SHEET C3


963T-8 CONNECTOR
(2X4)



TYPICAL METHOD OF ASSEMBLING 963T-8
CONNECTOR (2 X 4) ON TO
PREPARED CABLE END

FIG.1 (GROUP 1-56)


RV125 (829758-8) CONNECTOR
(2X4)



TYPICAL METHOD OF ASSEMBLING RV125
CONNECTOR (2 X 4) ON TO
PREPARED CABLE END


FIG.2 (GROUP 1A-56A)

STAMPING INFORMATION



* STAMPING PROVIDED PER JOB SPEC.

CONNECTING INFORMATION



GROUP 1-56			
CONN POS 1,2			
WIRING SIDE OF 963T-8			
COLOR	TERM	TERM	COLOR
BL/W	AA	BA	W/BL
O/W	AB	BB	W/O
G/W	AC	BC	W/G
BR/W	AD	BD	W/BR

CODED SIDE OF CONN

GROUP 1A-56A			
CONN POS 1,2			
WIRING SIDE OF RV125			
COLOR	TERM	TERM	COLOR
W/BR	BD	AD	BR/W
W/G	BC	AC	G/W
W/O	BB	AB	O/W
W/BL	BA	AA	BL/W

CODED
SIDE
OF CONN

SEE PROPRIETARY NOTICE ON SHEET ONE

SESS SWITCHING EQUIPMENT
CABLE ASSEMBLIES

DWG SIZE	ISSUE
C2	10

AT&T

ED50503-25

SHEET
C4

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1020	1A, 2A, 3A, 4A, 5A, 6A, 7A, 8A, 9A, 10A, 11A, 12A, 13A, 14A, 15A, 16A, 17A, 18A, 19A, 20A, 21A, 22A, 23A, 24A, 25A, 26A, 27A, 28A, 29A, 30A, 31A, 32A, 33A, 34A, 35A, 36A, 37A, 38A, 39A, 40A, 41A, 42A, 43A, 44A, 45A, 46A, 47A, 48A, 49A, 50A, 51A, 52A, 53A, 54A, 55A, 56A	4	406884486		COVER, CONNECTOR #964393-4 AMP INC.			
1050	1, 1A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 10 INCHES			
1060	2, 2A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 1 FOOT 2 INCHES			
1070	3, 3A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 1 FOOT 6 INCHES			
1080	4, 4A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 1 FOOT 10 INCHES			
1090	5, 5A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 2 FEET 2 INCHES			
1100	6, 6A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 2 FEET 6 INCHES			
1110	7, 7A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 2 FEET 10 INCHES			
1120	8, 8A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 3 FEET 2 INCHES			
1130	9, 9A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 3 FEET 6 INCHES			
1140	10, 10A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 3 FEET 10 INCHES			
1150	11, 11A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 2 INCHES			
1160	12, 12A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 6 INCHES			
1170	13, 13A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 10 INCHES			
1180	14, 14A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 2 INCHES			
1190	15, 15A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 6 INCHES			
1200	16, 16A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 10 INCHES			

***** STOCKLIST CONTINUED AT RIGHT *****

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1210	17, 17A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 2 INCHES			
1220	18, 18A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 6 INCHES			
1230	19, 19A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 10 INCHES			
1240	20, 20A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 7 FEET 2 INCHES			
1250	21, 21A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 7 FEET 6 INCHES			
1260	22, 22A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 7 FEET 10 INCHES			
1270	23, 23A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 8 FEET 2 INCHES			
1280	24, 24A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 8 FEET 6 INCHES			
1290	25, 25A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 8 FEET 10 INCHES			
1300	26, 26A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 9 FEET 2 INCHES			
1310	27, 27A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 9 FEET 6 INCHES			
1320	28, 28A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 9 FEET 10 INCHES			
1330	29, 29A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 10 FEET 2 INCHES			
1340	30, 30A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 10 FEET 6 INCHES			
1350	31, 31A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 10 FEET 10 INCHES			
1360	32, 32A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 11 FEET 2 INCHES			
1370	33, 33A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 11 FEET 6 INCHES			
1380	34, 34A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 11 FEET 10 INCHES			
1390	35, 35A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 12 FEET 2 INCHES			

STOCKLIST CONTINUED ON SHEET D3

SEE PROPRIETARY NOTICE ON SHEET ONE	
KT13	
SESS SWITCHING EQUIPMENT CABLE ASSEMBLY FOR PERIPHERAL INTERFACE DATA BUS (PIDB)	
DWG SIZE C2	ISSUE 12
LUCENT TECHNOLOGIES INC ED5D503-25	
SHEET D2 OF 9	

ED5D503-25

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1400	36,36A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 12 FEET 6 INCHES			
1410	37,37A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 12 FEET 10 INCHES			
1420	38,38A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 13 FEET 2 INCHES			
1430	39,39A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 13 FEET 6 INCHES			
1440	40,40A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 13 FEET 10 INCHES			
1450	41,41A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 14 FEET 2 INCHES			
1460	42,42A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 14 FEET 6 INCHES			
1470	43,43A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 14 FEET 10 INCHES			
1480	44,44A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 15 FEET 2 INCHES			
1490	45,45A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 15 FEET 6 INCHES			
1500	46,46A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 15 FEET 10 INCHES			
1510	47,47A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 16 FEET 2 INCHES			
1520	48,48A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 16 FEET 6 INCHES			
1530	49,49A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 16 FEET 10 INCHES			
1540	50,50A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 17 FEET 2 INCHES			
1550	51,51A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 17 FEET 6 INCHES			
1560	52,52A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 17 FEET 10 INCHES			
1570	53,53A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 18 FEET 2 INCHES			
1580	54,54A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 18 FEET 6 INCHES			
1590	55,55A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 18 FEET 10 INCHES			
1600	56,56A	1	107717449	#1051B4/26RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 19 FEET 2 INCHES			

***** END OF STOCKLIST *****

SEE PROPRIETARY NOTICE ON SHEET ONE	
KT13	
SESS SWITCHING EQUIPMENT CABLE ASSEMBLY FOR PERIPHERAL INTERFACE DATA BUS (PIDB)	
DWG SIZE C2	ISSUE 12
LUCENT TECHNOLOGIES INC	ED5D503-25
SHEET D3 OF 9	

ED5D503-25