

ENGINEERING NOTES

- 51. RESERVED.
- 52. READY TO ENGINEER PER R.TEVONIAN'S MEMORANDUM DATED FEBRUARY 1, 1983. PLEASE ADVISE W.NAWRACAJ CORNET 8-345-7064 OR J.KRIZ CORNET 8-345-7072 OF DRAWING DISCREPANCIES.

53.

GROUP INDEX	
GROUP	SHEET NO.
1A	B1,C1
2A	B1,C5
3A	B1,C2
4A	B1,C6
5A	B1,C3
6A	B1,C7
7A	B1,C4
8A	B1,C8
9A	B1,C9
101A	B1,C10
102A	B1,C11
211A, 211B	B1,C12
212A, 212B	B1,C14
213A, 213B	B1,C13
214A, 214B	B1,C15
221A, 221B	B1,C16
222A, 222B	B1,C18
223A, 223B	B1,C17
224A, 224B	B1,C19
231A	B1,C20 (DA)
232A	B1,C21 (DA)
233A	B1,C20 (DA)
234A	B1,C21 (DA)
241A, 243A	B2,C22 (DA)
242A, 244A	B2,C23 (DA)
231B	B1,C20 (DA)
232B	B1,C21 (DA)
233B	B1,C20 (DA)
234B	B1,C21 (DA)
241B	B2,C22 (DA)
242B	B2,C23 (DA)
243B	B2,C22 (DA)
244B	B2,C23 (DA)
261A, 263A	B2,C24 (DA)
262A, 264A	B2,C25 (DA)
261B, 263B	B2,C24 (DA)
262B, 264B	B2,C25 (DA)
281A, B	B3,C26 (DA)
282A, B	B3,C26 (DA)
283A, B	B3,C27 (DA)
284A, B	B3,C27 (DA)
285A, B	B3,C27 (DA)
501A-519A (ODD)	B4,C28 (DA)
502A-520A (EVEN)	B4,C29 (DA)
521A-539A (ODD)	B5,C30 (DA)
522A-540A (EVEN)	B5,C31 (DA)
551A-561A (ODD)	B6,C32 (DA)
552A-562A (EVEN)	B6,C33 (DA)

ISSUE NOTES (CONTINUED)

GROUPS HAVING AN "N" SUFFIX OR "A" PREFIX HAVE BEEN ADDED TO INTRODUCE CABLES EQUIPPED WITH AN AMP CONNECTOR. THESE NEW GROUPS ARE EQUIVALENT IN EVERY RESPECT WITH THE OLD "BASE" GROUP WITH THE EXCEPTION OF SUBSTITUTING THE AMP CONNECTOR FOR THE 963T. I.E. GROUP 1A (963T CONN) = GROUP 1N (AMP CONN); GROUP 521A(963T CONN) = 521N (AMP CONN); GROUP 261A (963T CONN) = GROUP A61A (AMP CONN). (ALL GROUPS ADDED IN THIS ISSUE ARE ADDED TO POCUS/PDD PART OF THE DWG. ONLY - GRAPHIC SHEETS WILL BE UPDATED AT THE NEXT ISSUE)

ORIG ISS: 03/02/83 CHANGE CLASS: ME

DRAFT: HZP ENGR: HZP SUPV: CERTIFIED: 07/30/93 ISSUE: 20

DRAWING UPDATED FOR GPI FORMAT, 963T COVERS ADDED.

ORIG ISS: 03/02/83 CHANGE CLASS: MF

DRAFT: REW ENGR: REW SUPV: CERTIFIED: 04/05/95 ISSUE: 21

GROUPS 1N-9N, 101N, 102N, 521N-540N, 551N-562N, A61A-A64A, A61B-A64B, A81A-A85A, A81B-A85B, 261A-264A, 501A-520A, 521A-540A, 231A-234A, 241A-244A, 231B-234B, 261A-264A, 261B-264B. DA'ED IN TABLE A. TITLE READ AT&T ALL SHEETS.

ORIG ISS: 03/02/83 NDD NBR: NDD5D503NW-16 CHANGE CLASS: ME

DRAFT: JAS ENGR: JAS SUPV: CERTIFIED: 12/13/96 ISSUE: 22

ISSUE NOTES

GROUP 512A THRU 520A (EVEN), 521A THRU 540A ADDED.

ORIG ISS: 03/02/83 CHANGE CLASS: B

DRAFT: DSL ENGR: HZP SUPV: CERTIFIED: 05/15/86 ISSUE: 12

IN GROUPS 261A-264A, 261B-264B, 521A-540A 'D' DIM CHANGED IN TBL S, S1 AND CABLE LAYOUTS.

ORIG ISS: 03/02/83 CHANGE CLASS: B

DRAFT: DSL ENGR: IDK SUPV: CERTIFIED: 07/31/86 ISSUE: 13

GROUPS 281A THRU 285A AND 281B THRU 285B ADDED.

ORIG ISS: 03/02/83 CHANGE CLASS: B

DRAFT: DSL ENGR: HDM SUPV: CERTIFIED: 11/25/86 ISSUE: 14

GROUPS 1A-9A, 101A, 102A, 551A-562A THE 963N3 TYPE CONNECTOR ADDED AND 962 TYPE CONNECTOR LINED OUT. GROUPS 261A-264A, 261B-264B, 281A-285A, 281B-285B, 521A-540A THE 963N3-24-16 CONNECTOR ADDED AND THE 963N-24 CONNECTOR LINED OUT.

ORIG ISS: 03/02/83 CHANGE CLASS: B

DRAFT: DSL ENGR: HDM SUPV: CERTIFIED: 02/10/87 ISSUE: 15

IN GROUP 101A, 102A, 551A-562A DS SHOWN FOR IDC TYPE OF CONNECTOR. SKINNER LG IN GROUP 281A, B THRU 285A, B CHANGED PER OC POINT ISSUE.

ORIG ISS: 03/02/83 CHANGE CLASS: B

DRAFT: DSL ENGR: IDK SUPV: CERTIFIED: 08/18/87 ISSUE: 16

LAYOUT FOR GROUP 9A MODIFY TO REFLECT IDC CONN PER POINT ISSUE. TABLE 'D' ADDED. REF TO 'SEE MANUF' NOTE ADDED TO TABLE 'S'.

ORIG ISS: 03/02/83 CHANGE CLASS: B

DRAFT: DSL ENGR: IDK SUPV: CERTIFIED: 07/27/88 ISSUE: 17

DIM IN TABLE S & S1 CHANGED. TU & LU CABLE LAYOUTS MODIFIED TO SHOW 2" DIM BETWEEN FIRST BREAKOUT & BUTT/INNER BUTT.

ORIG ISS: 03/02/83 CHANGE CLASS: M

DRAFT: DSL ENGR: IDK SUPV: CERTIFIED: 04/19/89 ISSUE: 18

TBL D REINSTATED.

ORIG ISS: 03/02/83 CHANGE CLASS: M

DRAFT: HZP ENGR: REW SUPV: CERTIFIED: 07/12/91 ISSUE: 19

SHEET INDEX

SHT NBR	A1 THRU A11											ISSUE	22
ISSUE	D1 THRU D11											ISSUE	22
SHT NBR	B1	B2	B3	B4	B5	B6							
ISSUE	22	22	22	22	22	22							
SHT NBR	C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11		
ISSUE	22	22	22	22	22	22	22	22	22	22	22		
SHT NBR	C12	C13	C14	C15	C16	C17	C18	C19	C20	C21	C22		
ISSUE	22	22	22	22	22	22	22	22	22	22	22		
SHT NBR	C23	C24	C25	C26	C27	C28	C29	C30	C31	C32	C33		
ISSUE	22	22	22	22	22	22	22	22	22	22	22		
SHT NBR													
ISSUE													
SHT NBR													
ISSUE													
SHT NBR													
ISSUE													
SHT NBR													
ISSUE													
SHT NBR													
ISSUE													

TABLE D-LIST OF ASSOCIATED REFERENCES

NUMBER	TITLE
=TCED5D503-35	TABULAR CA CONN DWG
=RLED5D503-35	RUNNING LIST
=ED5D500-21	INTERCABINET CABLING ORDERING SPEC
=ED5D500-22	INTERCABINET CABLING ORDERING SPEC
=ED4C251-10	FASTECH WIRING & CABLING
=DENOTES NOT REQD BY INSTALLER	

LUCENT TECHNOLOGIES - PROPRIETARY
USE PURSUANT TO COMPANY INSTRUCTIONS

KT13

5ESS SWITCHING EQUIPMENT
ARRANGED WITH 2-WIRE FEATURES
CONNECTORIZED SWITCHBOARD
CABLE ASSEMBLIES
FOR
6 FT SWITCHING MODULE CABINET
LTP PER J5D003P-1

DWG SIZE C2 ISSUE 22

LUCENT TECHNOLOGIES INC ED5D503-35 SHEET A1 OF 61

TABLE A-FEATURES											
EQUIPMENT		RAT- ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT DATA				SD EQUIVALENT		
DESCRIPTION	REF NOTE				EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
CONNECTORIZED SWBD CABLE ASSEMBLY FROM MSU MOUNTED IN LTP() OF A SM LEV 04,EQL 058-082 TO A DF (SWC). (E/W 963T CONN)			1A								
CONNECTORIZED SWBD CABLE ASSEMBLY FROM MSU MOUNTED IN LTP() OF A SM LEV 04,EQL 058-082 TO A DF (SWC). (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	1N								
CONNECTORIZED SWBD CABLE ASSEMBLY FROM MSU MOUNTED IN LTP() OF A SM LEVEL 13,EQL 058-082 TO A DF (SWC). (E/W 963T CONN)			2A								
CONNECTORIZED SWBD CABLE ASSEMBLY FROM MSU MOUNTED IN LTP() OF A SM LEVEL 13,EQL 058-082 TO A DF (SWC). (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	2N								
CONNECTORIZED SWBD CABLE ASSEMBLY FROM MSU MOUNTED IN LTP() OF A SM LEVEL 04,EQL 090-114 TO A DF (SWC). (E/W 963T CONN)			3A								
CONNECTORIZED SWBD CABLE ASSEMBLY FROM MSU MOUNTED IN LTP() OF A SM LEVEL 04,EQL 090-114 TO A DF (SWC). (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	3N								
CONNECTORIZED SWBD CABLE ASSEMBLY FROM MSU MOUNTED IN LTP() OF A SM LEVEL 13,EQL 090-114 TO A DF (SWC). (E/W 963T CONN)			4A								
CONNECTORIZED SWBD CABLE ASSEMBLY FROM MSU MOUNTED IN LTP() OF A SM LEVEL 13,EQL 090-114 TO A DF (SWC). (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	4N								
CONNECTORIZED SWBD CABLE ASSEMBLY FROM MSU MOUNTED IN LTP() OF A SM LEVEL 04,EQL 122-146 TO A DF (SWC). (E/W 963T CONN)			5A								
CONNECTORIZED SWBD CABLE ASSEMBLY FROM MSU MOUNTED IN LTP() OF A SM LEVEL 04,EQL 122-146 TO A DF (SWC). (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	5N								
CONNECTORIZED SWBD CABLE ASSEMBLY FROM MSU MOUNTED IN LTP() OF A SM LEVEL 13,EQL 122-146 TO A DF (SWC). (E/W 963T CONN)			6A								
CONNECTORIZED SWBD CABLE ASSEMBLY FROM MSU MOUNTED IN LTP() OF A SM LEVEL 13,EQL 122-146 TO A DF (SWC). (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	6N								
CONNECTORIZED SWBD CABLE ASSEMBLY FROM MSU MOUNTED IN LTP() OF A SM LEVEL 04,EQL 154-178 TO A DF (SWC). (E/W 963T CONN)			7A								

TABLE-A CONTINUED

TABLE A-FEATURES (CONTINUED)											
EQUIPMENT		RAT- ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT DATA				SD EQUIVALENT		
DESCRIPTION	REF NOTE				EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
CONNECTORIZED SWBD CABLE ASSEMBLY FROM MSU MOUNTED IN LTP() OF A SM LEVEL 04,EQL 154-178 TO A DF (SWC). (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	7N								
CONNECTORIZED SWBD CABLE ASSEMBLY FROM MSU MOUNTED IN LTP() OF A SM LEVEL 13,EQL 154-178 TO A DF (SWC). (E/W 963T CONN)			8A								
CONNECTORIZED SWBD CABLE ASSEMBLY FROM MSU MOUNTED IN LTP() OF A SM LEVEL 13,EQL 154-178 TO A DF (SWC). (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	8N								
CONNECTORIZED SWBD CABLE ASSEMBLY FROM MSU MOUNTED IN LTP() OF A SM LEVEL 04 & 13, EQL 026 TO A DF (SWC). (E/W 963T CONN)			9A								
CONNECTORIZED SWBD CABLE ASSEMBLY FROM MSU MOUNTED IN LTP() OF A SM LEVEL 04 & 13, EQL 026 TO A DF (SWC). (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	9N								
CONNECTORIZED SWBD CABLE ASSEMBLY FROM TU MOUNTED IN LTP() OF A SM (16 POS OF T,R, T1,R1) TO DF (SWC). (E/W 963T CONN)			101A								
CONNECTORIZED SWBD CABLE ASSEMBLY FROM TU MOUNTED IN LTP() OF A SM (16 POS OF T,R, T1,R1) TO DF (SWC). (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	101N								
CONNECTORIZED SWBD CABLE ASSEMBLY FROM TU MOUNTED IN LTP() OF A SM (16 POS OF E,SG, M,SB) TO DF (SWC). (E/W 963T CONN)			102A								
CONNECTORIZED SWBD CABLE ASSEMBLY FROM TU MOUNTED IN LTP() OF A SM (16 POS OF E,SG, M,SB) TO DF (SWC). (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	102N								
CONNECTORIZED SWBD CABLE ASSEMBLY FROM PH4 LU MOUNTED IN LTP() OF A SM TO DF (SWC) (UNIT LEVEL 04,EQL 103-137 FOR CONC R OF 4:1).			211A								

TABLE-A CONTINUED

SEE PROPRIETARY NOTICE ON SHEET ONE

KT13

5ESS SWITCHING EQUIPMENT
ARRANGED WITH 2-WIRE FEATURES
CONNECTORIZED SWITCHBOARD
CABLE ASSEMBLIES
FOR
6 FT SWITCHING MODULE CABINET
LTP PER J5D003P-1

DWG SIZE
C2

ISSUE
22

ED5D503-35

LUCENT TECHNOLOGIES INC ED5D503-35

SHEET A2
OF 61

PRINTED IN U.S.A.

TABLE A-FEATURES (CONTINUED)											
EQUIPMENT		EQUIPMENT OR CIRCUIT DATA						SD EQUIVALENT			
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
CONNECTORIZED SWBD CABLE ASSEMBLY FROM PH4 LU MOUNTED IN LTP() OF A SM TO LNI() (UNIT LEVEL 04,EQL 103-137 FOR CONC R OR 4:1).			211B								
CONNECTORIZED SWBD CABLE ASSEMBLY FROM PH4 LU MOUNTED IN LTP() OF A SM TO DF (SWC) (UNIT LEVEL 13,EQL 103-137, FOR CONC R 6:1).			212A								
CONNECTORIZED SWBD CABLE ASSEMBLY FROM PH4 LU MOUNTED IN LTP() OF A SM TO LNI() (UNIT LEVEL 13,EQL 103-137,FOR CONC R 6:1).			212B								
CONNECTORIZED SWBD CABLE ASSEMBLY FROM PH4 LU MOUNTED IN LTP() OF A SM TO DF (SWC) (UNIT LEVEL 04,EQL 149-177 FOR CONC R 4:1).			213A								
CONNECTORIZED SWBD CABLE ASSEMBLY FROM PH4 LU MOUNTED IN LTP() OF A SM TO LNI() (UNIT LEVEL 04,EQL 149-177 FOR CONC R 4:1).			213B								
CONNECTORIZED SWBD CABLE ASSEMBLY FROM PH4 LU MOUNTED IN LTP() OF A SM TO DF (SWC) (UNIT LEVEL 13,EQL 149-177,FOR CONC R 8:1).			214A								
CONNECTORIZED SWBD CABLE ASSEMBLY FROM PH4 LU MOUNTED IN LTP() OF A SM TO LNI() (UNIT LEVEL 13,EQL 149-177 FOR CONC R 8:1).			214B								
CONNECTORIZED SWBD CABLE ASSEMBLY FROM LU J5D004AC-1 MOUNTED IN LTP() OF A SM TO DF (SWC). (UNIT LEVEL 04, EQL 111-135 FOR CONC R OF 4:1).			221A								
CONNECTORIZED SWBD CABLE ASSEMBLY FOR LU J5D004AC-1 MOUNTED IN LTP() OF A SM TO LNI (UNIT LEVEL 04,EQL 111-135 FOR CONC R OF 4:1).			221B								
CONNECTORIZED SWBD CABLE ASSEMBLY FROM LU J5D004AC-1 MOUNTED IN LTP() OF A SM TO DF (SWC). (UNIT LEV 13, EQL 111-135 FOR CONC R OF 6:1).			222A								
CONNECTORIZED SWBD CABLE ASSEMBLY FOR LU J5D004AC-1 MOUNTED IN LTP() OF A SM TO LNI. (UNIT LEVEL 13,EQL 111-135 FOR CONC R OF 6:1).			222B								
CONNECTORIZED SWBD CABLE ASSEMBLY FROM LU J5D004AC-1 MOUNTED IN LTP() OF A SM TO DF (SWC). (UNIT LEV 04, EQL 143-167, FOR CONC R OF 4:1).			223A								
CONNECTORIZED SWBD CABLE ASSEMBLY FROM LU J5D004AC-1 MOUNTED IN LTP() OF A SM TO LNI. (UNIT LEVEL 04,EQL 143-167 FOR CONC R OF 4:1).			223B								
CONNECTORIZED SWBD CABLE ASSEMBLY FROM LU J5D004AC-1 MOUNTED IN LTP() OF A SM TO DF (SWC). (UNIT LEV 13, EQL 143-167, FOR CONC R OF 8:1).			224A								
CONNECTORIZED SWBD CABLE ASSEMBLY FROM LU J5D004AC-1 MOUNTED IN LTP() OF A SM TO LNI. (UNIT LEVEL 13,EQL 143-167 FOR CONC R OF 8:1).			224B								

TABLE-A CONTINUED

TABLE A-FEATURES (CONTINUED)											
EQUIPMENT		EQUIPMENT OR CIRCUIT DATA						SD EQUIVALENT			
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
CONNECTORIZED SWBD CABLE ASSEMBLY E/W 982WC CONN FOR LU J5D004AB MOUNTED IN LTP() OF A SM TO DF(SWC)(UNIT LEV 04, EQL 103,117,123 & 137 FOR CONC R OF 4:1). DA EFF:12/20/96 FE/RA:NONE		DA	231A								
CONNECTORIZED SWBD CABLE ASSEMBLY FOR LU (J5D004AB) MOUNTED IN LTP() OF A SM AND CONNECTED TO A LNI (). (UNIT LEV 04, EQL 103-137 FOR A CONC R OF 4:1). DA EFF:12/20/96 FE/RA:NONE		DA	231B								
CONNECTORIZED SWBD CABLE ASSEMBLY E/W 982WC CONN FOR LU J5D004AB MOUNTED IN LTP() OF A SM TO DF(SWC)(UNIT LEV 04, EQL 149,157,163 & 177, FOR CONC R OF 4:1). DA EFF:12/20/96 FE/RA:NONE		DA	232A								
CONNECTORIZED SWBD CABLE ASSEMBLY FOR LU (J5D004AB) MOUNTED IN LTP() OF A SM AND CONNECTED TO A LNI (). (UNIT LEV 04, EQL 149-177 FOR A CONC R OF 4:1). DA EFF:12/20/96 FE/RA:NONE		DA	232B								
CONNECTORIZED SWBD CABLE ASSEMBLY E/W 982WC CONN FOR LU J5D004AB MOUNTED IN LTP() OF A SM TO DF (SWC)(UNIT LEV 13, EQL 103,117,123 & 137, FOR CONC R OF 6:1). DA EFF:12/20/96 FE/RA:NONE		DA	233A								
CONNECTORIZED SWBD CABLE ASSEMBLY FOR LU (J5D004AB) MOUNTED IN LTP() OF A SM AND CONNECTED TO A LNI (). (UNIT LEV 13, EQL 103-137 FOR A CONC R OF 6:1). DA EFF:12/20/96 FE/RA:NONE		DA	233B								
CONNECTORIZED SWBD CABLE ASSEMBLY E/W 982WC CONN FOR LU J5D004AB MOUNTED IN LTP() OF A SM TO DF (SWC)(UNIT LEV 13, EQL 149,157,163 & 177 FOR CONC R OF 8:1). DA EFF:12/20/96 FE/RA:NONE		DA	234A								
CONNECTORIZED SWBD CABLE ASSEMBLY FOR LU (J5D004AB) MOUNTED IN LTP() OF A SM AND CONNECTED TO A LNI (). (UNIT LEV 13, EQL 149-177 FOR A CONC R OF 8:1). DA EFF:12/20/96 FE/RA:NONE		DA	234B								

TABLE-A CONTINUED

SEE PROPRIETARY NOTICE ON SHEET ONE

KT13

5ESS SWITCHING EQUIPMENT
ARRANGED WITH 2-WIRE FEATURES
CONNECTORIZED SWITCHBOARD
CABLE ASSEMBLIES
FOR
6 FT SWITCHING MODULE CABINET
LTP PER J5D003F-1

DWG SIZE C2 ISSUE 22

ED5D503-35

LUCENT TECHNOLOGIES INC ED5D503-35

SHEET A3 OF 61

PRINTED IN U.S.A.

TABLE A-FEATURES (CONTINUED)											
EQUIPMENT		RAT- ING	LIST OR GROUP	EQUIPMENT OR CIRCUIT DATA					SD EQUIVALENT		
DESCRIPTION	REF NOTE			QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
CONNECTORIZED SWBD CABLE ASSEMBLY E/W CM212A CONN FOR LU2 J5D004AC MOUNTED IN LTP () OF A SM AND CONNECTED TO A DF (SWC). (UNIT LEV 04, EQL 111-135 FOR A CONC R OF 4:1). DA EFF:12/20/96 FE/RA:NONE		DA	241A								
CONNECTORIZED SWBD CABLE ASSEMBLY FOR LU2 (J5D004AC OR J5D004AE-EXPORT) MOUNTED IN LTP () OF A SM AND CONNECTED TO A LNI (). (UNIT LEV 04, EQL 111-135 FOR A CONC R OF 4:1).			241B								
CONNECTORIZED SWBD CABLE ASSEMBLY E/W CM212A CONN FOR LU2 J5D004AC MOUNTED IN A LTP () OF A SM AND CONNECTED TO A DF (SWC). (UNIT LEV 04, EQL 143-167 FOR A CONC R OF 4:1). DA EFF:12/20/96 FE/RA:NONE		DA	242A								
CONNECTORIZED SWBD CABLE ASSEMBLY FOR LU2 (J5D004AC OR J5D004AE-EXPORT) MOUNTED IN LTP () OF A SM AND CONNECTED TO A LNI (). (UNIT LEV 04, EQL 143-167 FOR A CONC R OF 4:1).			242B								
CONNECTORIZED SWBD CABLE ASSEMBLY E/W CM212A CONN FOR LU2 J5D004AC MOUNTED IN LTP () OF A SM AND CONNECTED TO A DF (SWC). (UNIT LEV 13, EQL 111-135 FOR A CONC R OF 6:1). DA EFF:12/20/96 FE/RA:NONE		DA	243A								
CONNECTORIZED SWBD CABLE ASSEMBLY FOR LU2 (J5D004AC OR J5D004AE-EXPORT) MOUNTED IN LTP () OF A SM AND CONNECTED TO A LNI (). (UNIT LEV 13, EQL 111-135 FOR A CONC R OF 6:1).			243B								
CONNECTORIZED SWBD CABLE ASSEMBLY E/W CM212A CONN FOR LU2 J5D004AC MOUNTED IN LTP () OF A SM AND CONNECTED TO A DF (SWC). (UNIT LEV 13, EQL 143-167 FOR A CONC R OF 8:1). DA EFF:12/20/96 FE/RA:NONE		DA	244A								
CONNECTORIZED SWBD CABLE ASSEMBLY FOR LU2 (J5D004AC OR J5D004AE-EXPORT) MOUNTED IN LTP () OF A SM AND CONNECTED TO A LNI (). (UNIT LEV 13, EQL 143-167 FOR A CONC R OF 8:1).			244B								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR LU2 (E/W TN1058 OR TN1048 CP) CONNECTED TO A DF (SWC) AND ARRANGED FOR A CONC R OF 4:1. (E/W 963T CONN) DA EFF:12/20/96 FE/RA:NONE		DA	261A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 (E/W TN1048 CP) CONNECTED TO LNI AND ARRANGED FOR A CONC R OF 4:1. (E/W 963T CONN) DA EFF:12/20/96 FE/RA:NONE		DA	261B								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 (E/W TN1058 OR TN1048 CP) CONNECTED TO A DF (SWC) AND ARRANGED FOR A CONC R OF 4:1. (E/W 963T CONN) DA EFF:12/20/96 FE/RA:NONE		DA	262A								

TABLE-A CONTINUED

TABLE A-FEATURES (CONTINUED)											
EQUIPMENT		RAT- ING	LIST OR GROUP	EQUIPMENT OR CIRCUIT DATA					SD EQUIVALENT		
DESCRIPTION	REF NOTE			QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 (E/W TN1048 CP) CONNECTED TO A LNI AND ARRANGED FOR A CONC R OF 4:1. (E/W 963T CONN) DA EFF:12/20/96 FE/RA:NONE		DA	262B								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR LU2 (E/W TN1058 OR TN1048 CP) CONNECTED TO A DF (SWC) AND ARRANGED FOR A CONC R OF 6:1. (E/W 963T CONN) DA EFF:12/20/96 FE/RA:NONE		DA	263A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 (E/W TN1048 CP) CONNECTED TO A LNI AND ARRANGED FOR A CONC R OF 6:1. (E/W 963T CONN) DA EFF:12/20/96 FE/RA:NONE		DA	263B								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 (E/W TN1058 OR TN1048 CP) CONNECTED TO A DF (SWC) AND ARRANGED FOR A CONC R OF 8:1. (E/W 963T CONN) DA EFF:12/20/96 FE/RA:NONE		DA	264A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 (E/W TN1048 CP) CONNECTED TO A LNI AND ARRANGED FOR A CONC R OF 8:1. (E/W 963T CONN) DA EFF:12/20/96 FE/RA:NONE		DA	264B								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR LU3 (E/W TN1058) CONNECTED TO A DF (SWC) AND ARRANGED FOR A CONC R OF 4:1. (E/W 963T CONN)			281A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR LU3 (E/W TN1058) CONNECTED TO A LNI AND ARRANGED FOR A CONC R OF 4:1. (E/W 963T CONN)			281B								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR LU3 (E/W TN1058) CONNECTED TO A DF (SWC) AND ARRANGED FOR A CONC R OF 4:1. (E/W 963T CONN)			282A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR LU3 (E/W TN1058) CONNECTED TO A LNI AND ARRANGED FOR A CONC R OF 4:1. (E/W 963T CONN)			282B								

TABLE-A CONTINUED

SEE PROPRIETARY NOTICE ON SHEET ONE

KT13

5ESS SWITCHING EQUIPMENT
ARRANGED WITH 2-WIRE FEATURES
CONNECTORIZED SWITCHBOARD
CABLE ASSEMBLIES
FOR
6 FT SWITCHING MODULE CABINET
LTP PER J5D003F-1

DWG SIZE
C2

ISSUE
22

ED5D503-35

LUCENT TECHNOLOGIES INC ED5D503-35

SHEET A4
OF 61

PRINTED IN U.S.A.

TABLE A-FEATURES (CONTINUED)											
EQUIPMENT		RAT- ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT DATA				SD EQUIVALENT		
DESCRIPTION	REF NOTE				EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR LU3 (E/W TN1058) CONNECTED TO A DF (SWC) AND ARRANGED FOR A CONC R OF 6:1. (E/W 963T CONN)			283A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR LU3 (E/W TN1058) CONNECTED TO A LNI AND ARRANGED FOR A CONC R OF 6:1. (E/W 963T CONN)			283B								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR LU3 (E/W TN1058) CONNECTED TO A DF (SWC) AND ARRANGED FOR A CONC R OF 8:1. (E/W 963T CONN)			284A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR LU3 (E/W TN1058) CONNECTED TO A LNI AND ARRANGED FOR A CONC R OF 8:1. (E/W 963T CONN)			284B								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR LU3 (E/W TN1058) CONNECTED TO A DF (SWC) AND ARRANGED FOR A CONC R OF 10:1. (E/W 963T CONN)			285A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR LU3 (E/W TN1058) CONNECTED TO A LNI AND ARRANGED FOR A CONC R OF 10:1. (E/W 963T CONN)			285B								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 EQUIPPED IN A MOUNTING POS 1 CONNECTED TO A DF(SWC) AND ARRANGED FOR A CONC R OF 4:1. (PBX APPLICATIONS ONLY). DA EFF:12/20/96 FE/RA:NONE		DA	501A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 EQUIPPED IN A MOUNTING POS 1 CONNECTED TO A DF(SWC) AND ARRANGED FOR A CONC R OF 4:1. (PBX APPLICATIONS ONLY). DA EFF:12/20/96 FE/RA:NONE		DA	502A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 EQUIPPED IN A MOUNTING POS 2, CONNECTED TO A DF(SWC) AND ARRANGED FOR A CONC R OF 4:1. (PBX APPLICATIONS ONLY). DA EFF:12/20/96 FE/RA:NONE		DA	503A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 EQUIPPED IN A MOUNTING POS 2, CONNECTED TO A DF(SWC) AND ARRANGED FOR A CONC R OF 4:1. (PBX APPLICATIONS ONLY). DA EFF:12/20/96 FE/RA:NONE		DA	504A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2, EQUIPPED IN A MOUNTING POS 3, CONNECTED TO A DF(SWC) AND ARRANGED FOR A CONC R OF 4:1. (PBX APPLICATIONS ONLY). DA EFF:12/20/96 FE/RA:NONE		DA	505A								

TABLE-A CONTINUED

TABLE A-FEATURES (CONTINUED)											
EQUIPMENT		RAT- ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT DATA				SD EQUIVALENT		
DESCRIPTION	REF NOTE				EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2, EQUIPPED IN A MOUNTING POS 3, CONNECTED TO A DF(SWC) AND ARRANGED FOR A CONC R OF 4:1. (PBX APPLICATIONS ONLY). DA EFF:12/20/96 FE/RA:NONE		DA	506A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2, EQUIPPED IN A MOUNTING POS 4, CONNECTED TO A DF(SWC) AND ARRANGED FOR A CONC R OF 4:1. (PBX APPLICATIONS ONLY). DA EFF:12/20/96 FE/RA:NONE		DA	507A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2, EQUIPPED IN A MOUNTING POS 4, CONNECTED TO A DF(SWC) AND ARRANGED FOR A CONC R OF 4:1. (PBX APPLICATIONS ONLY). DA EFF:12/20/96 FE/RA:NONE		DA	508A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2, EQUIPPED IN A MOUNTING POS 5, CONNECTED TO A DF(SWC) AND ARRANGED FOR A CONC R OF 4:1. (PBX APPLICATIONS ONLY). DA EFF:12/20/96 FE/RA:NONE		DA	509A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2, EQUIPPED IN A MOUNTING POS 5, CONNECTED TO A DF(SWC) AND ARRANGED FOR A CONC R OF 4:1. (PBX APPLICATIONS ONLY). DA EFF:12/20/96 FE/RA:NONE		DA	510A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2, EQUIPPED IN A MOUNTING POS 1, CONNECTED TO A DF(SWC) AND ARRANGED FOR A CONC R OF 6:1. (PBX APPLICATIONS ONLY). DA EFF:12/20/96 FE/RA:NONE		DA	511A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 EQUIPPED IN A MOUNTING POS 1, CONNECTED TO A DF (SWC) AND ARRANGED FOR A CONC R OF 8:1. (PBX APPLICATIONS ONLY). DA EFF:12/20/96 FE/RA:NONE		DA	512A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2, EQUIPPED IN A MOUNTING POS 2, CONNECTED TO A DF(SWC) AND ARRANGED FOR A CONC R OF 6:1. (PBX APPLICATIONS ONLY). DA EFF:12/20/96 FE/RA:NONE		DA	513A								

TABLE-A CONTINUED

SEE PROPRIETARY NOTICE ON SHEET ONE

KT13

5ESS SWITCHING EQUIPMENT
ARRANGED WITH 2-WIRE FEATURES
CONNECTORIZED SWITCHBOARD
CABLE ASSEMBLIES
FOR
6 FT SWITCHING MODULE CABINET
LTP PER J5D003F-1

DWG SIZE
C2

ISSUE
22

ED5D503-35

LUCENT TECHNOLOGIES INC ED5D503-35

SHEET A5
OF 61

PRINTED IN U.S.A.

TABLE A-FEATURES (CONTINUED)											
EQUIPMENT		RAT- ING	LIST OR GROUP	EQUIPMENT OR CIRCUIT DATA					SD EQUIVALENT		
DESCRIPTION	REF NOTE			QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 EQUIPPED IN A MOUNTING POS 2, CONNECTED TO A DF (SWC) AND ARRANGED FOR A CONC R OF 8:1. (PBX APPLICATIONS ONLY). (E/W 963T CONN) DA EFF:12/20/96 FE/RA:NONE		DA	514A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2, EQUIPPED IN A MOUNTING POS 3, CONNECTED TO A DF (SWC) AND ARRANGED FOR A CONC R OF 6:1. (PBX APPLICATIONS ONLY). DA EFF:12/20/96 FE/RA:NONE		DA	515A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 EQUIPPED IN A MOUNTING POS 3, CONNECTED TO A DF (SWC) AND ARRANGED FOR A CONC R OF 8:1. (PBX APPLICATIONS ONLY). DA EFF:12/20/96 FE/RA:NONE		DA	516A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2, EQUIPPED IN A MOUNTING POS 4, CONNECTED TO A DF (SWC) AND ARRANGED FOR A CONC R OF 6:1. (PBX APPLICATIONS ONLY). DA EFF:12/20/96 FE/RA:NONE		DA	517A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 EQUIPPED IN A MOUNTING POS 4, CONNECTED TO A DF (SWC) AND ARRANGED FOR A CONC R OF 8:1. (PBX APPLICATIONS ONLY). DA EFF:12/20/96 FE/RA:NONE		DA	518A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2, EQUIPPED IN A MOUNTING POS 5, CONNECTED TO A DF (SWC) AND ARRANGED FOR A CONC R OF 6:1. (PBX APPLICATIONS ONLY). DA EFF:12/20/96 FE/RA:NONE		DA	519A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 EQUIPPED IN A MOUNTING POS 5, CONNECTED TO A DF (SWC) AND ARRANGED FOR A CONC R OF 8:1. (PBX APPLICATIONS ONLY). DA EFF:12/20/96 FE/RA:NONE		DA	520A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 EQUIPPED IN A MOUNTING POS 1 (E/W TN 1058 OR TN 1048 CP) CONNECTED TO DF (SWC) AND ARRANGED FOR A CONC R OF 4:1. (PBX APPLICATIONS ONLY). (E/W 963T CONN) DA EFF:12/20/96 FE/RA:NONE		DA	521A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 EQUIPPED IN A MOUNTING POS 1 (E/W TN 1058 OR TN 1048 CP) CONNECTED TO DF (SWC) AND ARRANGED FOR A CONC R OF 4:1. (PBX APPLICATIONS ONLY). (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	521N								
TABLE-A CONTINUED											

TABLE A-FEATURES (CONTINUED)											
EQUIPMENT		RAT- ING	LIST OR GROUP	EQUIPMENT OR CIRCUIT DATA					SD EQUIVALENT		
DESCRIPTION	REF NOTE			QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 EQUIPPED IN A MOUNTING POS 1 (E/W TN 1058 OR TN 1048 CP) CONNECTED TO DF (SWC) AND ARRANGED FOR A CONC R OF 4:1. (PBX APPLICATIONS ONLY). (E/W 963T CONN) DA EFF:12/20/96 FE/RA:NONE		DA	522A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 EQUIPPED IN A MOUNTING POS 1 (E/W TN 1058 OR TN 1048 CP) CONNECTED TO DF (SWC) AND ARRANGED FOR A CONC R OF 4:1. (PBX APPLICATIONS ONLY). (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	522N								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 EQUIPPED IN A MOUNTING POS 1 (E/W TN 1058 OR TN 1048 CP) CONNECTED TO DF (SWC) AND ARRANGED FOR A CONC R OF 6:1. (PBX APPLICATIONS ONLY). (E/W 963T CONN) DA EFF:12/20/96 FE/RA:NONE		DA	523A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 EQUIPPED IN A MOUNTING POS 1 (E/W TN 1058 OR TN 1048 CP) CONNECTED TO DF (SWC) AND ARRANGED FOR A CONC R OF 6:1. (PBX APPLICATIONS ONLY). (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	523N								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 EQUIPPED IN A MOUNTING POS 1 (E/W TN 1058 OR TN 1048 CP) CONNECTED TO DF (SWC) AND ARRANGED FOR A CONC R OF 8:1. (PBX APPLICATIONS ONLY). (E/W 963T CONN) DA EFF:12/20/96 FE/RA:NONE		DA	524A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 EQUIPPED IN A MOUNTING POS 1 (E/W TN 1058 OR TN 1048 CP) CONNECTED TO DF (SWC) AND ARRANGED FOR A CONC R OF 8:1. (PBX APPLICATIONS ONLY). (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	524N								
TABLE-A CONTINUED											

SEE PROPRIETARY NOTICE ON SHEET ONE	
KT13	
5ESS SWITCHING EQUIPMENT ARRANGED WITH 2-WIRE FEATURES CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES FOR 6 FT SWITCHING MODULE CABINET LTP PER J5D003F-1	
DWG SIZE C2	ISSUE 22
LUCENT TECHNOLOGIES INC ED5D503-35	
SHEET A6 OF 61	

ED5D503-35

TABLE A-FEATURES (CONTINUED)											
EQUIPMENT		RAT- ING	LIST OR GROUP	EQUIPMENT OR CIRCUIT DATA				SD EQUIVALENT			
DESCRIPTION	REF NOTE			QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 EQUIPPED IN A MOUNTING POS 2 (E/W TN 1058 OR TN 1048 CP) CONNECTED TO DF (SWC) AND ARRANGED FOR A CONC R OF 4:1. (PBX APPLICATIONS ONLY). (E/W 963T CONN) DA EFF:12/20/96 FE/RA:NONE		DA	525A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 EQUIPPED IN A MOUNTING POS 2 (E/W TN 1058 OR TN 1048 CP) CONNECTED TO DF (SWC) AND ARRANGED FOR A CONC R OF 4:1. (PBX APPLICATIONS ONLY). (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	525N								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 EQUIPPED IN A MOUNTING POS 2 (E/W TN 1058 OR TN 1048 CP) CONNECTED TO DF (SWC) AND ARRANGED FOR A CONC R OF 4:1. (PBX APPLICATIONS ONLY). (E/W 963T CONN) DA EFF:12/20/96 FE/RA:NONE		DA	526A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 EQUIPPED IN A MOUNTING POS 2 (E/W TN 1058 OR TN 1048 CP) CONNECTED TO DF (SWC) AND ARRANGED FOR A CONC R OF 4:1. (PBX APPLICATIONS ONLY). (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	526N								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 EQUIPPED IN A MOUNTING POS 2 (E/W TN 1058 OR TN 1048 CP) CONNECTED TO DF (SWC) AND ARRANGED FOR A CONC R OF 6:1. (PBX APPLICATIONS ONLY). (E/W 963T CONN) DA EFF:12/20/96 FE/RA:NONE		DA	527A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 EQUIPPED IN A MOUNTING POS 2 (E/W TN 1058 OR TN 1048 CP) CONNECTED TO DF (SWC) AND ARRANGED FOR A CONC R OF 6:1. (PBX APPLICATIONS ONLY). (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	527N								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 EQUIPPED IN A MOUNTING POS 2 (E/W TN 1058 OR TN 1048 CP) CONNECTED TO DF (SWC) AND ARRANGED FOR A CONC R OF 8:1. (PBX APPLICATIONS ONLY). (E/W 963T CONN) DA EFF:12/20/96 FE/RA:NONE		DA	528A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 EQUIPPED IN A MOUNTING POS 2 (E/W TN 1058 OR TN 1048 CP) CONNECTED TO DF (SWC) AND ARRANGED FOR A CONC R OF 8:1. (PBX APPLICATIONS ONLY). (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	528N								
TABLE-A CONTINUED											

TABLE A-FEATURES (CONTINUED)											
EQUIPMENT		RAT- ING	LIST OR GROUP	EQUIPMENT OR CIRCUIT DATA				SD EQUIVALENT			
DESCRIPTION	REF NOTE			QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 EQUIPPED IN A MOUNTING POS 3 (E/W TN 1058 OR TN 1048 CP) CONNECTED TO DF (SWC) AND ARRANGED FOR A CONC R OF 4:1. (PBX APPLICATIONS ONLY). (E/W 963T CONN) DA EFF:12/20/96 FE/RA:NONE		DA	529A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 EQUIPPED IN A MOUNTING POS 3 (E/W TN 1058 OR TN 1048 CP) CONNECTED TO DF (SWC) AND ARRANGED FOR A CONC R OF 4:1. (PBX APPLICATIONS ONLY). (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	529N								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 EQUIPPED IN A MOUNTING POS 3 (E/W TN 1058 OR TN 1048 CP) CONNECTED TO DF (SWC) AND ARRANGED FOR A CONC R OF 4:1. (PBX APPLICATIONS ONLY). (E/W 963T CONN) DA EFF:12/20/96 FE/RA:NONE		DA	530A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 EQUIPPED IN A MOUNTING POS 3 (E/W TN 1058 OR TN 1048 CP) CONNECTED TO DF (SWC) AND ARRANGED FOR A CONC R OF 4:1. (PBX APPLICATIONS ONLY). (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	530N								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 EQUIPPED IN A MOUNTING POS 3 (E/W TN 1058 OR TN 1048 CP) CONNECTED TO DF (SWC) AND ARRANGED FOR A CONC R OF 6:1. (PBX APPLICATIONS ONLY). (E/W 963T CONN) DA EFF:12/20/96 FE/RA:NONE		DA	531A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 EQUIPPED IN A MOUNTING POS 3 (E/W TN 1058 OR TN 1048 CP) CONNECTED TO DF (SWC) AND ARRANGED FOR A CONC R OF 6:1. (PBX APPLICATIONS ONLY). (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	531N								
TABLE-A CONTINUED											

SEE PROPRIETARY NOTICE ON SHEET ONE	
XT13	
5ESS SWITCHING EQUIPMENT ARRANGED WITH 2-WIRE FEATURES CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES FOR 6 FT SWITCHING MODULE CABINET LTP PER J5D003F-1	
DWG SIZE C2	ISSUE 22
LUCENT TECHNOLOGIES INC ED5D503-35	
SHEET A7 OF 61	

ED5D503-35

TABLE A-FEATURES (CONTINUED)											
EQUIPMENT		RAT- ING	LIST OR GROUP	EQUIPMENT OR CIRCUIT DATA					SD EQUIVALENT		
DESCRIPTION	REF NOTE			QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 EQUIPPED IN A MOUNTING POS 3 (E/W TN 1058 OR TN 1048 CP) CONNECTED TO DF (SWC) AND ARRANGED FOR A CONC R OF 8:1. (PBX APPLICATIONS ONLY). (E/W 963T CONN) DA EFF:12/20/96 FE/RA:NONE		DA	532A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 EQUIPPED IN A MOUNTING POS 3 (E/W TN 1058 OR TN 1048 CP) CONNECTED TO DF (SWC) AND ARRANGED FOR A CONC R OF 8:1. (PBX APPLICATIONS ONLY). (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	532N								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 EQUIPPED IN A MOUNTING POS 4 (E/W TN 1058 OR TN 1048 CP) CONNECTED TO DF (SWC) AND ARRANGED FOR A CONC R OF 4:1. (PBX APPLICATIONS ONLY). (E/W 963T CONN) DA EFF:12/20/96 FE/RA:NONE		DA	533A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 EQUIPPED IN A MOUNTING POS 4 (E/W TN 1058 OR TN 1048 CP) CONNECTED TO DF (SWC) AND ARRANGED FOR A CONC R OF 4:1. (PBX APPLICATIONS ONLY). (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	533N								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 EQUIPPED IN A MOUNTING POS 4 (E/W TN 1058 OR TN 1048 CP) CONNECTED TO DF (SWC) AND ARRANGED FOR A CONC R OF 4:1. (PBX APPLICATIONS ONLY). (E/W 963T CONN) DA EFF:12/20/96 FE/RA:NONE		DA	534A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 EQUIPPED IN A MOUNTING POS 4 (E/W TN 1058 OR TN 1048 CP) CONNECTED TO DF (SWC) AND ARRANGED FOR A CONC R OF 4:1. (PBX APPLICATIONS ONLY). (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	534N								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 EQUIPPED IN A MOUNTING POS 4 (E/W TN 1058 OR TN 1048 CP) CONNECTED TO DF (SWC) AND ARRANGED FOR A CONC R OF 6:1. (PBX APPLICATIONS ONLY). (E/W 963T CONN) DA EFF:12/20/96 FE/RA:NONE		DA	535A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 EQUIPPED IN A MOUNTING POS 4 (E/W TN 1058 OR TN 1048 CP) CONNECTED TO DF (SWC) AND ARRANGED FOR A CONC R OF 6:1. (PBX APPLICATIONS ONLY). (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	535N								
TABLE-A CONTINUED											

TABLE A-FEATURES (CONTINUED)											
EQUIPMENT		RAT- ING	LIST OR GROUP	EQUIPMENT OR CIRCUIT DATA					SD EQUIVALENT		
DESCRIPTION	REF NOTE			QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 EQUIPPED IN A MOUNTING POS 4 (E/W TN 1058 OR TN 1048 CP) CONNECTED TO DF (SWC) AND ARRANGED FOR A CONC R OF 8:1. (PBX APPLICATIONS ONLY). (E/W 963T CONN) DA EFF:12/20/96 FE/RA:NONE		DA	536A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 EQUIPPED IN A MOUNTING POS 4 (E/W TN 1058 OR TN 1048 CP) CONNECTED TO DF (SWC) AND ARRANGED FOR A CONC R OF 8:1. (PBX APPLICATIONS ONLY). (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	536N								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 EQUIPPED IN A MOUNTING POS 5 (E/W TN 1058 OR TN 1048 CP) CONNECTED TO DF (SWC) AND ARRANGED FOR A CONC R OF 4:1. (PBX APPLICATIONS ONLY). (E/W 963T CONN) DA EFF:12/20/96 FE/RA:NONE		DA	537A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 EQUIPPED IN A MOUNTING POS 5 (E/W TN 1058 OR TN 1048 CP) CONNECTED TO DF (SWC) AND ARRANGED FOR A CONC R OF 4:1. (PBX APPLICATIONS ONLY). (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	537N								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 EQUIPPED IN A MOUNTING POS 5 (E/W TN 1058 OR TN 1048 CP) CONNECTED TO DF (SWC) AND ARRANGED FOR A CONC R OF 4:1. (PBX APPLICATIONS ONLY). (E/W 963T CONN) DA EFF:12/20/96 FE/RA:NONE		DA	538A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 EQUIPPED IN A MOUNTING POS 5 (E/W TN 1058 OR TN 1048 CP) CONNECTED TO DF (SWC) AND ARRANGED FOR A CONC R OF 4:1. (PBX APPLICATIONS ONLY). (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	538N								
TABLE-A CONTINUED											

SEE PROPRIETARY NOTICE ON SHEET ONE	
XT13	
5ESS SWITCHING EQUIPMENT ARRANGED WITH 2-WIRE FEATURES CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES FOR 6 FT SWITCHING MODULE CABINET LTP PER J5D003F-1	
DWG SIZE C2	ISSUE 22
LUCENT TECHNOLOGIES INC ED5D503-35	
SHEET A8 OF 61	

ED5D503-35

TABLE A-FEATURES (CONTINUED)											
EQUIPMENT		EQUIPMENT OR CIRCUIT DATA						SD EQUIVALENT			
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 EQUIPPED IN A MOUNTING POS 5 (E/W IN 1058 OR IN 1048 CP) CONNECTED TO DF (SWC) AND ARRANGED FOR A CONC R OF 6:1. (PBX APPLICATIONS ONLY). (E/W 963T CONN) DA EFF:12/20/96 FE/RA:NONE		DA	539A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 EQUIPPED IN A MOUNTING POS 5 (E/W IN 1058 OR IN 1048 CP) CONNECTED TO DF (SWC) AND ARRANGED FOR A CONC R OF 6:1. (PBX APPLICATIONS ONLY). (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	539N								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 EQUIPPED IN A MOUNTING POS 5 (E/W IN 1058 OR IN 1048 CP) CONNECTED TO DF (SWC) AND ARRANGED FOR A CONC R OF 8:1. (PBX APPLICATIONS ONLY). (E/W 963T CONN) DA EFF:12/20/96 FE/RA:NONE		DA	540A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 EQUIPPED IN A MOUNTING POS 5 (E/W IN 1058 OR IN 1048 CP) CONNECTED TO DF (SWC) AND ARRANGED FOR A CONC R OF 8:1. (PBX APPLICATIONS ONLY). (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	540N								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A TU EQUIPPED IN A MOUNTING POS 1 AND CONNECTED TO A DF(SWC) (T,R,T1,R1 LEADS). (PBX APPLICATIONS ONLY). (E/W 963T CONN)			551A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A TU EQUIPPED IN A MOUNTING POS 1 AND CONNECTED TO A DF(SWC) (T,R,T1,R1 LEADS). (PBX APPLICATIONS ONLY). (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	551N								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A TU EQUIPPED IN A MOUNTING POS 1 AND CONNECTED TO A DF(SWC) (E,SG,M,SB LEADS). (PBX APPLICATIONS ONLY). (E/W 963T CONN)			552A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A TU EQUIPPED IN A MOUNTING POS 1 AND CONNECTED TO A DF(SWC) (E,SG,M,SB LEADS). (PBX APPLICATIONS ONLY). (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	552N								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A TU EQUIPPED IN A MOUNTING POS 2 AND CONNECTED TO A DF(SWC) (T,R,T1,R1 LEADS). (PBX APPLICATIONS ONLY). (E/W 963T CONN)			553A								

TABLE-A CONTINUED

TABLE A-FEATURES (CONTINUED)											
EQUIPMENT		EQUIPMENT OR CIRCUIT DATA						SD EQUIVALENT			
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A TU EQUIPPED IN A MOUNTING POS 2 AND CONNECTED TO A DF(SWC) (T,R,T1,R1 LEADS). (PBX APPLICATIONS ONLY). (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	553N								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A TU EQUIPPED IN A MOUNTING POS 2 AND CONNECTED TO A DF(SWC) (E,SG,M,SB LEADS). (PBX APPLICATIONS ONLY). (E/W 963T CONN)			554A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A TU EQUIPPED IN A MOUNTING POS 2 AND CONNECTED TO A DF(SWC) (E,SG,M,SB LEADS). (PBX APPLICATIONS ONLY). (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	554N								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A TU EQUIPPED IN A MOUNTING POS 3 AND CONNECTED TO A DF(SWC) (T,R,T1,R1 LEADS). (PBX APPLICATIONS ONLY). (E/W 963T CONN)			555A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A TU EQUIPPED IN A MOUNTING POS 3 AND CONNECTED TO A DF(SWC) (T,R,T1,R1 LEADS). (PBX APPLICATIONS ONLY). (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	555N								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A TU EQUIPPED IN A MOUNTING POS 3 AND CONNECTED TO A DF(SWC) (E,SG,M,SB LEADS). (PBX APPLICATIONS ONLY). (E/W 963T CONN)			556A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A TU EQUIPPED IN A MOUNTING POS 3 AND CONNECTED TO A DF(SWC) (E,SG,M,SB LEADS). (PBX APPLICATIONS ONLY). (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	556N								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A TU EQUIPPED IN A MOUNTING POS 4 AND CONNECTED TO A DF(SWC) (T,R,T1,R1 LEADS). (PBX APPLICATIONS ONLY). (E/W 963T CONN)			557A								

TABLE-A CONTINUED

SEE PROPRIETARY NOTICE ON SHEET ONE

KT13

5ESS SWITCHING EQUIPMENT
ARRANGED WITH 2-WIRE FEATURES
CONNECTORIZED SWITCHBOARD
CABLE ASSEMBLIES
FOR
6 FT SWITCHING MODULE CABINET
LTP PER J5D003F-1

DWG SIZE
C2

ISSUE
22

ED5D503-35

LUCENT TECHNOLOGIES INC ED5D503-35

SHEET A9
OF 61

PRINTED IN U.S.A.

TABLE A-FEATURES (CONTINUED)											
EQUIPMENT		EQUIPMENT OR CIRCUIT DATA						SD EQUIVALENT			
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A TU EQUIPPED IN A MOUNTING POS 4 AND CONNECTED TO A DF(SWC) (T,R,T1,R1 LEADS). (PBX APPLICATIONS ONLY). (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	557N								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A TU EQUIPPED IN A MOUNTING POS 4 AND CONNECTED TO A DF(SWC) (E,SG,M,SB LEADS). (PBX APPLICATIONS ONLY). (E/W 963T CONN)			558A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A TU EQUIPPED IN A MOUNTING POS 4 AND CONNECTED TO A DF(SWC) (E,SG,M,SB LEADS). (PBX APPLICATIONS ONLY). (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	558N								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A TU EQUIPPED IN A MOUNTING POS 5 AND CONNECTED TO A DF(SWC) (T,R,T1,R1 LEADS). (PBX APPLICATIONS ONLY). (E/W 963T CONN)			559A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A TU EQUIPPED IN A MOUNTING POS 5 AND CONNECTED TO A DF(SWC) (T,R,T1,R1 LEADS). (PBX APPLICATIONS ONLY). (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	559N								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A TU EQUIPPED IN A MOUNTING POS 5 AND CONNECTED TO A DF(SWC) (E,SG,M,SB LEADS). (PBX APPLICATIONS ONLY). (E/W 963T CONN)			560A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A TU EQUIPPED IN A MOUNTING POS 5 AND CONNECTED TO A DF(SWC) (E,SG,M,SB LEADS). (PBX APPLICATIONS ONLY). (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	560N								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A TU EQUIPPED IN A MOUNTING POS 6 AND CONNECTED TO A DF(SWC) (T,R,T1,R1 LEADS). (PBX APPLICATIONS ONLY). (E/W 963T CONN)			561A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A TU EQUIPPED IN A MOUNTING POS 6 AND CONNECTED TO A DF(SWC) (T,R,T1,R1 LEADS). (PBX APPLICATIONS ONLY). (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	561N								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A TU EQUIPPED IN A MOUNTING POS 6 AND CONNECTED TO A DF(SWC) (E,SG,M,SB LEADS). (PBX APPLICATIONS ONLY). (E/W 963T CONN)			562A								

TABLE-A CONTINUED

ED5D503-35

TABLE A-FEATURES (CONTINUED)											
EQUIPMENT		EQUIPMENT OR CIRCUIT DATA						SD EQUIVALENT			
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A TU EQUIPPED IN A MOUNTING POS 6 AND CONNECTED TO A DF(SWC) (E,SG,M,SB LEADS). (PBX APPLICATIONS ONLY). (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	562N								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR LU2 (E/W TN1058 OR TN1048 CP) CONNECTED TO A DF (SWC) AND ARRANGED FOR A CONC R OF 4:1. (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	A61A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 (E/W TN1048 CP) CONNECTED TO LNI AND ARRANGED FOR A CONC R OF 4:1. (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	A61B								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 (E/W TN1058 OR TN1048 CP) CONNECTED TO A DF (SWC) AND ARRANGED FOR A CONC R OF 4:1. (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	A62A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 (E/W TN1048 CP) CONNECTED TO A LNI AND ARRANGED FOR A CONC R OF 4:1. (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	A62B								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR LU2 (E/W TN1058 OR TN1048 CP) CONNECTED TO A DF (SWC) AND ARRANGED FOR A CONC R OF 6:1. (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	A63A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 (E/W TN1048 CP) CONNECTED TO A LNI AND ARRANGED FOR A CONC R OF 6:1. (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	A63B								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 (E/W TN1058 OR TN1048 CP) CONNECTED TO A DF (SWC) AND ARRANGED FOR A CONC R OF 8:1. (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	A64A								

TABLE-A CONTINUED

SEE PROPRIETARY NOTICE ON SHEET ONE

KT13

5ESS SWITCHING EQUIPMENT
ARRANGED WITH 2-WIRE FEATURES
CONNECTORIZED SWITCHBOARD
CABLE ASSEMBLIES
FOR
6 FT SWITCHING MODULE CABINET
LTP PER J5D003P-1

DWG SIZE C2 ISSUE 22

LUCENT TECHNOLOGIES INC ED5D503-35

SHEET A10 OF 61


PRINTED IN U.S.A.

TABLE A-FEATURES (CONTINUED)											
EQUIPMENT		RAT- ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT DATA				SD EQUIVALENT		
DESCRIPTION	REF NOTE				EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR A LU2 (E/W TN1048 CP) CONNECTED TO A LNI AND ARRANGED FOR A CONC R OF 8:1. (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	A64B								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR LU3 (E/W TN1058) CONNECTED TO A DF (SWC) AND ARRANGED FOR A CONC R OF 4:1. (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	A81A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR LU3 (E/W TN1058) CONNECTED TO A LNI AND ARRANGED FOR A CONC R OF 4:1. (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	A81B								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR LU3 (E/W TN1058) CONNECTED TO A DF (SWC) AND ARRANGED FOR A CONC R OF 4:1. (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	A82A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR LU3 (E/W TN1058) CONNECTED TO A LNI AND ARRANGED FOR A CONC R OF 4:1. (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	A82B								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR LU3 (E/W TN1058) CONNECTED TO A DF (SWC) AND ARRANGED FOR A CONC R OF 6:1. (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	A83A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR LU3 (E/W TN1058) CONNECTED TO A LNI AND ARRANGED FOR A CONC R OF 6:1. (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	A83B								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR LU3 (E/W TN1058) CONNECTED TO A DF (SWC) AND ARRANGED FOR A CONC R OF 8:1. (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	A84A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR LU3 (E/W TN1058) CONNECTED TO A LNI AND ARRANGED FOR A CONC R OF 8:1. (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	A84B								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR LU3 (E/W TN1058) CONNECTED TO A DF (SWC) AND ARRANGED FOR A CONC R OF 10:1. (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	A85A								
TABLE-A CONTINUED											

TABLE A-FEATURES (CONTINUED)											
EQUIPMENT		RAT- ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT DATA				SD EQUIVALENT		
DESCRIPTION	REF NOTE				EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED FOR LU3 (E/W TN1058) CONNECTED TO A LNI AND ARRANGED FOR A CONC R OF 10:1. (E/W AMP CONN) DA EFF:12/20/96 FE/RA:NONE		DA	A85B								
END OF TABLE-A											

SEE PROPRIETARY NOTICE ON SHEET ONE	
KT13	
5ESS SWITCHING EQUIPMENT ARRANGED WITH 2-WIRE FEATURES CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES FOR 6 FT SWITCHING MODULE CABINET LTP PER J5D003F-1	
DWG SIZE C2	ISSUE 22
LUCENT TECHNOLOGIES INC	ED5D503-35
SHEET A11 OF 61	

ED5D503-35




THE "A" DIM IS THE LENGTH OF SWBD CABLE FRONT OF CONN TO FRONT OF CONN.
 THE "D" AND "E" DIM ARE THE DIM FROM BUTT OF CABLE TO THE FRONT OF CONN.

SK.A
 (SEE TABLE S)

TABLE S								
GROUP	CABLE CODE	CABLE DESIG	"A" DIM	LENGTH FROM CABLE BUTT TO FRONT OF CONN				
				"D" DIM		"E" DIM		SK
				CM	FT-IN	CM	FT-IN	
1A	810A	JR1A	X DIM 15.2 [6]		69.2 [2-3 1/4]			A
2A		JR2A			84.5 [2-9 1/4]			
3A		JR3A			78.1 [2-6 3/4]			
4A		JR4A			64.1 [2-1 1/4]			
5A		JR5A			90.8 [2-11 3/4]			
6A		JR6A			64.1 [2-1 1/4]			
7A		JR7A			99.7 [3-3 1/4]			
8A		JR8A			52.7 [1-8 3/4]			
9A	812A	JR9A			72.4 [2-4 1/2]			
101A	810A	JR101A			73.7 [2-5]			
102A	810A	JR102A			77.5 [2-6 1/2]			
211A	810A	JR211A	X DIM		65.4 [2-1 3/4]			
212A		JR212A			50.2 [1-7 3/4]			
213A		JR213A			78.7 [2-7]			
214A		JR214A			36.2 [1-2 1/4]			
211B	810A	JR221	X DIM		65.4 [2-1 3/4]			
212B		JR222			50.2 [1-7 3/4]			
213B		JR223			78.7 [2-7]			
214B		JR224			36.2 [1-2 1/4]			

TABLE S								
GROUP	CABLE CODE	CABLE DESIG	"A" DIM	LENGTH FROM CABLE BUTT TO FRONT OF CONN				
				"D" DIM		"E" DIM		SK
				CM	FT-IN	CM	FT-IN	
221A	810A	JR231	X DIM		65.4 [2-1 3/4]			A
222A		JR232			47.6 [1-6 3/4]			
223A		JR233			75.6 [2-5 3/4]			
224A		JR234			37.5 [1-2 3/4]			
221B	810A	JR241	X DIM		65.4 [2-1 3/4]			
222B		JR242			47.6 [1-6 3/4]			
223B		JR243			75.6 [2-5 3/4]			
224B		JR244			37.5 [1-2 3/4]			
231A	810A	JR241C	X DIM		66.0 [2-2]			
232A		JR242C			34.9 [1-1 3/4]			
233A		JR243C			66.0 [2-2]			
234A		JR244C			34.9 [1-1 3/4]			
231B	810A	JR261	X DIM		66.0 [2-2]			
232B		JR261C			34.9 [1-1 3/4]			
233B		JR261D			66.0 [2-2]			
234B		JR261E			34.9 [1-1 3/4]			

SEE PROPRIETARY NOTICE ON SHEET ONE		
SESS SWITCHING EQUIPMENT CABLE ASSEMBLIES		DWG SIZE C2
LUCENT TECHNOLOGIES INC.		ISSUE 22
ED5D503-35		SHEET B1




THE "A" DIM IS THE LENGTH OF SWBD CABLE FRONT OF CONN TO FRONT OF CONN.
 THE "D" AND "E" DIM ARE THE DIM FROM BUTT OF CABLE TO THE FRONT OF CONN.

SK.A
 (SEE TABLE S)


TABLE S								
GROUP	CABLE CODE	CABLE DESIG	"A" DIM	LENGTH FROM CABLE BUTT TO FRONT OF CONN				
				"D" DIM		"E" DIM		SK
				CM	FT-IN	CM	FT-IN	
241A	810A	JR262C	X DIM		65.4 [2-1 3/4]			A
242A		JR262D			36.8 [1-2 1/2]			
243A		JR262E			65.4 [2-1 3/4]			
244A		JR263			36.8 [1-2 1/2]			
241B	810A	JR263D	X DIM		65.4 [2-1 3/4]			
242B		JR263E			36.8 [1-2 1/2]			
243B		JR264			65.4 [2-1 3/4]			
244B		JR264C			36.8 [1-2 1/2]			
261A	810A	JR611	X DIM+ 15.2 [6]		38.7 [1-3 1/4]			
262A		JR612						
263A		JR613						
264A		JR614						
261B	810A	JR621	X DIM+ 15.2 [6]		38.7 [1-3 1/4]			
262B		JR622						
263B		JR623						
264B		JR624						

SEE PROPRIETARY NOTICE ON SHEET ONE		
SESS SWITCHING EQUIPMENT CABLE ASSEMBLIES	DWG SIZE	ISSUE
	c2	22
LUCENT TECHNOLOGIES INC.	ED5D503-35	SHEET B2



THE "A" DIM IS THE LENGTH OF SWBD CABLE FRONT OF CONN TO FRONT OF CONN.
THE "D" AND "E" DIM ARE THE DIM FROM BUTT OF CABLE TO THE FRONT OF CONN.

SK.B



THE "A" DIM IS THE LENGTH OF SWBD CABLE FRONT OF CONN TO FRONT OF CONN.
THE "D" AND "E" DIM ARE THE DIM FROM BUTT OF CABLE TO THE FRONT OF CONN.

SK.A
(SEE TABLE S)


TABLE S												
GROUP	CABLE CODE	CABLE DESIG	"A" DIM	LENGTH FROM CABLE BUTT TO FRONT OF CONN								SK
				"D" DIM		"D1" DIM		"D2" DIM		"E" DIM		
				CM	FT-IN	CM	FT-IN	CM	FT-IN	CM	FT-IN	
501A	810AS	JR501A	X DIM	200.7	[6-7]	26.7	[10 1/2]	174.0	[5-8 1/2]			B
502A		JR502A		173.4	[5-8 1/4]	27.3	[10 3/4]	146.1	[4-9 1/2]			
503A		JR503A		177.8	[5-10]	26.7	[10 1/2]	151.1	[4-11 1/2]			
504A		JR504A		150.5	[4-11 1/4]	27.3	[10 3/4]	123.2	[4-0 1/2]			
505A		JR505A		157.5	[5-2]	26.7	[10 1/2]	130.8	[4-3 1/2]			
506A		JR506A		130.2	[4-3 1/4]	27.3	[10 3/4]	102.9	[3-4 1/2]			
507A		JR507A		134.6	[4-5]	26.7	[10 1/2]	108.0	[3-6 1/2]			
508A		JR508A		107.3	[3-6 1/4]	27.3	[10 3/4]	80.0	[2-7 1/2]			
509A		JR509A		114.3	[3-9]	26.7	[10 1/2]	87.6	[2-10 1/2]			
510A		JR510A		87.0	[2-10 1/4]	27.3	[10 3/4]	59.7	[1-11 1/2]			
511A		JR511A		177.8	[5-10]	26.7	[10 1/2]	151.1	[4-11 1/2]			
512A		JR512A		150.5	[4-11 1/4]	27.3	[10 3/4]	123.2	[4-0 1/2]			
513A		JR513A		154.9	[5-1]	26.7	[10 1/2]	128.3	[4-2 1/2]			
514A		JR514A		130.2	[4-3 1/4]	27.3	[10 3/4]	102.9	[3-4 1/2]			
515A		JR515A		134.6	[4-5]	26.7	[10 1/2]	108.0	[3-6 1/2]			
516A		JR516A		107.3	[3-6 1/4]	27.3	[10 3/4]	80.0	[2-7 1/2]			
517A		JR517A		111.8	[3-8]	26.7	[10 1/2]	85.1	[2-9 1/2]			
518A		JR518A		87.0	[2-10 1/4]	27.3	[10 3/4]	59.7	[1-11 1/2]			
519A		JR519A		91.4	[3-0]	26.7	[10 1/2]	64.8	[2-1 1/2]			
520A		JR520A		66.7	[2-2 1/4]	27.3	[10 3/4]	39.4	[1-3 1/2]			

SEE PROPRIETARY NOTICE ON SHEET ONE		
CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES		
DWG SIZE C2	ISSUE 22	
LUCENT TECHNOLOGIES INC.	ED50503-35	SHEET B4



THE "A" DIM IS THE LENGTH OF SWBD CABLE FRONT OF CONN TO FRONT OF CONN.
THE "D" AND "E" DIM ARE THE DIM FROM BUTT OF CABLE TO THE FRONT OF CONN.

SK.B




THE "A" DIM IS THE LENGTH OF SWBD CABLE FRONT OF CONN TO FRONT OF CONN.
THE "D" AND "E" DIM ARE THE DIM FROM BUTT OF CABLE TO THE FRONT OF CONN.

SK.A
(SEE TABLE S)


TABLE S												
GROUP	CABLE CODE	CABLE DESIG	"A" DIM	LENGTH FROM CABLE BUTT TO FRONT OF CONN								
				"D" DIM		"D1" DIM		"D2" DIM		"E" DIM		SK
				CM	FT-IN	CM	FT-IN	CM	FT-IN	CM	FT-IN	
521A	810AS	JR521A	X DIM+ 15.2 [6]	213.4	[7-0]	38.7	[1-3 1/4]	174.6	[5-8 3/4]		A	
522A		JR522A		185.4	[6-1]			146.7	[4-9 3/4]			
523A		JR523A		190.5	[6-3]			151.8	[4-11 3/4]			
524A		JR524A		162.6	[5-4]			123.8	[4-0 3/4]			
525A		JR525A		190.5	[6-3]			151.8	[4-11 3/4]			
526A		JR526A		162.6	[5-4]			123.8	[4-0 3/4]			
527A		JR527A		170.2	[5-7]			131.4	[4-3 3/4]			
528A		JR528A		142.2	[4-8]			103.5	[3-4 3/4]			
529A		JR529A		170.2	[5-7]			131.4	[4-3 3/4]			
530A		JR530A		142.2	[4-8]			103.5	[3-4 3/4]			
531A		JR531A		147.3	[4-10]			108.6	[3-6 3/4]			
532A		JR532A		119.4	[3-11]			80.6	[2-7 3/4]			
533A		JR533A		147.3	[4-10]			108.6	[3-6 3/4]			
534A		JR534A		119.4	[3-11]			80.6	[2-7 3/4]			
535A		JR535A		127.0	[4-2]			88.3	[2-10 3/4]			
536A		JR536A		99.1	[3-3]			60.3	[1-11 3/4]			
537A		JR537A		127.0	[4-2]			88.3	[2-10 3/4]			
538A		JR538A		99.1	[3-3]			60.3	[1-11 3/4]			
539A		JR539A		106.7	[3-6]			67.9	[2-2 3/4]			
540A		JR540A		78.7	[2-7]			40.0	[1-3 3/4]			

SEE PROPRIETARY NOTICE ON SHEET ONE		
CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES		
DWG SIZE C2	ISSUE 22	
LUCENT TECHNOLOGIES INC.	ED5D503-35	SHEET B5




GROUP 1A
 CABLE FOR MSU PER J5D003AL-1,-2 MOUNTED
 IN LTP() OF AN SM

SEE PROPRIETARY NOTICE ON SHEET ONE		
CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES	DWG SIZE	ISSUE
	c2	22
LUCENT TECHNOLOGIES INC.	ED5D503-35	SHEET C1




GROUP 3A
 CABLE FOR MSU PER J5D003AL-1,-2 MOUNTED
 IN LTP() OF AN SM

SEE PROPRIETARY NOTICE ON SHEET ONE		
CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES	DWG SIZE	ISSUE
	c2	22
LUCENT TECHNOLOGIES INC.	ED5D503-35	SHEET C2



GROUP 5A
 CABLE FOR MSU PER J5D003AL-1,-2 MOUNTED
 IN LTP() OF AN SM


SEE PROPRIETARY NOTICE ON SHEET ONE		
CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES	DWG SIZE	ISSUE
	c2	22
LUCENT TECHNOLOGIES INC.	ED5D503-35	SHEET C3



GROUP 7A
 CABLE FOR MSU PER J5D003AL-1,-2 MOUNTED
 IN LTP() OF AN SM


ED5D503-35

SEE PROPRIETARY NOTICE ON SHEET ONE		
CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES	DWG SIZE	ISSUE
	C2	22
LUCENT TECHNOLOGIES INC.	ED5D503-35	SHEET C4




GROUP 2A
 CABLE FOR MSU
 PER J5003AL-1,-2 MOUNTED IN LTP() OF AN SM

SEE PROPRIETARY NOTICE ON SHEET ONE		
CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES	DWG SIZE	ISSUE
	C2	22
LUCENT TECHNOLOGIES INC.	ED50503-35	SHEET C5



GROUP 4A
 CABLE FOR MSU
 PER J50003AL-1, -2 MOUNTED IN LTP() OF AN SM


SEE PROPRIETARY NOTICE ON SHEET ONE		
CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES	DWG SIZE	ISSUE
	C2	22
LUCENT TECHNOLOGIES INC.	ED50503-35	SHEET C6



ED5D503-35

GROUP 6A
 CABLE FOR MSU
 PER J50003AL-1, -2 MOUNTED IN LTP() OF AN SM


SEE PROPRIETARY NOTICE ON SHEET ONE		
CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES	DWG SIZE	ISSUE
	C2	22
LUCENT TECHNOLOGIES INC.	ED5D503-35	SHEET C7



GROUP 8A
 CABLE FOR MSU
 PER J5D003AL-1,-2 MOUNTED IN LTP() OF AN SM

ED5D503-35


SEE PROPRIETARY NOTICE ON SHEET ONE		
CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES	DWG SIZE	ISSUE
	c2	22
LUCENT TECHNOLOGIES INC.	ED5D503-35	SHEET C8



GROUP 9A
 -48 RTN FOR MSU
 MOUNTED IN LTP()

ED5D503-35

SEE PROPRIETARY NOTICE ON SHEET ONE		
CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES	DWG SIZE	ISSUE
	c2	22
LUCENT TECHNOLOGIES INC.	ED5D503-35	SHEET C9



DO NOT SEW THIS AREA
SEWING TWINE MAY PASS
THROUGH BETWEEN
SUBARMS

810A SWBD
CABLE

"FB" DIM SEE TBL S

CONN POS NO.


TAG CONN 1

16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

GROUP 101A
CABLE FOR TRUNK UNIT

ED5D503-35


SEE PROPRIETARY NOTICE ON SHEET ONE		
CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES	DWG SIZE	ISSUE
	c2	22
LUCENT TECHNOLOGIES INC.	ED5D503-35	SHEET C10



GROUP 102A
CABLE FOR TRUNK UNIT


SEE PROPRIETARY NOTICE ON SHEET ONE		
CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES		
DWG SIZE C2	ISSUE 22	
LUCENT TECHNOLOGIES INC.	ED5D503-35	SHEET C11

ED5D503-35




ED5D503-35

SEE PROPRIETARY NOTICE ON SHEET ONE		
CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES	DWG SIZE	ISSUE
	c2	22
LUCENT TECHNOLOGIES INC.	ED5D503-35	SHEET C12



ED5D503-35

SEE PROPRIETARY NOTICE ON SHEET ONE		
CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES	DWG SIZE	ISSUE
	c2	22
LUCENT TECHNOLOGIES INC.	ED5D503-35	SHEET C13




GROUP 212A OR 212B
 CABLE FOR PHASE 4 LINE UNIT J5D004AB-1. 2 SHELF

CONN POS NO.

SEE PROPRIETARY NOTICE ON SHEET ONE


CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES		DWG SIZE c2	ISSUE 22
LUCENT TECHNOLOGIES INC.		ED5D503-35	SHEET C14

ED5D503-35




ED5D503-35

SEE PROPRIETARY NOTICE ON SHEET ONE		
CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES		
DWG SIZE c2	ISSUE 22	
LUCENT TECHNOLOGIES INC.	ED5D503-35	SHEET C15




ED5D503-35

SEE PROPRIETARY NOTICE ON SHEET ONE		
CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES	DWG SIZE	ISSUE
	c2	22
LUCENT TECHNOLOGIES INC.	ED5D503-35	SHEET C16



ED5D503-35


SEE PROPRIETARY NOTICE ON SHEET ONE		
CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES	DWG SIZE	ISSUE
	c2	22
LUCENT TECHNOLOGIES INC.	ED5D503-35	SHEET C17



GROUP 222A OR 222B
 CABLE FOR LINE UNIT J5D004AC-1. 2 SHELF

SEE PROPRIETARY NOTICE ON SHEET ONE		
CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES		
DWG SIZE c2	ISSUE 22	
LUCENT TECHNOLOGIES INC.	ED5D503-35	SHEET C18

ED5D503-35




GROUP 224A OR 224B
CABLE FOR LINE UNIT J5D004AC-1. 2 SHELF

SEE PROPRIETARY NOTICE ON SHEET ONE

CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES		DWG SIZE c2	ISSUE 22
LUCENT TECHNOLOGIES INC. ED5D503-35		SHEET C19	


ED5D503-35



ED5D503-35

GROUP 231A OR 233A
 GROUP 231B OR 233B
 CABLE E/W 982WC CONN FOR LU J5D004AB


SEE PROPRIETARY NOTICE ON SHEET ONE		
CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES	DWG SIZE	ISSUE
	C2	22
LUCENT TECHNOLOGIES INC.	ED5D503-35	SHEET C20




GROUP 232A OR 234A
 GROUP 232B OR 234B
 CABLE E/W 982WC CONN FOR LU J50004AB

SEE PROPRIETARY NOTICE ON SHEET ONE		
CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES	DWG SIZE	ISSUE
	c2	22
LUCENT TECHNOLOGIES INC.	ED5D503-35	SHEET C21

ED5D503-35




ED5D503-35



ED5D503-35


GROUP 242A OR 244A
 GROUP 242B OR 244B
 CABLE E/W 982WC CONN FOR LU2

SEE PROPRIETARY NOTICE ON SHEET ONE		
CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES	DWG SIZE	ISSUE
	c2	22
LUCENT TECHNOLOGIES INC.	ED5D503-35	SHEET C23



GROUPS 262A OR 264A OR 262B OR 264B
 CABLE FOR LINE UNIT J5D004AC-2 OR
 CABLE FOR LINE UNIT J5D004AE-2


SEE PROPRIETARY NOTICE ON SHEET ONE		
CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES	DWG SIZE	ISSUE
	c2	22
LUCENT TECHNOLOGIES INC.	ED5D503-35	SHEET C25



ED5D503-35

GROUPS 281A, 281B, 282A, 282B
CABLE FOR LINE UNIT J5D004AD


SEE PROPRIETARY NOTICE ON SHEET ONE		
CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES	DWG SIZE	ISSUE
	c2	22
LUCENT TECHNOLOGIES INC.	ED5D503-35	SHEET C26



GROUPS 283A, 283B, 284A, 284B, 285A OR 285B
CABLE FOR LINE UNIT J5D004AD

SEE PROPRIETARY NOTICE ON SHEET ONE		
CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES	DWG SIZE	ISSUE
	C2	22
LUCENT TECHNOLOGIES INC.	ED5D503-35	SHEET C27


ED5D503-35




SEE PROPRIETARY NOTICE ON SHEET ONE

CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES		DWG SIZE C2	ISSUE 22
LUCENT TECHNOLOGIES INC. ED5D503-35		SHEET C28	

ED5D503-35




ED5D503-35



GROUPS 521A THRU 539A (ODD)
 CABLE FOR LINE UNIT J5D004AC-2
 PBX APPL ONLY


ED5D503-35

SEE PROPRIETARY NOTICE ON SHEET ONE		
CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES	DWG SIZE	ISSUE
	C2	22
LUCENT TECHNOLOGIES INC.	ED5D503-35	SHEET C30



ED5D503-35

SEE PROPRIETARY NOTICE ON SHEET ONE		
CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES	DWG SIZE	ISSUE
	C2	22
LUCENT TECHNOLOGIES INC.	ED5D503-35	SHEET C32



GROUP 552A, 554A, 556A, 558A, 560A, 562A
 PBX APPLICATIONS ONLY
 CABLE FOR TU J5003AC

ED5D503-35

SEE PROPRIETARY NOTICE ON SHEET ONE		
CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES	DWG SIZE	ISSUE
	C2	22
LUCENT TECHNOLOGIES INC.	ED5D503-35	SHEET C33

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1008	1A	16	105772826	963T-24	CONNECTOR			
1009	1A	32	106904956	TCOV-NS24G	COVER, PROTECTIVE			
1010	1A,1N	1	105412514	810A128/26	CABLE			4 5
1011	1N	16	406922286		CONNECTOR, MINI RIBBON #2-966061-4 AMP INC			
1012	1N	32	406884635		COVER, CONNECTOR #1-964393-2 AMP INC.			
1023	2A	16	105772826	963T-24	CONNECTOR			
1024	2A	32	106904956	TCOV-NS24G	COVER, PROTECTIVE			
1025	2A,2N	1	105412514	810A128/26	CABLE			4 5
1026	2N	16	406922286		CONNECTOR, MINI RIBBON #2-966061-4 AMP INC			
1027	2N	32	406884635		COVER, CONNECTOR #1-964393-2 AMP INC.			
1038	3A	16	105772826	963T-24	CONNECTOR			
1039	3A	32	106904956	TCOV-NS24G	COVER, PROTECTIVE			
1040	3A,3N	1	105412514	810A128/26	CABLE			4 5
1041	3N	16	406922286		CONNECTOR, MINI RIBBON #2-966061-4 AMP INC			
1042	3N	32	406884635		COVER, CONNECTOR #1-964393-2 AMP INC.			
1053	4A	16	105772826	963T-24	CONNECTOR			
1054	4A	32	106904956	TCOV-NS24G	COVER, PROTECTIVE			
1055	4A,4N	1	105412514	810A128/26	CABLE			4 5
1056	4N	16	406922286		CONNECTOR, MINI RIBBON #2-966061-4 AMP INC			
1057	4N	32	406884635		COVER, CONNECTOR #1-964393-2 AMP INC.			
1068	5A	16	105772826	963T-24	CONNECTOR			
1069	5A	32	106904956	TCOV-NS24G	COVER, PROTECTIVE			
1070	5A,5N	1	105412514	810A128/26	CABLE			4 5
1071	5N	16	406922286		CONNECTOR, MINI RIBBON #2-966061-4 AMP INC			
1072	5N	32	406884635		COVER, CONNECTOR #1-964393-2 AMP INC.			
1083	6A	16	105772826	963T-24	CONNECTOR			
1084	6A	32	106904956	TCOV-NS24G	COVER, PROTECTIVE			
1085	6A,6N	1	105412514	810A128/26	CABLE			4 5
1086	6N	16	406922286		CONNECTOR, MINI RIBBON #2-966061-4 AMP INC			
1087	6N	32	406884635		COVER, CONNECTOR #1-964393-2 AMP INC.			
1098	7A	16	105772826	963T-24	CONNECTOR			

STOCKLIST CONTINUED ON SHEET D2

ED5D503-35

SHEET

MANUFACTURING NOTES

- UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN METRICS (CM). EQUIVALENT INCH DIMENSIONS ARE ENCLOSED IN BRACKETS.
- DIMENSIONS 12 INCHES AND OVER ARE EXPRESSED IN FEET AND INCHES. ALL OTHER DIMENSIONS ARE IN INCHES.
- RESERVED.
- OVERALL CABLE LENGTH (DESIGNATED AS "FC" DIM IN TBL S) IS THE LENGTH OF FINISHED CABLE MEASURED FROM THE FARTHEST TIP OF CONN AT ONE END OF THAT CABLE TO THE FARTHEST TIP OF CONN AT THE OTHER END.
- UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS WILL HOLD A LENGTH TOLERANCE AS FOLLOWS:

METRIC LENGTH	TOLERANCE	ENGLISH LENGTH	TOLERANCE
0-1 M	+/-1.5 CM	{ZERO TO 3' 4"	+/-0.5"}
1 M AND UP	+/-1.5%	{3' 4" & UP	+/-1.5%
ROUNDED UP TO 1 CM OR 0.5".			
- A/R=AS REQUIRED.
- AA, AB, BA, BB ETC., ARE TERMINAL REFERENCE ONLY. DO NOT STAMP THESE ON BACKPLANE CONNECTORS.
- BL-W/W-BL ETC., INDICATES PAIRED LEADS. COLOR AT LEFT OF SLASH INDICATES COLOR OF LEAD TO BE CONNECTED. COLOR AT RIGHT OF SLASH IS THE COLOR OF THE OTHER LEAD IN THE PAIR.
- () INDICATES DESIGNATIONS TO BE STAMPED IN ACCORDANCE WITH JOB INFORMATION.
- EQL (EQUIPMENT LOCATION) SHOWN IN THE STAMPING TABLE IS IDENTIFIED AS FOLLOWS:

(VERT)	(HOR)	(TERM)
119	- 042	- 300
- REFER TO LOCAL MANUFACTURING DOCUMENTATION FOR SPECIFICS.

SEE PROPRIETARY NOTICE ON SHEET ONE

KT13

5ESS SWITCHING EQUIPMENT
ARRANGED WITH 2-WIRE FEATURES
CONNECTORIZED SWITCHBOARD
CABLE ASSEMBLIES
FOR
6 FT SWITCHING MODULE CABINET
LTP PER J5D003F-1

DWG SIZE C2 ISSUE 22

LUCENT TECHNOLOGIES INC ED5D503-35

SHEET D1 OF 61

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1099	7A	32	106904956	TCOV-NS24G	COVER, PROTECTIVE			
1100	7A,7N	1	105412514	810A128/26	CABLE			4 5
1101	7N	16	406922286		CONNECTOR, MINI RIBBON #2-966061-4 AMP INC			
1102	7N	32	406884635		COVER, CONNECTOR #1-964393-2 AMP INC.			
1124	8A	16	105772826	963T-24	CONNECTOR			
1125	8A	32	106904956	TCOV-NS24G	COVER, PROTECTIVE			
1130	8A,8N	1	105412514	810A128/26	CABLE			4 5
1131	8N	16	406922286		CONNECTOR, MINI RIBBON #2-966061-4 AMP INC			
1132	8N	32	406884635		COVER, CONNECTOR #1-964393-2 AMP INC.			
1140	9A,9N	1	105412530	812A-4/26	CABLE 26 GAGE			4 5
1153	9A	2	105772784	963T-6	CONNECTOR			
1154	9A	4	106905425	TCOV-LS6G	COVER, PROTECTIVE			
1155	9N	2	406922161		CONNECTOR #966061-6 AMP INC.			
1156	9N	4	406884312		COVER, CONNECTOR #964393-3 AMP INC.			
3060	101A, 101N	1	105412514	810A128/26	CABLE			4 5
3061	101N	16	406922260		CONNECTOR, MINI RIBBON #1-966061-6 AMP INC.			
3062	101N	32	406884510		COVER, CONNECTOR #964393-8 AMP INC.			
3068	101A	16	105772818	963T-16	CONNECTOR			
3069	101A	32	106904923	TCOV-NS16G	COVER, PROTECTIVE			
3070	102A, 102N	1	105412514	810A128/26	CABLE			4 5
3071	102N	16	406922260		CONNECTOR, MINI RIBBON #1-966061-6 AMP INC.			
3072	102N	32	406884510		COVER, CONNECTOR #964393-8 AMP INC.			
3079	102A	16	105772818	963T-16	CONNECTOR			
3080	102A	32	106904923	TCOV-NS16G	COVER, PROTECTIVE			
5020	211A	1	105412514	810A128/26	CABLE			4 5
5025	211A	16	103559027	982CE	CONNECTOR (2 X 12 E/W RESISTORS)			
5030	212A	1	105412514	810A128/26	CABLE			4 5
5035	212A	16	103559027	982CE	CONNECTOR (2 X 12 E/W RESISTORS)			
5040	213A	1	105412514	810A128/26	CABLE			4 5
5045	213A	16	103559027	982CE	CONNECTOR (2 X 12 E/W RESISTORS)			

***** STOCKLIST CONTINUED AT RIGHT *****

ED5D503-35

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
5050	214A	1	105412514	810A128/26	CABLE			4 5
5055	214A	16	103559027	982CE	CONNECTOR (2 X 12 E/W RESISTORS)			
5075	211B	1	105412514	810A128/26	CABLE			4 5
5080	211B	16	103559027	982CE	CONNECTOR (2 X 12 E/W RESISTORS)			
5085	212B	1	105412514	810A128/26	CABLE			4 5
5090	212B	16	103559027	982CE	CONNECTOR (2 X 12 E/W RESISTORS)			
5095	213B	1	105412514	810A128/26	CABLE			4 5
6000	213B	16	103559027	982CE	CONNECTOR (2 X 12 E/W RESISTORS)			
6005	214B	1	105412514	810A128/26	CABLE			4 5
6010	214B	16	103559027	982CE	CONNECTOR (2 X 12 E/W RESISTORS)			
6030	221A	1	105412514	810A128/26	CABLE			4 5
6040	221A	16	103559027	982CE	CONNECTOR (2 X 12 E/W RESISTORS)			
6050	222A	1	105412514	810A128/26	CABLE			4 5
6060	222A	16	103559027	982CE	CONNECTOR (2 X 12 E/W RESISTORS)			
6070	223A	1	105412514	810A128/26	CABLE			4 5
6080	223A	16	103559027	982CE	CONNECTOR (2 X 12 E/W RESISTORS)			
6090	224A	1	105412514	810A128/26	CABLE			4 5
6100	224A	16	103559027	982CE	CONNECTOR (2 X 12 E/W RESISTORS)			
6210	221B	1	105412514	810A128/26	CABLE			4 5
6220	221B	16	103559027	982CE	CONNECTOR (2 X 12 E/W RESISTORS)			
6230	222B	1	105412514	810A128/26	CABLE			4 5
6240	222B	16	103559027	982CE	CONNECTOR (2 X 12 E/W RESISTORS)			
6250	223B	1	105412514	810A128/26	CABLE			4 5
6260	223B	16	103559027	982CE	CONNECTOR (2 X 12 E/W RESISTORS)			
6270	224B	1	105412514	810A128/26	CABLE			4 5
6280	224B	16	103559027	982CE	CONNECTOR (2 X 12 E/W RESISTORS)			

STOCKLIST CONTINUED ON SHEET D3

SEE PROPRIETARY NOTICE ON SHEET ONE	
XT13 5ESS SWITCHING EQUIPMENT ARRANGED WITH 2-WIRE FEATURES CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES FOR 6 FT SWITCHING MODULE CABINET LTP PER J5D003F-1	
DWG SIZE C2	ISSUE 22
LUCENT TECHNOLOGIES INC ED5D503-35	
SHEET D2 OF 61	

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
6300	231A	1	105412514	810A128/26	CABLE			4 5
6310	231A	8	104022868	982WC	CONNECTOR (2 X 12 E/W RESISTORS)			
6320	231A	16	842923773		RELIEF, STRAIN			
6330	232A	1	105412514	810A128/26	CABLE			4 5
6340	232A	8	104022868	982WC	CONNECTOR (2 X 12 E/W RESISTORS)			
6350	232A	16	842923773		RELIEF, STRAIN			
6360	233A	1	105412514	810A128/26	CABLE			4 5
6370	233A	8	104022868	982WC	CONNECTOR (2 X 12 E/W RESISTORS)			
6380	233A	16	842923773		RELIEF, STRAIN			
6390	234A	1	105412514	810A128/26	CABLE			4 5
6400	234A	8	104022868	982WC	CONNECTOR (2 X 12 E/W RESISTORS)			
6410	234A	16	842923773		RELIEF, STRAIN			
6411	231B	1	105412514	810A128/26	CABLE			4 5
6412	231B	8	104022868	982WC	CONNECTOR			
6413	231B	16	842923773		RELIEF, STRAIN			
6414	232B	1	105412514	810A128/26	CABLE			4 5
6415	232B	8	104022868	982WC	CONNECTOR			
6416	232B	16	842923773		RELIEF, STRAIN			
6417	233B	1	105412514	810A128/26	CABLE			4 5
6418	233B	8	104022868	982WC	CONNECTOR			
6419	233B	16	842923773		RELIEF, STRAIN			
6420	234B	1	105412514	810A128/26	CABLE			4 5
6421	234B	8	104022868	982WC	CONNECTOR			
6422	234B	16	842923773		RELIEF, STRAIN			
6429	241A	1	105412514	810A128/26	CABLE			4 5
6430	241A	8	104022868	982WC	CONNECTOR			
6440	241A	16	842923773		RELIEF, STRAIN			
6450	242A	1	105412514	810A128/26	CABLE			4 5
6460	242A	8	104022868	982WC	CONNECTOR			
6470	242A	16	842923773		RELIEF, STRAIN			
6480	243A	1	105412514	810A128/26	CABLE			4 5
6490	243A	8	104022868	982WC	CONNECTOR			
6500	243A	16	842923773		RELIEF, STRAIN			
6510	244A	1	105412514	810A128/26	CABLE			4 5
6520	244A	8	104022868	982WC	CONNECTOR			
6530	244A	16	842923773		RELIEF, STRAIN			
6540	241B	1	105412514	810A128/26	CABLE			4 5
6550	241B	8	104022868	982WC	CONNECTOR			

***** STOCKLIST CONTINUED AT RIGHT *****

ED5D503-35

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
6560	241B	16	842923773		RELIEF, STRAIN			
6570	242B	1	105412514	810A128/26	CABLE			4 5
6580	242B	8	104022868	982WC	CONNECTOR			
6590	242B	16	842923773		RELIEF, STRAIN			
6600	243B	1	105412514	810A128/26	CABLE			4 5
6610	243B	8	104022868	982WC	CONNECTOR			
6620	243B	16	842923773		RELIEF, STRAIN			
6630	244B	1	105412514	810A128/26	CABLE			4 5
6640	244B	8	104022868	982WC	CONNECTOR			
6650	244B	16	842923773		RELIEF, STRAIN			
6704	261A	16	105772834	963T-24-16	CONNECTOR			
6705	261A	32	106904956	TCOV-NS24G	COVER, PROTECTIVE			
6710	261A, A61A	1	105412514	810A128/26	CABLE			4 5 6
6712	A61A	16	406922286		CONNECTOR, MINI RIBBON #2-966061-4 AMP INC			
6713	A61A	32	406884635		COVER, CONNECTOR #1-964393-2 AMP INC.			
6724	262A	16	105772834	963T-24-16	CONNECTOR			
6725	262A	32	106904956	TCOV-NS24G	COVER, PROTECTIVE			
6730	262A, A62A	1	105412514	810A128/26	CABLE			4 5 6
6732	A62A	16	406922286		CONNECTOR, MINI RIBBON #2-966061-4 AMP INC			
6733	A62A	32	406884635		COVER, CONNECTOR #1-964393-2 AMP INC.			
6744	263A	16	105772834	963T-24-16	CONNECTOR			
6745	263A	32	106904956	TCOV-NS24G	COVER, PROTECTIVE			
6750	263A, A63A	1	105412514	810A128/26	CABLE			4 5 6
6752	A63A	16	406922286		CONNECTOR, MINI RIBBON #2-966061-4 AMP INC			
6753	A63A	32	406884635		COVER, CONNECTOR #1-964393-2 AMP INC.			
6764	264A	16	105772834	963T-24-16	CONNECTOR			
6765	264A	32	106904956	TCOV-NS24G	COVER, PROTECTIVE			

STOCKLIST CONTINUED ON SHEET D4

SEE PROPRIETARY NOTICE ON SHEET ONE

KT13

5ESS SWITCHING EQUIPMENT
ARRANGED WITH 2-WIRE FEATURES
CONNECTORIZED SWITCHBOARD
CABLE ASSEMBLIES
FOR
6 FT SWITCHING MODULE CABINET
LTP PER J5D003F-1

DWG SIZE
C2

ISSUE
22

LUCENT TECHNOLOGIES INC ED5D503-35

SHEET D3
OF 61

PRINTED IN U.S.A.

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
6770	264A, A64A	1	105412514	810A128/26	CABLE			4 5 6
6772	A64A	16	406922286		CONNECTOR, MINI RIBBON #2-966061-4 AMP INC			
6773	A64A	32	406884635		COVER, CONNECTOR #1-964393-2 AMP INC.			
6784	261B	16	105772834	963T-24-16	CONNECTOR			
6785	261B	32	106904956	TCOV-NS24G	COVER, PROTECTIVE			
6790	261B, A61B	1	105412514	810A128/26	CABLE			4 5 6
6792	A61B	16	406922286		CONNECTOR, MINI RIBBON #2-966061-4 AMP INC			
6793	A61B	32	406884635		COVER, CONNECTOR #1-964393-2 AMP INC.			
6804	262B	16	105772834	963T-24-16	CONNECTOR			
6805	262B	32	106904956	TCOV-NS24G	COVER, PROTECTIVE			
6810	262B, A62B	1	105412514	810A128/26	CABLE			4 5 6
6812	A62B	16	406922286		CONNECTOR, MINI RIBBON #2-966061-4 AMP INC			
6813	A62B	32	406884635		COVER, CONNECTOR #1-964393-2 AMP INC.			
6824	263B	16	105772834	963T-24-16	CONNECTOR			
6825	263B	32	106904956	TCOV-NS24G	COVER, PROTECTIVE			
6830	263B, A63B	1	105412514	810A128/26	CABLE			4 5 6
6832	A63B	16	406922286		CONNECTOR, MINI RIBBON #2-966061-4 AMP INC			
6833	A63B	32	406884635		COVER, CONNECTOR #1-964393-2 AMP INC.			
6844	264B	16	105772834	963T-24-16	CONNECTOR			
6845	264B	32	106904956	TCOV-NS24G	COVER, PROTECTIVE			
6850	264B, A64B	1	105412514	810A128/26	CABLE			4 5 6
6852	A64B	16	406922286		CONNECTOR, MINI RIBBON #2-966061-4 AMP INC			
6853	A64B	32	406884635		COVER, CONNECTOR #1-964393-2 AMP INC.			
6903	281A	16	105772834	963T-24-16	CONNECTOR			
6904	281A	32	106904956	TCOV-NS24G	COVER, PROTECTIVE			
6905	281A, A81A	1	105412514	810A128/26	CABLE			
6906	A81A	16	406922286		CONNECTOR, MINI RIBBON #2-966061-4 AMP INC			
6907	A81A	32	406884635		COVER, CONNECTOR #1-964393-2 AMP INC.			
6913	282A	16	105772834	963T-24-16	CONNECTOR			

***** STOCKLIST CONTINUED AT RIGHT *****

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
6914	282A	32	106904956	TCOV-NS24G	COVER, PROTECTIVE			
6915	282A, A82A	1	105412514	810A128/26	CABLE			
6916	A82A	16	406922286		CONNECTOR, MINI RIBBON #2-966061-4 AMP INC			
6917	A82A	32	406884635		COVER, CONNECTOR #1-964393-2 AMP INC.			
6923	283A	16	105772834	963T-24-16	CONNECTOR			
6924	283A	32	106904956	TCOV-NS24G	COVER, PROTECTIVE			
6925	283A, A83A	1	105412514	810A128/26	CABLE			
6926	A83A	16	406922286		CONNECTOR, MINI RIBBON #2-966061-4 AMP INC			
6927	A83A	32	406884635		COVER, CONNECTOR #1-964393-2 AMP INC.			
6933	284A	16	105772834	963T-24-16	CONNECTOR			
6934	284A	32	106904956	TCOV-NS24G	COVER, PROTECTIVE			
6935	284A, A84A	1	105412514	810A128/26	CABLE			
6936	A84A	16	406922286		CONNECTOR, MINI RIBBON #2-966061-4 AMP INC			
6937	A84A	32	406884635		COVER, CONNECTOR #1-964393-2 AMP INC.			
6943	285A	16	105772834	963T-24-16	CONNECTOR			
6944	285A	32	106904956	TCOV-NS24G	COVER, PROTECTIVE			
6945	285A, A85A	1	105412514	810A128/26	CABLE			
6947	A85A	16	406922286		CONNECTOR, MINI RIBBON #2-966061-4 AMP INC			
6948	A85A	32	406884635		COVER, CONNECTOR #1-964393-2 AMP INC.			
6953	281B	16	105772834	963T-24-16	CONNECTOR			
6954	281B	32	106904956	TCOV-NS24G	COVER, PROTECTIVE			
6955	281B, A81B	1	105412514	810A128/26	CABLE			
6957	A81B	16	406922286		CONNECTOR, MINI RIBBON #2-966061-4 AMP INC			
6958	A81B	32	406884635		COVER, CONNECTOR #1-964393-2 AMP INC.			
6963	282B	16	105772834	963T-24-16	CONNECTOR			
6964	282B	32	106904956	TCOV-NS24G	COVER, PROTECTIVE			

STOCKLIST CONTINUED ON SHEET D5

SEE PROPRIETARY NOTICE ON SHEET ONE	
XT13 5ESS SWITCHING EQUIPMENT ARRANGED WITH 2-WIRE FEATURES CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES FOR 6 FT SWITCHING MODULE CABINET LTP PER J5D003F-1	
DWG SIZE C2	ISSUE 22
LUCENT TECHNOLOGIES INC ED5D503-35	

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
6965	282B, A82B	1	105412514	810A128/26	CABLE			
6967	A82B	16	406922286		CONNECTOR, MINI RIBBON #2-966061-4 AMP INC			
6968	A82B	32	406884635		COVER, CONNECTOR #1-964393-2 AMP INC.			
6973	283B	16	105772834	963T-24-16	CONNECTOR			
6974	283B	32	106904956	TCOV-NS24G	COVER, PROTECTIVE			
6975	283B, A83B	1	105412514	810A128/26	CABLE			
6977	A83B	16	406922286		CONNECTOR, MINI RIBBON #2-966061-4 AMP INC			
6978	A83B	32	406884635		COVER, CONNECTOR #1-964393-2 AMP INC.			
6983	284B	16	105772834	963T-24-16	CONNECTOR			
6984	284B	32	106904956	TCOV-NS24G	COVER, PROTECTIVE			
6985	284B, A84B	1	105412514	810A128/26	CABLE			
6987	A84B	16	406922286		CONNECTOR, MINI RIBBON #2-966061-4 AMP INC			
6988	A84B	32	406884635		COVER, CONNECTOR #1-964393-2 AMP INC.			
6993	285B	16	105772834	963T-24-16	CONNECTOR			
6994	285B	32	106904956	TCOV-NS24G	COVER, PROTECTIVE			
6995	285B, A85B	1	105412514	810A128/26	CABLE			
6997	A85B	16	406922286		CONNECTOR, MINI RIBBON #2-966061-4 AMP INC			
6998	A85B	32	406884635		COVER, CONNECTOR #1-964393-2 AMP INC.			
7500	501A	1	105419451	810AS-128/26	CABLE VARIABLE LENGTH			4 5
7505	501A	8	104022868	982WC	CONNECTOR			
7510	501A	16	842923773		RELIEF, STRAIN			
7515	501A	1	400366332	AT8544	CLAMP, BOND B SIZE 1 INCH			
7520	501A	1	845312529		CABLE ASSEMBLY			
7525	501A	1	804236388	P423638	WASHER, LOCK EXTERNAL TOOTH STEEL .375 289A FINISH	*		
7530	502A	1	105419451	810AS-128/26	CABLE VARIABLE LENGTH			4 5
7535	502A	8	104022868	982WC	CONNECTOR			
7540	502A	16	842923773		RELIEF, STRAIN			
7545	502A	1	400366332	AT8544	CLAMP, BOND B SIZE 1 INCH			
7550	502A	1	845312529		CABLE ASSEMBLY			
7555	502A	1	804236388	P423638	WASHER, LOCK EXTERNAL TOOTH STEEL .375 289A FINISH	*		
7560	503A	1	105419451	810AS-128/26	CABLE VARIABLE LENGTH			4 5
7565	503A	8	104022868	982WC	CONNECTOR			
7570	503A	16	842923773		RELIEF, STRAIN			

***** STOCKLIST CONTINUED AT RIGHT *****

ED5D503-35

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
7575	503A	1	400366332	AT8544	CLAMP, BOND B SIZE 1 INCH			
7580	503A	1	845312529		CABLE ASSEMBLY			
7585	503A	1	804236388	P423638	WASHER, LOCK EXTERNAL TOOTH STEEL .375 289A FINISH	*		
7590	504A	1	105419451	810AS-128/26	CABLE VARIABLE LENGTH			4 5
7595	504A	8	104022868	982WC	CONNECTOR			
7600	504A	16	842923773		RELIEF, STRAIN			
7605	504A	1	400366332	AT8544	CLAMP, BOND B SIZE 1 INCH			
7610	504A	1	845312529		CABLE ASSEMBLY			
7615	504A	1	804236388	P423638	WASHER, LOCK EXTERNAL TOOTH STEEL .375 289A FINISH	*		
7620	505A	1	105419451	810AS-128/26	CABLE VARIABLE LENGTH			4 5
7625	505A	8	104022868	982WC	CONNECTOR			
7630	505A	16	842923773		RELIEF, STRAIN			
7635	505A	1	400366332	AT8544	CLAMP, BOND B SIZE 1 INCH			
7640	505A	1	845312529		CABLE ASSEMBLY			
7645	505A	1	804236388	P423638	WASHER, LOCK EXTERNAL TOOTH STEEL .375 289A FINISH	*		
7650	506A	1	105419451	810AS-128/26	CABLE VARIABLE LENGTH			4 5
7655	506A	8	104022868	982WC	CONNECTOR			
7660	506A	16	842923773		RELIEF, STRAIN			
7665	506A	1	400366332	AT8544	CLAMP, BOND B SIZE 1 INCH			
7670	506A	1	845312529		CABLE ASSEMBLY			
7675	506A	1	804236388	P423638	WASHER, LOCK EXTERNAL TOOTH STEEL .375 289A FINISH	*		
7680	507A	1	105419451	810AS-128/26	CABLE VARIABLE LENGTH			4 5
7685	507A	8	104022868	982WC	CONNECTOR			
7690	507A	16	842923773		RELIEF, STRAIN			
7695	507A	1	400366332	AT8544	CLAMP, BOND B SIZE 1 INCH			
7700	507A	1	845312529		CABLE ASSEMBLY			
7705	507A	1	804236388	P423638	WASHER, LOCK EXTERNAL TOOTH STEEL .375 289A FINISH	*		
7710	508A	1	105419451	810AS-128/26	CABLE VARIABLE LENGTH			4 5
7715	508A	8	104022868	982WC	CONNECTOR			
7720	508A	16	842923773		RELIEF, STRAIN			
7725	508A	1	400366332	AT8544	CLAMP, BOND B SIZE 1 INCH			

STOCKLIST CONTINUED ON SHEET D6

SEE PROPRIETARY NOTICE ON SHEET ONE	
KT13	
5ESS SWITCHING EQUIPMENT ARRANGED WITH 2-WIRE FEATURES CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES FOR 6 FT SWITCHING MODULE CABINET LTP PER J5D003F-1	
DWG SIZE C2	ISSUE 22
LUCENT TECHNOLOGIES INC ED5D503-35	
SHEET D5 OF 61	

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
7730	508A	1	845312529		CABLE ASSEMBLY			
7735	508A	1	804236388	P423638	WASHER, LOCK EXTERNAL TOOTH STEEL .375 289A FINISH		*	
7740	509A	1	105419451	810AS-128/26	CABLE VARIABLE LENGTH			4 5
7745	509A	8	104022868	982WC	CONNECTOR			
7750	509A	16	842923773		RELIEF, STRAIN			
7755	509A	1	400366332	AT8544	CLAMP, BOND B SIZE 1 INCH			
7760	509A	1	845312529		CABLE ASSEMBLY			
7765	509A	1	804236388	P423638	WASHER, LOCK EXTERNAL TOOTH STEEL .375 289A FINISH		*	
7770	510A	1	105419451	810AS-128/26	CABLE VARIABLE LENGTH			4 5
7775	510A	8	104022868	982WC	CONNECTOR			
7780	510A	16	842923773		RELIEF, STRAIN			
7785	510A	1	400366332	AT8544	CLAMP, BOND B SIZE 1 INCH			
7790	510A	1	845312529		CABLE ASSEMBLY			
7795	510A	1	804236388	P423638	WASHER, LOCK EXTERNAL TOOTH STEEL .375 289A FINISH		*	
7800	511A	1	105419451	810AS-128/26	CABLE VARIABLE LENGTH			4 5
7805	511A	8	104022868	982WC	CONNECTOR			
7810	511A	16	842923773		RELIEF, STRAIN			
7820	511A	1	400366332	AT8544	CLAMP, BOND B SIZE 1 INCH			
7825	511A	1	845312529		CABLE ASSEMBLY			
7830	511A	1	804236388	P423638	WASHER, LOCK EXTERNAL TOOTH STEEL .375 289A FINISH		*	
7835	512A	1	105419451	810AS-128/26	CABLE VARIABLE LENGTH ('X' DIM PER JOB SPEC)			4 5
7840	512A	8	104022868	982WC	CONNECTOR			
7845	512A	16	842923773		RELIEF, STRAIN			
7850	512A	1	400366332	AT8544	CLAMP, BOND B SIZE 1 INCH			
7855	512A	1	845312529		CABLE ASSEMBLY			
7860	512A	1	804236388	P423638	WASHER, LOCK EXTERNAL TOOTH STEEL .375 289A FINISH		*	
7865	513A	1	105419451	810AS-128/26	CABLE VARIABLE LENGTH			4 5
7870	513A	8	104022868	982WC	CONNECTOR			
7875	513A	16	842923773		RELIEF, STRAIN			
7880	513A	1	400366332	AT8544	CLAMP, BOND B SIZE 1 INCH			
7885	513A	1	845312529		CABLE ASSEMBLY			
7890	513A	1	804236388	P423638	WASHER, LOCK EXTERNAL TOOTH STEEL .375 289A FINISH		*	
7895	514A	1	105419451	810AS-128/26	CABLE VARIABLE LENGTH ('X' DIM PER JOB SPEC)			4 5
7900	514A	8	104022868	982WC	CONNECTOR			
7905	514A	16	842923773		RELIEF, STRAIN			
7910	514A	1	400366332	AT8544	CLAMP, BOND B SIZE 1 INCH			

***** STOCKLIST CONTINUED AT RIGHT *****

ED5D503-35

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
7915	514A	1	845312529		CABLE ASSEMBLY			
7920	514A	1	804236388	P423638	WASHER, LOCK EXTERNAL TOOTH STEEL .375 289A FINISH		*	
7925	515A	1	105419451	810AS-128/26	CABLE VARIABLE LENGTH			4 5
7930	515A	8	104022868	982WC	CONNECTOR			
7935	515A	16	842923773		RELIEF, STRAIN			
7940	515A	1	400366332	AT8544	CLAMP, BOND B SIZE 1 INCH			
7945	515A	1	845312529		CABLE ASSEMBLY			
7950	515A	1	804236388	P423638	WASHER, LOCK EXTERNAL TOOTH STEEL .375 289A FINISH		*	
7955	516A	1	105419451	810AS-128/26	CABLE VARIABLE LENGTH ('X' DIM PER JOB SPEC)			4 5
7960	516A	8	104022868	982WC	CONNECTOR			
7965	516A	16	842923773		RELIEF, STRAIN			
7970	516A	1	400366332	AT8544	CLAMP, BOND B SIZE 1 INCH			
7975	516A	1	845312529		CABLE ASSEMBLY			
7980	516A	1	804236388	P423638	WASHER, LOCK EXTERNAL TOOTH STEEL .375 289A FINISH		*	
7985	517A	1	105419451	810AS-128/26	CABLE VARIABLE LENGTH			4 5
7990	517A	8	104022868	982WC	CONNECTOR			
7995	517A	16	842923773		RELIEF, STRAIN			
8000	517A	1	400366332	AT8544	CLAMP, BOND B SIZE 1 INCH			
8005	517A	1	845312529		CABLE ASSEMBLY			
8010	517A	1	804236388	P423638	WASHER, LOCK EXTERNAL TOOTH STEEL .375 289A FINISH		*	
8015	518A	1	105419451	810AS-128/26	CABLE VARIABLE LENGTH ('X' DIM PER JOB SPEC)			4 5
8020	518A	8	104022868	982WC	CONNECTOR			
8025	518A	16	842923773		RELIEF, STRAIN			
8030	518A	1	400366332	AT8544	CLAMP, BOND B SIZE 1 INCH			
8035	518A	1	845312529		CABLE ASSEMBLY			
8040	518A	1	804236388	P423638	WASHER, LOCK EXTERNAL TOOTH STEEL .375 289A FINISH		*	
8045	519A	1	105419451	810AS-128/26	CABLE VARIABLE LENGTH			4 5
8050	519A	8	104022868	982WC	CONNECTOR			
8055	519A	16	842923773		RELIEF, STRAIN			
8060	519A	1	400366332	AT8544	CLAMP, BOND B SIZE 1 INCH			

STOCKLIST CONTINUED ON SHEET D7

SEE PROPRIETARY NOTICE ON SHEET ONE

KT13

5ESS SWITCHING EQUIPMENT
ARRANGED WITH 2-WIRE FEATURES
CONNECTORIZED SWITCHBOARD
CABLE ASSEMBLIES
FOR
6 FT SWITCHING MODULE CABINET
LTP PER J5D003P-1

DWG SIZE
C2

ISSUE
22

LUCENT TECHNOLOGIES INC ED5D503-35

SHEET D6
OF 61

PRINTED IN U.S.A.

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
8065	519A	1	845312529		CABLE ASSEMBLY			
8070	519A	1	804236388	P423638	WASHER, LOCK EXTERNAL TOOTH STEEL .375 289A FINISH		*	
8075	520A	1	105419451	810AS-128/26	CABLE VARIABLE LENGTH ('X' DIM PER JOB SPEC)			4 5
8080	520A	8	104022868	982WC	CONNECTOR			
8085	520A	16	842923773		RELIEF, STRAIN			
8090	520A	1	400366332	AT8544	CLAMP, BOND B SIZE 1 INCH			
8095	520A	1	845312529		CABLE ASSEMBLY			
8100	520A	1	804236388	P423638	WASHER, LOCK EXTERNAL TOOTH STEEL .375 289A FINISH		*	
8105	521A, 521N	1	105419451	810AS-128/26	CABLE VARIABLE LENGTH ('X' DIM PER JOB SPEC)			4 5
8110	521N	16	406922286		CONNECTOR, MINI RIBBON #2-966061-4 AMP INC			
8111	521N	32	406884635		COVER, CONNECTOR #1-964393-2 AMP INC.			
8113	521A	16	105772834	963T-24-16	CONNECTOR			
8114	521A	32	106904956	TCOV-NS24G	COVER, PROTECTIVE			
8115	521A, 521N	1	400366332	AT8544	CLAMP, BOND B SIZE 1 INCH			
8120	521A, 521N	1	845312529		CABLE ASSEMBLY			
8125	521A, 521N	1	804236388	P423638	WASHER, LOCK EXTERNAL TOOTH STEEL .375 289A FINISH		*	
8130	522A, 522N	1	105419451	810AS-128/26	CABLE VARIABLE LENGTH ('X' DIM PER JOB SPEC)			4 5
8135	522N	16	406922286		CONNECTOR, MINI RIBBON #2-966061-4 AMP INC			
8136	522N	32	406884635		COVER, CONNECTOR #1-964393-2 AMP INC.			
8138	522A	16	105772834	963T-24-16	CONNECTOR			
8139	522A	32	106904956	TCOV-NS24G	COVER, PROTECTIVE			
8140	522A, 522N	1	400366332	AT8544	CLAMP, BOND B SIZE 1 INCH			
8145	522A, 522N	1	845312529		CABLE ASSEMBLY			
8150	522A, 522N	1	804236388	P423638	WASHER, LOCK EXTERNAL TOOTH STEEL .375 289A FINISH		*	
8155	523A, 523N	1	105419451	810AS-128/26	CABLE VARIABLE LENGTH ('X' DIM PER JOB SPEC)			4 5
8160	523N	16	406922286		CONNECTOR, MINI RIBBON #2-966061-4 AMP INC			
8161	523N	32	406884635		COVER, CONNECTOR #1-964393-2 AMP INC.			
8163	523A	16	105772834	963T-24-16	CONNECTOR			
8164	523A	32	106904956	TCOV-NS24G	COVER, PROTECTIVE			
8165	523A, 523N	1	400366332	AT8544	CLAMP, BOND B SIZE 1 INCH			
8170	523A, 523N	1	845312529		CABLE ASSEMBLY			

***** STOCKLIST CONTINUED AT RIGHT *****

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
8175	523A, 523N	1	804236388	P423638	WASHER, LOCK EXTERNAL TOOTH STEEL .375 289A FINISH		*	
8180	524A, 524N	1	105419451	810AS-128/26	CABLE VARIABLE LENGTH ('X' DIM PER JOB SPEC)			4 5
8185	524N	16	406922286		CONNECTOR, MINI RIBBON #2-966061-4 AMP INC			
8186	524N	32	406884635		COVER, CONNECTOR #1-964393-2 AMP INC.			
8188	524A	16	105772834	963T-24-16	CONNECTOR			
8189	524A	32	106904956	TCOV-NS24G	COVER, PROTECTIVE			
8190	524A, 524N	1	400366332	AT8544	CLAMP, BOND B SIZE 1 INCH			
8195	524A, 524N	1	845312529		CABLE ASSEMBLY			
8200	524A, 524N	1	804236388	P423638	WASHER, LOCK EXTERNAL TOOTH STEEL .375 289A FINISH		*	
8205	525A, 525N	1	105419451	810AS-128/26	CABLE VARIABLE LENGTH ('X' DIM PER JOB SPEC)			4 5
8210	525N	16	406922286		CONNECTOR, MINI RIBBON #2-966061-4 AMP INC			
8211	525N	32	406884635		COVER, CONNECTOR #1-964393-2 AMP INC.			
8213	525A	16	105772834	963T-24-16	CONNECTOR			
8214	525A	32	106904956	TCOV-NS24G	COVER, PROTECTIVE			
8215	525A, 525N	1	400366332	AT8544	CLAMP, BOND B SIZE 1 INCH			
8220	525A, 525N	1	845312529		CABLE ASSEMBLY			
8225	525A, 525N	1	804236388	P423638	WASHER, LOCK EXTERNAL TOOTH STEEL .375 289A FINISH		*	
8230	526A, 526N	1	105419451	810AS-128/26	CABLE VARIABLE LENGTH ('X' DIM PER JOB SPEC)			4 5
8235	526N	16	406922286		CONNECTOR, MINI RIBBON #2-966061-4 AMP INC			
8236	526N	32	406884635		COVER, CONNECTOR #1-964393-2 AMP INC.			
8239	526A	16	105772834	963T-24-16	CONNECTOR			
8240	526A	32	106904956	TCOV-NS24G	COVER, PROTECTIVE			
8245	526A, 526N	1	400366332	AT8544	CLAMP, BOND B SIZE 1 INCH			
8250	526A, 526N	1	845312529		CABLE ASSEMBLY			
8255	526A, 526N	1	804236388	P423638	WASHER, LOCK EXTERNAL TOOTH STEEL .375 289A FINISH		*	

STOCKLIST CONTINUED ON SHEET DB

SEE PROPRIETARY NOTICE ON SHEET ONE

KT13

5ESS SWITCHING EQUIPMENT
ARRANGED WITH 2-WIRE FEATURES
CONNECTORIZED SWITCHBOARD
CABLE ASSEMBLIES
FOR
6 FT SWITCHING MODULE CABINET
LTP PER J5D003F-1

DWG SIZE
C2

ISSUE
22

ED5D503-35

LUCENT TECHNOLOGIES INC ED5D503-35

SHEET D7
OF 61

PRINTED IN U.S.A.

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
8260	527A, 527N	1	105419451	810AS-128/26	CABLE VARIABLE LENGTH ('X' DIM PER JOB SPEC)			4 5
8265	527N	16	406922286		CONNECTOR, MINI RIBBON #2-966061-4 AMP INC			
8266	527N	32	406884635		COVER, CONNECTOR #1-964393-2 AMP INC.			
8268	527A	16	105772834	963T-24-16	CONNECTOR			
8269	527A	32	106904956	TCOV-NS24G	COVER, PROTECTIVE			
8270	527A, 527N	1	400366332	AT8544	CLAMP, BOND B SIZE 1 INCH			
8275	527A, 527N	1	845312529		CABLE ASSEMBLY			
8280	527A, 527N	1	804236388	P423638	WASHER, LOCK EXTERNAL TOOTH STEEL .375 289A FINISH		*	
8285	528A, 528N	1	105419451	810AS-128/26	CABLE VARIABLE LENGTH ('X' DIM PER JOB SPEC)			4 5
8290	528N	16	406922286		CONNECTOR, MINI RIBBON #2-966061-4 AMP INC			
8291	528N	32	406884635		COVER, CONNECTOR #1-964393-2 AMP INC.			
8293	528A	16	105772834	963T-24-16	CONNECTOR			
8294	528A	32	106904956	TCOV-NS24G	COVER, PROTECTIVE			
8295	528A, 528N	1	400366332	AT8544	CLAMP, BOND B SIZE 1 INCH			
8300	528A, 528N	1	845312529		CABLE ASSEMBLY			
8305	528A, 528N	1	804236388	P423638	WASHER, LOCK EXTERNAL TOOTH STEEL .375 289A FINISH		*	
8310	529A, 529N	1	105419451	810AS-128/26	CABLE VARIABLE LENGTH ('X' DIM PER JOB SPEC)			4 5
8315	529N	16	406922286		CONNECTOR, MINI RIBBON #2-966061-4 AMP INC			
8316	529N	32	406884635		COVER, CONNECTOR #1-964393-2 AMP INC.			
8318	529A	16	105772834	963T-24-16	CONNECTOR			
8319	529A	32	106904956	TCOV-NS24G	COVER, PROTECTIVE			
8320	529A, 529N	1	400366332	AT8544	CLAMP, BOND B SIZE 1 INCH			
8325	529A, 529N	1	845312529		CABLE ASSEMBLY			
8330	529A, 529N	1	804236388	P423638	WASHER, LOCK EXTERNAL TOOTH STEEL .375 289A FINISH		*	
8335	530A, 530N	1	105419451	810AS-128/26	CABLE VARIABLE LENGTH ('X' DIM PER JOB SPEC)			4 5
8340	530N	16	406922286		CONNECTOR, MINI RIBBON #2-966061-4 AMP INC			
8341	530N	32	406884635		COVER, CONNECTOR #1-964393-2 AMP INC.			
8343	530A	16	105772834	963T-24-16	CONNECTOR			
8344	530A	32	106904956	TCOV-NS24G	COVER, PROTECTIVE			

***** STOCKLIST CONTINUED AT RIGHT *****

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
8345	530A, 530N	1	400366332	AT8544	CLAMP, BOND B SIZE 1 INCH			
8350	530A, 530N	1	845312529		CABLE ASSEMBLY			
8355	530A, 530N	1	804236388	P423638	WASHER, LOCK EXTERNAL TOOTH STEEL .375 289A FINISH		*	
8360	531A, 531N	1	105419451	810AS-128/26	CABLE VARIABLE LENGTH ('X' DIM PER JOB SPEC)			4 5
8365	531N	16	406922286		CONNECTOR, MINI RIBBON #2-966061-4 AMP INC			
8366	531N	32	406884635		COVER, CONNECTOR #1-964393-2 AMP INC.			
8368	531A	16	105772834	963T-24-16	CONNECTOR			
8369	531A	32	106904956	TCOV-NS24G	COVER, PROTECTIVE			
8370	531A, 531N	1	400366332	AT8544	CLAMP, BOND B SIZE 1 INCH			
8375	531A, 531N	1	845312529		CABLE ASSEMBLY			
8380	531A, 531N	1	804236388	P423638	WASHER, LOCK EXTERNAL TOOTH STEEL .375 289A FINISH		*	
8385	532A, 532N	1	105419451	810AS-128/26	CABLE VARIABLE LENGTH ('X' DIM PER JOB SPEC)			4 5
8390	532N	16	406922286		CONNECTOR, MINI RIBBON #2-966061-4 AMP INC			
8391	532N	32	406884635		COVER, CONNECTOR #1-964393-2 AMP INC.			
8393	532A	16	105772834	963T-24-16	CONNECTOR			
8394	532A	32	106904956	TCOV-NS24G	COVER, PROTECTIVE			
8395	532A, 532N	1	400366332	AT8544	CLAMP, BOND B SIZE 1 INCH			
8400	532A, 532N	1	845312529		CABLE ASSEMBLY			
8405	532A, 532N	1	804236388	P423638	WASHER, LOCK EXTERNAL TOOTH STEEL .375 289A FINISH		*	
8410	533A, 533N	1	105419451	810AS-128/26	CABLE VARIABLE LENGTH ('X' DIM PER JOB SPEC)			4 5
8415	533N	16	406922286		CONNECTOR, MINI RIBBON #2-966061-4 AMP INC			
8416	533N	32	406884635		COVER, CONNECTOR #1-964393-2 AMP INC.			
8418	533A	16	105772834	963T-24-16	CONNECTOR			
8419	533A	32	106904956	TCOV-NS24G	COVER, PROTECTIVE			
8420	533A, 533N	1	400366332	AT8544	CLAMP, BOND B SIZE 1 INCH			

STOCKLIST CONTINUED ON SHEET D9

SEE PROPRIETARY NOTICE ON SHEET ONE

KT13

5ESS SWITCHING EQUIPMENT
ARRANGED WITH 2-WIRE FEATURES
CONNECTORIZED SWITCHBOARD
CABLE ASSEMBLIES
FOR
6 FT SWITCHING MODULE CABINET
LTP PER J5D003F-1

DWG SIZE
C2

ISSUE
22

ED5D503-35

LUCENT TECHNOLOGIES INC ED5D503-35

SHEET D8
OF 61

PRINTED IN U.S.A.

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
8425	533A, 533N	1	845312529		CABLE ASSEMBLY			
8430	533A, 533N	1	804236388	P423638	WASHER, LOCK EXTERNAL TOOTH STEEL .375 289A FINISH		*	
8435	534A, 534N	1	105419451	810AS-128/26	CABLE VARIABLE LENGTH ('X' DIM PER JOB SPEC)			4 5
8440	534N	16	406922286		CONNECTOR, MINI RIBBON #2-966061-4 AMP INC			
8441	534N	32	406884635		COVER, CONNECTOR #1-964393-2 AMP INC.			
8443	534A	16	105772834	963T-24-16	CONNECTOR			
8444	534A	32	106904956	TCOV-NS24G	COVER, PROTECTIVE			
8445	534A, 534N	1	400366332	AT8544	CLAMP, BOND B SIZE 1 INCH			
8450	534A, 534N	1	845312529		CABLE ASSEMBLY			
8455	534A, 534N	1	804236388	P423638	WASHER, LOCK EXTERNAL TOOTH STEEL .375 289A FINISH		*	
8460	535A, 535N	1	105419451	810AS-128/26	CABLE VARIABLE LENGTH ('X' DIM PER JOB SPEC)			4 5
8465	535N	16	406922286		CONNECTOR, MINI RIBBON #2-966061-4 AMP INC			
8466	535N	32	406884635		COVER, CONNECTOR #1-964393-2 AMP INC.			
8468	535A	16	105772834	963T-24-16	CONNECTOR			
8469	535A	32	106904956	TCOV-NS24G	COVER, PROTECTIVE			
8470	535A, 535N	1	400366332	AT8544	CLAMP, BOND B SIZE 1 INCH			
8475	535A, 535N	1	845312529		CABLE ASSEMBLY			
8480	535A, 535N	1	804236388	P423638	WASHER, LOCK EXTERNAL TOOTH STEEL .375 289A FINISH		*	
8485	536A, 536N	1	105419451	810AS-128/26	CABLE VARIABLE LENGTH ('X' DIM PER JOB SPEC)			4 5
8490	536N	16	406922286		CONNECTOR, MINI RIBBON #2-966061-4 AMP INC			
8491	536N	32	406884635		COVER, CONNECTOR #1-964393-2 AMP INC.			
8493	536A	16	105772834	963T-24-16	CONNECTOR			
8494	536A	32	106904956	TCOV-NS24G	COVER, PROTECTIVE			
8495	536A, 536N	1	400366332	AT8544	CLAMP, BOND B SIZE 1 INCH			
8500	536A, 536N	1	845312529		CABLE ASSEMBLY			
8505	536A, 536N	1	804236388	P423638	WASHER, LOCK EXTERNAL TOOTH STEEL .375 289A FINISH		*	
8510	537A, 537N	1	105419451	810AS-128/26	CABLE VARIABLE LENGTH ('X' DIM PER JOB SPEC)			4 5
8515	537N	16	406922286		CONNECTOR, MINI RIBBON #2-966061-4 AMP INC			
8516	537N	32	406884635		COVER, CONNECTOR #1-964393-2 AMP INC.			

***** STOCKLIST CONTINUED AT RIGHT *****

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
8518	537A	16	105772834	963T-24-16	CONNECTOR			
8519	537A	32	106904956	TCOV-NS24G	COVER, PROTECTIVE			
8520	537A, 537N	1	400366332	AT8544	CLAMP, BOND B SIZE 1 INCH			
8525	537A, 537N	1	845312529		CABLE ASSEMBLY			
8530	537A, 537N	1	804236388	P423638	WASHER, LOCK EXTERNAL TOOTH STEEL .375 289A FINISH		*	
8535	538A, 538N	1	105419451	810AS-128/26	CABLE VARIABLE LENGTH ('X' DIM PER JOB SPEC)			4 5
8540	538N	16	406922286		CONNECTOR, MINI RIBBON #2-966061-4 AMP INC			
8541	538N	32	406884635		COVER, CONNECTOR #1-964393-2 AMP INC.			
8543	538A	16	105772834	963T-24-16	CONNECTOR			
8544	538A	32	106904956	TCOV-NS24G	COVER, PROTECTIVE			
8545	538A, 538N	1	400366332	AT8544	CLAMP, BOND B SIZE 1 INCH			
8550	538A, 538N	1	845312529		CABLE ASSEMBLY			
8555	538A, 538N	1	804236388	P423638	WASHER, LOCK EXTERNAL TOOTH STEEL .375 289A FINISH		*	
8560	539A, 539N	1	105419451	810AS-128/26	CABLE VARIABLE LENGTH ('X' DIM PER JOB SPEC)			4 5
8565	539N	16	406922286		CONNECTOR, MINI RIBBON #2-966061-4 AMP INC			
8566	539N	32	406884635		COVER, CONNECTOR #1-964393-2 AMP INC.			
8568	539A	16	105772834	963T-24-16	CONNECTOR			
8569	539A	32	106904956	TCOV-NS24G	COVER, PROTECTIVE			
8570	539A, 539N	1	400366332	AT8544	CLAMP, BOND B SIZE 1 INCH			
8575	539A, 539N	1	845312529		CABLE ASSEMBLY			
8580	539A, 539N	1	804236388	P423638	WASHER, LOCK EXTERNAL TOOTH STEEL .375 289A FINISH		*	
8585	540A, 540N	1	105419451	810AS-128/26	CABLE VARIABLE LENGTH ('X' DIM PER JOB SPEC)			4 5
8590	540N	16	406922286		CONNECTOR, MINI RIBBON #2-966061-4 AMP INC			
8591	540N	32	406884635		COVER, CONNECTOR #1-964393-2 AMP INC.			
8593	540A	16	105772834	963T-24-16	CONNECTOR			

STOCKLIST CONTINUED ON SHEET D10

SEE PROPRIETARY NOTICE ON SHEET ONE	
5ESS SWITCHING EQUIPMENT ARRANGED WITH 2-WIRE FEATURES CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES FOR 6 FT SWITCHING MODULE CABINET LTP PER J5D003F-1	
XT13	
DWG SIZE C2	ISSUE 22
LUCENT TECHNOLOGIES INC ED5D503-35	
SHEET D9 OF 61	

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
8594	540A	32	106904956	TCOV-NS24G	COVER, PROTECTIVE			
8595	540A, 540N	1	400366332	AT8544	CLAMP, BOND B SIZE 1 INCH			
8600	540A, 540N	1	845312529		CABLE ASSEMBLY			
8605	540A, 540N	1	804236388	P423638	WASHER, LOCK EXTERNAL TOOTH STEEL .375 289A FINISH		*	
8700	551N	16	406922260		CONNECTOR, MINI RIBBON #1-966061-6 AMP INC.			
8701	551N	32	406884510		COVER, CONNECTOR #964393-8 AMP INC.			
8704	551A	16	105772818	963T-16	CONNECTOR			
8705	551A	32	106904923	TCOV-NS16G	COVER, PROTECTIVE			
8780	551A, 551N	1	105419451	810AS-128/26	CABLE VARIABLE LENGTH			4 5
8800	551A, 551N	1	400366332	AT8544	CLAMP, BOND B SIZE 1 INCH			
8810	551A, 551N	1	845312529		CABLE ASSEMBLY			
8820	551A, 551N	1	804236388	P423638	WASHER, LOCK EXTERNAL TOOTH STEEL .375 289A FINISH		*	
8830	552A, 552N	1	105419451	810AS-128/26	CABLE VARIABLE LENGTH			4 5
8835	552N	16	406922260		CONNECTOR, MINI RIBBON #1-966061-6 AMP INC.			
8836	552N	32	406884510		COVER, CONNECTOR #964393-8 AMP INC.			
8844	552A	16	105772818	963T-16	CONNECTOR			
8845	552A	32	106904923	TCOV-NS16G	COVER, PROTECTIVE			
8850	552A, 552N	1	400366332	AT8544	CLAMP, BOND B SIZE 1 INCH			
8860	552A, 552N	1	845312529		CABLE ASSEMBLY			
8870	552A, 552N	1	804236388	P423638	WASHER, LOCK EXTERNAL TOOTH STEEL .375 289A FINISH		*	
8880	553A, 553N	1	105419451	810AS-128/26	CABLE VARIABLE LENGTH			4 5
8885	553N	16	406922260		CONNECTOR, MINI RIBBON #1-966061-6 AMP INC.			
8886	553N	32	406884510		COVER, CONNECTOR #964393-8 AMP INC.			
8894	553A	16	105772818	963T-16	CONNECTOR			
8895	553A	32	106904923	TCOV-NS16G	COVER, PROTECTIVE			
8900	553A, 553N	1	400366332	AT8544	CLAMP, BOND B SIZE 1 INCH			
8910	553A, 553N	1	845312529		CABLE ASSEMBLY			
8920	553A, 553N	1	804236388	P423638	WASHER, LOCK EXTERNAL TOOTH STEEL .375 289A FINISH		*	
8930	554A, 554N	1	105419451	810AS-128/26	CABLE VARIABLE LENGTH			4 5
8935	554N	16	406922260		CONNECTOR, MINI RIBBON #1-966061-6 AMP INC.			

***** STOCKLIST CONTINUED AT RIGHT *****

ED5D503-35

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
8936	554N	32	406884510		COVER, CONNECTOR #964393-8 AMP INC.			
8944	554A	16	105772818	963T-16	CONNECTOR			
8945	554A	32	106904923	TCOV-NS16G	COVER, PROTECTIVE			
8950	554A, 554N	1	400366332	AT8544	CLAMP, BOND B SIZE 1 INCH			
8960	554A, 554N	1	845312529		CABLE ASSEMBLY			
8970	554A, 554N	1	804236388	P423638	WASHER, LOCK EXTERNAL TOOTH STEEL .375 289A FINISH		*	
8980	555A, 555N	1	105419451	810AS-128/26	CABLE VARIABLE LENGTH			4 5
8985	555N	16	406922260		CONNECTOR, MINI RIBBON #1-966061-6 AMP INC.			
8986	555N	32	406884510		COVER, CONNECTOR #964393-8 AMP INC.			
8994	555A	16	105772818	963T-16	CONNECTOR			
8995	555A	32	106904923	TCOV-NS16G	COVER, PROTECTIVE			
9000	555A, 555N	1	400366332	AT8544	CLAMP, BOND B SIZE 1 INCH			
9010	555A, 555N	1	845312529		CABLE ASSEMBLY			
9020	555A, 555N	1	804236388	P423638	WASHER, LOCK EXTERNAL TOOTH STEEL .375 289A FINISH		*	
9030	556A, 556N	1	105419451	810AS-128/26	CABLE VARIABLE LENGTH			4 5
9035	556N	16	406922260		CONNECTOR, MINI RIBBON #1-966061-6 AMP INC.			
9036	556N	32	406884510		COVER, CONNECTOR #964393-8 AMP INC.			
9044	556A	16	105772818	963T-16	CONNECTOR			
9045	556A	32	106904923	TCOV-NS16G	COVER, PROTECTIVE			
9050	556A, 556N	1	400366332	AT8544	CLAMP, BOND B SIZE 1 INCH			
9060	556A, 556N	1	845312529		CABLE ASSEMBLY			
9070	556A, 556N	1	804236388	P423638	WASHER, LOCK EXTERNAL TOOTH STEEL .375 289A FINISH		*	
9080	557A, 557N	1	105419451	810AS-128/26	CABLE VARIABLE LENGTH			4 5
9085	557N	16	406922260		CONNECTOR, MINI RIBBON #1-966061-6 AMP INC.			
9086	557N	32	406884510		COVER, CONNECTOR #964393-8 AMP INC.			
9094	557A	16	105772818	963T-16	CONNECTOR			

STOCKLIST CONTINUED ON SHEET D11

SEE PROPRIETARY NOTICE ON SHEET ONE

KT13

5ESS SWITCHING EQUIPMENT
ARRANGED WITH 2-WIRE FEATURES
CONNECTORIZED SWITCHBOARD
CABLE ASSEMBLIES
FOR
6 FT SWITCHING MODULE CABINET
LTP PER J5D003F-1

DWG SIZE
C2

ISSUE
22

LUCENT TECHNOLOGIES INC ED5D503-35

SHEET D10
OF 61

PRINTED IN U.S.A.

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
9095	557A	32	106904923	TCOV-NS16G	COVER, PROTECTIVE			
9100	557A, 557N	1	400366332	AT8544	CLAMP, BOND B SIZE 1 INCH			
9110	557A, 557N	1	845312529		CABLE ASSEMBLY			
9120	557A, 557N	1	804236388	P423638	WASHER, LOCK EXTERNAL TOOTH STEEL .375 289A FINISH		*	
9130	558A, 558N	1	105419451	810AS-128/26	CABLE VARIABLE LENGTH			4 5
9135	558N	16	406922260		CONNECTOR, MINI RIBBON #1-966061-6 AMP INC.			
9136	558N	32	406884510		COVER, CONNECTOR #964393-8 AMP INC.			
9144	558A	16	105772818	963T-16	CONNECTOR			
9145	558A	32	106904923	TCOV-NS16G	COVER, PROTECTIVE			
9150	558A, 558N	1	400366332	AT8544	CLAMP, BOND B SIZE 1 INCH			
9160	558A, 558N	1	845312529		CABLE ASSEMBLY			
9170	558A, 558N	1	804236388	P423638	WASHER, LOCK EXTERNAL TOOTH STEEL .375 289A FINISH		*	
9180	559A, 559N	1	105419451	810AS-128/26	CABLE VARIABLE LENGTH			4 5
9185	559N	16	406922260		CONNECTOR, MINI RIBBON #1-966061-6 AMP INC.			
9186	559N	32	406884510		COVER, CONNECTOR #964393-8 AMP INC.			
9194	559A	16	105772818	963T-16	CONNECTOR			
9195	559A	32	106904923	TCOV-NS16G	COVER, PROTECTIVE			
9200	559A, 559N	1	400366332	AT8544	CLAMP, BOND B SIZE 1 INCH			
9210	559A, 559N	1	845312529		CABLE ASSEMBLY			
9220	559A, 559N	1	804236388	P423638	WASHER, LOCK EXTERNAL TOOTH STEEL .375 289A FINISH		*	
9230	560A, 560N	1	105419451	810AS-128/26	CABLE VARIABLE LENGTH			4 5
9235	560N	16	406922260		CONNECTOR, MINI RIBBON #1-966061-6 AMP INC.			
9236	560N	32	406884510		COVER, CONNECTOR #964393-8 AMP INC.			
9244	560A	16	105772818	963T-16	CONNECTOR			
9245	560A	32	106904923	TCOV-NS16G	COVER, PROTECTIVE			
9250	560A, 560N	1	400366332	AT8544	CLAMP, BOND B SIZE 1 INCH			
9260	560A, 560N	1	845312529		CABLE ASSEMBLY			
9270	560A, 560N	1	804236388	P423638	WASHER, LOCK EXTERNAL TOOTH STEEL .375 289A FINISH		*	
9280	561A, 561N	1	105419451	810AS-128/26	CABLE VARIABLE LENGTH			4 5
9285	561N	16	406922260		CONNECTOR, MINI RIBBON #1-966061-6 AMP INC.			

***** STOCKLIST CONTINUED AT RIGHT *****

ED5D503-35

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
9286	561N	32	406884510		COVER, CONNECTOR #964393-8 AMP INC.			
9294	561A	16	105772818	963T-16	CONNECTOR			
9295	561A	32	106904923	TCOV-NS16G	COVER, PROTECTIVE			
9300	561A, 561N	1	400366332	AT8544	CLAMP, BOND B SIZE 1 INCH			
9310	561A, 561N	1	845312529		CABLE ASSEMBLY			
9320	561A, 561N	1	804236388	P423638	WASHER, LOCK EXTERNAL TOOTH STEEL .375 289A FINISH		*	
9330	562A, 562N	1	105419451	810AS-128/26	CABLE VARIABLE LENGTH			4 5
9335	562N	16	406922260		CONNECTOR, MINI RIBBON #1-966061-6 AMP INC.			
9336	562N	32	406884510		COVER, CONNECTOR #964393-8 AMP INC.			
9344	562A	16	105772818	963T-16	CONNECTOR			
9345	562A	32	106904923	TCOV-NS16G	COVER, PROTECTIVE			
9350	562A, 562N	1	400366332	AT8544	CLAMP, BOND B SIZE 1 INCH			
9360	562A, 562N	1	845312529		CABLE ASSEMBLY			
9370	562A, 562N	1	804236388	P423638	WASHER, LOCK EXTERNAL TOOTH STEEL .375 289A FINISH		*	

***** END OF STOCKLIST *****

SEE PROPRIETARY NOTICE ON SHEET ONE

KT13

5ESS SWITCHING EQUIPMENT
ARRANGED WITH 2-WIRE FEATURES
CONNECTORIZED SWITCHBOARD
CABLE ASSEMBLIES
FOR
6 FT SWITCHING MODULE CABINET
LTP PER J5D003P-1

DWG SIZE C2 ISSUE 22

LUCENT TECHNOLOGIES INC ED5D503-35

SHEET D11 OF 61

PRINTED IN U.S.A.