

TABLE A-FEATURES

EQUIPMENT		EQUIPMENT OR CIRCUIT DATA							SD EQUIVALENT		
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
CONNECTORIZED CABLE ASSEMBLY FOR J5D005CB-1 REMOTE ALARM RELAY UNIT ORDERED PER J5D005C-1, LIST 16 & LIST Z WHEN USED FOR VISUAL ALARM EQPT. (E/W 963T TYPE CONNECTORS)			1								
CONNECTORIZED CABLE ASSEMBLY FOR J5D005CB-1 REMOTE ALARM RELAY UNIT ORDERED PER J5D005C-1, LIST 16 & LIST Z WHEN USED FOR VISUAL ALARM EQPT. (E/W AMP TYPE CONNECTORS) FE/RA:NONE DA EFF:10/08/97			1A								
CONNECTORIZED CABLE ASSEMBLY FOR J5D005CB-1 REMOTE ALARM RELAY UNIT ORDERED PER J5D005C-1, LIST 16 & LIST AA WHEN USED FOR AUDIBLE ALARM EQPT. (E/W 963T TYPE CONNECTORS)			2								
CONNECTORIZED CABLE ASSEMBLY FOR J5D005CB-1 REMOTE ALARM RELAY UNIT ORDERED PER J5D005C-1, LIST 16 & LIST AA WHEN USED FOR AUDIBLE ALARM EQPT. (E/W AMP TYPE CONNECTORS) FE/RA:NONE DA EFF:10/08/97			2A								
CONNECTORIZED CABLE ASSEMBLY FOR J5D005CB-1 REMOTE ALARM RELAY UNIT ORDERED PER J5D005C-1, LIST 16 & LIST AR WHEN USED FOR AUDIBLE ALARM EQPT.			3			3					
WIRING AND APPARATUS FOR A CONNECTORIZED CABLE ASSEMBLY (E/W 963T TYPE CONNECTORS)			5			5					
WIRING AND APPARATUS FOR A CONNECTORIZED CABLE ASSEMBLY (E/W AMP TYPE CONNECTORS) FE/RA:NONE DA EFF:10/08/97			5A			5					
WIRING AND APPARATUS FOR A CONNECTORIZED CABLE ASSEMBLY (E/W 963T TYPE CONNECTORS)			6			6					
WIRING AND APPARATUS FOR A CONNECTORIZED CABLE ASSEMBLY (E/W AMP TYPE CONNECTORS) FE/RA:NONE DA EFF:10/08/97			6A			6					
WIRING AND APPARATUS FOR A CONNECTORIZED CABLE ASSEMBLY (E/W 963T TYPE CONNECTORS)			7			7					
WIRING AND APPARATUS FOR A CONNECTORIZED CABLE ASSEMBLY (E/W AMP TYPE CONNECTORS) FE/RA:NONE DA EFF:10/08/97			7A			7					
CONNECTORIZED CABLE ASSEMBLY FOR OFFICE ALARM UNIT IN MISC CAB TO PROVIDE POWER FOR SCAN POINTS 96 & 97.			8								
CONNECTORIZED CABLE ASSEMBLY REQUIRED TO PROVIDE ALARM MULT FROM POWER DISTRIBUTION ALARM PANEL (PDAP) IN LEVEL 23 TO PDAP IN LEVEL 62.			10								
END OF TABLE-A											

SEE PROPRIETARY NOTICE ON SHEET ONE

KT13

5ESS SWITCHING EQUIPMENT
ARRANGED WITH 2-WIRE FEATURES
CONNECTORIZED
CABLE ASSEMBLIES
FOR
6 FT MISCELLANEOUS CABINET
J5D005C




DWG SIZE
C2

ISSUE
11


ED5D505-16

LUCENT TECHNOLOGIES INC ED5D505-16


SHEET A2
OF 11



SEE PROPRIETARY NOTICE ON SHEET ONE		
SESS SWITCHING EQUIPMENT CABLE ASSEMBLIES	DWG SIZE	ISSUE
	c2	9
AT&T	ED50505-16	SHEET B2




963T-(), 963T2-() & AMP CONNECTOR
(2 x)



TYPICAL METHOD OF ASSEMBLING 963T-(), 963T2-() & AMP
CONNECTOR (2 x) ON TO
PREPARED CABLE END
FIG. 1




982SS CONNECTOR



TYPICAL METHOD OF ATTACHING
982SS CONNECTOR (2X3)
TO CABLES
FIG. 2

SEE PROPRIETARY NOTICE ON SHEET ONE		
SESS SWITCHING EQUIPMENT CABLE ASSEMBLIES	DWG SIZE	ISSUE
	c2	9
AT&T	ED50505-16	SHEET B3

CONNECTING AND STAMPING INFORMATION



CONN POS 1
WIRING SIDE OF 963T-12

COLOR	TERM	TERM	COLOR
W-BL	AA	BA	BL-W
	AB	BB	
	AC	BC	
W-O	AD	BD	O-W
	AE	BE	
W-G	AF	BF	G-W

AMP CONN IDENT

CONN POS 1
WIRING SIDE OF 963T-4

COLOR	TERM	TERM	COLOR
	AA	BA	
W-O	AB	BB	O-W
W-G	AC	BC	G-W
	AD	BD	

AMP CONN IDENT

CODED SIDE OF 963T CONN

CONN POS 1
982SS CONN

TERMINALS			
R	A	B	C
O			
W	BL-W	O-W	W-G
A	BL-W	O-W	W-G
B	W-BL	W-O	G-W


CODED SIDE OF 963T CONN

STAMPING TABLE


GROUP	CONN POS	EQL	PIN		CONN POS	EQL	PIN	
1	1	051-102	518	M00				

STAMPING TABLE

GROUP	CONN POS	EQL	PIN		CONN POS	EQL	PIN	
2	1	051-028	313	M00				
3	1	051-102	532					




TYPICAL METHOD OF STAMPING 963T- & AMP CONNECTOR (2X6 & LARGER)



963T-6 OR RV125 AMP CONNECTOR (2 X 3)

TYPICAL METHOD OF STAMPING 963T- & AMP CONNECTOR (2X3 OR 2X4)



982 AMP CONNECTOR (2X3)


SEE PROPRIETARY NOTICE ON SHEET ONE

SESS SWITCHING EQUIPMENT CABLE ASSEMBLIES		DWG SIZE	ISSUE
		C2	11
LUCENT TECHNOLOGIES INC.		ED50505-16	SHEET B4

CONNECTING AND STAMPING INFORMATION

GROUP 5, 5A

GROUP 6, 6A, 7, 7A



AMP CONN IDENT

CONN POS 1			
WIRING SIDE OF 963T-12			
COLOR	TERM	TERM	COLOR
0,G	AA	BA	
	AB	BB	
	AC	BC	
	AD	BD	
	AE	BE	
BL	AF	BF	

AMP CONN IDENT

CONN POS 2			
WIRING SIDE OF 963T-4			
COLOR	TERM	TERM	COLOR
G	AA	BA	
	AB	BB	
	AC	BC	

CODED SIDE OF 963T CONN

AMP CONN IDENT

GROUP 6			
CONN POS 1			
WIRING SIDE OF 963T-4			
COLOR	TERM	TERM	COLOR
BL	AA	BA	
	AB	BB	
	AC	BC	

CODED SIDE OF 963T CONN

AMP CONN IDENT

GROUP 7			
CONN POS 1			
WIRING SIDE OF 963T-4			
COLOR	TERM	TERM	COLOR
G	AA	BA	
	AB	BB	
	AC	BC	

CODED SIDE OF 963T CONN


CODED SIDE OF 963T CONN

STAMPING TABLE

GROUP	CONN POS	EQL	PIN		CONN POS	EQL	PIN	
5	1	69-043	307		2	69-137	307	

STAMPING TABLE

GROUP	CONN POS	EQL	PIN		CONN POS	EQL	PIN	
6	1	68-043	304					
7	1	68-137	304					



TYPICAL METHOD OF STAMPING 963T- & AMP CONNECTOR (2X6 & LARGER)



963T-6 OR RV125 AMP CONNECTOR (2 X 3)

TYPICAL METHOD OF STAMPING 963T- & AMP CONNECTOR (2X3 OR 2X4)


ED5D505-16

SEE PROPRIETARY NOTICE ON SHEET ONE		
SESS SWITCHING EQUIPMENT CABLE ASSEMBLIES	DWG SIZE	ISSUE
	c2	9
AT&T	ED5D505-16	SHEET B5

CONNECTING AND STAMPING INFORMATION



STAMPING TABLE								
GROUP	CONN POS	EQL	PIN		CONN POS	EQL	PIN	
8	1	051-150	100	M00	2	051-072	100	M00



TYPICAL METHOD OF STAMPING 982AB
CONNECTOR (2X3 OR 2X4)

SEE PROPRIETARY NOTICE ON SHEET ONE		
SESS SWITCHING EQUIPMENT CABLE ASSEMBLIES	DWG SIZE	ISSUE
	C2	10
AT&T	ED50505-16	SHEET B6

CONNECTING AND STAMPING INFORMATION

GROUP 10

CONN POS NO.



AMP CONN IDENT

CONN POS 1			
WIRING SIDE OF 963T-6			
COLOR	TERM	TERM	COLOR
BL/W	AA	BA	W/BL
O/W	AB	BB	W/O
	AC	BC	

CODED SIDE OF 963T CONN


AMP CONN IDENT

CONN POS 2			
WIRING SIDE OF 963T-6			
COLOR	TERM	TERM	COLOR
BL/W	AA	BA	W/BL
O/W	AB	BB	W/O
	AC	BC	

CODED SIDE OF 963T CONN

STAMPING TABLE

GROUP	CONN POS	EQL	PIN		CONN POS	EQL	PIN	
10	1	23-010	100		2	62-101	100	



TYPICAL METHOD OF STAMPING 963T- & AMP CONNECTOR (2X6 & LARGER)

963T-6 OR RV125 AMP CONNECTOR (2 X 3)

TYPICAL METHOD OF STAMPING 963T- & AMP CONNECTOR (2X3 OR 2X4)

SEE PROPRIETARY NOTICE ON SHEET ONE		
SESS SWITCHING EQUIPMENT CABLE ASSEMBLIES	DWG SIZE C2	ISSUE 11
LUCENT TECHNOLOGIES INC.	ED5D505-16	SHEET B7

STOCKLIST

ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
3094	2A	1	105412910	285A-4/22	CABLE, ELECTRONIC 22 GA ('B' DIM=7 FT LG)			
3095	5	1	814626198	P46B619	WIRE 26BY G A DIMENSION = 4 FEET 0 INCH			
3096	7	1	814626198	P46B619	WIRE 26BY G A DIMENSION = 9 FEET 0 INCH			
3097	5A	1	406920934		WIRE 26GA, SOLID, G PHILIPS COMPONENTS A DIMENSION = 4 FEET 0 INCH			
3098	7A	1	406920934		WIRE 26GA, SOLID, G PHILIPS COMPONENTS A DIMENSION = 9 FEET 0 INCH			
3200	10	1	105412530	812A-4/26	CABLE 26 GAGE A DIMENSION = 6 FEET 0 INCH			
3210	10	2	105772784	963T-6	CONNECTOR			
3220	10	4	106905425	TCOV-LS6G	COVER, PROTECTIVE			

***** END OF STOCKLIST *****

SEE PROPRIETARY NOTICE ON SHEET ONE

XT13
5ESS SWITCHING EQUIPMENT
ARRANGED WITH 2-WIRE FEATURES
CONNECTORIZED
CABLE ASSEMBLIES
FOR
6 FT MISCELLANEOUS CABINET
J5D005C

DWG SIZE
C2

ISSUE
11

ED5D505-16

LUCENT TECHNOLOGIES INC ED5D505-16

SHEET D2
OF 11

PRINTED IN U.S.A.