

TABLE A-FEATURES											
EQUIPMENT		EQUIPMENT OR CIRCUIT DATA								SD EQUIVALENT	
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
WIRING AND APPARATUS REQUIRED FOR A CONNECTORIZED CABLE ASSEMBLY.			1 THRU 4						SD5D118-01		
WIRING AND APPARATUS REQUIRED FOR A CONNECTORIZED CABLE ASSEMBLY. DA EFF:11/23/94 FE/RA:NONE		DA	1A THRU 4A								
WIRING AND APPARATUS REQUIRED FOR A CONNECTORIZED CABLE ASSEMBLY.			6						SD5D118-01		
WIRING AND APPARATUS REQUIRED FOR A CONNECTORIZED CABLE ASSEMBLY.			6A						SD5D118-01		
WIRING AND APPARATUS REQUIRED FOR A CONNECTORIZED CABLE ASSEMBLY.			6B						SD5D118-01		
WIRING AND APPARATUS REQUIRED FOR A CONNECTORIZED CABLE ASSEMBLY.			6C						SD5D118-01		
WIRING AND APPARATUS REQUIRED FOR A CONNECTORIZED CABLE ASSEMBLY.			6D						SD5D118-01		
WIRING AND APPARATUS REQUIRED FOR A CONNECTORIZED CABLE ASSEMBLY. DA EFF:09/01/94 FE/RA:NONE		DA	6E						SD5D118-01		
WIRING AND APPARATUS REQUIRED FOR A CONNECTORIZED CABLE ASSEMBLY. DA EFF:09/01/94 FE/RA:NONE		DA	6F						SD5D118-01		
WIRING AND APPARATUS REQUIRED FOR A CONNECTORIZED CABLE ASSEMBLY.			8 THRU 11						SD5D118-01		
WIRING AND APPARATUS REQUIRED FOR A CONNECTORIZED CABLE ASSEMBLY. DA EFF:11/23/94 FE/RA:NONE		DA	8A THRU 11A								

TABLE-A CONTINUED

ISSUE NOTES (CONTINUED)				
SL ITEMS 3000-3400 ADDED. MFR NOTES AND DIMS IN GRAPHIC SHEETS C1, C2 & C3 CHGD TO ADD CORRESPONDING METRIC EQUIVALENTS. IN TBL A, GRPS 6E & 6F RATED "DA". IN S/L, ITEMS 1195, 1196, 1197, 1425, 1435 & 1445 COMCODE READ 401808654; ITEMS 1395 & 1410 COMCODE READ 402634760; TBL D, REMOVED ALL REFERENCE TO VSCS. ORIG ISS: 03/01/83 CHANGE CLASS: ME DRAFT: JJK ENGR: JVB SUPV: CERTIFIED: 08/29/94 ISSUE: 17				
IN TABLE A, ADDED "DA" TO RATING COLUMN FOR PREVIOUSLY DA'D GROUPS 6E AND 6F; GRPS 1A THRU 4A, 8A THRU 11A, 20A THRU 31A, 60 & 60A RATED "DA"; IN STOCKLIST, ADDED ADIM TO ITEMS 1010, 1020, 1030, 1040, 1050, 1060, 1070, 1150, 1160, 1170, 1172, 1175, 1176, 1183, 1185, 1220, 1230, 1360 AND 1370. ORIG ISS: 03/01/83 CHANGE CLASS: ME DRAFT: JVB ENGR: JVB SUPV: P_K CERTIFIED: 11/21/94 ISSUE: 18				
IN STOCKLIST, REMOVED GRP 60B FROM ITEMS 3170 & 3180; REMOVED ITEMS 3210, 3220, 3230 & 3240 (GRPS 60B THRU 60F DO NOT EXIST; THEY WERE NOT IN TABLE A); ADDED COVERS TO ALL 963T-TYPE CONNECTORS; CHANGED ITEMS 1173 AND 1380 PER P.I.M. 930C0101; INCORPORATED OKC P.I. 18.1. ORIG ISS: 03/01/83 CHANGE CLASS: MF DRAFT: JVB ENGR: JVB SUPV: CERTIFIED: 03/31/95 ISSUE: 19				
ISSUE CREATED TO CHANGE PROP CODE. TITLE BOX READ AT&T ON GRAPHIC SHTS C1 THRU C3. ORIG ISS: 03/01/83 CHANGE CLASS: B DRAFT: JJW ENGR: JJW SUPV: CERTIFIED: 09/27/00 ISSUE: 20				

ISSUE NOTES				
* DRAWING CONVERTED FROM SEDBS TO MDS COMPUTER SYSTEMS. * * THIS IS A MACHINE COPY OF THE LATEST SEDBS CERTIFIED ISSUE * * AND MAY CONTAIN MINOR DIFFERENCES. THE TABLE OF ASSOCIATED * * DRAWINGS WAS ELIMINATED DURING MIGRATION TO ASSIST THE * * SCRUBBING OF PROPRIETARY INFORMATION. * ----- NOTE 10 REMOVED. SHEET C1-STITCH 11 TO ARM 62 ADDED. SHEET C2-STITCH 11 TO ARM 53, NOTE 16 & 17 ADDED. S.L ITEMS 1130,1270,1290,1310,1330,1340,1350,1390 REMOVED. LIST OF ASSOCIATED DRAWING TABLE CORRECTED. ORIG ISS: 03/01/83 CHANGE CLASS: AC DRAFT: DJP ENGR: WJV SUPV: CERTIFIED: 02/26/86 ISSUE: 10				
GROUP 6A,6B ADDED TO DRAWING. S.L. ITEMS 1181 TO 1188 ADDED. CHG'D SKINNER LENGTH ON ARMS 68 & 70. DRAWING RATING READ 'PROV'. ORIG ISS: 03/01/83 CHANGE CLASS: AD DRAFT: DSL ENGR: RW SUPV: CERTIFIED: 03/07/86 ISSUE: 11				
TABLE 'A' GROUPS 6C,6D ADDED. SHT C2 REF TO GROUPS 6C,6D ADDED. SHT C3 SKINNER LENGTH CHG'D FROM 5 1/4 TO 6 1/2 FOR ALL GROUPS ON PAGE. SHT D1 NOTE 18 ADDED. S.L. ITEMS 1110,1120,1140,1181,1182, 1185,1186,1240,1250,1260,1280,1300,1320 & 1380 LINED OUT. SL ITEMS 1111-1116,1121,1122,1123,1189,1191,1192,1193,1241-1246 & 1265-1276 ADDED. ORIG ISS: 03/01/83 CHANGE CLASS: B DRAFT: DSL ENGR: RW SUPV: CERTIFIED: 04/14/87 ISSUE: 12				
GROUPS 6C & 6D REMOVED FROM CABLE LAYOUT ON SHT C2 AND ADDED TO SHEET C3. S.L. ITEMS 1265,1266 & 1267 RMVD. S.L. ITEM 1380 LINED-OUT STATUS RMV. S.L. ITEMS 1114,1115 & 1116 REF TO GROUP 21 RMV. ORIG ISS: 03/01/83 CHANGE CLASS: B DRAFT: REW ENGR: REW SUPV: CERTIFIED: 06/22/88 ISSUE: 13				
GROUPS 32 THRU 55 ADDED. S.L. ITEM 1210 REF TO GROUP 13 IN THE GROUP COL REMOVED. S.L. ITEMS 1105,1106,1107,1140 & 1450 QTY CHANGED. ORIG ISS: 03/01/83 CHANGE CLASS: B DRAFT: LMK ENGR: REW SUPV: CERTIFIED: 03/09/89 ISSUE: 14				
SL ITEM 1210 REF TO GROUP 16 RMV.GROUPS 32 THRU 55 RATED DA PER CN92074NW. ORIG ISS: 03/01/83 CHANGE CLASS: A DRAFT: LMK ENGR: REW SUPV: CERTIFIED: 09/29/89 ISSUE: 15				
GROUPS 6E & 6F ADDED FOR VSCS. GROUPS 12 THRU 19 RATED "DA". LU AND SK LENGTHS CHANGED ON ALL C SHEETS FOR T CONNECTORS. STOCKLIST UPDATED FOR ALL CHANGES. ORIG ISS: 03/01/83 CHANGE CLASS: B DRAFT: HZP ENGR: WJV SUPV: CERTIFIED: 11/06/91 ISSUE: 16				

SHEET INDEX											
SHT NBR	A1 THRU A2		ISSUE 20								
SHT NBR	D1 THRU D3		ISSUE 20								
SHT NBR	C1	C2	C3								
ISSUE	20	20	20								
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											

TABLE D-LIST OF ASSOCIATED REFERENCES	
NUMBER	TITLE
=TCJ5D003E-1	TABULAR CONNECTING INFORMATION
=RLED5D507-15	RUNNING LIST INFORMATION
=TCED5D507-15	CONNECTING & STAMPING INFORMATION
=ED4C251-10	BELLPAC TECH WIRING & CABLING INFORMATION
=ED4C249-10	BELLPAC TECH REQUIREMENTS FOR NGB & LETTERING
=ED5D507-15	=DENOTES NOT REQD BY INSTALLER

LUCENT TECHNOLOGIES - PROPRIETARY USE PURSUANT TO COMPANY INSTRUCTIONS	
XT13	
5ESS SWITCHING EQUIPMENT POWER CABLE ASSEMBLY FOR INTERFACE MODULE IN CABINETS	
DWG SIZE C2	ISSUE 20
LUCENT TECHNOLOGIES INC	ED5D507-15
SHEET A1 OF 8	

TABLE A-FEATURES (CONTINUED)

EQUIPMENT		EQUIPMENT OR CIRCUIT DATA							SD EQUIVALENT		
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
WIRING AND APPARATUS REQUIRED FOR A CONNECTORIZED CABLE ASSEMBLY. DA EFF:11/06/91 FE/RA:NONE		DA	12 THRU 19						SD5D118-01		
WIRING AND APPARATUS REQUIRED FOR A CONNECTORIZED CABLE ASSEMBLY.			20						SD5D118-01		
WIRING AND APPARATUS REQUIRED FOR A CONNECTORIZED CABLE ASSEMBLY. DA EFF:11/23/94 FE/RA:NONE		DA	20A THRU 31A								
WIRING AND APPARATUS REQUIRED FOR A CONNECTORIZED CABLE ASSEMBLY.			21						SD5D118-01		
WIRING AND APPARATUS REQUIRED FOR A CONNECTORIZED CABLE ASSEMBLY.			22						SD5D118-01		
WIRING AND APPARATUS REQUIRED FOR A CONNECTORIZED CABLE ASSEMBLY.			23						SD5D118-01		
WIRING AND APPARATUS REQUIRED FOR A CONNECTORIZED CABLE ASSEMBLY.			24 THRU 31						SD5D118-01		
WIRING AND APPARATUS REQUIRED FOR A CONNECTORIZED CABLE ASSEMBLY. DA EFF:09/29/89 FE/RA:NONE		DA	32 THRU 55								
WIRING AND APPARATUS REQUIRED FOR A CONNECTORIZED CABLE ASSEMBLY. DA EFF:11/23/94 FE/RA:NONE		DA	60								
WIRING AND APPARATUS REQUIRED FOR CONNECTORIZED CABLE ASSEMBLY. DA EFF:11/23/94 FE/RA:NONE		DA	60A								
END OF TABLE-A											

SEE PROPRIETARY NOTICE ON SHEET ONE

XT13

5ESS SWITCHING EQUIPMENT
POWER CABLE ASSEMBLY
FOR
INTERFACE MODULE
IN CABINETS

DWG SIZE
C2










ISSUE
20

ED5D507-15

LUCENT TECHNOLOGIES INC

ED5D507-15

SHEET A2
OF 8



PROJ-EGEDFORM. FRM-FEB 96

ED5D507-15

FOR PROPRIETARY NOTICE SEE SHEET A1		THIRD ANGLE PROJN	
CONNECTORIZED SWITCHBOARD			
CABLE ASSEMBLIES		DWG SIZE	ISSUE
		C2	20
		SHEET NO.	C3
LUCENT TECHNOLOGIES	ED5D507-15	MODEL NAME	

STOCKLIST									
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE		
							SYM	NBR	
1010	1,2,8,9,22,23,24,25,26,27,30,31	1	996340956	KS13385L1	WIRE, GROUND 16 GA, STRANDED, R/R-BK A DIMENSION = 10 FEET 0 INCH				
1020	3,4,10,11,28,29	1	814626172	P46B617	WIRE 26BY BL A DIMENSION = 10 FEET 0 INCH				
1030	3,4,10,11,28,29	1	814626180	P46B618	WIRE 26BY O A DIMENSION = 10 FEET 0 INCH				
1040	3,4,10,11,28,29	1	814626198	P46B619	WIRE 26BY G A DIMENSION = 10 FEET 0 INCH				
1050	3,4,10,11	1	814626206	P46B620	WIRE 26BY BR A DIMENSION = 10 FEET 0 INCH				
1060	3,4,10,11	1	814626214	P46B621	WIRE 26BY S A DIMENSION = 10 FEET 0 INCH				
1070	3,4,10,11	1	814626248	P46B624	WIRE 26BY W A DIMENSION = 10 FEET 0 INCH				
1105	1,23	14	900422494		TUBING, HEAT SHRINKABLE #RT876 1/4 IN ID. X 1 IN LG.BK RAYCHEM CORP. OR EQUIVALENT				16
1106	2,9,22	16	900422494		TUBING, HEAT SHRINKABLE #RT876 1/4 IN ID. X 1 IN LG.BK RAYCHEM CORP. OR EQUIVALENT				16
1107	8	18	900422494		TUBING, HEAT SHRINKABLE #RT876 1/4 IN ID. X 1 IN LG.BK RAYCHEM CORP. OR EQUIVALENT				16
1110	6	2	106197775	982SS	CONNECTOR, ELECTRICAL, ADAPTER 6 CONTACTS, FEMALE, RECTANGULAR				17
1112	3,4,10,11,20,28,29	2	105772784	963T-6	CONNECTOR				18
1113	3,4,10,11,20,28,29	4	106905425	TCOV-LS6G	COVER, PROTECTIVE				18
1122	3,4,10,11	1	105772800	963T-12	CONNECTOR				18
1123	3,4,10,11	2	106905458	TCOV-LS12G	COVER, PROTECTIVE				18
1150	6	1	814625612	P46B561	WIRE 26BY W-BL/BL-W A DIMENSION = 10 FEET 0 INCH				
1160	6	1	814625638	P46B563	WIRE 26BY W-G/G-W A DIMENSION = 10 FEET 0 INCH				
1170	6	1	814625620	P46B562	WIRE 26BY W-O/O-W A DIMENSION = 10 FEET 0 INCH				
1172	6	1	814625646	P46B564	WIRE 26BY W-BR/BR-W A DIMENSION = 10 FEET 0 INCH				
1173	6A,6B	1	106197775	982SS	CONNECTOR, ELECTRICAL, ADAPTER 6 CONTACTS, FEMALE, RECTANGULAR				17
1174	6A,6B	1	103125340	982AB	CONNECTOR				17
1175	6A	1	814625612	P46B561	WIRE 26BY W-BL/BL-W A DIMENSION = 10 FEET 0 INCH				
1176	6A	1	814625638	P46B563	WIRE 26BY W-G/G-W A DIMENSION = 10 FEET 0 INCH				

STOCKLIST CONTINUED ON SHEET D2

S
H
O
P
I
N
S
T
X
X
X
X
X

MANUFACTURING NOTES

- ALL CABLE GROUPS ARE TO BE FORMED & SEWN INDIVIDUALLY.
- UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN METRICS (CM), EQUIVALENT INCH DIMENSIONS ARE IN ENCLOSED IN BRACKETS. DIMENSIONS 12 INCHES OR OVER ARE EXPRESSED IN FEET AND INCHES, OTHERWISE IN INCHES ONLY.
- 'A/R' DENOTES AS REQUIRED.
- UNLESS OTHERWISE INDICATED SKINNER LENGTH TO BE 7.6 CM OR 3 IN.
- ALL 16 GAUGE WIRES, (FOR BOTH EVEN AND ODD GROUPS) SHALL HAVE A .64 CM OR 1/4 IN. SHINER AND A LUG CRIMPED ON, EXCEPT IN GROUPS 12-20 & ARM 19.
- LUG 406918912 IS TO BE EQUIPPED WITH HEAT SHRINK TUBING 900422494 TUBING MUST BE CUT TO LENGTH REQUIRED TO COVER ENTIRE TERMINAL LUG, LUGS IN ARM 68 SHALL NOT HAVE HEAT SHRINK.
- THE TOLERANCE APPLICABLE TO FORMED SECTIONS OF CABLES ON CABLE FORMING BOARD IS +/- .32 CM; 1/8 IN. FOR STITCH BREAKOUTS AND +/- .64 CM; 1/4 IN. FOR ARM, MAIN ARM AND SUBARM DIM AND BREAKOUTS. AFTER A CABLE IS RMVD FROM A CABLE FORMING BOARD, THE TOLERANCE FOR STITCH LOCATION IS +/- .64CM; 1/4 IN AND TOLERANCE FOR ARM, SUBARM MEASUREMENTS & SPACING BETWEEN EACH OTHER IS +/- .127 CM; 1/2 IN. THE OVERALL LENGTH TOLERANCE OF A MAIN ARM IS +/- CM; IN. NOTE THAT FORMED DIMENSIONS ARE MEASURED IN THE SAME MANNER AS DIMENSIONS ARE SHOWN ON THE CABLE LAYOUT DRAWING.
- UNLESS OTHERWISE SPECIFIED THE SHINER LENGTH IS TO BE DETERMINED BY THE INDIVIDUAL MANUFACTURING LOCATIONS AND IS IN ADDITION TO THE SPECIFIED DIMENSIONS.
- <SWC> INDICATES SOLDERLESS WRAP CONNECTION.
- UNASSIGNED.
- CRIMP HOFFMAN TERMINALS TO CABLES FOR RETENTION ONLY. TERMINAL IS SOLDERED TO CABLE WHEN IT IS ATTACHED TO THE FUSE PANEL IN SUBSEQUENT OPERATIONS.
- IN ARM 19, STITCHES 40T6,112T6 & 170T6 (ODD GROUPS) AND ARM 19, STITCHES 40T8, 112T8 & 170T8 (EVEN GROUPS) SHALL HAVE AN AMP INC. FASTON LUG, TERMINAL #42452-5. DO NOT SOLDER.
- HEIGHT OF CABLE BUTT MUST NOT EXCEED 3/4 OF AN INCH.
- IN GROUPS 12-20 THE 16 GA BR WIRE SHALL BE CUT AND TIED JUST SHORT OF THE STRAIN RELIEF. THIS WIRE IS BEING USED AS A STIFFENER.
- TAG, CONN POS. 1. (FOR REF ONLY).
- SLEEVING APPLIED PER ED-4C250-10, SHEET 13, SK.CC. USE SKETCH SPECIFICATION UNLESS OTHERWISE SHOWN ON STOCKLIST.
- USE ONE STRAND OF 8 PLY POLYESTER TWINE (900-308-9) AS A STRAIN RELIEF ON THE 982AA,982AB,982AC CONNECTORS AND ALSO ON THE 982AD CONNECTORS WHICH HAVE MORE THAN 14 LEADS.
- GROUPS 6E & 6F ARE USED FOR VSCS GLOBAL AND LOCAL SM'S ONLY.
- RESERVED.

SEE PROPRIETARY NOTICE ON SHEET ONE

XT13

5ESS SWITCHING EQUIPMENT
POWER CABLE ASSEMBLY
FOR
INTERFACE MODULE
IN CABINETS

DWG SIZE C2 ISSUE 20

ED5D507-15

LUCENT TECHNOLOGIES INC ED5D507-15

SHEET D1 OF 8

STOCKLIST									
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE		
							SYM	NBR	
1183	6B,6C,6D,6E,6F	1	814625646	P46B564	WIRE 26BY W-BR/BR-W A DIMENSION = 10 FEET 0 INCH				
1185	6B,6C,6D,6E,6F	1	814625620	P46B562	WIRE 26BY W-O/O-W A DIMENSION = 10 FEET 0 INCH				
1187	6C,6D,6E,6F	1	104384995	982LF	CONNECTOR				
1189	6C,6D,6E,6F	1	105772784	963T-6	CONNECTOR				
1190	6C,6D,6E,6F	2	106905425	TCOV-LS6G	COVER, PROTECTIVE				
1195	2,9,22	26	406918912		RECEPTACLE #41774 AMP INC. OR EQUIVALENT			6	
1196	1,23	22	406918912		RECEPTACLE #41774 AMP INC. OR EQUIVALENT			6	
1197	8	30	406918912		RECEPTACLE #41774 AMP INC. OR EQUIVALENT			6	
1220	20	1	814626206	P46B620	WIRE 26BY BR A DIMENSION = 3 FEET 0 INCH				
1230	20	1	996339776	KS13385L1	WIRE 16GA STRANDED BR A DIMENSION = 3 FEET 0 INCH				
1360	21	1	996412615	KS19194L1	WIRE, TEFLON COPPER 26GA STRANDED BL A DIMENSION = 5 FEET 0 INCH				
1370	21	1	996412557	KS19194L1	WIRE, TEFLON COPPER 26GA STRANDED O A DIMENSION = 5 FEET 0 INCH				
1380	21	1	106197775	982SS	CONNECTOR, ELECTRICAL, ADAPTER 6 CONTACTS, FEMALE, RECTANGULAR			17	
1395	1,2,8,9,22,23	6	406919100		RECEPTACLE #42452-5 AMP INC. OR EQUIVALENT			6 12	
1410	24,25,26,27	6	406919100		RECEPTACLE #42452-5 AMP INC. OR EQUIVALENT				
1425	25,27	26	406918912		RECEPTACLE #41774 AMP INC. OR EQUIVALENT			6	
1435	24,26	30	406918912		RECEPTACLE #41774 AMP INC. OR EQUIVALENT			6	
1440	25,27	16	900422494		TUBING, HEAT SHRINKABLE #RT876 1/4 IN ID. X 1 IN LG.BK RAYCHEM CORP. OR EQUIVALENT				6
1445	30,31	4	406918912		RECEPTACLE #41774 AMP INC. OR EQUIVALENT			6	
1450	24,26	18	900422494		TUBING, HEAT SHRINKABLE #RT876 1/4 IN ID. X 1 IN LG.BK RAYCHEM CORP. OR EQUIVALENT				16
1455	30,31	2	900422494		TUBING, HEAT SHRINKABLE #RT876 1/4 IN ID. X 1 IN LG.BK RAYCHEM CORP. OR EQUIVALENT				16

***** STOCKLIST CONTINUED AT RIGHT *****

ED5D507-15

STOCKLIST									
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE		
							SYM	NBR	
3000	1A,2A,8A,9A,22A,23A,24A,25A,26A,27A,30A,31A	A/R	996340956	KS13385L1	WIRE, GROUND 16 GA, STRANDED, R/R-BK				
3010	3A,4A,10A,11A,28A,29A	A/R	406920900		WIRE 26GA, SOLID, BL PHILIPS COMPONENTS				
3020	3A,4A,10A,11A,28A,29A	A/R	406920959		WIRE 26GA, SOLID, O PHILIPS COMPONENTS				
3030	3A,4A,10A,11A,28A,29A	A/R	406920934		WIRE 26GA, SOLID, G PHILIPS COMPONENTS				
3040	3A,4A,10A,11A	A/R	406920926		WIRE 26GA, SOLID, BR PHILIPS COMPONENTS				
3050	3A,4A,10A,11A	A/R	814626214	P46B621	WIRE 26BY S				
3090	8A	18	900422494		TUBING, HEAT SHRINKABLE #RT876 1/4 IN ID. X 1 IN LG.BK RAYCHEM CORP.				16
3100	60	2	106197775	982SS	CONNECTOR, ELECTRICAL, ADAPTER 6 CONTACTS, FEMALE, RECTANGULAR				17
3110	3A,4A,10A,11A,20A,28A,29A	2	406922161		CONNECTOR #966061-6 AMP INC.				18
3120	3A,4A,10A,11A	1	406922252		CONNECTOR #1-966061-2 AMP INC.				18
3130	60	A/R	406925073		WIRE, COPPER #PT-R648/3 26GA, SOLID, BL/W PHILIPS COMPONENTS				
3140	60	A/R	406925099		WIRE, COPPER #PT-R648/3 26GA, SOLID, G/W PHILIPS COMPONENTS				
3150	60	A/R	406925057	PT-R648/3	WIRE, COPPER 26GA, SOLID, O/W PHILIPS COMPONENTS				
3160	60	A/R	406925081		WIRE, COPPER #PT-R648/3 26GA, SOLID, BR/W PHILIPS COMPONENTS				
3170	60A	1	103125332	982AA	CONNECTOR, BACKPLANE				17
3180	60A	1	103125340	982AB	CONNECTOR				17
3190	60A	A/R	406925073		WIRE, COPPER #PT-R648/3 26GA, SOLID, BL/W PHILIPS COMPONENTS				
3200	60A	A/R	406925099		WIRE, COPPER #PT-R648/3 26GA, SOLID, G/W PHILIPS COMPONENTS				
3250	2A,9A,22A	26	406925255		RECEPTACLE, FAST-ON #1-160301-9 AMP INC.				6
3260	1A,23A	22	406925255		RECEPTACLE, FAST-ON #1-160301-9 AMP INC.				6

STOCKLIST CONTINUED ON SHEET D3

SEE PROPRIETARY NOTICE ON SHEET ONE

XT13

5ESS SWITCHING EQUIPMENT
POWER CABLE ASSEMBLY
FOR
INTERFACE MODULE
IN CABINETS

DWG SIZE C2 ISSUE 20

LUCENT TECHNOLOGIES INC ED5D507-15

SHEET OF D2 8

STOCKLIST

ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
3280	20A	A/R	406920926		WIRE 26GA, SOLID, BR PHILLIPS COMPONENTS			
3300	21A	A/R	996412615	KS19194L1	WIRE, TEFLON COPPER 26GA STRANDED BL			
3310	21A	A/R	996412557	KS19194L1	WIRE, TEFLON COPPER 26GA STRANDED O			
3320	21A	1	106197775	982SS	CONNECTOR, ELECTRICAL, ADAPTER 6 CONTACTS, FEMALE, RECTANGULAR			17
3330	1A, 2A, 8A, 9A, 22A, 23A	6	406925271		RECEPTACLE, FAST-ON #6-160433-5 AMP INC.			6 12
3340	24A, 25A, 26A, 27A	6	406925271		RECEPTACLE, FAST-ON #6-160433-5 AMP INC.			
3350	25A, 27A	26	406925255		RECEPTACLE, FAST-ON #1-160301-9 AMP INC.			6
3360	24A, 26A	30	406925255		RECEPTACLE, FAST-ON #1-160301-9 AMP INC.			6
3370	25A, 27A	16	900422494		TUBING, HEAT SHRINKABLE #RT876 1/4 IN ID. X 1 IN LG.BK RAYCHEM CORP.			
3380	30A, 31A	4	406925255		RECEPTACLE, FAST-ON #1-160301-9 AMP INC.			6
3390	24A, 26A	18	900422494		TUBING, HEAT SHRINKABLE #RT876 1/4 IN ID. X 1 IN LG.BK RAYCHEM CORP.			16
3400	30A, 31A	2	900422494		TUBING, HEAT SHRINKABLE #RT876 1/4 IN ID. X 1 IN LG.BK RAYCHEM CORP.			16

***** END OF STOCKLIST *****

SEE PROPRIETARY NOTICE ON SHEET ONE

XT13

5ESS SWITCHING EQUIPMENT
POWER CABLE ASSEMBLY
FOR
INTERFACE MODULE
IN CABINETS

DWG SIZE
C2

ISSUE
20

ED5D507-15

LUCENT TECHNOLOGIES INC ED5D507-15

SHEET D3
OF 8

PRINTED IN U.S.A.