

TABLE A-FEATURES											
EQUIPMENT		EQUIPMENT OR CIRCUIT DATA							SD EQUIVALENT		
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	LIST GROUP OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
EQUIPMENT REQUIRED FOR ONE END GUARD ASSEMBLY FOR RIGHT SIDE OF CABINET, WHERE CABINET LINEUP AND CABLE RACK LINEUP ENDS.		DA	1								
EQUIPMENT REQUIRED FOR ONE END GUARD ASSEMBLY FOR LEFT SIDE OF CABINET, WHERE CABINET LINEUP AND CABLE RACK LINEUP ENDS.		DA	2								
EQUIPMENT REQUIRED FOR ONE END GUARD ASSEMBLY FOR RIGHT SIDE OF CABINET, WHERE GAP OCCURS IN CABINET LINEUP.		DA	3								
EQUIPMENT REQUIRED FOR ONE END GUARD ASSEMBLY FOR LEFT SIDE OF CABINET, WHERE GAP OCCURS IN CABINET LINEUP.		DA	4								
EQUIPMENT REQUIRED FOR ONE END GUARD ASSEMBLY USED ON DPC CABINET.		DA	5								
EQUIPMENT REQUIRED FOR ONE CABLE TRAY END CAP AND BEZEL USED WITH STANCHION ON END POSITION.		DA	6								
EQUIPMENT REQUIRED FOR ONE END GUARD ASSEMBLY USED WITH A ED-50513-70, GROUP 2 STANCHION AT THE END OF A LINEUP. (SEE NOTE 53).		DA	7								
EQUIPMENT REQUIRED FOR ONE 30" END GUARD ASSEMBLY FOR RIGHT OR LEFT SIDE OF CABINET, WHERE CABINET LINEUP AND CABLE RACK LINEUP ENDS.	58	DA	8								
EQUIPMENT REQUIRED FOR ONE END PANEL ASSEMBLY FOR CLOSING THE RIGHT OR LEFT SIDE OF 30" CABINET FRONT FLUSH AND ADJACENT TO A 21" CABINET OR A VACANT SPACE.	54 58	STD	9								
EQUIPMENT REQUIRED FOR ONE END GUARD EMI SHIELDING FOR RIGHT SIDE OF CABINET, WHERE CABINET LINEUP AND CABLE RACK LINEUP ENDS.	58	STD	10								

TABLE-A CONTINUED

ENGINEERING NOTES

51. INFORMATION FURNISHED PER THIS DRAWING IS IN ACCORDANCE WITH AT&T PRACTICES- NONE.

53. STANCHION PER ED-50513-70 GROUP 2 SHALL BE UTILIZED WITH A GROUP 24 END GUARD WHEN END POSITION IN LINEUP IS UNEQUIPPED.

54. PROVIDE GROUP 25 END GUARD FOR RIGHT OR LEFT SIDE OF 30" CABINET ADJACENT TO A GAP IN THE LINEUP. ALSO PROVIDE A GROUP 9 END PANEL IF CABINET IS FRONT FLUSH MOUNTED OR GROUP 15 FOR A CABINET THAT IS REAR FLUSH MOUNTED.

55. PROVIDE A GROUP 24 END GUARD FOR CABINETS ADJACENT TO COLUMN OR OTHER INTERIOR GAPS IN LINEUPS, WHERE CABLE RACK ENDS.

56. FOR APPLICATIONS IN A PRIVATE BRANCH EXCHANGE ORDER GRPS 10, 11, 12, 13 & 14. IN ADDITION PROVIDE ADDITIONAL GASKETING MATERIAL PER ED50619-70 FOR CABLE RACK, CABINET JUNCTIONS AND CABINET DOORS.

58. PROVIDE A GROUP 24 END GUARD FOR THE RIGHT OR LEFT SIDE OF A 30" CABINET WHERE LINEUP CABLE RACK ENDS. ALSO PROVIDE GROUP 9 END PANEL IF 30" CABINET IS FRONT FLUSH MOUNTED OR GROUP 15 FOR A 30" CABINET THAT IS REAR FLUSH MOUNTED.

59. DRAWING CLARIFICATION FOR ORDERING, NON-PBX GROUP APPLICATION:  
 GROUP - 9 END PANEL 30 INCH CABINET  
 - 15 END PANEL 30 INCH CABINET  
 - 22 21 INCH END GUARD, RUNNING CABLES  
 - 24 END GUARD, END OF LINEUP  
 - 25 END GUARD, CABINETS VACANT GAP  
 PBX GROUP APPLICATION:  
 GROUP - 10 END GUARD, RIGHT SIDE CABINET  
 - 11 END GUARD, LEFT SIDE CABINET  
 - 12 END GUARD, RIGHT SIDE CABINET GAP  
 - 13 END GUARD, LEFT SIDE CABINET GAP  
 - 14 END GUARD, 30 INCH CABINET

ISSUE NOTES					
TABLE A, GROUPS 10, 11, 12, 13, 14 ADDED. NOTE 56 ADDED. STOCK LIST ITEMS 1390 TO 1430 ADDED. ITEMS 1070, 1030 TO 1050, 1100, 1120, 1140 TO 1180, GROUPS 10 & 11 ADDED. ITEM 1060, GROUPS 12 & 13 ADDED. ITEMS 1200, 1220 TO 1250, 1290 TO 1330, GROUP 14 ADDED. ITEM 1380, GROUPS B, 10, 11, 14 ADDED.					
ORIG ISS:	03/07/83	NOD NBR:	5D50ENW3	CHANGE CLASS:	B
DRAFT:		ENGR:		SUPV:	07/24/85
<ul style="list-style-type: none"> <li>DRAWING CONVERTED FROM SEDBS TO MDS COMPUTER SYSTEMS.</li> <li>THIS IS A MACHINE COPY OF THE LATEST SEDBS CERTIFIED ISSUE.</li> <li>AND MAY CONTAIN MINOR DIFFERENCES. THE TABLE OF ASSOCIATED DRAWINGS WAS ELIMINATED DURING MIGRATION TO ASSIST THE SCRUBBING OF PROPRIETARY INFORMATION.</li> </ul>					
TABLE A, GROUP 15, NOTE 57 ADDED.					
ORIG ISS:	03/07/83	NOD NBR:	5D50BNW4	CHANGE CLASS:	B
DRAFT:		ENGR:		SUPV:	CERTIFIED: 02/14/86
IN SL ITEMS 1010, 1060, 1070 AND 1200, NOTE COL. 'S' ADDED. IN TABLE A GRPS 16, 17, 18, 19, 20 AND 21 ADDED. GRPS 1, 2, 3, 4, 7 AND 8 WERE RATED 'STD'. NOTE 53, 54, 55, AND 57 CHGD. DRAWING RATING READ 'PROV'.					
ORIG ISS:	03/07/83	NOD NBR:	5D50BNW5	CHANGE CLASS:	B
DRAFT:		ENGR:		SUPV:	CERTIFIED: 02/18/86
TABLE A, GRPS 22 AND 23 ADDED.					
ORIG ISS:	03/07/83	NOD NBR:	5D50BNW6	CHANGE CLASS:	B
DRAFT:		ENGR:		SUPV:	CERTIFIED: 02/28/86
TABLE A, GRPS 24 AND 25 ADDED. GRPS 5, 6, 16, 17, 18, 19, 20, 21 & 23 WERE RATED 'STD'. NOTES 58, 59 ADDED. NOTES 53, 54 & 55 CHG'D. NOTES 52, 57 RMVD. IN SL ITEMS 1390, 1400 & 1423 LINED-OUT. ITEMS 1770 THRU 1810 ADDED. ITEM 1010 G-10 & 11 RMVD. ITEM 1060 G-12 & 13 RMVD. ITEM 1200 G-14 RMVD.					
ORIG ISS:	03/07/83	NOD NBR:		CHANGE CLASS:	B
DRAFT:		ENGR:		SUPV:	CERTIFIED: 12/07/89
IN SL ITEMS 1010, 1060, 1070, 1200, 1760, 1770, 1780, 1790, 1800 AND 1810 NOTE COLUMN READ "S". (PARTS NOT ASSEMBLED, SHIPPED SEPARATELY).					
ORIG ISS:	03/07/83	NOD NBR:	0	CHANGE CLASS:	MF
DRAFT:		ENGR:		SUPV:	CERTIFIED: 06/08/90
IN SHT. B1 & B2 COMCODE 846603206 SHOWS THE RIVETED ASSY OF END CAP BEZEL AND FASTENERS WAS SHOWN SEPARATE PIECES. IN SL ITEMS: 1030, 1040, 1100, 1150, 1160, 1170, 1180, 1220, 1230, 1240, 1250, 1310, 1320, 1330 LINED-OUT. IN SL ITEMS: 1010, 1060, 1070, 1200, 1710, 1760, 1770, 1780, 1790, 1800, 1810 '+' ASTERISK REMOVED FROM NOTE SYM COLUMN. ITEM 1820 AND 1830 ADDED.					
ORIG ISS:	03/07/83	NOD NBR:		CHANGE CLASS:	UF
DRAFT:		ENGR:		SUPV:	CERTIFIED: 08/09/90

SHEET INDEX			
SHT NBR	A1 THRU A2	ISSUE	19
SHT NBR	D1 THRU D2	ISSUE	19
SHT NBR	B1	B2	
ISSUE	19	19	
SHT NBR			
ISSUE			
SHT NBR			
ISSUE			
SHT NBR			
ISSUE			
SHT NBR			
ISSUE			
SHT NBR			
ISSUE			
SHT NBR			
ISSUE			
SHT NBR			
ISSUE			
SHT NBR			
ISSUE			
SHT NBR			
ISSUE			

FD50508-70

COPYRIGHT © 1990 AT&T  
ALL RIGHTS RESERVED

B713

5ESS SWITCHING EQUIPMENT  
SPECIFICATION FOR  
END GUARD  
ASSEMBLY AND STOCKLIST

DWG SIZE C2

ISSUE 19

SHEET 11 OF 6

AT&T ED50508-70

PRINTED IN U.S.A.

TABLE A--FEATURES (CONTINUED)											
EQUIPMENT		RAT- ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT DATA				SD EQUIVALENT		
DESCRIPTION	REF NOTE				EQUIPMENT OR CIRCUIT	LIST GROUP OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
EQUIPMENT REQUIRED FOR ONE END GUARD 'EMI SHIELDING' FOR LEFT SIDE OF CABINET, WHERE CABINET LINEUP AND CABLE RACK LINEUP ENDS.	56	STD	11								
EQUIPMENT REQUIRED FOR ONE END GUARD 'EMI SHIELDING' FOR RIGHT SIDE OF CABINET WHERE GAP OCCURS IN CABINET LINEUP.	56	STD	12								
EQUIPMENT REQUIRED FOR ONE END GUARD 'EMI SHIELDING' FOR LEFT SIDE OF CABINET WHERE GAP OCCURS IN CABINET LINEUP.	56	STD	13								
EQUIPMENT REQUIRED FOR ONE 30" END GUARD 'EMI SHIELDING' FOR RIGHT OR LEFT SIDE OF 30" CABINET, WHERE CABINET LINEUP AND CABLE RACK LINEUP ENDS.	56	STD	14								
EQUIPMENT REQUIRED FOR ONE SIDE PANEL ASSEMBLY FOR CLOSING THE RIGHT OR LEFT SIDE OF 30" CABINET REAR FLUSH AND ADJACENT TO A 21" CABINET OR A VACANT SPACE.	54 58	STD	15								
EQUIPMENT REQUIRED FOR ONE END GUARD ASSEMBLY FOR RIGHT SIDE OF CABINET, WHERE CABINET LINEUP AND CABLE RACK LINEUP ENDS. (NON-PBX).		DA	16								
EQUIPMENT REQUIRED FOR ONE END GUARD ASSEMBLY FOR LEFT SIDE OF CABINET, WHERE CABINET LINEUP AND CABLE RACK LINEUP ENDS (NON-PBX).		DA	17								
EQUIPMENT REQUIRED FOR ONE END GUARD ASSEMBLY FOR RIGHT SIDE OF CABINET, WHERE GAP OCCURS IN CABINET LINEUP (NON-PBX).		DA	18								
EQUIPMENT REQUIRED FOR ONE END GUARD ASSEMBLY FOR LEFT SIDE OF CABINET, WHERE GAP OCCURS IN CABINET LINEUP (NON-PBX).		DA	19								
EQUIPMENT REQUIRED FOR ONE END GUARD ASSEMBLY USED WITH A ED5D513-70 G2 STANCHION AT THE END OF A LINEUP (NON-PBX).		DA	20								
EQUIPMENT REQUIRED FOR ONE 30" END GUARD ASSEMBLY FOR RIGHT OR LEFT SIDE OF CABINET, WHERE CABINET LINEUP AND CABLE RACK LINEUP ENDS (NON-PBX).	58	DA	21								
EQUIPMENT REQUIRED FOR ONE END GUARD ASSEMBLY FOR RIGHT OR LEFT SIDE OF CABINET, WHEN CABLES ARE REQUIRED TO RUN IN END GUARD ON A RAISED FLOOR 21" WIDE BY 10" DEEP.		STD	22								
EQUIPMENT REQUIRED FOR ONE 30" END GUARD ASSEMBLY FOR RIGHT OR LEFT SIDE OF CABINET, WHEN CABLES ARE REQUIRED TO RUN IN END GUARD ON A RAISED FLOOR 30" WIDE BY 10" DEEP.		DA	23								
EQUIPMENT REQUIRED FOR ONE END GUARD ASSEMBLY FOR RIGHT OR LEFT SIDE OF CABINET, WHERE CABINET LINEUP AND CABLE RACK LINEUP ENDS. (NON-PBX).	53 58	STD	24								
EQUIPMENT REQUIRED FOR ONE END GUARD ASSEMBLY FOR RIGHT OR LEFT SIDE OF CABINET, WHERE GAP OCCURS IN CABINET LINEUP. (NON-PBX).	54 58	STD	25								
END OF TABLE-A											
ED5D508-70											

COPYRIGHT © 1990 AT&T ALL RIGHTS RESERVED			
5ESS SWITCHING EQUIPMENT SPECIFICATION FOR END GUARD ASSEMBLY AND STOCKLIST		BT13	
		DWG SIZE C2	ISSUE 19
AT&T	ED5D508-70	SHEET A2 OF 6	




FIG. 1  
 FRONT VIEW  
 TYPICAL END GUARD  
 ARRANGEMENT WITH  
 FULL EMI SHIELD SHOWN

ED5D50B-70

SEE PROPRIETARY NOTICE ON SHEET ONE

END GUARD		DWG SIZE C2	ISSUE 19
AT&T	ED5D50B-70	SHEET B1	




FIG. 2  
 FRONT VIEW  
 TYPICAL END GUARD  
 ARRANGEMENT WITH  
 SMALL SYMMETRICAL  
 SHIELD SHOWN

ED5D508-70

SEE PROPRIETARY NOTICE ON SHEET ONE

END GUARD		
	DWG SIZE C2	ISSUE 19
AT&T	ED5D508-70 <small>PRINTED IN U.S.A.</small>	SHEET 82

STOCKLIST							
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE SYM/NBR
1010	1, 2, 7, 16, 17, 20	1	843071150		ASSEMBLY, END GUARD		
1020	1, 3	1	843071234		ASSEMBLY, SHIELD		
4030	1, 2, 6, 7, 10, 11, 16, 17, 20, 24	1	843071300		CABLE ASSEMBLY, COVER TRAY END		
4040	1, 2, 6, 7, 10, 11, 16, 17, 20, 24	1	843071317		BEZEL		
1050	2, 4, 7	1	843071242		ASSEMBLY, SHIELD		
1060	3, 4, 18, 19	1	843071143		ASSEMBLY, END GUARD		
1070	5	1	843071168		ASSEMBLY, END GUARD		
1080	5	1	843071283		ASSEMBLY, SHIELD		
4090	1, 2, 6, 7, 8	4	840948094		SCREW, PAN HEAD TAPPING .164-32 X 1/4 SWAGEFORM		S
4100	1, 2, 6, 7, 8, 10, 11, 16, 17, 20, 24	4	840959067		SCREW, PAN HEAD MACHINE .164-32 X 3/8 STEEL 209A FINISH		S
1110	1, 2, 3, 4, 5	59	841064645		SCREW, SLOT HEX WSHR HD TAPPING .164-32 X 3/8		*
1120	1, 2, 6, 7, 10, 11, 16, 17, 20, 24	2	801472853	P147285	SCREW, HEXAGON HEAD CAP .375-16 X 1-1/2		*
1130	1, 6, 8, 10, 16, 21	2	843071127		STRIP, BACKING		*
1140	1, 2, 6, 7, 10, 11, 16, 17, 20, 24	2	996295333		WASHER, SPRING LOCK #4820-20-01 ZINC FINISH SHAKEPROOF CO. OR EQUIVALENT		*
4150	1, 2, 6, 7, 10, 11, 16, 17, 20, 24	1	843071325		BRACKET		*
4160	1, 2, 6, 7, 10, 11, 16, 17, 20, 24	2	802841692	P284169	WASHER		*
4170	1, 2, 6, 7, 10, 11, 16, 17, 20, 24	2	801098963	P109896	WASHER, PLAIN .066-STEEL 209A FINISH		*
4180	1, 2, 6, 7, 10, 11, 16, 17, 20, 24	2	841064751		NUT, HEXAGON .250-20-STEEL 209A FINISH		*
1190	7	20	841064645		SCREW, SLOT HEX WSHR HD TAPPING .164-32 X 3/8		*
1200	8, 21	1	845309475		ASSEMBLY, END GUARD		
1210	8	1	845309533		ASSEMBLY, SHIELD		
4220	8, 14, 21	1	845309688		ASSEMBLY, END CAP		
4230	8, 14, 21	1	845309582		BEZEL		
4240	8, 14, 21	1	845309599		BRACKET		
4260	8, 14, 21	1	845309608		BRACKET		
1250	9	1	845309673		ASSEMBLY, PANEL END		
1270	9	4	845309699		BRACKET		*
1280	8	64	841064645		SCREW, SLOT HEX WSHR HD TAPPING .164-32 X 3/8		*
1290	8, 14, 21	4	801472853	P147285	SCREW, HEXAGON HEAD CAP .375-16 X 1-1/2		*
1300	8, 14, 21	4	996295333		WASHER, SPRING LOCK #4820-20-01 ZINC FINISH SHAKEPROOF CO. OR EQUIVALENT		*
4340	8, 14, 21	6	802841692	P284169	WASHER		*

STOCKLIST CONTINUED ON SHEET D2

ED5D508-70

STOCKLIST	MANUFACTURING NOTES
	<p>1. X PARTS REQUIRED FOR INSTALLATION.</p> <p>X/ PARTS REQUIRED FOR MANUFACTURE WHEN EQUIPMENT IS SHOP MOUNTED OR BY THE INSTALLER WHEN THE EQUIPMENT IS TO BE FIELD MOUNTED.</p> <p>* PARTS THAT ARE TO BE SHIPPED ATTACHED TO OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED ASSEMBLED ITEM.</p> <p>*/ PARTS (A) REQUIRED FOR MANUFACTURE WHEN EQUIPMENT INVOLVED IS SHOP MOUNTED OR (B) TO BE SHIPPED ATTACHED TO, OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED ASSEMBLED ITEM WHEN FIELD MOUNTED.</p> <p>( ) INDICATES DESIGNATIONS TO BE STAMPED IN ACCORDANCE WITH JOB INFORMATION.</p> <p>    INDICATES DESIGNATIONS SHOWN FOR INFORMATION ONLY AND ARE NOT TO BE STAMPED.</p> <p>&lt; &gt; INDICATES DESIGNATIONS AND/OR INFORMATION PROVIDED IN ACCORDANCE WITH OTHER INFORMATION.</p> <p>"W" PARTS ASSEMBLED AT THE SAME TIME THE EQUIPMENT IS MOUNTED.</p> <p>"W*" PARTS TO BE (A) SHOP ASSEMBLED, BUT WHICH CANNOT BE ASSEMBLED UNTIL THE ASSOCIATED EQUIPMENT IS BEING MOUNTED, OR (B) SHIPPED ATTACHED TO, OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED EQUIPMENT WHEN FIELD MOUNTED.</p> <p>"S" PARTS NOT ASSEMBLED, SHIPPED SEPARATELY.</p> <p>A/R AS REQUIRED.</p> <p>"B" PARTIAL ASSEMBLIES ON OTHER DRAWINGS WITH STOCKLISTS.</p>

COPYRIGHT © 1990 AT&T ALL RIGHTS RESERVED			
5ESS SWITCHING EQUIPMENT SPECIFICATION FOR END GUARD ASSEMBLY AND STOCKLIST		BT13	
DWG SIZE C2	ISSUE 19	SHEET 01 OF 6	
AT&T	ED5D508-70	PRINTED IN U.S.A.	

STOCKLIST							
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE SYM NBR
1320	8,14,21	6	801098963	P109896	WASHER, PLAIN .056 STEEL 289A FINISH		*
1330	8,14,21	6	841064751		NUT, HEXAGON .250-20 STEEL 289A FINISH		*
1340	9	8	841064645		SCREW, SLOT HEX WSHR HD TAPPING .164-32 X 3/8		*
1350	9	8	802841692	P284169	WASHER		*
1360	9	8	801098963	P109896	WASHER, PLAIN .056 STEEL 289A FINISH		*
1370	9	8	841064751		NUT, HEXAGON .250-20 STEEL 289A FINISH		*
1380	1,2,6,7, 8,10,11, 14,16,17, 18,19,20, 21,24,25	4	841064645		SCREW, SLOT HEX WSHR HD TAPPING .164-32 X 3/8		*
1390	10,12	1	845312537		ASSEMBLY, SHIELD		
1400	14,13	1	845312545		ASSEMBLY, SHIELD		
1410	10,11,12, 13	39	841064645		SCREW, SLOT HEX WSHR HD TAPPING .164-32 X 3/8		*
1420	14	1	845312560		ASSEMBLY, SHIELD		
1430	14	43	841064645		SCREW, SLOT HEX WSHR HD TAPPING .164-32 X 3/8		*
1440	15	1	845313287		ASSEMBLY, PANEL SIDE		
1450	15	1	845313311		WASHER, PLATE		*
1460	15	3	845313329		BRACKET		*
1470	15	6	840028843		SCREW, HEXAGON WASHER HEAD .216-24 X 3/4 SELF TAPPING		*
1480	15	1	841064751		NUT, HEXAGON .250-20 STEEL 289A FINISH		*
1500	16,18	1	845312586		ASSEMBLY, BRACKET RIGHT		
1510	17,19,20	1	845312594		ASSEMBLY, BRACKET LEFT		
1520	21	1	845312610		ASSEMBLY, BRACKET WIDE		
1530	16,17,18, 19,24,25	13	841064645		SCREW, SLOT HEX WSHR HD TAPPING .164-32 X 3/8		*
1540	20	5	841064645		SCREW, SLOT HEX WSHR HD TAPPING .164-32 X 3/8		*
1550	21	15	841064645		SCREW, SLOT HEX WSHR HD TAPPING .164-32 X 3/8		*
1560	22	1	845314731		ASSEMBLY, DOOR END GUARD		
1570	22	1	845314756		SHIELD		
1580	22	1	845314764		BRACKET		
1590	22	1	845310812		ASSEMBLY, BRACKET		*
1600	22	1	845310853		BEZEL		
1610	23	1	845314772		ASSEMBLY, DOOR END GUARD		
1620	23	1	845314798		SHIELD		
1630	23	1	845314806		BRACKET		*
1640	22,23	2	801472853	P147285	SCREW, HEXAGON HEAD CAP .375-16 X 1-1/2		*
1650	22,23	2	996295333		WASHER, SPRING LOCK #4820-20-01 ZINC FINISH SHAKEPROOF CO.		*
1660	22,23	4	840059067		SCREW, PAN HEAD MACHINE .164-32 X 3/8 STEEL 289A FINISH		*
1670	23	1	845310838		ASSEMBLY, BRACKET		*

\*\*\*\*\* STOCKLIST CONTINUED AT RIGHT \*\*\*\*\*

ED5D508-70

STOCKLIST							
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE SYM NBR
1680	23	1	845310861		BEZEL		
1690	22	59	841064645		SCREW, SLOT HEX WSHR HD TAPPING .164-32 X 3/8		*
1700	23	64	841064645		SCREW, SLOT HEX WSHR HD TAPPING .164-32 X 3/8		*
1710	24,25	1	846444560		ASSEMBLY, SHIELD		
1720	24	1	843071127		STRIP, BACKING		*
1760	10,11,24	1	846201806		ASSEMBLY, END GUARD		
1770	12,13,25	1	846201622		ASSEMBLY, END GUARD		
1780	10,12	1	846393262		SHIELD, EMI ASSEMBLY RIGHT		
1790	11,13	1	846393270		SHIELD, EMI ASSEMBLY LEFT		
1800	14	1	846459923		ASSEMBLY, SHIELD EMI		
1810	14	1	846459949		ASSEMBLY, GUARD END		
1820	1,2,6,7, 10,11,18, 17,20,24	1	846603256		ASSEMBLY, END CAP CABLE TRAY		
1830	8,14,21	1	846603249		ASSEMBLY, END CAP		

\*\*\*\*\* END OF STOCKLIST \*\*\*\*\*

COPYRIGHT © 1990 AT&T  
ALL RIGHTS RESERVED

BT13

LESS SWITCHING EQUIPMENT  
SPECIFICATION FOR  
END GUARD  
ASSEMBLY AND STOCKLIST

DWG SIZE C2

ISSUE 19

SHEET D2 OF 6

AT&T ED5D508--70

PRINTED IN U.S.A.