

TABLE A-FEATURES												
EQUIPMENT		EQUIPMENT OR CIRCUIT DATA							SD EQUIVALENT			
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT	
EQUIPMENT REQUIRED FOR 1 CROSS AISLE CABLE TROUGH OVER A EQUIPMENT AISLE 20 TO 26 INCHES IN WIDTH; ONE T&R CABLE TROUGH OVER A WIRING AISLE 20 TO 24 INCHES IN WIDTH; ONE NCT CABLE TROUGH OVER A WIRING AISLE 20 TO 32 INCHES IN WIDTH. REPL:ED5D510-70,1			1									
EQUIPMENT REQUIRED FOR 1 CROSS AISLE CABLE TROUGH OVER A EQUIPMENT AISLE 27 TO 44 INCHES IN WIDTH; ONE T&R CABLE TROUGH OVER A WIRING AISLE 25 TO 40 INCHES IN WIDTH; ONE NCT CABLE TROUGH OVER A WIRING AISLE 33 TO 46 INCHES IN WIDTH. REPL:ED5D510-70,2			2									
EQUIPMENT REQUIRED FOR ONE NCT ADAPTER USED AT EA. CROSS AISLE TROUGH TERMINATING AT THE NCT SECTION OF THE LINEUP CABLE RACK.	57		3									
EQUIPMENT REQUIRED FOR ONE NCT BRIDGE ASSEMBLY USED OVER LINEUP CABLE RACK FROM EACH NCT CROSS AISLE TROUGH TO NCT SECTION AT REAR OF CABLE RACK. (SEE NOTE 58). DA EFF:12/10/96 FE/RA:NONE	58	DA	4									
EQUIPMENT REQUIRED IN ADDITION TO GROUP 1,2 & 9 TO SUPPORT A CROSS AISLE CABLE TROUGH OVER A EQUIPMENT AISLE. REPL:ED5D510-70,5			5									
EQUIPMENT REQUIRED IN ADDITION TO GROUP 1,2 & 9 TO SUPPORT A CROSS AISLE CABLE TROUGH OVER A WIRING AISLE. REPL:ED5D510-70,6 DA EFF:05/15/95 FE:ED5D510-71,G22		DA	6									
EQUIPMENT REQUIRED FOR A VIA SYSTEM AT HGT OF 8FT-0IN HIGH. REPL:ED5D510-70,7			7									
EQUIPMENT REQUIRED FOR A VIA SYSTEM AT A HGT OF 9FT-0IN HIGH. REPL:ED5D510-70,8			8									
EQPT REQUIRED FOR ONE CROSS AISLE CABLE TROUGH OVER A EQUIPMENT AISLE 45 TO 60 INCHES IN WIDTH; ONE T&R CABLE TROUGH OVER A WIRING AISLE 41 TO 60 INCHES IN WIDTH; ONE NCT CABLE TROUGH OVER A WIRING AISLE 47 TO 60 INCHES IN WIDTH. REPL:ED5D510-70,9			9									
EQUIPMENT REQUIRED AT THE END OF LINEUP TO CROSSOVER 47 TO 60 INCHES LENGTHWISE TO NEXT LINEUP; ONE SWITCH CABLE TROUGH AND THE ASSOCIATED HARDWARE.	55 56		10									
EQUIPMENT REQUIRED AT THE END OF LINEUP TO CROSSOVER 47 TO 60 INCHES LENGTHWISE TO NEXT LINEUP; ONE POWER CABLE TROUGH AND THE ASSOCIATED HARDWARE.	55 56		11									
EQUIPMENT REQUIRED AT THE END OF LINEUP TO CROSSOVER 47 TO 60 INCHES LENGTHWISE TO NEXT LINEUP; ONE FIBER CABLE TROUGH AND THE ASSOCIATED HARDWARE.	55 56		12									
EQUIPMENT REQUIRED AT THE END OF LINEUP TO CROSSOVER 47 TO 60 INCHES LENGTHWISE TO NEXT LINEUP; ONE ADAPTER TO EACH END, TO TERMINATE FIBER CABLE TROUGH G12.	56		13									

TABLE-A CONTINUED

ED5D510-71

TABLE A-FEATURES (CONTINUED)												
EQUIPMENT		EQUIPMENT OR CIRCUIT DATA							SD EQUIVALENT			
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT	
EQUIPMENT REQUIRED IN ADDITION TO GROUP 10,11,12 & 13 MOUNTING BRACKETS AND HARDWARE TO SUPPORT TROUGHS.	56		14									
EQUIPMENT REQUIRED FOR ONE NCT ADAPTER USED AT EA. CROSS AISLE TROUGH TERMINATING AT THE NCT SECTION OF THE LINEUP CABLE RACK. (INNER TROUGH). REPL:ED5D510-70,3	57		15									
MATERIAL REQUIRED TO IDENTIFY SWITCHBOARD CROSS AISLE TROUGHS.			16									
MATERIAL REQUIRED TO IDENTIFY POWER CROSS AISLE TROUGHS.			17									
MATERIAL REQUIRED TO IDENTIFY FIBER OPTIC CROSS AISLE TROUGHS.			18									
EQUIPMENT REQUIRED FOR ONE NCT BRIDGE ASSEMBLY USED OVER LINEUP CABLE RACK FROM EACH NCT CROSS AISLE TROUGH TO NCT SECTION AT REAR OF CABLE RACK AND WHEN NO CROSS AISLE TROUGH IS CONNECTED TO BRIDGE OVER TO THE NEXT LINEUP. SEE NOTE 58 AND GROUP 4. REPL:NONE	58		19									
KIT/MOUNTING HARDWARE TO SUPPORT CROSS AISLE TROUGHS AT REAR OF CABLE RACK WHEN NO CROSS AISLE IS REQUIRED TO BRIDGE TO THE NEXT LINEUP. (SEE NOTE 58). REPL:NONE	58		20									
KIT/MOUNTING HARDWARE TO SUPPORT CROSS AISLE TROUGHS REQUIRED TO BRIDGE A NEW LINEUP TO THE AL-READY INSTALLED EQUIPMENT, USING GROUP 20. (SEE NOTE 58). REPL:NONE	58		21									
EQUIPMENT REQUIRED IN ADDITION TO GROUP 1,2 AND 9 TO SUPPORT A CROSS AISLE TROUGH OVER THE WIRING AISLE. (SEE NOTE 58). REPL:ED5D510-71,G6	58		22									
EQUIPMENT REQUIRED AT THE END OF 5ESS CLASSIC LINEUP TO CROSSOVER 47 TO 60 INCHES LENGTHWISE TO A 5E-2K GLOBAL LINEUP; ONE SWITCH CABLE TROUGH AND THE ASSOCIATED HARDWARE. [KIT]	53 55 56 60		23									
EQUIPMENT REQUIRED AT THE END OF 5ESS CLASSIC LINEUP TO CROSSOVER 47 TO 60 INCHES LENGTHWISE TO A 5E-2K GLOBAL LINEUP; ONE POWER CABLE AND THE ASSOCIATED HARDWARE. [KIT]	53 55 56 60		24									

TABLE-A CONTINUED

COPYRIGHT © 2001 LUCENT TECHNOLOGIES
ALL RIGHTS RESERVED

BT99

5ESS SWITCHING EQUIPMENT
SPECIFICATION FOR
CROSS AISLE CABLE TROUGHS
ASSEMBLY AND STOCKLIST
[CONTAINS KITS]

DWG SIZE
C2

ISSUE
12

LUCENT TECHNOLOGIES INC

ED5D510-71

SHEET A2
OF 7

TABLE A-FEATURES (CONTINUED)											
EQUIPMENT		RAT- ING	LIST OR GROUP	EQUIPMENT OR CIRCUIT DATA					SD EQUIVALENT		
DESCRIPTION	REF NOTE			QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
EQUIPMENT REQUIRED AT THE END OF 5ESS CLASSIC LINEUP TO CROSSOVER 47 TO 60 INCHES LENGTHWISE TO A 5E-2K GLOBAL LINEUP; ONE FIBER CABLE TROUGH AND THE ASSOCIATED HARDWARE (INCLUDING ONE ADAPTER TO EACH END TO TERMINATE FIBER CABLE TROUGHS). [KIT]	53 55 56 60		25								
EQUIPMENT REQUIRED IN ADDITION TO GROUPS 23, 24 AND 25 MOUNTING BRACKETS AND HARDWARE TO SUPPORT TROUGHS AT THE LEFT SIDE OF THE GLOBAL CABLE RACK AND TO THE RIGHT SIDE OF CLASSIC CABLE RACK. [KIT]	53 56 60		26								
CLASSIC TO GLOBAL CABLE RACK BRACKETS/SUPPORTING HARDWARE FOR SWITCHBOARD AND POWER TROUGHS; WIRING TO WIRING SIDE. [KIT]	60		27								
CLASSIC TO GLOBAL CABLE RACK BRACKETS/SUPPORTING HARDWARE FOR FIBER OPTIC TROUGHS; WIRING TO WIRING SIDE. SEE GROUP 36. [KIT]	60		28								
CLASSIC TO GLOBAL CABLE RACK BRACKETS/SUPPORTING HARDWARE FOR SWITCHBOARD TROUGHS; EQUIPMENT TO EQUIPMENT SIDE. [KIT]	60		29								
CLASSIC TO GLOBAL CABLE RACK BRACKETS/SUPPORTING HARDWARE FOR POWER AND FIBER TROUGHS; EQUIPMENT TO EQUIPMENT SIDE. [KIT]	60		30								
BRACKETS/SUPPORTING HARDWARE FOR FIBER AND POWER TROUGHS FROM EQUIPMENT SIDE OF CLASSIC FACING WIRING SIDE OF GLOBAL RACK. [KIT]	60		31								
BRACKETS/SUPPORTING HARDWARE FOR SWITCHBOARD TROUGHS FROM EQUIPMENT SIDE OF CLASSIC FACING WIRING SIDE OF GLOBAL RACK. [KIT]	60		32								
BRACKETS/SUPPORTING HARDWARE FOR SWITCHBOARD AND POWER TROUGHS FROM WIRING SIDE OF CLASSIC FACING EQUIPMENT SIDE OF GLOBAL RACK. [KIT]	60		33								
BRACKETS/SUPPORTING HARDWARE FOR FIBER TROUGHS FROM WIRING SIDE OF CLASSIC FACING EQUIPMENT SIDE OF GLOBAL CABLE RACK. [KIT]	60		34								
EQUIPMENT REQUIRED IN ADDITION TO GROUPS 23, 24 AND 25; MOUNTING BRACKETS & HARDWARE TO SUPPORT TROUGHS AT THE LEFT SIDE OF CLASSIC CABLE RACK AND TO THE RIGHT OF GLOBAL RACK. [KIT]	53 56 60		35								
EQUIPMENT/ONE CROSS AISLE TROUGH FOR: A. FIBER BETWEEN CLASSIC AND GLOBAL RACK EQPT TO EQPT OR WIRING TO WIRING SPANNING 20" TO 32". SEE GROUPS 28 AND 30. [KIT]	13 60		36								

TABLE-A CONTINUED

TABLE A-FEATURES (CONTINUED)											
EQUIPMENT		RAT- ING	LIST OR GROUP	EQUIPMENT OR CIRCUIT DATA					SD EQUIVALENT		
DESCRIPTION	REF NOTE			QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
EQUIPMENT/ONE CROSS AISLE TROUGH FOR: A. POWER AND/OR SWITCHING BETWEEN CLASSIC AND GLOBAL EQPT TO EQPT OR WIRING TO WIRING SPANNING 20" TO 32". B. SWITCHBOARD WIRING CLASSIC TO EQPT GLOBAL SPANNING 20" TO 32". C. POWER WIRING CLASSIC TO EQPT GLOBAL SPANNING 27" TO 44". D. SWITCHBOARD EQPT CLASSIC TO WIRING GLOBAL SPANNING 27" TO 44". SEE GROUPS 27, 29, 30 AND 31. [KIT]	13 60		37								
EQUIPMENT/ONE CROSS AISLE TROUGH FOR: A. FIBER BETWEEN CLASSIC AND GLOBAL RACK EQPT TO EQPT OR WIRING TO WIRING SPANNING 27" TO 44". B. FIBER BETWEEN WIRE CLASSIC TO EQPT GLOBAL SPANNING 45" TO 60". C. FIBER BETWEEN EQPT CLASSIC TO WIRE GLOBAL SPANNING 20" TO 32". (INCLUDES ADAPTORS). SEE GROUPS 28, 30, 31 AND 34. [KIT]	13 60		38								
EQUIPMENT/ONE TROUGH FOR: A. POWER AND/OR SWITCHBOARD BETWEEN CLASSIC AND GLOBAL RACK EQPT TO EQPT OR WIRING TO WIRING SPANNING 27" TO 44". B. POWER BETWEEN EQPT CLASSIC TO WIRE GLOBAL SPANNING 20" TO 32". SEE GROUPS 27, 29 AND 30. [KIT]	13 60		39								
EQUIPMENT/ONE TROUGH FOR: A. FIBER BETWEEN CLASSIC AND GLOBAL RACK EQPT TO EQPT OR WIRING TO WIRING SPANNING 45" TO 60". B. FIBER BETWEEN EQPT CLASSIC TO WIRE GLOBAL SPANNING 27" TO 44" AND 45" TO 60". (INCLUDES ADAPTORS). SEE GROUPS 28,30 AND 31. [KIT]	13 60		40								
EQUIPMENT/ONE TROUGH FOR: A. POWER AND/OR SWITCHBOARD BETWEEN CLASSIC AND GLOBAL RACK EQPT TO EQPT OR WIRING TO WIRING SPANNING 45" TO 60". B. POWER BETWEEN EQPT CLASSIC TO WIRE GLOBAL SPANNING 45" TO 60". C. SWITCHBOARD WIRE CLASSIC TO EQPT GLOBAL SPANNING 45" TO 60". SEE GROUPS 27, 29, 30, 31 AND 33. [KIT]	13 60		41								

TABLE-A CONTINUED

ED5D510-71

COPYRIGHT © 2001 LUCENT TECHNOLOGIES
ALL RIGHTS RESERVED

BT99

5ESS SWITCHING EQUIPMENT
SPECIFICATION FOR
CROSS AISLE CABLE TROUGHS
ASSEMBLY AND STOCKLIST
[CONTAINS KITS]

DWG SIZE
C2

ISSUE
12

LUCENT TECHNOLOGIES INC

ED5D510-71

SHEET A3
OF 7

PRINTED IN U.S.A.

TABLE A-FEATURES (CONTINUED)

EQUIPMENT		RAT- ING	LIST OR GROUP	EQUIPMENT OR CIRCUIT DATA				SD EQUIVALENT		
DESCRIPTION	REF NOTE			QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG
EQUIPMENT/ONE TROUGH FOR: A. SWITCHBOARD BETWEEN EQPT CLASSIC TO WIRE GLOBAL SPANNING 20" TO 32". SEE GROUP 32. [KIT]		13 60	42							
EQUIPMENT/ONE TROUGH FOR: A. SWITCHBOARD BETWEEN WIRE CLASSIC TO EQPT GLOBAL SPANNING 27" TO 44". B. POWER BETWEEN WIRE CLASSIC TO EQPT GLOBAL SPANNING 45" TO 60". SEE GROUP 33. [KIT]		13 60	43							
EQUIPMENT/ONE TROUGH FOR: A. SWITCHBOARD BETWEEN EQPT CLASSIC TO WIRE GLOBAL SPANNING 45" TO 60". B. POWER BETWEEN EQPT CLASSIC TO WIRE GLOBAL SPANNING 27" TO 44". SEE GROUPS 31 AND 32. [KIT]		13 60	44							
EQUIPMENT/ONE TROUGH FOR FIBER BETWEEN WIRE CLASSIC TO EQPT GLOBAL SPANNING 27" TO 44" (INCLUDES ADAPTORS). SEE GROUP 34. [KIT]		13 60	45							
EQUIPMENT/ONE TROUGH FOR POWER AND OR FIBER BETWEEN WIRE CLASSIC TO EQPT GLOBAL SPANNING 20" TO 32" (INCLUDES ADAPTORS). SEE GROUPS 33 AND 34.		13 60	46							
END OF TABLE-A										

COPYRIGHT © 2001 LUCENT TECHNOLOGIES
ALL RIGHTS RESERVED

BT99

5ESS SWITCHING EQUIPMENT
SPECIFICATION FOR
CROSS AISLE CABLE TROUGHS
ASSEMBLY AND STOCKLIST
[CONTAINS KITS]

DWG SIZE
C2

ISSUE
12

ED5D510-71

LUCENT TECHNOLOGIES INC ED5D510-71

SHEET A4
OF 7

PRINTED IN U.S.A.

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1010	1	1	846701126		ASSEMBLY, TROUGH & HARDWARE 20 INCHES LONG E/W 814477410,803690171, 846387553,846387520			
1020	2	1	846701134		ASSEMBLY, TROUGH & HARDWARE 30 INCHES LONG E/W 814477410,803690171, 846387561,846387538			
1030	3	1	846571818		ADAPTER, NON-ELECTRIC BRACKET			
1040	4	1	846701142		ASSEMBLY, BRIDGE & HARDWARE E/W 814477410,803690171, 846571826			
1050	5	1	846701159		BRACKET, MOUNTING & HARDWARE E/W 801829599,801472853, 846571834			
1060	6	1	846701167		BRACKET, MOUNTING & HARDWARE E/W 801829599,801472853, 846874220			
1070	7	1	846701175		BRACKET, MOUNTING & HARDWARE 8 FEET LONG E/W 814064777,803865781, 814570875,814478236, 802584490,804055424, 801472853,801829599, 846571867			
1080	8	1	846701191		BRACKET, MOUNTING & HARDWARE VIA BRKT 9 FT E/W 841064777,803865781, 814570875,814478236, 802584490,804055424, 801472853,801829599, 846571875			
1090	9,11	1	846701217		ASSEMBLY, TROUGH & HARDWARE 40 INCHES LONG E/W 814477410,803690171, 846387579,846387546			
1100	10	1	846714632		TROUGH, ASSEMBLY E/W 814477410,803690171, 846709889,846709897			
1120	12	1	846712933		TROUGH, ASSEMBLY 40 INCHES LONG E/W 814477410,803690171, 846709863,846709871			
1130	13	2	846709855		ADAPTER, NON-ELECTRICAL, BRACKET			
1140	14	1	846715431		BRACKET, MOUNTING & HARDWARE E/W 801829599,801472853, 802102236,846709848, 846571834,846709905			
1150	15	1	843071390		ADAPTER			
1160	16	2	846697985		LABEL, INSTRUCTION .75 X 3.75 IN.			
1170	17	2	846697993		LABEL, INSTRUCTION .5 X 3 IN.			
1180	18	2	846843126		LABEL, INSTRUCTION .5 X 3 IN. FIBER OPT. CA.			
1190	1	1	846387520		TROUGH OUTER 20"			
1200	1	1	846387553		TROUGH INNER 20"			
1210	1,2,9,10, 11,12,21, 23,24,25, 27,28,32, 33,34,36, 37,38,39, 40,41,42, 43,44,45, 46	2	901352773		WASHER, LOCK, HELICAL SPRING 3/8			
1220	1,2,9,10, 11,12	2	901349597		SCREW, MACHINE, HEXAGONAL .375 IN X 16 X 1/2 IN			

STOCKLIST CONTINUED ON SHEET D2

ED5D510-71

S H O P I N S T A L L E D	MANUFACTURING NOTES
	X

COPYRIGHT © 2001 LUCENT TECHNOLOGIES
ALL RIGHTS RESERVED

BT99	
5ESS SWITCHING EQUIPMENT SPECIFICATION FOR CROSS AISLE CABLE TROUGHS ASSEMBLY AND STOCKLIST [CONTAINS KITS]	
DWG SIZE C2	ISSUE 12
LUCENT TECHNOLOGIES INC	ED5D510-71
SHEET D1 OF 7	

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1230	2	1	846387538		TROUGH OUTER 30"			
1240	2	1	846387561		TROUGH INNER 30"			
1250	3	1	846571818		ADAPTER, NON-ELECTRIC BRACKET			
1260	4	1	846571826		BRIDGE, CROSS AISLE			
1270	19, 20, 29, 30, 31, 32	1	901352773		WASHER, LOCK, HELICAL SPRING .375			
1280	19	1	901349597		SCREW, MACHINE, HEXAGONAL .375 IN X 16 X 1/2 IN			
1290	5	2	846571834		BRACKET, MOUNTING			
1300	5, 7, 8, 27, 28, 33, 34	2	901349654		SCREW, HEXAGONAL .375 - 16 X 1-1/2 IN			
1310	5, 7, 8	2	901352773		WASHER, LOCK, HELICAL SPRING 3/8			
1320	7	1	846571867		BRACKET, ASSEMBLY			
1330	7, 8	2	901392027		BOLT, CARRIAGE 3/8 X 3 1/2			
1340	7, 8	4	802584490	P-258449	CLIP			
1350	7, 8	2	814478236	P-44G823	INSULATOR			
1360	7, 8	2	814570875	P-45G087	BUSHING, INSULATING			
1370	7, 8	2	901352864		WASHER .401 ID X 1.015OD X .056IN THICK 3/8 BOLT TYPE STEEL 289A ZINC FINISH			
1380	7, 8	2	901352633		NUT, HEXAGONAL 3/8"-16 GRADE 5, B633 FINISH			
1390	8	1	846571875		BRACKET, ASSEMBLY			
1400	9, 11	1	846387546		TROUGH OUTER 40"			
1410	9, 11	1	846387579		TROUGH, INNER 40"			
1420	10	1	846709897		TROUGH, OUTER			
1430	10	1	846709889		TROUGH, INNER			
1440	12	1	846709871		TROUGH, OUTER			
1450	12	1	846709863		TROUGH, INNER			
1460	12	2	846709855		ADAPTER, NON-ELECTRICAL, BRACKET			
1470	14	2	846709905		BRACKET, BAR			
1480	14	2	846571834		BRACKET, MOUNTING			
1490	14	2	846709848		BAR, SUPPORT			
1500	14	6	901380568		SCREW, PHILLIPS 3/8 X 5/8			
1510	14	4	901349654		SCREW, HEXAGONAL .375 - 16 X 1-1/2 IN			
1520	14	4	901352773		WASHER, LOCK, HELICAL SPRING .375			
1530	19	1	847346715		BRIDGE, CROSS AISLE			
1540	20, 22	1	847346707		BRACKET, LONG			
1550	20, 22, 29, 30, 31, 32, 40, 41	1	901349654		SCREW, HEXAGONAL .375 - 16 X 1-1/2 IN			
1560	21, 22	1	847346699		BRACKET, SHORT			
1570	21, 22	2	901349613		SCREW, MECHANICAL .375-16 X .75			
1580	22	3	901352773		WASHER, LOCK, HELICAL SPRING .375			

***** STOCKLIST CONTINUED AT RIGHT *****

ED5D510-71

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1590	3, 15	1	901349597		SCREW, MACHINE, HEXAGONAL .375 IN X 16 X 1/2 IN			
1595	3, 15	1	901352773		WASHER, LOCK, HELICAL SPRING 3/8			
1600	23	1	848059929		TROUGH, INNER			
1610	23	1	848059937		TROUGH, OUTER			
1620	23, 24, 25, 27, 29, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46	2	901342519	M8	SCREW, CAP (HEXAGONAL) M8 X 1.25MM X 16MM STEEL, 289A ZINC CHROMATE			
1630	24	1	848059804		TROUGH, INNER			
1640	24	1	848059838		TROUGH, OUTER			
1650	25	1	848059804		TROUGH, INNER			
1660	25	1	848059838		TROUGH, OUTER			
1670	25	1	848059986		ADAPTER, NON-ELECTRICAL, INNER BRACKET			
1680	25	1	848059978		ADAPTER, NON-ELECTRICAL, OUTER BRACKET			
1690	26, 35	2	848061867		ASSEMBLY, BRACKET			
1700	26	1	848067005		CABLE, LADDER (NON-STANDARD)			
1710	26, 35	7	901342519	M8	SCREW, CAP (HEXAGONAL) M8 X 1.25MM X 16MM STEEL, 289A ZINC CHROMATE			
1720	26, 35	6	901352773		WASHER, LOCK, HELICAL SPRING 3/8			
1730	26, 29, 35	2	848063053		SPACER, BASE			
1740	26, 35	3	901342758	M10	SCREW, CAP (HEXAGONAL) M10 X 1.5MM X 40MM STEEL, 289A ZINC CHROMATE			
1750	26, 35	3	901349654		SCREW, HEXAGONAL .375 - 16 X 1-1/2 IN			
1760	26, 35	6	901264747		WASHER, SPRING LOCK, STEEL 10.2MM ID, 18.1MM OD 289A FINISH M10			
1770	27, 28, 29, 31	1	848039954		ASSEMBLY, BRACKET			
1780	27, 29	1	848039962		BRACKET, CABLE			
1790	27, 28, 31, 32	1	848040747		ASSEMBLY, BRACKET ZINCPLATE 289A			
1800	27, 28, 29, 30, 31, 32, 33, 34	2	901342758	M10	SCREW, CAP (HEXAGONAL) M10 X 1.5MM X 40MM STEEL, 289A ZINC CHROMATE			
1810	27, 28, 29, 30, 31, 32, 33, 34	2	901264747		WASHER, SPRING LOCK, STEEL 10.2MM ID, 18.1MM OD 289A FINISH M10			
1820	26, 27, 29, 35	2	901352773		WASHER, LOCK, HELICAL SPRING 3/8			

STOCKLIST CONTINUED ON SHEET D3

COPYRIGHT © 2001 LUCENT TECHNOLOGIES
ALL RIGHTS RESERVED

BT99

5ESS SWITCHING EQUIPMENT
SPECIFICATION FOR
CROSS AISLE CABLE TROUGHS
ASSEMBLY AND STOCKLIST
[CONTAINS KITS]

DWG SIZE C2 ISSUE 12

LUCENT TECHNOLOGIES INC ED5D510-71

SHEET D2 OF 7

PRINTED IN U.S.A.

STOCKLIST									
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE		
							SYM	NBR	
1830	28,29,30,31,32,33,34	1	848058434		ASSEMBLY, SHIELD				
1840	28,29,30,31,32,33,34	1	901342535		SCREW, CAPTIVE M8-25MM, HEX				
1850	28,29,30,31,32,33,34	1	901344143		NUT, HEXAGONAL M8				
1860	29,32,40,41	1	848040762		ASSEMBLY, BRACKET STEEL				
1870	30,33,34	1	848063053		SPACER, BASE				
1880	30,33,34	2	848039954		ASSEMBLY, BRACKET				
1890	33	4	901342519	M8	SCREW, CAP (HEXAGONAL) M8 X 1.25MM X 16MM STEEL, 289A ZINC CHROMATE				
1900	33	4	901352773		WASHER, LOCK, HELICAL SPRING 3/8				
1910	33	2	848039962		BRACKET, CABLE				
1920	35	1	848093985		CABLE, LADDER (NON-STANDARD)				
1930	36,37	1	848059846		TROUGH, INNER				
1940	36,37	1	848059853		TROUGH, OUTER				
1950	36,38,40,45,46	1	848060000		ADAPTER, NON-ELECTRICAL, INNER BRACKET				
1960	36,38,40,45,46	1	848059994		ADAPTER, NON-ELECTRICAL, OUTER BRACKET				
1970	38,39	1	848059861		TROUGH, OUTER				
1980	38,39	1	848059879		TROUGH, INNER				
1990	40,41	1	848059887		TROUGH, INNER				
2000	40,41	1	848059911		TROUGH, OUTER				
2010	40,41	1	901264747		WASHER, SPRING LOCK, STEEL 10.2MM ID, 18.1MM OD 289A FINISH M10				
2020	42,45	1	848059903		TROUGH, INNER				
2030	42,45	1	848059895		TROUGH, OUTER				
2040	43	1	848094017		TROUGH, INNER				
2050	43	1	848094058		TROUGH, OUTER				
2060	44	1	848094009		TROUGH, INNER				
2070	44	1	848094066		TROUGH, OUTER				
2080	26	1	848114716		COVER, PLATE STEEL, 289A				
2090	35	1	848114724		COVER, PLATE STEEL, 289A				
2100	26,35	2	901344143		NUT, HEXAGONAL M8				
2110	46	1	848129011		TROUGH, INNER				
2120	46	1	848129029		TROUGH, OUTER				
***** END OF STOCKLIST *****									

AA

5ESS CLASSIC TO GLOBAL CABLE RACK ENGINEERING SUMMARY SUPPORTING BRACKETS (GROUPS 27 THROUGH 34)				
	CLASSIC/GLOBAL	CLASSIC/GLOBAL	CLASSIC/GLOBAL	CLASSIC/GLOBAL
	WIRING/WIRING	EQPT/EQPT	EQPT/WIRING	WIRING/EQPT
BRACKETS	T&R	27	29	32
	PWR	27	30	31
	NCT	28	30	31
				33
				33
				34

AB

5ESS CLASSIC TO GLOBAL CABLE RACK ENGINEERING SUMMARY CROSS AISLE TROUGHS (GROUPS 37 THROUGH 46).				
CROSS AISLE	T&R	PWR	NCT	SPANNING
CLASSIC/GLOBAL EQPT/EQPT	37	37	36	20" TO 32"
	39	39	38	27" TO 44"
	41	41	40	45" TO 60"
CROSS AISLE	T&R	PWR	NCT	SPANNING
CLASSIC/GLOBAL WIRING/WIRING	37	37	36	20" TO 32"
	39	39	38	27" TO 44"
	41	41	40	45" TO 60"
CROSS AISLE	T&R	PWR	NCT	SPANNING
CLASSIC/GLOBAL EQPT/WIRING	42	39	38	20" TO 32"
	37	44	40	27" TO 44"
	44	41	40	45" TO 60"
CROSS AISLE	T&R	PWR	NCT	SPANNING
CLASSIC/GLOBAL WIRING/EQPT	37	46	46	20" TO 32"
	43	37	45	27" TO 44"
	41	43	38	45" TO 60"

COPYRIGHT © 2001 LUCENT TECHNOLOGIES ALL RIGHTS RESERVED	
BT99	
5ESS SWITCHING EQUIPMENT SPECIFICATION FOR CROSS AISLE CABLE TROUGHS ASSEMBLY AND STOCKLIST [CONTAINS KITS]	
DWG SIZE C2	ISSUE 12
LUCENT TECHNOLOGIES INC ED5D510-71	
SHEET D3 OF 7	