

ENGINEERING NOTES

- 51. UNASSIGNED.
- 52. UNASSIGNED.
- 53. ALL PARTS CALLED OUT IN FIGURES ON THIS DRAWING ARE ORDERED ON ED5D508-71.
- 54. LOCATE THE OPTIONAL FUSE HOLDER COMCODE 846905461 APPROXIMATELY WHERE SHOWN IN FIGURE 9, SHEET B9.
- 55. WHEN CHANGES ARE MADE IN THIS DRAWING, ONLY THOSE SHEETS AFFECTED WILL BE REISSUED.
- 56. THE SHEET INDEX WILL BE REISSUED AND BROUGHT UP TO DATE EACH TIME ANY SHEET OF THE DRAWING IS REISSUED, OR A NEW SHEET IS ADDED.
- 57. THE ISSUE NUMBER ASSIGNED TO A CHANGED OR NEW SHEET WILL BE THE SAME ISSUE NUMBER AS THAT OF THE SHEET INDEX. THE ISSUE NUMBER OF A TRAILER SHEET WILL BE THE SAME AS THE SHEET IT SUPPLEMENTS.
- 58. SHEETS THAT ARE NOT CHANGED WILL RETAIN THEIR EXISTING ISSUE NUMBER.
- 59. THE LAST NUMBER OF THE SHEET INDEX IS RECOGNIZED AS THE LATEST ISSUE NUMBER OF THE DRAWING AS A WHOLE.

ISSUE NOTES

| | | | | | |
|-------------------------------------|-----------|-----------|---------------------|------------------|--|
| ORIG ISS: 01/21/91 | | | | CHANGE CLASS: | |
| DRAFT: PKK | ENGR: GSC | SUPV: EJZ | CERTIFIED: 01/21/91 | ISSUE: 1 | |
| ENGINEERING NOTES 54 THRU 59 ADDED. | | | | | |
| ORIG ISS: 01/21/91 | | | | CHANGE CLASS: ME | |
| DRAFT: PKK | ENGR: GSC | SUPV: | CERTIFIED: 03/19/92 | ISSUE: 2 | |

SHEET INDEX

| | | | | | | | | | | | | |
|---------|------------|----|----|----|----|----|----|----|----|-----|---------|--|
| SHT NBR | A1 THRU A1 | | | | | | | | | | ISSUE 2 | |
| ISSUE | D1 THRU D1 | | | | | | | | | | ISSUE 2 | |
| SHT NBR | B1 | B2 | B3 | B4 | B5 | B6 | B7 | B8 | B9 | B10 | | |
| ISSUE | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | | |
| SHT NBR | | | | | | | | | | | | |
| ISSUE | | | | | | | | | | | | |
| SHT NBR | | | | | | | | | | | | |
| ISSUE | | | | | | | | | | | | |
| SHT NBR | | | | | | | | | | | | |
| ISSUE | | | | | | | | | | | | |
| SHT NBR | | | | | | | | | | | | |
| ISSUE | | | | | | | | | | | | |
| SHT NBR | | | | | | | | | | | | |
| ISSUE | | | | | | | | | | | | |
| SHT NBR | | | | | | | | | | | | |
| ISSUE | | | | | | | | | | | | |
| SHT NBR | | | | | | | | | | | | |
| ISSUE | | | | | | | | | | | | |

| | | | |
|--|------------|------------|-------------------|
| AT&T - PROPRIETARY USE PURSUANT TO COMPANY INSTRUCTIONS | | | |
| RT99 | | | |
| SESS SWITCHING EQUIPMENT METHOD OF INSTALLATION END GUARDS | | | |
| DWG SIZE C2 | | ISSUE 2 | |
| AT&T | ED5D511-17 | | SHEET A1 OF 12 |




FIG. 1
ED5D508-71 END GUARDS
(GROUP 1 SHOWN)

| | | |
|---|---------------------------------|-------------|
| COPYRIGHT 1991 AT&T UNPUBLISHED & NOT FOR PUBLICATION ALL RIGHTS RESERVED | | |
| SEE PROPRIETARY NOTICE ON SHEET ONE | | |
| METHOD OF INSTALLATION END GUARDS | DWG SIZE C2 | ISSUE 1 |
| AT&T | ED5D511-17 PRINTED IN U.S.A. | SHEET B1 |




FIG. 2
ED5D508-71 END GUARD
PLAN VIEW

COPYRIGHT 1991 AT&T
UNPUBLISHED & NOT FOR PUBLICATION
ALL RIGHTS RESERVED

SEE PROPRIETARY NOTICE ON SHEET ONE

METHOD OF INSTALLATION
END GUARDS

| | |
|----------------|------------|
| DWG SIZE C2 | ISSUE 1 |
|----------------|------------|

AT&T

ED5D511-17
PRINTED IN U.S.A.

SHEET
B2




FIG. 3
ED50508-71,G1 OR 11 END GUARD

| | | |
|---|---------------------------------|-------------|
| COPYRIGHT 1991 AT&T UNPUBLISHED & NOT FOR PUBLICATION ALL RIGHTS RESERVED | | |
| SEE PROPRIETARY NOTICE ON SHEET ONE | | |
| METHOD OF INSTALLATION END GUARDS | DWG SIZE | ISSUE |
| | C2 | 1 |
| AT&T | ED50511-17 PRINTED IN U.S.A. | SHEET B3 |




FIG. 4
 FRONT VIEW
 (GROUP 6 OR 13 SHOWN)

COPYRIGHT 1991 AT&T
 UNPUBLISHED & NOT FOR PUBLICATION
 ALL RIGHTS RESERVED

SEE PROPRIETARY NOTICE ON SHEET ONE

METHOD OF INSTALLATION
END GUARDS

DWG SIZE
C2

ISSUE
1

AT&T

ED5D511-17
PRINTED IN U.S.A.

SHEET
B4




FIG. 5
FRONT VIEW
(GROUP 1 OR 11)

COPYRIGHT 1991 AT&T
UNPUBLISHED & NOT FOR PUBLICATION
ALL RIGHTS RESERVED

SEE PROPRIETARY NOTICE ON SHEET ONE

METHOD OF INSTALLATION
END GUARDS

DWG SIZE
C2

ISSUE
1

AT&T

ED5D511-17
PRINTED IN U.S.A.

SHEET
B5




FIG. 6
(GROUP 3 OR 12)

COPYRIGHT 1991 AT&T
UNPUBLISHED & NOT FOR PUBLICATION
ALL RIGHTS RESERVED

SEE PROPRIETARY NOTICE ON SHEET ONE

METHOD OF INSTALLATION
END GUARDS

DWG SIZE
C2

ISSUE
1

AT&T

ED5D511-17
PRINTED IN U.S.A.

SHEET
86




FIG. 7
FRONT VIEW
(GROUP 4)

COPYRIGHT 1991 AT&T
UNPUBLISHED & NOT FOR PUBLICATION
ALL RIGHTS RESERVED

SEE PROPRIETARY NOTICE ON SHEET ONE

METHOD OF INSTALLATION
END GUARDS

| | |
|----------------|------------|
| DWG SIZE C2 | ISSUE 1 |
|----------------|------------|

AT&T

ED5D511-17
PRINTED IN U.S.A.

SHEET
B7




FIG. 8
FRONT VIEW
(GROUP 5)

| | | |
|---|----------------|---------------------------------|
| COPYRIGHT 1991 AT&T UNPUBLISHED & NOT FOR PUBLICATION ALL RIGHTS RESERVED | | |
| SEE PROPRIETARY NOTICE ON SHEET ONE | | |
| METHOD OF INSTALLATION END GUARDS | DWG SIZE C2 | ISSUE 1 |
| | AT&T | ED5D511-17 PRINTED IN U.S.A. |
| | | SHEET 88 |







FIG. 9
VIEW OF END GUARD ASSEMBLY
WITH END CAP, BEZEL AND
THE FUSE HOLDER SHOWN



| | | |
|---|--|-------------|
| COPYRIGHT 1992 AT&T UNPUBLISHED & NOT FOR PUBLICATION ALL RIGHTS RESERVED | | |
| SEE PROPRIETARY NOTICE ON SHEET ONE | | |
| METHOD OF INSTALLATION END GUARDS | DWG SIZE | ISSUE |
| | C2 | 2 |
| AT&T | ED5D511-17 <small>PRINTED IN U.S.A.</small> | SHEET B9 |



SECT. D-D

COPYRIGHT 1991 AT&T
UNPUBLISHED & NOT FOR PUBLICATION
ALL RIGHTS RESERVED

SEE PROPRIETARY NOTICE ON SHEET ONE

METHOD OF INSTALLATION
END GUARDS

| | |
|----------------|------------|
| DWG SIZE C2 | ISSUE 1 |
|----------------|------------|

AT&T

ED5D511-17
PRINTED IN U.S.A.

SHEET
B10

| | |
|-----------------------|--|
| MANUFACTURING NOTES | |
| S H E E T | 1. 846561009 BACKING STRIP IS REQUIRED AT RIGHT END OF CABLE RACK LINEUP ONLY. |
| X | 2. INTERMEDIATE END GUARDS GROUPS 8 & 9 AT CABINET GAPS IN LINEUP SHALL BE INSTALLED FIRST BEFORE CABLE RACK BRIDGE AND CABLE RACK. INSTALL DOOR FIRST FOR EASE OF INSTALLATION. |
| X | |

SEE PROPRIETARY NOTICE ON SHEET ONE

| | |
|--|------------|
| RT99 | |
| SESS SWITCHING EQUIPMENT METHOD OF INSTALLATION END GUARDS | |
| DWG SIZE C2 | ISSUE 2 |
| AT&T | ED5D511-17 |
| SHEET D1 OF 12 | |

ED5D511-17