

TABLE A-FEATURES											
EQUIPMENT		EQUIPMENT OR CIRCUIT DATA							SD EQUIVALENT		
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED TO CONNECT A 201C DATA SET MOUNTED ON DS CABINET TO A PCC.			1								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED TO CONNECT A 201C DATA SET MOUNTED ON DS CABINET TO A PCC,E/W 963T-TYPE CONNECTORS.			2								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED TO CONNECT A 202T DATA SET MOUNTED ON DS CABINET TO A PCC.			3								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED TO CONNECT GANDALF 3309 DS IN DSC-EXPORT TO A PCC. 50 FEET MAX. LENGTH.			3A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED TO CONNECT A 2024A OR 2048A DATA SET MOUNTED ON DS CABINET TO A PCC,E/W 963T-TYPE CONNECTORS.			4								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED TO CONNECT A 212AR DATA SET MOUNTED ON DS CABINET TO A PCC.			5								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED TO CONNECT A 2296 MODEM (V.32) TO TN75C CIRCUIT PACK. (MAX LENGTH 50')			5A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED TO CONNECT A MODEM TO TN75C/85C CIRCUIT PACK. (LENGTH 50 FT.)			5B								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED TO CONNECT 212AR DATA SET MOUNTED ON DS CABINET TO DF.			6								
NOT USED.			7								
NOT USED.			8								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED TO CONNECT A 48FRI DATA SET MOUNTED ON DS CABINET OR V.24 DATA SET MTG TO A DF. (4-WIRES).			9								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED TO CONNECT A 48FRI DATA SET TO DF (8-WIRES).			9A								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED TO CONNECT DATA SET MTG 16 MODEMS TO DF.			9B								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED TO CONNECT A VT100 TO A TI800 ROP.			10								
NOT USED.			11								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED TO CONNECT A PCCA TO 212AR MOUNTED IN A CABINET.			12								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED TO CONNECT MOD 43 TTY TO 212AR DS().			13								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED TO CONNECT MSA TO THE KS22636 L1 ADAPTER ON THE 2048 DATA SET.			14								

TABLE-A CONTINUED

TABLE A-FEATURES (CONTINUED)											
EQUIPMENT		EQUIPMENT OR CIRCUIT DATA							SD EQUIVALENT		
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED TO CONNECT A REMOTE STLWS ARRANGEMENT BETWEEN THE TN74B AND THE 212A DATA SET (MAX LGTH 250').			15								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED TO CONNECT GANDALF 3309 DS IN DSC-EXPORT TO A PCC. 250 FEET MAX. LENGTH.			15A								
CONNECTORIZED SWBD CABLE ASSEMBLIES REQUIRED TO CONNECT TN82 CP LOCATED IN I/O P OF PCCA TO A 2556B DATA SET.			16								
CONNECTORIZED SWBD CABLE ASSEMBLY FOR CONNECTING 8 MODEM DATA SET MTG TO A DF. (V.35).			17								
RESERVED FOR BULK CABLE.			18								
RESERVED FOR BULK CABLE.			18A								
RESERVED FOR BULK CABLE.			19								
RESERVED FOR BULK CABLE.			20								
CONNECTORIZED SWBD CABLE ASSEMBLY FOR F/F UNIT EQUIPPED IN DATA SET CABINET EXPORT J5X099A-1,E/W 963T-TYPE CONNECTORS.			21								
CONNECTORIZED SWBD CABLE ASSEMBLIES REQUIRED TO CONNECT AN AT&T STU-III SECURE DATA DEVICE, MODEL 1900 ONLY, MOUNTED ON DS CABINET TO A PCC.			22								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED TO CONNECT A 201C DATA SET MOUNTED ON DS CABINET TO A PCC,E/W AMP-TYPE CONNECTORS.			102								
CONNECTORIZED SWBD CABLE ASSEMBLY REQUIRED TO CONNECT A 2024A OR 2048A DATA SET MOUNTED ON DS CABINET TO A PCC,E/W AMP-TYPE CONNECTORS.			104								
CONNECTORIZED SWBD CABLE ASSEMBLY FOR F/F UNIT EQUIPPED IN DATA SET CABINET EXPORT J5X099A-1, E/W AMP-TYPE CONNECTORS.			121								

END OF TABLE-A

SEE PROPRIETARY NOTICE ON SHEET ONE

RT13

5ESS SWITCHING EQUIPMENT
ARRANGED WITH 2-WIRE FEATURES
CONNECTORIZED SWITCHBOARD
CABLE ASSEMBLIES
FOR
6 FT DATA SET CABINET
ED-5D522-30

DWG SIZE
C2

ISSUE
29

ED5D517-30

LUCENT TECHNOLOGIES INC ED5D517-30


SHEET A2
OF 10



THE "A" DIM IS THE LENGTH OF SWBD CABLE FRONT OF CONN TO FRONT OF CONN.
 THE "D" AND "E" DIM ARE THE DIM FROM BUTT OF CABLE TO THE FRONT OF CONN.

SK. A
 (SEE TABLE S)

GROUP	CABLE CODE	CABLE DESIG	"A" DIM	LENGTH FROM CABLE BUTT TO FRONT OF CONN				SEE MANF NOTE
				"D" DIM		"E" DIM		
				CM	FT-IN	CM	FT-IN	
1	816A	JN1	X DIM		5.1 [2]	5.1 [2]	3,4,5	
2,102	816A	JN2	X DIM+33.0 [1-1]		5.1 [2]	5.1 [2]	3,4,5,7	
3	812A	JN3	X DIM		5.1 [2]	5.1 [2]	3,4,5	
3A	812A	JN3A	X DIM		5.1 [2]	5.1 [2]	3,4,5	
5	816A	JN5	X DIM		5.1 [2]	5.1 [2]	3,4,5	
5A	816A	JN5A	X DIM		5.1 [2]	5.1 [2]	3,4,5	
5B	816A	JN5B	X DIM		5.1 [2]	5.1 [2]	3,4,5	
10	807A	JN10	X DIM+30.5 [1-0]		5.1 [2]	5.1 [2]	3,4	
12	812A	JN12	X DIM		5.1 [2]	5.1 [2]	3,4,5	
13	811A	JN13	X DIM		5.1 [2]	5.1 [2]	3,4,5	
16	811AS	JN16	X DIM		7.0 [2.3/4]	5.1 [2]	3,4,5	
22	812A	JN22	X DIM		5.1 [2]	5.1 [2]	3,4,5	



GROUP 16

PROJ-EGEDFORM. FRM-FEB 96

ED5D517-30

FOR PROPRIETARY NOTICE SEE SHEET A1		THIRD ANGLE PROJ	
CONNECTORIZED SWITCHBOARD			
CABLE ASSEMBLIES		DWG SIZE	ISSUE
		C2	29
LUCENT TECHNOLOGIES		SHEET NO. C1	
ED5D517-30		MODEL NAME	




FIG. A
 GROUP 4 OR 104
 CABLE FORM REQUIRED PRIOR TO ACCOMMODATING
 963T-24 OR AMP-TYPE CONN FOR INTERCONNECTING OF DS TO PCC

PROJ-EGEDFORM. FRM-FEB 96

ED5D517-30

FOR PROPRIETARY NOTICE SEE SHEET A1		
CONNECTORIZED SWITCHBOARD	THIRD ANGLE PROJ 	
CABLE ASSEMBLIES	DWG SIZE C2	ISSUE 29
LUCENT TECHNOLOGIES	ED5D517-30	SHEET NO. C3

MODEL NAME



THE "A" DIM IS THE LENGTH OF SWBD CABLE FRONT OF CONN TO FRONT OF CONN.
 THE "D" AND "E" DIM ARE THE DIM FROM BUTT OF CABLE TO THE FRONT OF CONN.

SK. A
 (SEE TABLE S)

GROUP	CABLE CODE	CABLE DESIG	"A" DIM	LENGTH FROM CABLE BUTT TO FRONT OF CONN				SEE MANF NOTE
				"D" DIM		"E" DIM		
				CM	FT-IN	CM	FT-IN	
6	811A	JN6	X DIM + 15.2 [6]	8.9 [3.1/2]			3,4,5,7	
9	812A	JN9	X DIM	7.6 [3"] & FIG.B			3,4,5	
9A	812A	JN9A	X DIM	7.6 [3"] & FIG.B1			3,4,5	
9B	808A	JN9B	X DIM	51.8 [1-8.3/8]			3,4,5	
17	272R3	JN17	X DIM + 7.6 [3]	8.9 [3.1/2]			3,4,5	
21, 121	812A	JN21	X DIM + 17.8 [7]	15.2 [6]			3,4,5	




FIG. B
 GROUP 9




FIG. B1
 GROUP 9A




FIG. B2
 GROUP 9B

FOR PROPRIETARY NOTICE SEE SHEET A1		THIRD ANGLE PROJ	
CONNECTORIZED SWITCHBOARD			
CABLE ASSEMBLIES		DWG SIZE	ISSUE
		C2	29
LUCENT TECHNOLOGIES		SHEET NO. C4	
ED5D517-30		MODEL NAME	

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1010	1	1	103125373	982AE	CONNECTOR, ELECTRICAL			
1020	1	1	105412563	816A-6/26	CABLE UL LISTED 26GA TYPE CMR			4 5
1030	1	1	842923773		RELIEF, STRAIN			
1045	1	A/R	401194428	KS19195L1	WIRE, GROUND 26 GA, SOLID, BK			
1046	1	A/R	814667119	P46F711	WIRE 26GA BARE SOLID			
1050	1	1	997082144	KS19088L2	CONNECTOR, PLUG MALE			
1060	1	1	996975918	KS19196L2	HOOD			
1070	1	1	803382415	P338241	STAYBAND, WING			
1080	1	1	996512786		GROMMET #374 ATLANTIC INDIA RUBBER WORK OR EQUIVALENT 5/32 X 7/16 X 9/32 INCHES			6
1094	2	1	105772826	963T-24	CONNECTOR			
1095	2	2	106904956	TCOV-NS24G	COVER, PROTECTIVE			
1096	102	1	406922286		CONNECTOR, MINI RIBBON #2-966061-4 AMP INC			
1097	102	2	406885731		COVER, CONNECTOR #3-964393-2 AMP INC.			
1100	2,102	1	105412563	816A-6/26	CABLE UL LISTED 26GA TYPE CMR			4 5 7
1152	2,102	1	405189168		PLUG #TBS-25PT TRW INC. 25 CONTACT			
1154	2,102	1	405184524		HOOD #SDH-25BFCS STRAIGHT WITH TWO CAPTIVE 4-40 SCREWS TRW INC. SUPER D ADAPTER SYSTEM, BLACK PLASTIC			
1160	2,102	1	996512786		GROMMET #374 ATLANTIC INDIA RUBBER WORK OR EQUIVALENT 5/32 X 7/16 X 9/32 INCHES			6
1165	2,4,6, 102,104	2	401863774		JACK SCREW, LONG FEMALE #200867-1 AMP INC.		*	8
1167	2,4,6, 102,104	2	401863782		JACK SCREW, LONG MALE #200871-1 AMP INC.		*	8
1170	3,3A,22	1	103125373	982AE	CONNECTOR, ELECTRICAL			
1180	3,3A,22	1	105412530	812A-4/26	CABLE 26 GAGE			4 5
1190	3,3A,22	1	842923773		RELIEF, STRAIN			
1205	3,3A,22	A/R	401194428	KS19195L1	WIRE, GROUND 26 GA, SOLID, BK			
1210	3,3A,22	1	997082144	KS19088L2	CONNECTOR, PLUG MALE			
1220	3,3A,22	1	996975918	KS19196L2	HOOD			
1230	3,3A,22	1	803382415	P338241	STAYBAND, WING			
1240	3,3A,22	1	996512786		GROMMET #374 ATLANTIC INDIA RUBBER WORK OR EQUIVALENT 5/32 X 7/16 X 9/32 INCHES			6
1254	4	2	105772826	963T-24	CONNECTOR			
1255	4	4	106904956	TCOV-NS24G	COVER, PROTECTIVE			

STOCKLIST CONTINUED ON SHEET D2

ED5D517-30

S
H
O
P

I
N
S
T

MANUFACTURING NOTES

1. X PARTS REQUIRED FOR INSTALLATION.

X/ PARTS REQUIRED FOR MANUFACTURE WHEN EQUIPMENT IS SHOP MOUNTED OR BY THE INSTALLER WHEN THE EQUIPMENT IS TO BE FIELD MOUNTED.

* PARTS THAT ARE TO BE SHIPPED ATTACHED TO OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED ASSEMBLED ITEM.

*/ PARTS (A) REQUIRED FOR MANUFACTURE WHEN EQUIPMENT INVOLVED IS SHOP MOUNTED OR (B) TO BE SHIPPED ATTACHED TO, OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED ASSEMBLED ITEM WHEN FIELD MOUNTED.

() INDICATES DESIGNATIONS TO BE STAMPED IN ACCORDANCE WITH JOB INFORMATION.

{ } INDICATES DESIGNATIONS SHOWN FOR INFORMATION ONLY AND ARE NOT TO BE STAMPED.

< > INDICATES DESIGNATIONS AND/OR INFORMATION PROVIDED IN ACCORDANCE WITH OTHER INFORMATION.

"W" PARTS ASSEMBLED AT THE SAME TIME THE EQUIPMENT IS MOUNTED.

"W*" PARTS TO BE (A) SHOP ASSEMBLED, BUT WHICH CANNOT BE ASSEMBLED UNTIL THE ASSOCIATED EQUIPMENT IS BEING MOUNTED, OR (B) SHIPPED ATTACHED TO, OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED EQUIPMENT WHEN FIELD MOUNTED.

"S" PARTS NOT ASSEMBLED, SHIPPED SEPARATELY.

A/R AS REQUIRED.

"B" PARTIAL ASSEMBLIES ON OTHER DRAWINGS WITH STOCKLISTS.

- X 1. THESE CABLE ASSEMBLIES CONSIST OF 100% 26BY WIRE IN CABLE UNLESS OTHERWISE SPECIFIED.
- X 2. UNASSIGNED.
- X 3. DIMENSIONS 12 INCHES AND OVER ARE EXPRESSED IN FEET AND INCHES. ALL OTHER DIMENSIONS ARE IN INCHES.
- X 4. THE 'X' DIMENSIONS SHALL BE OBTAINED FROM THE JOB SPECIFICATION. MANUFACTURING TOLERANCE IS + OR - 1.5% ROUNDED TO THE NEXT HIGHER 1/2 - INCH INCREMENT.
- X 5. UNLESS OTHERWISE SPECIFIED, REQUIRED SHINERS TO BE DETERMINED BY INDIVIDUAL MANUFACTURING LOCATION AND ADDED TO THE MANUFACTURING LAYOUT.
- X 6. IF GROMMET IS TOO SMALL TO ACCOMMODATE THE VARIABLE CABLE JACKET THICKNESSES, THEN THE SHOP MAY SUBSTITUTE A SHORT LENGTH OF TYGON TUBING APPROX 5/16 INCH ID OR OTHER APPROVED EQUIV.
- X 7. WHEN IDC CONNECTOR IS USED IN LIEU OF SOLDERED TYPE OF CONN, ADD APPROX. 6IN.-10IN. TO DIM. 'D' OR 'E' AS REQUIRED, AND INCLUDE THIS TO 'X' DIM.
- X 8. MALE JACK SCREW #200871-1 AND FEMALE JACK SCREW #200867-1 MUST BE SHIPPED LOOSE WITH THE CABLE DUE TO A VARIATION OF 2556 DS, WHICH MAY REQUIRE EITHER TYPE OF JACK SCREW (#201414-1,#201413-1 SINGLE LEAD THREAD OR #200871-1,#200867-1 DOUBLE THREAD).

SEE PROPRIETARY NOTICE ON SHEET ONE

RT13

5ESS SWITCHING EQUIPMENT
ARRANGED WITH 2-WIRE FEATURES
CONNECTORIZED SWITCHBOARD
CABLE ASSEMBLIES
FOR
6 FT DATA SET CABINET
ED-5D522-30

DWG SIZE
C2

ISSUE
29

LUCENT TECHNOLOGIES INC

ED5D517-30

SHEET D1
OF 10

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1256	104	2	406922286		CONNECTOR, MINI RIBBON #2-966061-4 AMP INC			
1257	104	2	406885731		COVER, CONNECTOR #3-964393-2 AMP INC.			
1258	104	2	406884635		COVER, CONNECTOR #1-964393-2 AMP INC.			
1260	4,104	1	105412480	#807A16/26	CABLE 26 GA UL LISTED TYPE CMR			4 5 7
1312	4,104	1	405189234		PLUG #TCS-37PT 37 CONTACT BRIGHT TIN FINISH W/O INDENTATIONS W/O NOTCHES TRW INC.			
1314	4,104	1	405184516		HOOD #SDH-37BFCS SUPER D ADAPTER SYSTEM, BLACK PLASTIC STRAIGHT WITH TWO CAPTIVE 4-40 TRW INC.			
1320	4,104	1	996512786		GROMMET #374 5/32 X 7/16 X 9/32 INCHES ATLANTIC INDIA RUBBER WORK OR EQUIVALENT			6
1330	5,5A,5B	1	103125373	982AE	CONNECTOR, ELECTRICAL			
1340	5,5A,5B	1	105412563	816A-6/26	CABLE UL LISTED TYPE CMR 26GA			
1350	5,5A,5B	1	842923773		RELIEF, STRAIN			
1370	5,5A,5B	1	997082144	KS19088L2	CONNECTOR, PLUG MALE			
1380	5,5A,5B	1	996975918	KS19196L2	HOOD			
1390	5,5A,5B	1	803382415	P338241	STAYBAND, WING			
1400	5,5A,5B	1	996512786		GROMMET #374 5/32 X 7/16 X 9/32 INCHES ATLANTIC INDIA RUBBER WORK OR EQUIVALENT			6
1405	5,5A,5B	A/R	401194428	KS19195L1	WIRE, GROUND 26 GA, SOLID, BK			
1406	5A,5B	A/R	814667119	P46F711	WIRE 26GA BARE SOLID			
1410	6	1	105412522	#811A8/26	CABLE 26GA			4 5 7
1442	6	1	405189226		SOCKET #TBS-25ST 25 CONTACT TRW INC.			
1444	6	1	405184524		HOOD #SDH-25BFCS SUPER D ADAPTER SYSTEM, BLACK PLASTIC STRAIGHT WITH TWO CAPTIVE 4-40 SCREWS TRW INC.			
1450	6	1	996512786		GROMMET #374 5/32 X 7/16 X 9/32 INCHES ATLANTIC INDIA RUBBER WORK OR EQUIVALENT			6
1460	9	1	105412530	812A-4/26	CABLE 26 GAGE			4 5
1471	9	4	401694997		TERMINAL #52924 AMP INC			
1475	9A	1	105412530	812A-4/26	CABLE 26 GAGE			4 5
1481	9B	1	105412498	808A32/26	CABLE, ELECTRONIC 26GA CONVENIENT LENGTH PACKAGES UL LISTED CMR			4 5
1483	9A	8	401694997		TERMINAL #52924 AMP INC			

***** STOCKLIST CONTINUED AT RIGHT *****

ED5D517-30

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1484	9B	64	401694997		TERMINAL #52924 AMP INC			
1490	10	1	405189168		PLUG #TBS-25PT 25 CONTACT TRW INC.			
1500	10	2	405184524		HOOD #SDH-25BFCS SUPER D ADAPTER SYSTEM, BLACK PLASTIC STRAIGHT WITH TWO CAPTIVE 4-40 SCREWS TRW INC.			
1510	10	2	803382415	P338241	STAYBAND, WING			
1520	10	2	996512786		GROMMET #374 5/32 X 7/16 X 9/32 INCHES ATLANTIC INDIA RUBBER WORK OR EQUIVALENT			
1530	10	1	105412480	#807A16/26	CABLE 26 GA UL LISTED TYPE CMR			4 5
1540	10	1	405189226		SOCKET #TBS-25ST 25 CONTACT TRW INC.			
1550	12	1	103125373	982AE	CONNECTOR, ELECTRICAL			
1560	12	1	997082144	KS19088L2	CONNECTOR, PLUG MALE			
1570	12	1	996975918	KS19196L2	HOOD			
1580	12	1	803382415	P338241	STAYBAND, WING			
1590	12	1	996512786		GROMMET #374 5/32 X 7/16 X 9/32 INCHES ATLANTIC INDIA RUBBER WORK OR EQUIVALENT			6
1600	12	1	105412530	812A-4/26	CABLE 26 GAGE			4 5
1620	12	A/R	401194428	KS19195L1	WIRE, GROUND 26 GA, SOLID, BK			
1630	12	A/R	814667119	P46F711	WIRE 26GA BARE SOLID			
1635	12	1	842923773		RELIEF, STRAIN			
1640	13	2	997082151	KS19087L2	CONNECTOR, RECEPTACLE, FEMALE			
1650	13	2	996975918	KS19196L2	HOOD			
1660	13	2	803382415	P338241	STAYBAND, WING			
1670	13	2	996512786		GROMMET #374 5/32 X 7/16 X 9/32 INCHES ATLANTIC INDIA RUBBER WORK OR EQUIVALENT			6
1680	13	1	105412522	#811A8/26	CABLE 26GA			4 5
1690	14	2	405189168		PLUG #TBS-25PT 25 CONTACT TRW INC.			
1700	14	2	405184524		HOOD #SDH-25BFCS SUPER D ADAPTER SYSTEM, BLACK PLASTIC STRAIGHT WITH TWO CAPTIVE 4-40 SCREWS TRW INC.			
1710	14	2	803382415	P338241	STAYBAND, WING			

STOCKLIST CONTINUED ON SHEET D3

SEE PROPRIETARY NOTICE ON SHEET ONE

RT13	
5ESS SWITCHING EQUIPMENT ARRANGED WITH 2-WIRE FEATURES CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES FOR 6 FT DATA SET CABINET ED-5D522-30	
DWG SIZE C2	ISSUE 29
LUCENT TECHNOLOGIES INC ED5D517-30	
SHEET D2 OF 10	

STOCKLIST										
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE			
							SYM	NBR		
1720	14	2	996512786		GROMMET #374 5/32 X 7/16 X 9/32 INCHES ATLANTIC INDIA RUBBER WORK /OR EQUIV.			6		
1730	14	1	105412480	#807A16/26	CABLE 26 GA UL LISTED TYPE CMR			4	5	
1750	15,15A	1	103125373	982AE	CONNECTOR, ELECTRICAL					
1760	15,15A	1	842923757		RELIEF, STRAIN T-HANDLE					
1770	15,15A	1	105411318	1246004C	CABLE, ELECTRONIC 26GA			4	5	
1780	15,15A	1	997082144	KS19088L2	CONNECTOR, PLUG MALE					
1790	15,15A	1	996975918	KS19196L2	HOOD					
1800	15,15A	1	900664939		TUBING, HEAT SHRINKABLE #RT876 1/2 IN. ID. X 1 1/2 IN. LG. BLACK RAYCHEM CORP. /OR EQUIV.					
1810	15,15A	1	401272612		SLEEVE, HEAT SHRINKABLE #RT876 3/16 IN. DIA. X 1-1/4 IN. LG. BLACK RAYCHEM CORP. /OR EQUIV.					
1820	15,15A	1	900452368		TUBING #RT876 1/2 IN ID X 3/4 IN LG BLK RAYCHEM CORP. /OR EQUIV.					
1830	15,15A	A/R	401194428	KS19195L1	WIRE, GROUND 26 GA, SOLID, BK					
1840	15,15A	A/R	814667119	P46F711	WIRE 26GA BARE SOLID					
1850	16	1	105419469	811AS	CABLE, ELECTRONIC 26GA, 8 PAIR SHIELDED					
1860	16	1	402242580	KS21303L9	BLOCK, CONNECTOR					
1870	16	1	400583084		HOOD #200517-2 AMP INC. /OR EQUIV.					
1880	16	1	401863782		JACK SCREW, LONG MALE #200871-1 AMP INC. /OR EQUIV.		*		8	
1890	16	1	401863774		JACK SCREW, LONG FEMALE #200867-1 AMP INC. /OR EQUIV.		*		8	
1900	16	1	402804272		JACK SCREW, MALE #201413-1 AMP INC. /OR EQUIV.					
1910	16	1	402803597		JACK SCREW, FEMALE #201414-1 AMP INC. /OR EQUIV.					
1920	16	1	401194428	KS19195L1	WIRE, GROUND 26 GA, SOLID, BK 2 1/4IN. LG					
1930	16	1	401194428	KS19195L1	WIRE, GROUND 26 GA, SOLID, BK 2IN. LG					
1940	16	A/R	814667119	P46F711	WIRE 26GA BARE SOLID					
1950	16	1	103125373	982AE	CONNECTOR, ELECTRICAL					
1960	16	1	842923757		RELIEF, STRAIN					
1970	16	2	900293283		TUBING, HEAT SHRINKABLE #RT876 3/8 IN.X 2 IN. BLACK RAYCHEM CORP. /OR EQUIV.					

***** STOCKLIST CONTINUED AT RIGHT *****

ED5D517-30

STOCKLIST										
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE			
							SYM	NBR		
1990	16	1	403302433	KS21303L6	CONTACT, CONNECTOR PIN 20-24GA					
2000	16	12	407359926		CONTACT, PIN #66393-8 AMP INC.					
2010	16	A/R	401194428	KS19195L1	WIRE, GROUND 26 GA, SOLID, BK					
2020	17	1	402019244	KS21997L1	CONNECTOR PLUG					
2030	17	1	103728358	272R3	CABLE, CONDUCTOR 24GA 16 PR 32					
2050	21,121	1	105412530	812A-4/26	CABLE 26 GAGE					
2060	121	1	406922161		CONNECTOR #966061-6 AMP INC.					
2061	121	2	406885673		COVER, CONNECTOR #2-964393-3 AMP INC.					
2065	21	1	105772784	963T-6	CONNECTOR					
2066	21	2	106905425	TCOV-LS6G	COVER, PROTECTIVE					

***** END OF STOCKLIST *****

SEE PROPRIETARY NOTICE ON SHEET ONE	
5ESS SWITCHING EQUIPMENT ARRANGED WITH 2-WIRE FEATURES CONNECTORIZED SWITCHBOARD CABLE ASSEMBLIES FOR 6 FT DATA SET CABINET ED-5D522-30	
RT13	
DWG SIZE C2	ISSUE 29
LUCENT TECHNOLOGIES INC ED5D517-30	
SHEET OF 10	D3