



TABLE A-FEATURES

EQUIPMENT		EQUIPMENT OR CIRCUIT DATA							SD EQUIVALENT		
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
ASSEMBLY WIRING AND EQUIPMENT FOR ONE FUSE ALARM CIRCUIT PACK ASSEMBLY.			1	1	ED5D521-30	1					
ASSEMBLY, WIRING AND EQUIPMENT FOR ONE FUSE ALARM CIRCUIT PACK ASSEMBLY.			2	1	ED5D521-30	2					
APPARATUS REQUIRED IN ADDITION TO GROUP 1.			A	1	ED5D521-30	A					
APPARATUS REQUIRED IN ADDITION TO GROUP 2.			B	1							
END OF TABLE-A											

SEE PROPRIETARY NOTICE ON SHEET ONE

RT13

5ESS SWITCHING EQUIPMENT  
SPECIFICATION FOR  
FUSE ALARM CIRCUIT PACK  
PRINTED WIRING BOARD ASSEMBLY

DWG SIZE C2  
ISSUE 10



SHEET A2  
OF 5

ED5D521-30

AT&T

ED5D521-30

PRINTED IN U.S.A.



SK. A  
KEYWAY SLOT  
SCALE: NTS







FIG. 1  
SCALE 2/1



COPYRIGHT 1995 AT&T, ALL RIGHTS RESERVED		
PRINTED WIRING BOARD ASSEMBLY	DWG SIZE	ISSUE
	65	10
AT&T	ED5D521 - 30 <small>PRINTED IN U.S.A.</small>	SHEET C1



COMPONENT SIDE VIEW LESS  
COMPONENT SIDE CONDUCTOR PATTERN



COMPONENT SIDE  
CONDUCTOR PATTERN

FIG. 2

ED-5D521-30

AT&T - PROPRIETARY USE PURSUANT TO COMPANY INSTRUCTIONS		
PRINTED WIRING BOARD ASSEMBLY		DWG SIZE C2
		ISSUE 7
AT&T	ED-5D521-30	C2

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1010	1	1	843210675		ASSEMBLY, PRINTED WIRING BOARD E/W			
1015	2	1	846292514		BOARD, RIGID DOUBLE SIDED E/W			
1020	A,B	9	100174242	458C	DIODE CR1-CR8, CR10			
1021	A,B	9	403635444	WP90015L1	DIODE CR1-CR8,CR10			
1035	A	1	102489036	549A	DIODE, LIGHT EMITTING RED CR9			
1040	A,B	4	400254561	KS14603L3AD	RESISTOR 330 OHM R1-R4			
1050	A	1	400764536	KS20289L6C	RESISTOR 2610 OHM R5			
1060	A,B	1	400764486	KS20289L6C	RESISTOR 2150 OHM R6			
1070	A	1	843079690		FACEPLATE			
1080	A	2	996069449		RIVET, OVAL HEAD #7885 .059 DIA X 3/16 IN. LG SEMI-TUBULAR ALUMINUM TUBULAR RIVET & STUD CO.			
1090	A	2	996390795		RIVET #AD32BS 3/32 IN DIA ALUMINUM E/W STEEL MANDREL UNITED SHOE MACHINE CORP.			
1100	B	1	845233378		FACEPLATE			
1110	B	2	900591124		SCREW, FILLISTER HEAD .073-5/16 STEEL 289A FINISH CAM CAR SCREW & MFG. CO.			

\*\*\*\*\* END OF STOCKLIST \*\*\*\*\*

S H O P	I N S T	MANUFACTURING NOTES	
		2. HALFTONE AREA INDICATES CONDUCTOR PATTERN LOCATED ON OPPOSITE SIDE OF BOARD AND FULLTONE AREA INDICATES CONDUCTOR PATTERN LOCATED ON SIDE SHOWN. THESE AREA DEPICTIONS ARE FOR INFORMATION ONLY.	
		3. COMPONENT DESIGNATIONS ARE FOR INFORMATION ONLY AND ARE NOT TO BE STAMPED.	
		4. BLACK BAND DENOTES DIRECTION OF MOUNTING DIODES AS CODED.	
		5. CHARACTERS TO BE 1/8 INCH RUBBER STAMPED IN CONTRASTING COLOR PER WL-2151 AND LOCATED APPROXIMATELY AS SHOWN.	
		6. \$LEADS OF CR9 MUST BE FORMED TO 90 DEGREES AND NOT CONTACT FACE PLATE. CR9 MUST PROTRUDE FAR ENOUGH THRU FACE PLATE TO BE VISIBLE FROM THE SIDE WHEN LIT.\$	

SEE PROPRIETARY NOTICE ON SHEET ONE

RT13

5ESS SWITCHING EQUIPMENT  
SPECIFICATION FOR  
FUSE ALARM CIRCUIT PACK  
PRINTED WIRING BOARD ASSEMBLY

DWG SIZE C2 ISSUE 10

ED5D521-30

AT&T

ED5D521-30

SHEET D1 OF 5