

TABLE A-FEATURES											
EQUIPMENT		RAT- ING	LIST OR GROUP	EQUIPMENT OR CIRCUIT DATA					SD EQUIVALENT		
DESCRIPTION	REF NOTE			QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
LABEL REQUIRED FOR MESSAGE SWITCH CONTROL UNIT-MODEL 2 (FRONT,LEVEL 04).			1								
LABEL REQUIRED FOR MESSAGE SWITCH CONTROL UNIT-MODEL 2 (REAR,LEVEL 04).		DA	2								
LABEL REQUIRED FOR MESSAGE SWITCH CONTROL UNIT-MODEL 2 (REAR, LEVEL 04).		DA	3								
LABEL REQUIRED FOR MESSAGE SWITCH CONTROL UNIT-MODEL 2 (REAR,LEVEL 04).		DA	4								
LABEL REQUIRED FOR MESSAGE SWITCH CONTROL UNIT-MODEL 2. (REAR, LEVEL 04).		DA	5								
LABEL REQUIRED FOR MESSAGE SWITCH CONTROL UNIT-MODEL 2. (REAR,LEVEL 04).		DA	6								
LABEL REQUIRED FOR MESSAGE SWITCH CONTROL UNIT-MODEL 2. (REAR,LEVEL 04).			7								
LABEL REQUIRED FOR MESSAGE SWITCH CONTROL UNIT-MODEL 2 (REAR,LEVEL 04). REPL:NONE			8								
LABEL REQUIRED FOR MESSAGE SWITCH CONTROL UNIT-MODEL 3. (REAR,LEVEL 04). REPL:NONE			9								
LABEL REQUIRED FOR MESSAGE SWITCH CONTROL UNIT-MODEL 3. (FRONT,LEVEL 04). REPL:NONE			10								
LABEL REQUIRED FOR MESSAGE SWITCH CONTROL UNIT-MODEL 3 (REAR) FOR NSI APPLICATIONS. REPL:NONE			11								
LABEL REQUIRED FOR MESSAGE SWITCH CONTROL UNIT-MODEL 3 (FRONT) FOR NSI APPLICATIONS. REPL:NONE			12								
END OF TABLE-A											

ISSUE NOTES (CONTINUED)				
PI 9.1 AND 9.2 = CORRECTED GRAPHICS FOR GROUPS 11 AND 12 ON SHEET B2.				
ORIG ISS: 11/02/84		CHANGE CLASS: M		
DRAFT: TLW	ENGR: TLW	SUPV: JBC	CERTIFIED: 06/10/94	ISSUE: 10
H7749 - GRAPHICS UPDATED FOR GROUPS 10 AND 12 TO ADD DELIMITER BARS TO SHOW THE MSC FUNCTION IN THE MSCU3 UNIT.				
ORIG ISS: 11/02/84		NDD NBR: NDD5D020NW-112 CHANGE CLASS: M		
DRAFT: PMR	ENGR: PMR	SUPV: DWM	CERTIFIED: 07/08/96	ISSUE: 11

ISSUE NOTES				
ORIG ISS: 11/02/84		NDD NBR: 5D020IH-1		CHANGE CLASS:
DRAFT: DJP	ENGR: EDH	SUPV: JFM	VAULT: 11/02/84	ISSUE: 1
GROUP 3 ADDED. GROUP 2 WAS RATED STANDARD. LEVEL 45 ADDED TO GROUP 1. CN0059NW				
ORIG ISS: 11/02/84		CHANGE CLASS: A		
DRAFT: DJP	ENGR: EDH	SUPV:	VAULT: 03/18/85	ISSUE: 2
GROUP 4 ADDED. GROUP 3 WAS RATED STANDARD. CN0091NW				
ORIG ISS: 11/02/84		CHANGE CLASS: A		
DRAFT: DSL	ENGR: EDH	SUPV:	VAULT: 05/27/85	ISSUE: 3
----- * DRAWING CONVERTED FROM SEDBS TO MDS COMPUTER SYSTEMS. * * THIS IS A MACHINE COPY OF THE LATEST SEDBS CERTIFIED ISSUE * * AND MAY CONTAIN MINOR DIFFERENCES. THE TABLE OF ASSOCIATED * * DRAWINGS WAS ELIMINATED DURING MIGRATION TO ASSIST THE * * SCRUBBING OF PROPRIETARY INFORMATION. * -----				
GROUP 5 ADDED. GROUP 4 WAS RATED STANDARD.				
ORIG ISS: 11/02/84		CHANGE CLASS: AD		
DRAFT: DSL	ENGR: EDH	SUPV:	CERTIFIED: 12/10/85	ISSUE: 4
GROUP 6 ADDED. GROUP 5 WAS RATED PROVISIONAL. DRAWING RATING READ 'PROV'. CN0170NW.				
ORIG ISS: 11/02/84		CHANGE CLASS: A		
DRAFT: DSL	ENGR: EDH	SUPV:	CERTIFIED: 04/25/86	ISSUE: 5
GROUP 7 ADDED. CN0189NW.				
ORIG ISS: 11/02/84		CHANGE CLASS: A		
DRAFT: DSL	ENGR: EDH	SUPV:	CERTIFIED: 04/25/86	ISSUE: 6
GROUP 6 RERATED TO DA. CLEI CODES REMOVED FROM GROUP 7. POSITION 032 & 048 READ TMS56B. POSITION 056 READ UN173. IN STOCKLIST & MANUFACTURING NOTES, NOTE 12 ADDED.				
ORIG ISS: 11/02/84		CHANGE CLASS: B		
DRAFT: DSL	ENGR: RAM	SUPV:	CERTIFIED: 11/04/88	ISSUE: 7
GROUPS 8,9 & 10 ADDED.				
ORIG ISS: 11/02/84		CHANGE CLASS: B		
DRAFT: PKK	ENGR: JRK	SUPV:	CERTIFIED: 02/05/93	ISSUE: 8
GROUP 11,12 ADDED. TJ ADDED.				
ORIG ISS: 11/02/84		CHANGE CLASS: B		
DRAFT: JRK	ENGR: JRK	SUPV:	CERTIFIED: 05/07/93	ISSUE: 9

SHEET INDEX											
SHT NBR	A1 THRU A1		ISSUE 11								
SHT NBR	D1 THRU D1		ISSUE 11								
SHT NBR	B1	B2									
ISSUE	9	11									
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											

TABLE OF CONTENTS	
DESCRIPTION	SHT
SHEET INDEX	A1
ISSUE NOTES	A1
TABLE A	A1
B SECTION GRAPHICS	B1
MANUFACTURING NOTES	D1
STOCKLIST	D1
COMMON LANGUAGE IDENT - TABLE J	D1

AT&T - PROPRIETARY USE PURSUANT TO COMPANY INSTRUCTIONS	
SESS SWITCHING EQUIPMENT SPECIFICATION FOR LABELS	
RT13	
DWG SIZE C2	ISSUE 11
AT&T	ED5D582-10 SHEET A1 OF 4

ED5D582-10

008	024	032	040	048	056	066	082	090	106	120	134	146	156	170	178	
45							MSCU2									J5D020AB-1 SD-5D077-01
		PPC			FPC											

FRONT  
GROUP 1

008	024	032	040	048	056	066	082	090	106	120	134	146	156	170	178
E5P0978 SN516	PWPO54C 495FB	E5M031T TNB56B	E5M034K TNB86	E5M031T TNB56B	E5M034H UN173	E5P0978 SN516	PWPO54C 495FB	SP3001A UN25B	SP3001A UN25B	SP3001A UN25B	SP3001A UN25B	E5M036H UN178	E5M041B UN199	SP3006J TN70B	SP3005Z TN69B

REAR  
GROUP 2 ( MFR DISC )

008	024	032	040	048	056	066	082	090	106	120	134	146	156	170	178
E5P0978 SN516	PWPO54C 495FB	E5M031T TNB56B	E5M034K TNB86	E5M031T TNB56B	E5M034H UN173	E5P0978 SN516	PWPO54C 495FB	SP3001A UN25B	SP3001A UN25B	SP3001A UN25B	SP3001A UN25B	E5M0AAA UN178	E5M041B UN199	SP3006J TN70B	SP3005Z TN69B

REAR  
GROUP 3 ( MFR DISC )

008	024	032	040	048	056	066	082	090	106	120	134	146	156	170	178
E5P0978 SN516	PWPO54C 495FB	E5M040S TNB56B	E5M034K TNB86	E5M040S TNB56B	E5M034H UN173	E5P0978 SN516	PWPO54C 495FB	SP3001A UN25B	SP3001A UN25B	SP3001A UN25B	SP3001A UN25B	E5M0AAA UN178	E5M041B UN199	SP3006J TN70B	SP3005Z TN69B

REAR  
GROUP 4 ( MFR DISC )

008	024	032	040	048	056	066	082	090	106	120	134	146	156	170	178
E5P0978 SN516	PWPO54C 495FB	E5M031T TNB56B	E5M034K TNB86	E5M031T TNB56B	E5M034H UN173	E5P0978 SN516	PWPO54C 495FB	SP3001A UN25B	SP3001A UN25B	SP3001A UN25B	SP3001A UN25B	E5M0AAA UN178	E5M041B UN199	SP3006J TN70B	SP3005Z TN69B

REAR  
GROUP 5 ( MFR DISC )

008	024	032	040	048	056	066	082	090	106	120	134	146	156	170	178
SN516	495FB	MC5D 078A1	TN886	MC5D 078A1	MC5D 039A1	SN516	495FB	UN25B	UN25B	UN25B	UN25B	UN178	UN199	TN70B	TN69B

REAR  
GROUP 6 ( DA )

SEE PROPRIETARY NOTICE ON SHEET ONE

LABELS	DWG SIZE C2	ISSUE 9
	SHEET B1	

008	024	032	040	048	056	066	082	090	106	120	134	146	156	170	178
SN516	495FB	MC5D 078A1	TN886	MC5D 078A1	MC5D 039A1	SN516	495FB	UN258	UN258	UN258	UN258	UN178	UN199	TN708	TN698

REAR  
GROUP 7

008	024	032	040	048	056	066	082	090	106	120	134	146	156	170	178
45		PPC		FPC			MSCU2							J50020AB-2 SD-50077-01	

FRONT  
GROUP 8

008	024	032	040	048	056	066	082	106	120	134	155
SN516B	495FB	MC5D 078A1C	TN886	MC5D 078A1C	MC5D 039A1	SN516B	495FB	UN258	UN258	UN258	KBN10

REAR  
GROUP 9

008	024	032	040	048	056	066	082	106	120	134	155
45		PPC		FPC			MSCU3	MSC			J50020AH-5 SD-50508-01

FRONT  
GROUP 10

009	027	035	043	051	059	067	085	101	109	115	123	129	137	150	160
008	024	032	040	048	056	066	082	106	120	134	156				
SN516	495FB	TN856	TN886	TN856	TN856	SN516	495FB	UN25	UN25	UN25	KBN10				

REAR  
GROUP 11

008	024	032	040	048	056	066	082	106	120	134	156
		PPC		FPC			MSCU3	MSC			

FRONT  
GROUP 12

027      041      043      057

SEE PROPRIETARY NOTICE ON SHEET ONE

LABELS	DWG SIZE	ISSUE
	C2	11
AT&T	ED5D582-10	SHEET B2

STOCKLIST									
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE		
							SYM	NBR	
1000	1,2,3,4, 5,6,7,8, 9,10,11, 12	1 1 1 1	402715213	KS20207L1	NAMEPLATE 0.6 IN.HT.X 22.46 IN.WD.			12	
***** END OF STOCKLIST *****									

TABLE J PRODUCT DESCRIPTION AND COMMON LANGUAGE IDENTIFICATION										
CODE	SERIES ISSUE	AM ISS	DWG ISS	CHG CLASS	COMCODE	CLEI CODE	BAR CODE LABEL	CODE COMCODE	FUNCTIONAL DESCRIPTION LIST/GROUP MIX	DA
					601422124	-	-		ED5D582-10,G11,12	

S H O P	I N S T	MANUFACTURING NOTES	
		SYM	NBR
			1. X PARTS REQUIRED FOR INSTALLATION.
			X/ PARTS REQUIRED FOR MANUFACTURE WHEN EQUIPMENT IS SHOP MOUNTED OR BY THE INSTALLER WHEN THE EQUIPMENT IS TO BE FIELD MOUNTED.
			* PARTS THAT ARE TO BE SHIPPED ATTACHED TO OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED ASSEMBLED ITEM.
			* / PARTS (A) REQUIRED FOR MANUFACTURE WHEN EQUIPMENT INVOLVED IS SHOP MOUNTED OR (B) TO BE SHIPPED ATTACHED TO, OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED ASSEMBLED ITEM WHEN FIELD MOUNTED.
			( ) INDICATES DESIGNATIONS TO BE STAMPED IN ACCORDANCE WITH JOB INFORMATION.
			{ } INDICATES DESIGNATIONS SHOWN FOR INFORMATION ONLY AND ARE NOT TO BE STAMPED.
			< > INDICATES DESIGNATIONS AND/OR INFORMATION PROVIDED IN ACCORDANCE WITH OTHER INFORMATION.
			"W" PARTS ASSEMBLED AT THE SAME TIME THE EQUIPMENT IS MOUNTED.
			"W*" PARTS TO BE (A) SHOP ASSEMBLED, BUT WHICH CANNOT BE ASSEMBLED UNTIL THE ASSOCIATED EQUIPMENT IS BEING MOUNTED, OR (B) SHIPPED ATTACHED TO, OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED EQUIPMENT WHEN FIELD MOUNTED.
			"S" PARTS NOT ASSEMBLED, SHIPPED SEPARATELY.
			A/R AS REQUIRED.
			"B" PARTIAL ASSEMBLIES ON OTHER DRAWINGS WITH STOCKLISTS.
			12. ALL INFORMATION SHALL BE PRINTED IN BLACK UNLESS OTHERWISE SPECIFIED.

ED5D582-10

SEE PROPRIETARY NOTICE ON SHEET ONE			
SESS SWITCHING EQUIPMENT SPECIFICATION FOR LABELS		RT13	
		DWG SIZE C2	ISSUE 11
AT&T	ED5D582-10	SHEET D1 OF 4	