

| ISSUE NOTES (CONTINUED) | | | | |
|--|-----------|-----------|---------------------|-----------|
| IN TABLE A, GRP 53 RATED 'DA'; GRPS 63 & 64 ADDED. ENG NOTES 54-56 ADDED. SHT B10 ADDED; FIG 53 RATED 'DA'; FIGS 63 & 64 ADDED. IN STLT, ITEMS 1620 & 1630 ADDED. | | | | |
| ORIG ISS: 12/29/00 NDD NBR: NDD5D596NW-7 CHANGE CLASS: ME | | | | |
| DRAFT: MJV | ENGR: MJV | SUPV: | CERTIFIED: 12/30/94 | ISSUE: 16 |
| IN TABLE A, GRPS 1,2A,2B,3,5,6,9,11,20,21,23,24,28,31 & 59 WERE RATED 'STD'. IN STLT, RMVD "S" SYMBOL FROM ITEM 1600. | | | | |
| ORIG ISS: 12/29/00 CHANGE CLASS: ME | | | | |
| DRAFT: MJV | ENGR: MJV | SUPV: | CERTIFIED: 02/01/95 | ISSUE: 17 |
| IN TABLE A, GRPS 52A & 62A ADDED. SHT B8, ADDED FIG 52A; SHT B10 ADDED FIG 62A; SHTS B8-B10, ADDED ACTUAL SIZE AND COMCODE REF INFO TO ALL FIGS AND MOVED FIGS FOR CLARITY. IN STOCKLIST, ADDED ITEMS 1515 & 1615. | | | | |
| ORIG ISS: 12/29/00 NDD NBR: 5D003NW-613 CHANGE CLASS: B | | | | |
| DRAFT: RJS | ENGR: JMB | SUPV: | CERTIFIED: 08/07/95 | ISSUE: 18 |
| IN TABLE A, GROUP 65 ADDED. SHEET B10, FIG. 65 ADDED. FIG. 61, ACTUAL SIZE "19MM X 17.4MM" CORRECTED TO READ "19MM X 7.4MM". IN STOCKLIST, ITEM NUMBER 1640 ADDED. FIG. 62A, ACTUAL SIZE READ "38 X 72MM [1-1/2 X 2-27/32 IN.] | | | | |
| ORIG ISS: 12/29/00 NDD NBR: 5D004NW-148 CHANGE CLASS: B | | | | |
| DRAFT: RJS | ENGR: JMB | SUPV: EJZ | CERTIFIED: 11/07/95 | ISSUE: 19 |
| CHANGED: SHEET A3, TABLE A, AND SHEET B9; GROUP 56 RATED "DA". SHEET D2, STOCKLIST ITEM 1640, GROUP 65; REFERENCE TO "S" NOTE REMOVED. ADDED: SHEET A4, TABLE A, SHEET D2, STOCKLIST, AND B10; GROUP 64A & FIG. 64A ADDED. | | | | |
| ORIG ISS: 12/29/00 NDD NBR: C.O.96NW0033 CHANGE CLASS: ME | | | | |
| DRAFT: RJS | ENGR: JMB | SUPV: EJZ | CERTIFIED: 05/13/96 | ISSUE: 20 |
| TITLE BOX CHANGED TO SHOW LUCENT TECHNOLOGIES. CHANGED TABLE A GROUPS 22,44,55,58,62,62A,64 & 64A RATED "DA". ADDED TABLE A GROUPS 55A,58A,66,67,68,69 & 70. ADDED STOCKLIST ITEMS 1541, 1650,1660,1670,1680 & 1690. ENGINEERING NOTES 53 & 56 MODIFIED. | | | | |
| ORIG ISS: 12/29/00 CHANGE CLASS: B | | | | |
| DRAFT: DER | ENGR: DER | SUPV: | CERTIFIED: 12/20/96 | ISSUE: 21 |

| ISSUE NOTES (CONTINUED) | | | | |
|--|-----------|-------|---------------------|-----------|
| MANUFACTURING NOTE 4 ADDED. | | | | |
| ORIG ISS: 12/29/00 CHANGE CLASS: M | | | | |
| DRAFT: PKK | ENGR: RJC | SUPV: | CERTIFIED: 11/09/89 | ISSUE: 10 |
| GROUP 27 RATED "DA". GROUPS 36,42,43 & 44 REVISED TO COMPLY WITH U.L. REQUIREMENTS. GROUPS 46 & 47 ADDED. NOTE 2 REVISED. C.O. - 90NW0293-MF ORIG ISS: 12/28/84 CHANGE CLASS: MF | | | | |
| ORIG ISS: 12/29/00 CHANGE CLASS: MF | | | | |
| DRAFT: PKK | ENGR: JMB | SUPV: | CERTIFIED: 03/22/91 | ISSUE: 11 |
| GROUPS 48-58 ADDED. GROUPS 2C,2D,2E,2F,4,7,8,10,26,39,42,43,46 AND 47 RATED "DA". TABLE A, DA INFORMATION ADDED FOR FIGURES 2, 4,7,8,10,26,39,42,43,46 AND 47. | | | | |
| ORIG ISS: 12/29/00 NDD NBR: C.O.92NW0065-ME CHANGE CLASS: ME | | | | |
| DRAFT: PKK | ENGR: JMB | SUPV: | CERTIFIED: 05/18/92 | ISSUE: 12 |
| THIS ISSUE CREATED TO FIX SHEET INDEX. | | | | |
| ORIG ISS: 12/29/00 CHANGE CLASS: ME | | | | |
| DRAFT: PKK | ENGR: JMB | SUPV: | CERTIFIED: 05/19/92 | ISSUE: 13 |
| IN TABLE A, GRPS 12 & 35 MARKED 'DA'; ADDED GRPS 59, 60 & 61. ENG NOTE 51 ADDED; MFG NOTES 2 & 4 LINED OUT. FIGS 13 & 35 MARKED 'DA'; ADDED FIGS 59, 60 & 61. FIGS FROM SHEETS B1, B3, B5-B7 MOVED AS REQ'D TO BE IN SEQUENTIAL ORDER; ADDED SHEETS B8 & B9. IN STLT, ADDED ITEMS 1580, 1590 & 1600. CO-92NW0139-ME AND CO-94NW0037-ME | | | | |
| ORIG ISS: 12/29/00 NDD NBR: NDD5D596NW-5 CHANGE CLASS: ME | | | | |
| DRAFT: MJV | ENGR: MJV | SUPV: | CERTIFIED: 03/29/94 | ISSUE: 14 |
| IN TABLE A, ADDED GRP 62. ON SHT B9, ADDED FIG 62. IN STLT, ADDED ITEM 1610. | | | | |
| ORIG ISS: 12/29/00 NDD NBR: NDD5D596NW-6 CHANGE CLASS: ME | | | | |
| DRAFT: MJV | ENGR: MJV | SUPV: | CERTIFIED: 10/06/94 | ISSUE: 15 |

| ISSUE NOTES | | | | |
|--|-----------|-----------|---------------------|----------|
| ORIG ISS: 12/29/00 NDD NBR: 5D596IH-1 CHANGE CLASS: | | | | |
| DRAFT: DJP | ENGR: RJC | SUPV: RSZ | VAULT: 12/28/84 | ISSUE: 1 |
| TABLE A, GRP. 15,16 & 17 ADDED. | | | | |
| ORIG ISS: 12/29/00 NDD NBR: 5D596NW-2 CHANGE CLASS: B | | | | |
| DRAFT: DSL | ENGR: RJC | SUPV: | VAULT: 06/06/85 | ISSUE: 2 |
| * DRAWING CONVERTED FROM SEDBS TO MDS COMPUTER SYSTEMS. * THIS IS A MACHINE COPY OF THE LATEST SEDBS CERTIFIED ISSUE * AND MAY CONTAIN MINOR DIFFERENCES. THE TABLE OF ASSOCIATED * DRAWINGS WAS ELIMINATED DURING MIGRATION TO ASSIST THE * SCRUBBING OF PROPRIETARY INFORMATION. * | | | | |
| TABLE A GROUPS 18 & 19 ADDED. DRAWING RATING REMOVED. RATING USED TO READ 'PROV'. | | | | |
| ORIG ISS: 12/29/00 NDD NBR: 5D596NW-3 CHANGE CLASS: B | | | | |
| DRAFT: DSL | ENGR: RJC | SUPV: | CERTIFIED: 02/14/86 | ISSUE: 3 |
| TABLE A GROUPS 20,21,22,&23 ADDED. DRAWING RATING READ 'PROV'. | | | | |
| ORIG ISS: 12/29/00 NDD NBR: NDD5D596NW-4 CHANGE CLASS: B | | | | |
| DRAFT: DSL | ENGR: RJC | SUPV: | CERTIFIED: 02/18/86 | ISSUE: 4 |
| TABLE A GROUPS 24 & 25 ADDED. GRPS 13 & 15 WERE RATED 'STD'. | | | | |
| ORIG ISS: 12/29/00 CHANGE CLASS: B | | | | |
| DRAFT: DSL | ENGR: RJC | SUPV: | CERTIFIED: 02/27/87 | ISSUE: 5 |
| TABLE A GROUP 26 ADDED, NOTES REVISED. | | | | |
| ORIG ISS: 12/29/00 CHANGE CLASS: M | | | | |
| DRAFT: DSL | ENGR: JMB | SUPV: | CERTIFIED: 12/07/87 | ISSUE: 6 |
| TABLE A GROUPS 16 & 17 WERE RATED 'STD', GROUPS 27 & 28 ADDED. FIG'S 27 & 28 ADDED. | | | | |
| ORIG ISS: 12/29/00 CHANGE CLASS: M | | | | |
| DRAFT: DSL | ENGR: RJC | SUPV: | CERTIFIED: 04/14/88 | ISSUE: 7 |
| TABLE A GROUPS 29 THRU 40 ADDED. CO-88NW0403-M | | | | |
| ORIG ISS: 12/29/00 CHANGE CLASS: M | | | | |
| DRAFT: DSL | ENGR: JMB | SUPV: | CERTIFIED: 04/12/89 | ISSUE: 8 |
| TABLE A GROUPS 41 THRU 45 ADDED. FIG 36 CHANGED. | | | | |
| ORIG ISS: 12/29/00 CHANGE CLASS: M | | | | |
| DRAFT: DSL | ENGR: RJC | SUPV: | CERTIFIED: 06/16/89 | ISSUE: 9 |

| SHEET INDEX | | | | | | | | | | | |
|-------------|---------------------|----|----|----|----|----|----|----|----|-----|-----|
| SHT NBR | A1 THRU A4 ISSUE 22 | | | | | | | | | | |
| ISSUE | | | | | | | | | | | |
| SHT NBR | D1 THRU D2 ISSUE 22 | | | | | | | | | | |
| ISSUE | | | | | | | | | | | |
| SHT NBR | B1 | B2 | B3 | B4 | B5 | B6 | B7 | B8 | B9 | B10 | B11 |
| ISSUE | 21 | 21 | 22 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 |
| SHT NBR | | | | | | | | | | | |
| ISSUE | | | | | | | | | | | |
| SHT NBR | | | | | | | | | | | |
| ISSUE | | | | | | | | | | | |
| SHT NBR | | | | | | | | | | | |
| ISSUE | | | | | | | | | | | |
| SHT NBR | | | | | | | | | | | |
| ISSUE | | | | | | | | | | | |
| SHT NBR | | | | | | | | | | | |
| ISSUE | | | | | | | | | | | |
| SHT NBR | | | | | | | | | | | |
| ISSUE | | | | | | | | | | | |
| SHT NBR | | | | | | | | | | | |
| ISSUE | | | | | | | | | | | |
| SHT NBR | | | | | | | | | | | |
| ISSUE | | | | | | | | | | | |

| | |
|---|-------------|
| LUCENT TECHNOLOGIES - PROPRIETARY USE PURSUANT TO COMPANY INSTRUCTIONS | |
| RT99 | |
| COMMON ESS SWITCHING EQUIPMENT LABELS | |
| DWG SIZE C2 | ISSUE 22 |
| LUCENT TECHNOLOGIES INC ED5D596-70 | |
| SHEET A1 OF 17 | |

| TABLE A-FEATURES | | | | | | | | | | | |
|--|-------------|-------------|---------------------|---------------------------|----------------------------|------------------|-----|-----|---------------|-----|-----|
| EQUIPMENT | | RAT- ING | LIST OR GROUP | EQUIPMENT OR CIRCUIT DATA | | | | | SD EQUIVALENT | | |
| DESCRIPTION | REF NOTE | | | QTY | EQUIPMENT OR CIRCUIT | L/G OR FIG | WRG | APP | SCHEMATIC | FIG | OPT |
| ONE WARNING LABEL FOR ESD-WRISTSTRAP GROUNDING POINT. DA EFF:05/01/94 FE/RA:NONE | | DA | 1 | | | 1 | | | | | |
| ONE LABEL FOR MOVING HEAD DISC MHD 0. DA EFF:02/01/95 FE/RA:NONE | | DA | 2A | | | 2 | | | | | |
| ONE LABEL FOR MOVING HEAD DISC MHD 1. DA EFF:02/01/95 FE/RA:NONE | | DA | 2B | | | 2 | | | | | |
| ONE LABEL FOR MOVING HEAD DISC MHD 2. DA EFF:06/01/91 FE/RA:NONE | | DA | 2C | | | 2 | | | | | |
| ONE LABEL FOR MOVING HEAD DISC MHD 3. DA EFF:06/01/91 FE/RA:NONE | | DA | 2D | | | 2 | | | | | |
| ONE LABEL FOR MOVING HEAD DISC MHD 4. DA EFF:06/01/91 FE/RA:NONE | | DA | 2E | | | 2 | | | | | |
| ONE LABEL FOR MOVING HEAD DISC MHD 5. DA EFF:06/01/91 FE/RA:NONE | | DA | 2F | | | 2 | | | | | |
| ONE WARNING LABEL 'CAUTION' HAZARDOUS VOLTAGE. DA EFF:02/01/95 FE/RA:NONE | | DA | 3 | | | 3 | | | | | |
| ONE WARNING LABEL 'CAUTION' HAZARDOUS VOLTAGE. DA EFF:06/01/91 FE/RA:NONE | | DA | 4 | | | 4 | | | | | |
| ONE WARNING LABEL 'CAUTION' 208 VOLTS. DA EFF:02/01/95 FE/RA:NONE | | DA | 5 | | | 5 | | | | | |
| ONE WARNING LABEL 'CAUTION' 70D FUSE 208 VOLTS. DA EFF:02/01/95 FE/RA:NONE | | DA | 6 | | | 6 | | | | | |
| ONE WARNING LABEL 'CAUTION' PROTECTED AC ONLY. DA EFF:06/01/91 FE/RA:NONE | | DA | 7 | | | 7 | | | | | |
| ONE WARNING LABEL 'CAUTION' ESSENTIAL AC ONLY. DA EFF:06/01/91 FE/RA:NONE | | DA | 8 | | | 8 | | | | | |
| ONE LABEL 'WARNING' HAZARDOUS VOLTAGES UNDERNEATH. DA EFF:02/01/95 FE/RA:NONE | | DA | 9 | | | 9 | | | | | |
| ONE LABEL 'WARNING' HAZARDOUS VOLTAGES UNDERNEATH. DA EFF:06/01/91 FE/RA:NONE | | DA | 10 | | | 10 | | | | | |
| ONE WARNING LABEL 'WARNING' FAN TEST SWITCH. DA EFF:02/01/95 FE/RA:NONE | | DA | 11 | | | 11 | | | | | |
| ONE LABEL 'WARNING'. DA EFF:03/29/94 FE:ED5D596-70,G61 | | DA | 12 | | | 12 | | | | | |
| ONE LABEL 'WARNING HAZARDOUS VOLTAGES'. DA EFF:03/29/94 FE:ED5D596-70,G61 | | DA | 13 | | | 13 | | | | | |
| ONE LABEL 'HAZARDOUS VOLTAGES' FOR CIRCUIT PACKS. DA EFF:03/29/94 FE:ED5D596-70,G61 | | DA | 14 | | | 14 | | | | | |

TABLE-A CONTINUED

ED5D596-70

ENGINEERING NOTES

51. DOLLAR SIGNS (\$) IN FRONT OF AND BEHIND WORDS, SENTENCES, PARAGRAPHS AND/OR CHARACTERS, INDICATES HORIZONTALLY LINED OUT INFORMATION.
52. THE LABELS ORDERED PER GROUPS IN TABLE A REFERENCING THIS NOTE SHALL CONTAIN CODE NUMBER AND STAMPING INFORMATION PER LINES 'XX' AND/OR 'YY'.
53. KIT, LABEL (846927705) CONSISTS OF (2) WARNING LABELS (847802683) AND AN INSTALLATION INSTRUCTION SHEET (847844594) FOR APPLYING THE LABELS TO MAIN DISTRIBUTING FRAMES, MDF'S (MANUFACTURED BY LUCENT TECHNOLOGIES) WHICH CONTAIN VOLTAGE AND CURRENT PROTECTION USED WITH THE 5ESS SWITCH.

THESE LABELS ARE REQUIRED TO COMPLY WITH THE TERMS OF U.L. CERTIFICATION OF THE 5ESS SWITCH IN CENTRAL OFFICE ENVIRONMENTS.
54. UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN MILLIMETERS. EQUIVALENT INCH DIMENSIONS ARE ENCLOSED IN [].
55. ONE 847393402 LABEL, GRP 63, IS REQUIRED ON EACH 5ESS-2000 AND 5ESS SWITCH CABINET WITH DC AND AC INPUTS. THE LABEL IS REQUIRED TO COMPLY WITH THE TERMS OF U.L. CERTIFICATION OF THE 5ESS-2000 AND 5ESS SWITCH IN CENTRAL OFFICE ENVIRONMENTS.
56. ONE 847802659 LABEL, GRP 69, IS REQUIRED ON EACH 5ESS-2000 AND 5ESS SWITCH CABINET. THE LABEL IS REQUIRED TO COMPLY WITH THE TERMS OF U.L. AND CSA CERTIFICATION OF THE 5ESS-2000 AND 5ESS SWITCH IN CENTRAL OFFICE ENVIRONMENTS.

ISSUE NOTES (CONTINUED)

(H8481) TABLE A GROUP 25 RATED TO DA. MANUFACTURING NOTES 1 THRU 4 MOVED TO 12 THRU 15. 12 LINED OUT AND CANNED NOTES 1 ADDED. STOCKLIST ITEMS 1000 THRU 1560, 1580, 1590, 1615 THRU 1635, 1660, 1680, AND 1690 CHANGED FROM S TO X/. NOTE 2 ALREADY LINED OUT NOW 13 REMOVED FROM STOCKLIST ITEMS 1000 THRU 1280, 1320 THRU 1360, 1380 THRU 1410, 1440, 1450, AND 1460. SHEET INDEX B3 CHANGED TO ADD "DA" TO FIGURE 25.

ORIG ISS: 12/29/00

CHANGE CLASS: B

DRAFT: DER ENGR: DER SUPV: RMB CERTIFIED: 01/26/99 ISSUE: 22

SEE PROPRIETARY NOTICE ON SHEET ONE

COMMON ESS SWITCHING EQUIPMENT LABELS

DWG SIZE C2 ISSUE 22

LUCENT TECHNOLOGIES INC ED5D596-70

SHEET A2 OF 17

| TABLE A-FEATURES (CONTINUED) | | | | | | | | | | | |
|--|----------|---------------------------|---------------|-----|----------------------|------------|-----|-----|---------------|-----|-----|
| EQUIPMENT | | EQUIPMENT OR CIRCUIT DATA | | | | | | | SD EQUIVALENT | | |
| DESCRIPTION | REF NOTE | RAT-ING | LIST OR GROUP | QTY | EQUIPMENT OR CIRCUIT | L/G OR FIG | WRG | APP | SCHEMATIC | FIG | OPT |
| ONE LABEL WARNING LINE UNIT FUSE 'SM'. | | DA | 15 | | | 15 | | | | | |
| ONE LABEL WARNING LINE UNIT FUSE 'MM'. | | DA | 16 | | | 16 | | | | | |
| ONE LABEL WARNING HAZARDOUS VOLTAGES. | | DA | 17 | | | 17 | | | | | |
| ONE LABEL CKT PACK PROTECTION 'FIRST OUT, LAST IN'. | | | 18 | | | 18 | | | | | |
| ONE LABEL CKT PACK PROTECTION 'FIRST IN, LAST OUT'. | | | 19 | | | 19 | | | | | |
| ONE LABEL FUSE TEST ACCESS UNIT. DA EFF:02/01/95 FE/RA:NONE | | DA | 20 | | | 20 | | | | | |
| ONE LABEL IDENTIFICATION KCB CKT CARD. DA EFF:02/01/95 FE/RA:NONE | | DA | 21 | | | 21 | | | | | |
| ONE LABEL IDENTIFICATION NON-MICROCODED CKT PACK. DA EFF:12/20/96 FE/RA:NONE | 52 | DA | 22 | | | 22 | | | | | |
| ONE LABEL IDENTIFICATION MICRO-CODED CKT PACK. DA EFF:05/01/94 FE/RA:NONE | 52 | DA | 23 | | | 23 | | | | | |
| ONE LABEL 5ESS PBX FCC COMPLIANCE. DA EFF:02/01/95 FE/RA:NONE | | DA | 24 | | | 24 | | | | | |
| ONE LABEL WARNING HAZARDOUS VOLTAGES. DA EFF:01/29/99 FE/RA:NONE | | DA | 25 | | | 25 | | | | | |
| ONE LABEL IN CASE OF INTERRUPTION. DA EFF:05/18/92 FE:ED5D596-70,G55 | | DA | 26 | | | 26 | | | | | |
| ONE LABEL WARNING LINE UNIT FUSE 'MM'. | | DA | 27 | | | 27 | | | | | |
| ONE LABEL WARNING HAZARDOUS VOLTAGES. DA EFF:02/01/95 FE/RA:NONE | | DA | 28 | | | 28 | | | | | |
| ONE LABEL, LINE CARD IDENTIFICATION. | | | 29 | | | 29 | | | | | |
| ONE LABEL, 'CAUTION' PROTECTED AC ONLY. | | | 30 | | | 30 | | | | | |
| ONE LABEL, 'CAUTION' ESSENTIAL AC ONLY. DA EFF:05/01/94 FE/RA:NONE | | DA | 31 | | | 31 | | | | | |
| ONE LABEL, 'CAUTION' UNINTERRUPTED AC ONLY. | | | 32 | | | 32 | | | | | |
| ONE LABEL, CIRCUIT BREAKER LOCATION. | | | 33 | | | 33 | | | | | |
| ONE LABEL, 'HIGH VOLTAGE'. | | | 34 | | | 34 | | | | | |
| ONE LABEL, 'WARNING HAZARDOUS VOLTAGES'. DA EFF:03/29/94 FE:ED5D596-70,G60 | | DA | 35 | | | 35 | | | | | |
| ONE LABEL, 'CAUTION' REPLACE BLOWN FUSES ---. | | | 36 | | | 36 | | | | | |
| ONE LABEL, 'CAUTION' BEFORE EQUIPPING REMOVE 2 BACKPLANE CONNECTORS. | | | 37 | | | 37 | | | | | |
| ONE LABEL, 'EMULATOR UNIT'. | | | 38 | | | 38 | | | | | |

TABLE-A CONTINUED

ED5D596-70

| TABLE A-FEATURES (CONTINUED) | | | | | | | | | | | |
|---|----------|---------------------------|---------------|-----|----------------------|------------|-----|-----|---------------|-----|-----|
| EQUIPMENT | | EQUIPMENT OR CIRCUIT DATA | | | | | | | SD EQUIVALENT | | |
| DESCRIPTION | REF NOTE | RAT-ING | LIST OR GROUP | QTY | EQUIPMENT OR CIRCUIT | L/G OR FIG | WRG | APP | SCHEMATIC | FIG | OPT |
| ONE LABEL, 'WARNING' REMOVE OR REPLACE POWER ---. DA EFF:05/18/92 FE:ED5D596-70,G56 | | DA | 39 | | | 39 | | | | | |
| ONE LABEL, 'GROUND WINDOW'. | | | 40 | | | 40 | | | | | |
| ONE LABEL, 'GROUND POINT'. | | | 41 | | | 41 | | | | | |
| ONE LABEL, 'CAUTION' BLOWN FUSE. DA EFF:05/18/92 FE:ED5D596-70,G52 | | DA | 42 | | | 42 | | | | | |
| ONE LABEL, 'UL LISTED'. DA EFF:05/18/92 RA:ED5D694-30,G4 | | DA | 43 | | | 43 | | | | | |
| ONE LABEL, 'NAMEPLATE' DC-INPUT & OUTPUT. DA EFF:12/20/96 FE/RA:NONE | | DA | 44 | | | 44 | | | | | |
| ONE LABEL, 'FIELD WIRING'. | | | 45 | | | 45 | | | | | |
| ONE LABEL, 'CAUTION', U.L. DUAL POWER. DA EFF:05/18/92 FE:ED5D596-70,G53 | | DA | 46 | | | 46 | | | | | |
| ONE LABEL, 'U.L. LISTING', 5ESS SWITCH. DA EFF:05/18/92 RA:ED5D694-30,G4 | | DA | 47 | | | 47 | | | | | |
| ONE LABEL, DESIGNATION (BUS) 'A-A'. | | | 48 | | | 48 | | | | | |
| ONE LABEL, DESIGNATION (BUS) 'B-B'. | | | 49 | | | 49 | | | | | |
| ONE LABEL, DESIGNATION (BUS) 'A-B'. | | | 50 | | | 50 | | | | | |
| ONE LABEL, DESIGNATION (BUS) 'B-A'. | | | 51 | | | 51 | | | | | |
| ONE LABEL, CAUTION, 'REPLACE BLOWN FUSES---' | | | 52 | | | 52 | | | | | |
| ONE LABEL, CAUTION, 'REPLACE BLOWN FUSES---'. [ENGLISH/FRENCH] (REQUIRED FOR QUEBEC PROVINCE ORDERS INSTEAD OF GRP 52.) | | | 52A | | | 52A | | | | | |
| ONE LABEL, CAUTION, 'U.L. DUAL POWER'. DA EFF:12/30/94 RA:ED5D596-70,G63 | | DA | 53 | | | 53 | | | | | |
| ONE LABEL, 'REVERSE UR'. | | | 54 | | | 54 | | | | | |
| ONE LABEL, DESIGNATION 'IN CASE OF INTERRUPTION---'. DA EFF:12/20/96 FE:ED5D596-70,G55A | | DA | 55 | | | 55 | | | | | |
| ONE LABEL, DESIGNATION 'IN CASE OF INTERRUPTION---'. REPL:ED5D596-70,G55 | | | 55A | | | 55A | | | | | |

TABLE-A CONTINUED

| | |
|---------------------------------------|-------------|
| SEE PROPRIETARY NOTICE ON SHEET ONE | |
| RT99 | |
| COMMON ESS SWITCHING EQUIPMENT LABELS | |
| DWG SIZE C2 | ISSUE 22 |
| LUCENT TECHNOLOGIES INC | ED5D596-70 |
| SHEET OF | A3 17 |

TABLE A-FEATURES (CONTINUED)

| EQUIPMENT | | RAT- ING | LIST OR GROUP | EQUIPMENT OR CIRCUIT DATA | | | | SD EQUIVALENT | | |
|---|-------------|-------------|---------------------|---------------------------|----------------------------|------------------|-----|---------------|-----------|-----|
| DESCRIPTION | REF NOTE | | | QTY | EQUIPMENT OR CIRCUIT | L/G OR FIG | WRG | APP | SCHEMATIC | FIG |
| ONE LABEL, WARNING 'REMOVE OR REPLACE POWER---' DA EFF:05/13/96 FE/RA:NONE | | DA | 56 | | | 56 | | | | |
| ONE LABEL, CAUTION 'STATIC SENSITIVE DEVICES---' | | | 57 | | | 57 | | | | |
| KIT, LABEL - PROTECTOR WARNING. DA EFF:12/20/96 FE:ED5D596-70,G58A | 53 | DA | 58 | | | 58 | | | | |
| KIT, LABEL - PROTECTOR WARNING. REPL:ED5D596-70,G58 | 53 | | 58A | | | 58A | | | | |
| ONE LABEL, 'MERCURY RELAY'. DA EFF:02/01/95 FE/RA:NONE | | DA | 59 | | | 59 | | | | |
| ONE LABEL, 'WARNING HAZARDOUS VOLTAGES'. | | | 60 | | | 60 | | | | |
| ONE LABEL, 'WARNING'. | | | 61 | | | 61 | | | | |
| ONE LABEL, 'U.L./CSA LISTED TELEPHONE EQUIPMENT---' DA EFF:12/20/96 FE:ED5D596-70,G66 | | DA | 62 | | | 62 | | | | |
| ONE LABEL, 'U.L./CSA LISTED TELEPHONE EQUIPMENT---'. [ENGLISH/FRENCH] (REQUIRED FOR QUEBEC PROVINCE ORDERS INSTEAD OF GRP 62.) DA EFF:12/20/96 FE:ED5D596-70,G67 | | DA | 62A | | | 62A | | | | |
| ONE LABEL, CAUTION, 'U.L. DUAL POWER'. REPL:ED5D596-70,G53 | 55 | | 63 | | | 63 | | | | |
| ONE LABEL, CAUTION, 'U.L./CSA MULTIPLE DC POWER SOURCES'. DA EFF:12/20/96 FE:ED5D596-70,G69 | 56 | DA | 64 | | | 64 | | | | |
| ONE LABEL, CAUTION, 'U.L./CSA MULTIPLE DC POWER SOURCES'. (ENGLISH/FRENCH) (REQUIRED FOR QUEBEC PROVINCE ORDERS INSTEAD OF GROUP 64). DA EFF:12/20/96 FE:ED5D596-70,G70 | | DA | 64A | | | 64A | | | | |
| ONE LABEL, "WARNING". | | | 65 | | | 65 | | | | |
| ONE LABEL, 'U.L./CSA LISTED TELEPHONE EQUIPMENT---'. REPL:ED5D596-70,G62 | | | 66 | | | 66 | | | | |
| ONE LABEL, 'U.L./CSA LISTED TELEPHONE EQUIPMENT---'. [ENGLISH/FRENCH] (REQUIRED FOR QUEBEC PROVINCE ORDERS INSTEAD OF GRP 66.) REPL:ED5D596-70,G62A | | | 67 | | | 67 | | | | |
| ONE LABEL, 'U.L. LISTED TELEPHONE EQUIPMENT---'. REPL:NONE | | | 68 | | | 68 | | | | |
| ONE LABEL, CAUTION 'U.L./CSA MULTIPLE DC POWER SOURCES'. REPL:ED5D596-70,G64 | 56 | | 69 | | | 69 | | | | |
| ONE LABEL, CAUTION, U.L./CSA MULTIPLE DC POWER SOURCES'. (ENGLISH/FRENCH) (REQUIRED FOR QUEBEC PROVINCE ORDERS INSTEAD OF GROUP 69). REPL:ED5D596-70,G64A | | | 70 | | | 70 | | | | |
| END OF TABLE-A | | | | | | | | | | |

| | | | |
|--|-------------|-------------|----------|
| SEE PROPRIETARY NOTICE ON SHEET ONE | | | |
| RT99 | | | |
| COMMON ESS SWITCHING EQUIPMENT LABELS | | | |
| DWG SIZE C2 | ISSUE 22 | | |
| LUCENT TECHNOLOGIES INC | | ED5D596-70 | |
| | | SHEET OF | A4 17 |

ED5D596-70



FIG. 1



FIG. 4
(DA - SEE TABLE A)



FIG. 7
(DA - SEE TABLE A)



FIG. 10
(DA - SEE TABLE A)



FIG. 12
(DA - SEE TABLE A)



FIG. 2
(G-2C, 2D, 2E & 2F-DA,
SEE TABLE A)



FIG. 5



FIG. 8
(DA - SEE TABLE A)




FIG. 11



FIG. 14



FIG. 3




FIG. 6



FIG. 9



FIG. 13
(DA - SEE TABLE A)

| | | |
|-------------------------------------|------------|----------|
| SEE PROPRIETARY NOTICE ON SHEET ONE | | |
| LABELS | DWG SIZE | ISSUE |
| | c2 | 21 |
| LUCENT TECHNOLOGIES INC | ED5D596-70 | SHEET B1 |



FIG. 15
(DA)



FIG. 16
(DA)



FIG. 17
(DA)



FIG. 18



FIG. 19



FIG. 20



FIG. 21
(DA)




FIG. 22
(DA)




FIG. 23
(DA)

| | | |
|-------------------------------------|------------|----------|
| SEE PROPRIETARY NOTICE ON SHEET ONE | | |
| LABELS | DWG SIZE | ISSUE |
| | C2 | 21 |
| LUCENT TECHNOLOGIES INC | ED5D596-70 | SHEET B2 |




FIG. 24
(DA)




FIG. 26
(DA - SEE TABLE A)



FIG. 25
(DA)

| | | | |
|-------------------------------------|------------|-------------------|-------|
| FOR PROPRIETARY NOTICE SEE SHEET A1 | | THIRD ANGLE PROJN | |
| LABELS | ⊕ | | |
| | | DWG SIZE | ISSUE |
| Ⓟ | C2 | 22 | |
| LUCENT TECHNOLOGIES | ED5D596-70 | SHEET NO. B3 | |
| | | MODEL NAME | |



FIG. 27
 ("DA" - REPLACED BY G-39, FIG. 39)



FIG. 28
 (DA)



FIG. 29



FIG. 30



FIG. 31
 (DA)



FIG. 32

| | | |
|---|----------------|-------------|
| SEE PROPRIETARY NOTICE ON SHEET ONE | | |
| LABELS | DWG SIZE C2 | ISSUE 21 |
| | SHEET B4 | |
| LUCENT TECHNOLOGIES INC ED5D596-70 <small>PRINTED IN U.S.A.</small> | | |




FIG. 33



FIG. 34



FIG. 35
(DA - SEE TABLE A)




FIG. 36




FIG. 36

| | | |
|-------------------------------------|------------|-------------|
| SEE PROPRIETARY NOTICE ON SHEET ONE | | |
| LABELS | DWG SIZE | ISSUE |
| | c2 | 21 |
| LUCENT TECHNOLOGIES INC | ED5D596-70 | SHEET B5 |

CAUTION: BEFORE EQUIPPING REMOVE
2 BACKPLANE 9B2LD CONNECTORS

FIG. 37




FIG. 39
(DA - SEE TABLE A)

| | | | | | | | | |
|-----------------|---------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|---------------|---------------|---------------|
| 028 634WAAB1 | 064 F62045 | 080 F62044 OR F62046 | 096 F62044 OR F62046 | 112 F62044 OR F62046 | 128 F62044 OR F62046 | 144 F62043 | 160 F62042 | 176 F62041 |
|-----------------|---------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|---------------|---------------|---------------|

FIG. 38



FIG. 40



FIG. 41

| | | |
|---|----------------|-------------|
| SEE PROPRIETARY NOTICE ON SHEET ONE | | |
| LABELS | DWG SIZE C2 | ISSUE 21 |
| | SHEET B6 | |
| LUCENT TECHNOLOGIES INC ED5D596-70 <small>PRINTED IN U.S.A.</small> | | |

WARNING REPLACE BLOWN FUSES ONLY WITH REQUIRED TYPE AND RATING FOR CONTINUED PROTECTION AGAINST RISK OF FIRE. SEE CORRECTIVE MAINTENANCE GUIDE 5D5-105-220 FOR RATING.

FIG. 42

CAUTION REPLACE BLOWN FUSES ONLY WITH REQUIRED TYPE AND RATING FOR CONTINUED PROTECTION AGAINST RISK OF FIRE. SEE SESS® SWITCH CORRECTIVE MAINTENANCE PROCEDURES 235-105-220 FOR RATING.

FIG. 42

(DA - SEE TABLE A)

AT&T
 Oklahoma City, Ok. 73125 U.S.A.
 SESS® SWITCHING EQUIPMENT
 LISTED TELEPHONE EQUIPMENT
 62U0

FIG. 43

AT&T
 DC POWER DISTRIBUTING FRAME JB6334D
 DC INPUT & OUTPUT
 -48 VOLTS / 1.980 AMPERES MAX.

FIG. 44

AT&T
 OKLAHOMA CITY, OK. 73126 U.S.A.
 SESS® SWITCHING EQUIPMENT
 LISTED TELEPHONE EQUIPMENT
 62U0

FIG. 43
 (DA - SEE TABLE A)

AT&T DALLAS, TX. 75149 U.S.A.
 DC POWER DISTRIBUTION FRAME JB6334D
 DC INPUT & OUTPUT -48 VOLTS / 1.980 AMPERES MAX.
 LISTED 77XB
 POWER DISTRIBUTION CENTER FOR COMMUNICATIONS EQUIPMENT

FIG. 44
 (DA)

FIELD WIRING
 FOR CONNECTION TO LISTED ISOLATED -48V SUPPLY OR BATTERIES. TERMINATIONS FOR CONNECTING BATTERY FEEDER CABLES ARE LOCATED ON THE BUS BARS AT THE REAR OF EACH DISTRIBUTION PANEL EQUIPPED IN THIS CABINET, AND ARE IDENTIFIED BY "N VOLT A (OR B) BUS" AND "V ANT A (OR B) BUS"

FIG. 45

CAUTION
 THIS UNIT HAS MORE THAN ONE POWER SOURCE.
 120VAC / 48VDC
 TO REDUCE THE RISK OF ELECTRICAL SHOCK DISCONNECT POWER SOURCES BEFORE SERVICING.

FIG. 46
 (DA - SEE TABLE A)

TELEPHONE EQUIPMENT
 LISTED 62U0
 SESS® SWITCH

FIG. 47
 (DA - SEE TABLE A)

| | | |
|-------------------------------------|---------------------------------|-------------|
| SEE PROPRIETARY NOTICE ON SHEET ONE | | |
| LABELS | DWG SIZE C2 | ISSUE 21 |
| LUCENT TECHNOLOGIES INC | ED5D596-70 PRINTED IN U.S.A. | SHEET B7 |



FIG. 48

ACT. SIZE = 10.2 x 4.8 mm (13/32 x 3/16 in.)
846887008




FIG. 49

ACT. SIZE = 10.2 x 4.8 mm (13/32 x 3/16 in.)
846887016



FIG. 50

ACT. SIZE = 10.2 x 4.8 mm (13/32 x 3/16 in.)
846887024




FIG. 51

ACT. SIZE = 10.2 x 4.8 mm (13/32 x 3/16 in.)
846887032

 **CAUTION** REPLACE BLOWN FUSES ONLY WITH REQUIRED TYPE AND RATING FOR CONTINUED PROTECTION AGAINST RISK OF FIRE. LINE AND ISLU UNIT FUSES REQUIRE A SPECIFIC PROCEDURE. SEE 5ESS* SWITCH CORRECTIVE MAINTENANCE PROCEDURES 235-105-220 FOR RATING AND PROCEDURES.

FIG. 52

ACT. SIZE = 278.1 x 12.7 mm (10-31/32 x 1/2 in.)
846917284

 **CAUTION** Replace blown fuses with required type and rating for continued protection against risk of fire. Line and ISLU unit fuses require a specific procedure. See 5ESS® Switch Corrective Maintenance Procedure 235-105-220 for rating and procedures.

ATTENTION Ne remplacer les fusibles grillés que par des fusibles du type et des caractéristiques indiquées afin de ne pas compromettre la protection contre le risque d'incendie. Les fusibles d'entrée et les fusibles du ISLU doivent être remplacés selon une procédure précise. Les caractéristiques et les procédures sont indiquées dans la Procédure de maintenance du commutateur 5ESS®, document 235-105-220.

FIG. 52A

ACT. SIZE = 278 x 34 mm (10-31/32 x 1-11/32 in.)
847262201

| | | |
|-------------------------------------|------------|----------|
| SEE PROPRIETARY NOTICE ON SHEET ONE | | |
| LABELS | DWG SIZE | ISSUE |
| | C2 | 21 |
| LUCENT TECHNOLOGIES INC | ED5D596-70 | SHEET 88 |




FIG. 53
ACT. SIZE = 50.8 x 60.5 mm (2 x 2-3/8 in.)
846917300
(DA - SEE TABLE A)



FIG. 55A
ACT. SIZE = 63.5 x 44.2 mm (2-1/2 x 1-3/4 in.)
847802600




FIG. 54
ACT. SIZE = 12.7 x 10.2 mm (1/2 x 12/32 in.)
846917342




FIG. 55
ACT. SIZE = 63.5 x 44.2 mm (2-1/2 x 1-3/4 in.)
846923274
(DA)



FIG. 56
ACT. SIZE = 98.3 x 75.4 mm (3-7/8 x 3 in.)
846923282
(DA - SEE TABLE A)



FIG. 57
ACT. SIZE = 50.8 x 50.8 mm (2 x 2 in.)
846923290



FIG. 58
(846927648 SHOWN)
(P/O 846927705 LABEL KIT - SEE NOTE 53)
(DA)



FIG. 59
ACT. SIZE = 15.7 x 10.2 mm (5/8 x 13/32 in.)
846975589
(DA - SEE TABLE A)



FIG. 58A
(847802683 SHOWN)
(P/O 846927705 LABEL KIT - SEE NOTE 53)



FIG. 60
ACT SIZE = 569 x 15 mm (22-13/32 x 19/32 in.)
847328424

| | | |
|-------------------------------------|------------|----------|
| SEE PROPRIETARY NOTICE ON SHEET ONE | | |
| LABELS | DWG SIZE | ISSUE |
| | c2 | 21 |
| LUCENT TECHNOLOGIES INC | ED5D596-70 | SHEET B9 |

WARNING

FIG. 61

ACT. SIZE = 19 x 7.4 mm [3/4 x 5/16 in.]
847328440

WARNING

FIG. 65

ACT. SIZE = 17.8 x 6.4 mm [23/32 x 1/4 in.]
847613536




FIG. 62

ACT. SIZE = 150 x 50 mm [5-29/32 x 1-31/32 in.]
847393394

(DA)



FIG. 62A

ACT. SIZE = 150 x 50 mm [5-29/32 x 1-31/32 in.]
847374303

(DA)




FIG. 63

ACT. SIZE = 38 x 72 mm [1-1/2 x 2-27/32 in.]
847393402




FIG. 64

ACT. SIZE = 143 x 35 mm [5-5/8 x 1-3/8 in.]
847393410

(DA)




FIG. 64A

ACT. SIZE = 143 x 35 mm [5-5/8 x 1-3/8 in.]
847367323

(DA)

SEE PROPRIETARY NOTICE ON SHEET ONE

| | | |
|--------------------------|----------------|--------------|
| LABELS | | |
| | DWG SIZE c2 | ISSUE 21 |
| LUCCENT TECHNOLOGIES INC | ED5D596-70 | SHEET B10 |

Lucent Technologies 

5ESS® SWITCHING EQUIPMENT
OKLAHOMA CITY, OK. 73126 U.S.A.

To be installed only in Restricted Access Areas (Dedicated Equipment Rooms, Equipment Closets, or the like) in accordance with Article 110-16, 110-17 and 110-18 of the National Electrical Code. ANSI/NFPA No. 70.

 LISTED TELEPHONE EQUIPMENT
When Used With Lucent Technologies UL Listed

 Model JB6334E Power Distribution Center. 62U0

FIG. 66

Lucent Technologies 

5ESS® SWITCHING EQUIPMENT
OKLAHOMA CITY, OK. 73126 U.S.A.

To be installed only in Restricted Access Areas (Dedicated Equipment Rooms, Equipment Closets, or the like) in accordance with Article 110-16, 110-17 and 110-18 of the National Electrical Code. ANSI/NFPA No.70.

Installer seulement dans des aires reserves (local technique, armoire, etc.) conformement aux articles 110-16, 110-17 et 110-18 du National Electrical Code. ANSI/NFPA n° 70.

 LISTED TELEPHONE EQUIPMENT
When Used With Lucent Technologies UL Listed

 Model JB6334E Power Distribution Center. 62U0

FIG. 67

Lucent Technologies 

5ESS® SWITCHING EQUIPMENT
OKLAHOMA CITY, OK. 73126 U.S.A.

To be installed only in Restricted Access Areas (Dedicated Equipment Rooms, Equipment Closets, or the like) in accordance with Article 110-16, 110-17 and 110-18 of the National Electrical Code. ANSI/NFPA No. 70.

 LISTED TELEPHONE EQUIPMENT
When Used With Lucent Technologies UL Listed

Model JB6334E Power Distribution Center. 62U0

FIG. 68


CAUTION

This unit is supplied from multiple (twelve maximum) DC power sources. To reduce the risk of electrical shock or electrical energy - high current levels, refer to 235-105-220, HARDWARE MAINTENANCE PROCEDURES for power servicing.

FIG. 69

 CAUTION

This unit is supplied from multiple (twelve maximum) DC power sources. To reduce the risk of electrical shock or electrical energy - high current levels, refer to 235-105-220, HARDWARE MAINTENANCE PROCEDURES for power servicing.

 ATTENTION

Cet appareil est alimente par plusieurs sources c.c. (maximum 12). Pour reduire le risque de choc electrique ou de courants eleves, consulter le document 235-105-220 Hardware Maintenance Procedures en ce qui a trait a l'entretien de l'alimentation.

FIG. 70

| | | |
|-------------------------------------|------------|-----------|
| SEE PROPRIETARY NOTICE ON SHEET ONE | | |
| LABELS | DWG SIZE | ISSUE |
| | c2 | 21 |
| LUCENT TECHNOLOGIES INC | ED5D596-70 | SHEET B11 |

| STOCKLIST | | | | | | | | |
|-----------|-----------------|--------------|--------------------|------|--------------------------------|--------------------|------|-----|
| ITEM NBR | LIST GROUP CODE | QTY PER CODE | PRODUCT IDENTIFIER | CODE | DESCRIPTION | REFERENCE POSITION | NOTE | |
| | | | | | | | SYM | NBR |
| 1000 | 1 | 1 | 845081991 | | LABEL, ESD | | X/ | |
| 1001 | 2A | 1 | 845309756 | | LABEL | | X/ | |
| 1002 | 2B | 1 | 845309764 | | LABEL | | X/ | |
| 1003 | 2C | 1 | 845309772 | | LABEL | | X/ | |
| 1004 | 2D | 1 | 845309780 | | LABEL | | X/ | |
| 1005 | 2E | 1 | 845309798 | | LABEL | | X/ | |
| 1006 | 2F | 1 | 845309806 | | LABEL | | X/ | |
| 1020 | 3 | 1 | 845082015 | | LABEL | | X/ | |
| 1030 | 4 | 1 | 845082023 | | LABEL | | X/ | |
| 1040 | 5 | 1 | 845082031 | | LABEL | | X/ | |
| 1050 | 6 | 1 | 845082049 | | LABEL | | X/ | |
| 1060 | 7 | 1 | 845082056 | | LABEL | | X/ | |
| 1070 | 8 | 1 | 845082064 | | LABEL | | X/ | |
| 1080 | 9 | 1 | 845082072 | | LABEL | | X/ | |
| 1090 | 10 | 1 | 845082080 | | LABEL | | X/ | |
| 1100 | 11 | 1 | 845082098 | | LABEL | | X/ | |
| 1110 | 12 | 1 | 845082106 | | LABEL | | X/ | |
| 1120 | 13 | 1 | 845082114 | | LABEL | | X/ | |
| 1130 | 14 | 1 | 845082122 | | LABEL | | X/ | |
| 1140 | 15 | 1 | 845310879 | | LABEL | | X/ | |
| 1150 | 16 | 1 | 845310887 | | LABEL | | X/ | |
| 1160 | 17 | 1 | 845310895 | | LABEL | | X/ | |
| 1170 | 18 | 1 | 845311562 | | LABEL, CIRCUIT PACK PROTECTION | | X/ | |
| 1180 | 19 | 1 | 845311570 | | LABEL, CIRCUIT PACK PROTECTION | | X/ | |
| 1190 | 20 | 1 | 845313790 | | LABEL | | X/ | |
| 1200 | 21 | 1 | 845313782 | | LABEL, APPARATUS CODE | | X/ | |
| 1210 | 22 | 1 | 845312883 | | LABEL, APPARATUS CODE | | X/ | |
| 1220 | 23 | 1 | 845313907 | | LABEL | | X/ | |
| 1230 | 24 | 1 | 845734458 | | LABEL 5ESS PBX | | X/ | |
| 1240 | 25 | 1 | 845734466 | | LABEL | | X/ | |
| 1250 | 26 | 1 | 845623081 | | LABEL | | X/ | |
| 1260 | 27 | 1 | 845310887 | | LABEL | | X/ | |
| 1270 | 28 | 1 | 845310895 | | LABEL | | X/ | |
| 1280 | 29 | 1 | 845624394 | | LABEL | | X/ | |
| 1290 | 30 | 1 | 843082421 | | LABEL | | X/ | |
| 1300 | 31 | 1 | 843082439 | | LABEL | | X/ | |
| 1310 | 32 | 1 | 846163921 | | LABEL | | X/ | |
| 1320 | 33 | 1 | 845624188 | | LABEL | | X/ | |
| 1330 | 34 | 1 | 845624204 | | LABEL | | X/ | |
| 1340 | 35 | 1 | 845620269 | | LABEL, WARNING | | X/ | |
| 1350 | 36 | 1 | 845623057 | | LABEL, CAUTION | | X/ | |
| 1360 | 37 | 1 | 845624154 | | LABEL, CAUTION | | X/ | |
| 1370 | 38 | 1 | 845623313 | | LABEL | | X/ | |
| 1380 | 39 | 1 | 846282416 | | LABEL, WARNING | | X/ | |
| 1390 | 40 | 1 | 845624329 | | LABEL, WINDOW GROUND | | X/ | |

STOCKLIST CONTINUED ON SHEET D2

ED5D596-70

| S H O P | I N S T | MANUFACTURING NOTES | |
|------------------|------------------|---------------------|---|
| | | SYM | NBR |
| | | | |
| | | | 1. X PARTS REQUIRED FOR INSTALLATION. |
| | | | X/ PARTS REQUIRED FOR MANUFACTURE WHEN EQUIPMENT IS SHOP MOUNTED OR BY THE INSTALLER WHEN THE EQUIPMENT IS TO BE FIELD MOUNTED. |
| | | | * PARTS THAT ARE TO BE SHIPPED ATTACHED TO OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED ASSEMBLED ITEM. |
| | | | */ PARTS (A) REQUIRED FOR MANUFACTURE WHEN EQUIPMENT INVOLVED IS SHOP MOUNTED OR (B) TO BE SHIPPED ATTACHED TO, OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED ASSEMBLED ITEM WHEN FIELD MOUNTED. |
| | | | () INDICATES DESIGNATIONS TO BE STAMPED IN ACCORDANCE WITH JOB INFORMATION. |
| | | | { } INDICATES DESIGNATIONS SHOWN FOR INFORMATION ONLY AND ARE NOT TO BE STAMPED. |
| | | | < > INDICATES DESIGNATIONS AND/OR INFORMATION PROVIDED IN ACCORDANCE WITH OTHER INFORMATION. |
| | | | "W" PARTS ASSEMBLED AT THE SAME TIME THE EQUIPMENT IS MOUNTED. |
| | | | "W*" PARTS TO BE (A) SHOP ASSEMBLED, BUT WHICH CANNOT BE ASSEMBLED UNTIL THE ASSOCIATED EQUIPMENT IS BEING MOUNTED, OR (B) SHIPPED ATTACHED TO, OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED EQUIPMENT WHEN FIELD MOUNTED. |
| | | | "S" PARTS NOT ASSEMBLED, SHIPPED SEPARATELY. |
| | | | A/R AS REQUIRED. |
| | | | "B" PARTIAL ASSEMBLIES ON OTHER DRAWINGS WITH STOCKLISTS. |
| X | | | 3. THE LABEL SURFACE SHALL BE FREE OF ALL DIRT, OIL OR ANY OTHER FOREIGN MATTER PRIOR TO AFFIXING ANY LABEL. |
| X | | | 4. \$ LABELS SHALL BE EQUIPPED WITH A PRESSURE SENSITIVE ADHESIVE BACKING AND QUICK-RELEASE SLIT LINER. \$ |
| X | | | 12. \$'S' PARTS NOT ASSEMBLED, SHIPPED SEPARATELY.\$ |
| X | | | 13. \$ LABELS SHALL BE PRINTED ON POLYESTER (MYLAR), CLEAR POLYESTER LAMINATED OVERLAY HAVING A MATTE FINISH, 30% TO 50% GLOSS. EACH LABEL SHALL BE EQUIPPED WITH A PRESSURE SENSITIVE ADHESIVE BACKING PER KS-20642. THESE LABELS MAY BE OBTAINED FROM: NAMEPLATE & PANEL TECHNOLOGY, A DIVISION OF PHOTO TECHNIQUES CORP. 387 GUNDERSEN DRIVE, CAROL STREAM, IL 60188. \$ |
| X | | | 14. THE LABEL SURFACE SHALL BE FREE OF ALL DIRT, OIL OR ANY OTHER FOREIGN MATTER PRIOR TO AFFIXING ANY LABEL. |
| X | | | 15. \$ LABELS SHALL BE EQUIPPED WITH A PRESSURE SENSITIVE ADHESIVE BACKING AND QUICK-RELEASE SLIT LINER. \$ |

| | | | |
|---------------------------------------|--|-------------------|-------------|
| SEE PROPRIETARY NOTICE ON SHEET ONE | | | |
| | | RT99 | |
| COMMON ESS SWITCHING EQUIPMENT LABELS | | | |
| | | DWG SIZE C2 | ISSUE 22 |
| LUCENT TECHNOLOGIES INC | | ED5D596-70 | |
| | | SHEET D1 OF 17 | |

STOCKLIST

| ITEM NBR | LIST GROUP CODE | QTY PER CODE | PRODUCT IDENTIFIER | CODE | DESCRIPTION | REFERENCE POSITION | NOTE | |
|-------------|-----------------------|--------------------|-----------------------|------|---|-----------------------|------|-----|
| | | | | | | | SYM | NBR |
| 1400 | 41 | 1 | 845623677 | | LABEL, GROUND POINT | | X/ | |
| 1410 | 42 | 1 | 845624378 | | LABEL, CAUTION | | X/ | |
| 1420 | 43 | 1 | 846160042 | | LABEL, U.L. LISTING | | X/ | |
| 1430 | 44 | 1 | 845623040 | | LABEL, NAMEPLATE | | X/ | |
| 1440 | 45 | 1 | 845623065 | | LABEL, FIELD WIRING | | X/ | |
| 1450 | 46 | 1 | 846578094 | | LABEL, CAUTION | | X/ | |
| 1460 | 47 | 1 | 846459899 | | LABEL, U.L. LISTING | | X/ | |
| 1470 | 48 | 1 | 846887008 | | LABEL, DESIGNATION | | X/ | |
| 1480 | 49 | 1 | 846887016 | | LABEL, DESIGNATION | | X/ | |
| 1490 | 50 | 1 | 846887024 | | LABEL, DESIGNATION | | X/ | |
| 1500 | 51 | 1 | 846887032 | | LABEL, DESIGNATION | | X/ | |
| 1510 | 52 | 1 | 846917284 | | LABEL, CAUTION | | X/ | |
| 1515 | 52A | 1 | 847262201 | | LABEL, CAUTION | | X/ | |
| 1520 | 53 | 1 | 846917300 | | LABEL, CAUTION | | X/ | |
| 1530 | 54 | 1 | 846917342 | | LABEL, REVERSE "UR" | | X/ | |
| 1540 | 55 | 1 | 846923274 | | LABEL, DESIGNATION | | X/ | |
| 1541 | 55A | 1 | 847802600 | | LABEL, DESIGNATION | | X/ | |
| 1550 | 56 | 1 | 846923282 | | LABEL, WARNING | | X/ | |
| 1560 | 57 | 1 | 846923290 | | LABEL, CAUTION | | X/ | |
| 1570 | 58 | 1 | 846927705 | | KIT, LABEL, PROVIDES WARNING & INSTRUCTION SHEET | | | 53 |
| 1571 | 58A | 1 | 846927705 | | KIT, LABEL, PROVIDES WARNING & INSTRUCTION SHEET | | | 53 |
| 1580 | 59 | 1 | 846975589 | | LABEL, WARNING | | X/ | |
| 1590 | 60 | 1 | 847328424 | | LABEL, WARNING | | X/ | |
| 1600 | 61 | 1 | 847328440 | | LABEL, WARNING | | | |
| 1610 | 62 | 1 | 847393394 | | LABEL, INFORMATION | | | |
| 1615 | 62A | 1 | 847374303 | | LABEL, INFORMATION | | X/ | |
| 1620 | 63 | 1 | 847393402 | | LABEL, CAUTION | | X/ | |
| 1630 | 64 | 1 | 847393410 | | LABEL, CAUTION | | X/ | |
| 1635 | 64A | 1 | 847367323 | | LABEL, CAUTION | | X/ | |
| 1640 | 65 | 1 | 847613536 | | LABEL, WARNING | | | |
| 1650 | 66 | 1 | 847802634 | | LABEL, INFORMATION MAR-TEK INDUSTRIES | | | |
| 1660 | 67 | 1 | 847802642 | | LABEL, INFORMATION | | X/ | |
| 1670 | 68 | 1 | 847809605 | | LABEL, INFORMATION | | | |
| 1680 | 69 | 1 | 847802659 | | LABEL, CAUTION MAR-TEK INDUSTRIES | | X/ | |
| 1690 | 70 | 1 | 847802667 | | LABEL, CAUTION | | X/ | |

***** END OF STOCKLIST *****

ED5D596-70

| | | | |
|--|--|----------------|-------------------|
| SEE PROPRIETARY NOTICE ON SHEET ONE | | | |
| RT99 | | | |
| COMMON ESS SWITCHING EQUIPMENT LABELS | | DWG SIZE C2 | ISSUE 22 |
| LUCENT TECHNOLOGIES INC | | ED5D596-70 | SHEET D2 OF 17 |